

References:

- Andershed, Birgitta and Olsson, Kristina (2009) Review of research related to Kristen Swanson's middle-range theory of caring. *Scandinavian Journal of Caring Science*:2009:23:598-610. doi: 10.1111/j.1471-6712.2008.00647.x
- Araujo, T. G. d., Rieder, M. d. M., Kutchak, F. M., & Filho, W. F. (2013). Readmissions and deaths following ICU discharge: A challenge for intensive care. *Revista Brasileira de Terapia Intensiva*, 25(1), 32-38.
- Backes, M. T. S., Erdmann, A. L., & Buscher, A. (2015). The Living, Dynamic and Complex Environment Care in Intensive Care Unit. *Revista Latino-Americana de enfermagem*, 23(3), 411-418.
- Baruch, M., & Messer, B. (2015). Criteria for intensive care unit admission and severity of illness. *Surgery*, 33(4), 158-164. doi:10.1016/j.mpsur.2015.01.010
- Baumgarten, M., & Poulsen, I. (2015). Patients' experiences of being mechanically ventilated in an ICU: a qualitative metasynthesis. *Scand J Caring Sci*, 29(2), 205-214. doi:10.1111/scs.12177
- Bench, S., Day, T., & Griffiths, P. (2013). Effectiveness of critical care discharge information in supporting early recovery from critical illness. *Crit Care Nurse*, 33(3), 41-52. doi:10.4037/ccn2013134
- Benner, P; Tanner, C, and Chesla, C. 2009. *Expertise in Nursing Practice Caring, Clinical Judgment & Ethics*. USA: Springer Publishing Company
- Bergamasco e Paula, R., Tanita, M. T., Festti, J., Queiroz Cardoso, L. T., & Carvalho Grion, C. M. (2017). Analysis of readmission rates to the intensive care unit after implementation of a rapid response team in a University Hospital. *Medicina Intensiva (English Edition)*, 41(7), 411-417. doi:10.1016/j.medine.2016.11.009
- Bhalla, A., Suri, V., Kaur, P., & Kaur, S. (2014). Involvement of the family members in caring of patients an acute care setting. *J Postgrad Med*, 60(4), 382-385. doi:10.4103/0022-3859.143962
- Bradshaw, C., Atkinson, S., & Doody, O. (2017). Employing a Qualitative Description Approach in Health Care Research. *Global Qualitative Nursing Research*, 4, 1-8. doi:DOI: 10.1177/2333393617742282
- Braun, V., & Clarke, V. (2006). Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3(2), 77-101. doi:10.1191/1478088706qp063oa
- Burhans, L. M., & Alligood, M. R. (2010). Quality nursing care in the words of nurses. *J Adv Nurs*, 66(8), 1689-1697. doi:10.1111/j.1365-2648.2010.05344.x
- Caranto, Lawrence C (2015). Coalescing the theory of Roach and other trust-seekers. *International Journal of Nursing Science* 2015, 5 (1):1-4. doi: 10.5923/j.nursing.20150501.01
- Chaboyer, W., Thalib, L., Foster, M., Ball, C., & Richards, B. (2008). Predictor of Adverse Event in Patients After Discharge From The Intensive Care Unit. *American Journal of Critical Care*, 17(3), 255-264.
- Choi, Hoffman, L. A., Schulz, R., Ren, D., Donahoe, M. P., Given, B., & Sherwood, P. R. (2013). Health risk behaviors in family caregivers during patients' stay in intensive care units: a pilot analysis. *Am J Crit Care*, 22(1), 41-45. doi:10.4037/ajcc2013830
- Choi, Lee, J., Shin, Y., Lee, J., Jung, J., Han, M., . . . Huh, J. W. (2016). Effects of a medical emergency team follow-up programme on patients discharged from the medical intensive care unit to the general ward: a single-centre experience. *Journal of Evaluation in Clinical Practice*, 22(3), 356-362. doi:10.1111/jep.12485



- Clancy, O., Edginton, T., Casarin, A., & Vizcaychipi, M. P. (2015). The psychological and neurocognitive consequences of critical illness. A pragmatic review of current evidence. *Journal of the Intensive Care Society*, 16(3), 226-233. doi:10.1177/1751143715569637
- Cognet, S., & Coyer, F. (2014). Discharge practices for the intensive care patient: a qualitative exploration in the general ward setting. *Intensive Critical Care Nursing*, 30(5), 292-300; quiz 301-292. doi:10.1016/j.iccn.2014.04.004
- Conroy, T (2018). Factors influencing the delivery of the fundamentals of care: Perceptions of nurses, nursing leaders and healthcare consumers. *Journal of Clinical Nursing*. 2018 Jun;27(11-12):2373-2386. doi: 10.1111/jocn.14183. Epub 2018 Jan 24.
- Cullinane, J. P., & Plowright, C. I. (2013). Patients' and relatives' experiences of transfer from intensive care unit to wards. *Nursing Critical Care*, 18(6), 289-296. doi:10.1111/nicc.12047
- Cypress, B. S. (2013). Transfer out of intensive care: an evidence-based literature review. *Dimensions of Critical Care Nursing*, 32(5), 244-261. doi:10.1097/DCC.0b013e3182a07646
- Du, B., An, Y., Kang, Y., Yu, X., Zhao, M., Ma, X., . . . Zhou, L. (2013). Characteristics of Critically Ill Patients in ICUs in Mainland China. *Critical Care Medicine*, 41(1), 84-92. doi:0.1097/CCM.0b013e31826a4082
- Ebrahimi, H., Hassankhani, H., Negarandeh, R., Gillespie, M., & Azizi, A. (2016). Emotional Support for New Graduated Nurses in Clinical Setting: a Qualitative Study. *J Caring Sci*, 5(1), 11-21. doi:10.15171/jcs.2016.002
- Effendy, C., Vernooij-Dassen, M., Setiyarini, S., Kristanti, M. S., Tejawinata, S., Vissers, K., & Engels, Y. (2015). Family caregivers' involvement in caring for a hospitalized patient with cancer and their quality of life in a country with strong family bonds. *Psychooncology*, 24(5), 585-591. doi:10.1002/pon.3701
- Elliot, M., Crookes, P., Worrall-Carter, L., & Page, K. (2011). Readmission to intensive care: A qualitative analysis of nurses' perceptions and experiences. *Heart and Lung*, 40, 299-309. doi:10.1016/j.hrtlng.2010.04.006
- Elliott, M., Worrall-Carter, L., & Page, K. (2013). Factors Contributing to Adverse Events After ICU Discharge: A Survey of Liaison Nurses. *Australian Critical Care*, 26, 76-80. doi:0.1016/j.aucc.2012.07.005
- Endacott, R., Chaboyer, W., Edington, J., & Thalib, L. (2010). Impact of an ICU Liaison Nurse Service on major adverse events in patients recently discharged from ICU. *Resuscitation*, 81(2), 198-201. doi:10.1016/j.resuscitation.2009.10.011
- Enger, R., & Andershed, B. (2017). Nurses' experience of the transfer of ICU patients to general wards: A great responsibility and a huge challenge. *Journal of Clinical Nursing*, 27, 186-194. doi:0.1111/jocn.13911
- Enns, C. L., & Sawatzky, J. A. (2016). Emergency Nurses' Perspectives: Factors Affecting Caring. *J Emerg Nurs*, 42(3), 240-245. doi:10.1016/j.jen.2015.12.003
- Finfgeld-Connett, D. (2008). Meta-synthesis of caring in nursing. *Journal of Clinical Nursing*, 17, 196-2014. doi:0.1111/j.1365-2702.2006.01824.x
- Garrett, A., Strauss, C., & Saha, S. (2014). National survey of ICUs in the UK: discharging patients with tracheostomies. *Critical Care*, 18(1), P325. doi:10.1186/cc13515
- Gilligan, S. (2017). Critical care delayed discharge: Good or bad? *Journal of the Intensive Care Society*, 18(2), 146-148. doi:0.1177/1751143716678637
- Gitte, B., Tina, B. H., & Bibi, H. H. (2017). Handing over patients from the ICU to the general ward: A focused ethnographical study of nurses' communication practice. *Journal of Advanced Nursing*, 73(12), 3090-3101. doi:doi:10.1111/jan.13377



- Graan, S. M., Botti, M., Wood, B., & Redley, B. (2016). Nursing handover from ICU to cardiac ward: Standardised tools to reduce safety risks. *Australian Critical Care*, 29, 165-171. doi:10.1016/j.aucc.2015.09.002
- Graan, S. M., Botti, M., Wood, B., & Redley, B. (2016). Nursing handover from ICU to cardiac ward: Standardised tools to reduce safety risks. *Aust Crit Care*, 29(3), 165-171. doi:10.1016/j.aucc.2015.09.002
- Guest, M. (2017). Patient transfer from the intensive care unit to a general ward. *Nurs Stand*, 32(10), 45-51. doi:10.7748/ns.2017.e10670
- Haggstrom, M., Asplund, K., & Kristiansen, L. (2012). How can nurses facilitate patient's transitions from intensive care?: a grounded theory of nursing. *Intensive Critical Care Nursing*, 28(4), 224-233. doi:10.1016/j.iccn.2012.01.002
- Haggstrom, M., & Backstrom, B. (2014). Organizing safe transitions from intensive care. *Nurs Res Pract*, 2014, 175314. doi:10.1155/2014/175314
- Herling, S. F., Brix, H., Andersen, L., Jensen, L. D., Handesten, R., Knudsen, H., & Bové, D. G. (2019). Patient and spouses experiences with transition from intensive care unit to hospital ward – qualitative study. *Scand J Caring Sci*. doi:10.1111/scs.12722
- Holden, M. T., & Lynch, P. (2004). Choosing the Appropriate Methodology: Understanding Research Philosophy. *The Marketing Review*, 1-18. doi:10.1362/1469347042772428
- Hosein, F. S., Bobrovitz, N., Berthelot, S., Zygun, D., Ghali, W. A., & Stelfox, H. T. (2013). A systematic review of tools for predicting severe adverse events following patient discharge from intensive care units. *Critical Care*, 17(3), R102. doi:10.1186/cc12747
- James, S., Quirke, S., & McBride-Henry, K. (2013). Staff perception of patient discharge from ICU to ward-based care. *Nursing in Critical Care*, 18(6), 297-306. doi:10.1111/nicc.12001
- Jeddian, A., Lindenmeyer, A., Marshall, T., Howard, A., Sayadi, L., Rashidian, A., & Jafari, N. (2017). Implementation of a critical care outreach service: a qualitative study. *International Nursing Review*, 64, 353-362.
- Kauppi, W., Proos, M., & Olausson, S. (2018). Ward nurses' experiences of the discharge process between intensive care unit and general ward. *British Association of Critical Care Nurses*, 23(3), 127-133. doi:10.1111/nicc.12336
- Kelley, T., Docherty, S., & Brandon, D. (2013). Information needed to support knowing the patient. *ANS Adv Nurs Sci*, 36(4), 351-363. doi:10.1097/ans.0000000000000006
- Kim, H., Sefcik, J. S., & Bradway, C. (2016). Characteristics of Qualitative Descriptive Studies: A Systematic Review. *Research in Nursing & Health*, 40(1), 23-42. doi:10.1002/nur.21768
- Kjer, C. K. W., Estrup, S., Poulsen, L. M., & Mathiesen, O. (2017). Follow-up after intensive care treatment: a questionnaire survey of intensive care aftercare in Denmark. *Acta Anaesthesiol Scand*, 61(8), 925-934. doi:10.1111/aas.12938
- Kongsuwan, W., & Locsin, R. C. (2011). Thai nurses' experience of caring for persons with life-sustaining technologies in intensive care setting: a phenomenological study. *Intensive and Critical Care Nursing*, 27, 102-110. doi:10.1016/j.iccn.2010.12.002
- Kramer, A. A., Higgins, T. L., & Zimmerman, J. E. (2013). The association between ICU readmission rate and patient outcomes. *Critical Care Medicine*, 41(1), 24-33. doi:10.1097/CCM.0b013e3182657b8a
- Kristanti, M. S., Effendy, C., Utarini, A., Vernooij-Dassen, M., & Engels, Y. (2019). The experience of family caregivers of patients with cancer in an Asian country: A grounded theory approach. *Palliat Med*, 33(6), 676-684. doi:10.1177/0269216319833260
- Kulshrestha, A., & Singh, J. (2016). Inter-hospital and intra-hospital patient transfer: Recent concepts. *Indian J Anaesth*, 60(7), 451-457. doi:10.4103/0019-5049.186012

- Lee, S., Oh, H., Suh, Y., & Seo, W. (2017). A tailored relocation stress intervention programme for family caregivers of patients transferred from a surgical intensive care unit to a general ward. *Journal of Clinical Nursing*, 26(5-6), 784-794. doi:10.1111/jocn.13568
- Limbu, S., Kongsuwan, W., & Yodchai, K. (2018). Lived experience of intensive care nurse in caring for critically ill patient. *British Association of Critical Care Nurses*, 24(1), 9-14. doi:10.1111/nicc.12349
- Lin, F., Chaboyer, W., Wallis, M., & Miller, A. (2013). Factors contributing to the process of intensive care patient discharge: an ethnographic study informed by activity theory. *International Journal Nursing Studies*, 50(8), 1054-1066. doi:10.1016/j.ijnurstu.2012.11.024
- Ludin, S. M., Arbon, P., & Parker, S. (2013). Patients' transition in the intensive care units: concept analysis. *Intensive Critical Care Nursing*, 29(4), 187-192. doi:10.1016/j.iccn.2013.02.001
- Mackie, B. R., Mitchell, M., & Marshall, P. A. (2018). The impact of interventions that promote family involvement in care on adult acute-care wards: An integrative review. *Collegian*, 25(1), 131-140. doi:10.1016/j.colegn.2017.01.006
- Marshall, J. C., Bosco, L., Adhikari, N. K., Connolly, B., Diaz, J. V., Dorman, T., . . . Zimmerman, J. (2017). What is an intensive care unit? A report of the task force of the World Federation of Societies of Intensive and Critical Care Medicine. *J Crit Care*, 37, 270-276. doi:10.1016/j.jcrc.2016.07.015
- McCairn, A. J., & Jones, C. (2014). Does time of transfer from critical care to the general wards affect anxiety? A pragmatic prospective cohort study. *Intensive and Critical Care Nursing*, 30(4), 219-225. doi:10.1016/j.iccn.2013.12.004
- McKinney, A. A., & Melby, V. (2002). Relocation stress in critical care: a review of the literature. *J Clin Nurs*, 11(2), 149-157.
- Moody, S., & Griffiths, P. (2014). Effectiveness of Critical Care Outreach Services-A Literature Review. *Working Paper in the Health Services*, 1(7), 1-10.
- Nates, J. L., Nunnally, M., Kleinpell, R., Blosser, S., Goldner, J., Birriel, B., . . . Sprung, C. L. (2016). ICU Admission, Discharge, and Triage Guidelines: A Framework to Enhance Clinical Operations, Development of Institutional Policies, and Further Research. *Critical Care Medicine*, 44(8), 1553-1602. doi:10.1097/CCM.0000000000001856
- Nes, F., Abma, T., Jonsson, H., & Deeg, D. (2010). Language differences in qualitative research: is meaning lost in translation? *Europe Journal Ageing*, 7(4), 313-316. doi:10.1007/s10433-010-0168-y
- Niven, D. J., Bastos, J. F., & Stelfox, H. T. (2014). Critical care transition programs and the risk of readmission or death after discharge from an ICU: a systematic review and meta-analysis. *Critical Care Medicine*, 42(1), 179-187. doi:10.1097/CCM.0b013e3182a272c0
- Nurjannah, I., Mills, J., Park, T., & Usher, K. (2014). Conducting a Grounded Theory Study in a Language Other Than English. *SAGE Open*, 4(1), 215824401452892. doi:10.1177/2158244014528920
- Ofoma, U. R., Dong, Y., Gajic, O., & Pickering, B. W. (2018). A qualitative exploration of the discharge process and factors predisposing to readmissions to the intensive care unit. *BMC Health Services Research*, 18(6), 1-9. doi:0.1186/s12913-017-2821-z
- Oh, H., Lee, S., Kim, J., Lee, E., Min, H., Cho, O., & Seo, W. (2015). Clinical validity of a relocation stress scale for the families of patients transferred from intensive care units. *Journal of Clinical Nursing*, 24(13-14), 1805-1814. doi:10.1111/jocn.12778

- Olsen, K. D., Nester, M., & Hansen, B. S. (2017). Evaluating the past to improve the future - A qualitative study of ICU patients' experiences. *Intensive and Critical Care Nursing*, 43. doi:0.1016/j.iccn.2017.06.008
- Ortiz, J. (2016). New graduate nurses' experiences about lack of professional confidence. *Nurse Educ Pract*, 19, 19-24. doi:10.1016/j.nepr.2016.04.001
- Reader, T. W., & Gillespie, A. (2013). Patient neglect in healthcare institutions: a systematic review and conceptual model. *BMC Health Serv Res*, 13, 156. doi:10.1186/1472-6963-13-156
- Salmond, S. W., Evans, B., Hamdi, H. A., & Saimbert, M. K. (2011). A systematic review of relocation stress following in-house transfer out of critical/intensive care units. *JBILibr Syst Rev*, 9(61), 2684-2777.
- Sandelowski, M. (2010). What's in a name? Qualitative description revisited. *Research in Nursing Health*, 33(1), 77-84. doi:10.1002/nur.20362
- Santamaria, J. D., Duke, G. J., Pilcher, D. V., Cooper, D. J., Moran, J., Bellomo, R., . . . Readmission Evaluation, S. (2015). The timing of discharge from the intensive care unit and subsequent mortality. A prospective, multicenter study. *American Journal of Respiratory and Critical Care Medicine*, 191(9), 1033-1039. doi:10.1164/rccm.201412-2208OC
- Sargeant, J. (2012). Qualitative Research Part II: Participants, Analysis, and Quality Assurance. *Journal of Graduate Medical Education*, 4(1), 1-3. doi:10.4300/JGME-D-11-00307.1
- Scotland, J. (2012). Exploring the Philosophical Underpinnings of Research: Relating Ontology and Epistemology to the Methodology and Methods of the Scientific, Interpretive, and Critical Research Paradigms. *English Language Teaching*, 5(9), 9-16. doi:10.5539/elt.v5n9p9
- Shepherd, S. J. (2018). Criteria for intensive care unit admission and the assesment of illness severity. *Surgery*, 36(4), 171-179. doi:10.1016/j.mpsur.2018.01.003
- Sheppard, K (2015). Compassion fatigue among registered nurses: connecting theory and research. *Application Nursing Research*. 28 (1): 57:59
- Sluisveld, N. v., Hesselink, G., Hoeven, J. G. v. d., Wester, G., Wollersheim, H., & Zegers, M. (2015). Improving clinical handover between intensive care unit and general ward professionals at intensive care unit discharge. *Intensive Care Medicine*, 41, 589-604. doi:10.1007/s00134-015-3666-8)
- Smith, C. D., & Custard, K. (2014). The experience of family members of ICU patients who require extensive monitoring: a qualitative study. *Crit Care Nurs Clin North Am*, 26(3), 377-388. doi:10.1016/j.ccell.2014.04.004
- Son, Y. J., Hong, S. K., & Jun, E. Y. (2008). [Concept analysis of relocation stress: focusing on patients transferred from intensive care unit to general ward]. *Taehan Kanho Hakhoe Chi*, 38(3), 353-362.
- Stelfox, H. T., Bastos, J., Niven, D. J., Bagshaw, S. M., Turin, T. C., & Gao, S. (2016). Critical care transition programs and the risk of readmission or death after discharge from ICU. *Intensive Care Med*, 42(3), 401-410. doi:10.1007/s00134-015-4173-7
- Stelfox, H. T., Lane, D., Boyd, J. M., Taylor, S., Perrier, L., Straus, S., . . . Zuege, D. J. (2015). A scoping review of patient discharge from intensive care: opportunities and tools to improve care. *Chest*, 147(2), 317-327. doi:10.1378/chest.13-2965
- Stelfox, H. T., Perrier, L., Straus, S. E., Ghali, W. A., Zygun, D., Boiteau, P., & Zuege, D. J. (2013). Identifying intensive care unit discharge planning tools: protocol for a scoping review. *BMJ Open*, 3(4). doi:10.1136/bmjopen-2013-002653
- Tabanejad, Z., Pazokian, M., & Ebadi, A. (2014). A systematic review of the Liaison Nurse Role on Patient's Outcome after ICU discharged. *IJCBNM*, 2(4), 202-210.



- Topcu, S., Alpar, S. E., Gulseven, B., & Kebapci, A. (2017). Patient experiences in intensive care units: a systematic review. *Patient Experience Journal*, 4(3), 115-127.
- Uppanisakorn, S., Bhurayanontachai, R., Boonyarat, J., & Kaewpradit, J. (2018). National Early Warning Score (NEWS) at ICU discharge can predict early clinical deterioration after ICU transfer. *Journal of Critical Care*, 43, 225-229. doi:10.1016/j.jcrc.2017.09.008
- Wahyuni, D. (2012). The Research Design Maze: Understanding Paradigms, Cases, Methods and Methodologies. *Journal of Applied Management Accounting Research*, 10(1), 69-80.
- Watts, R. J., Pierson, J., & Gardner, H. (2005). How do critical care nurses define the discharge planning process? *Intensive and Critical Care Nursing*, 21, 39-46. doi:10.1016/j.iccn.2004.07.006
- Wibrandt, I., & Lippert, A. (2017). Improving Patient Safety in Handover From Intensive Care Unit to General Ward: A Systematic Review. *J Patient Saf.* doi:10.1097/pts.0000000000000266
- Willis, D. G., Sullivan-Bolyai, S., Knafl, K., & Cohen, M. Z. (2016). Distinguishing Features and Similarities Between Descriptive Phenomenological and Qualitative Description Research. *Western Journal of Nursing Research*, 38(9), 1185-1204. doi:10.1177/0193945916645499
- Yang, L., Liu, C., Huang, C., & Mukamel, D. B. (2018). Patients' perceptions of interactions with hospital staff are associated with hospital readmissions: a national survey of 4535 hospitals. *BMC Health Service Research*, 18(1), 50. doi:10.1186/s12913-018-2848-9
- Yang, S., Wang, Z., Liu, Z., Wang, J., & Ma, L. (2016). Association between time of discharge from ICU and hospital mortality: a systematic review and meta-analysis. *Critical Care*, 20(1). doi:10.1186/s13054-016-1569-x