



## References

- Almblad, A. C., Siltberg, P., Engvall, G., & Malqvist, M. (2018). Implementation of Pediatric Early Warning Score; Adherence to Guidelines and Influence of Context. *Journal Pediatric Nursing, 38*, 33-39. doi:10.1016/j.pedn.2017.09.002
- Andersen, L. W., Kim, W. Y., Chase, M., Berg, K.-M., Mortensen, S. J., Moskowitz, A., . . . Donnino, M. W. (2016). The prevalence and significance of abnormal vital signs prior to in-hospital cardiac arrest. *Resuscitation, 98*, 112-117. doi:<https://doi.org/10.1016/j.resuscitation.2015.08.016>
- Austen, C. (2012). Using a local early warning scoring system as a model for the introduction of a national system. *Acute Medicine, 11*(2), 66-73.
- Bakan, N., Karaoren, G., Tomruk, S. G., & Keskin Kayalar, S. (2018). Mortality in Code Blue; can APACHE II and PRISM scores be used as markers for prognostication? *Ulus Travma Acil Cerrahi Derg, 24*(2), 149-155. doi:10.5505/tjtes.2017.59940
- Braun, V., & Clarke, V. (2006). Using thematic analysis in psychology. *Qualitative Research in Psychology, 3*(2), 77-101. doi:10.1191/1478088706qp063oa
- Bunkenborg, G., Poulsen, I., Samuelson, K., Ladelund, S., & Åkeson, J. (2016). Mandatory early warning scoring—implementation evaluated with a mixed-methods approach. *Applied nursing research, 29*, 168-176. doi:<https://doi.org/10.1016/j.apnr.2015.06.012>
- Burger, D., Jordan, S., & Kyriacos, U. (2017). Validation of a modified early warning score-linked Situation-Background-Assessment-Recommendation communication tool: A mixed methods study. *Journal Clinical Nursing, 26*(17-18), 2794-2806. doi:10.1111/jocn.13852
- Churpek, M. M., Adhikari, R., & Edelson, D. P. (2016). The value of vital sign trends for detecting clinical deterioration on the wards. *Resuscitation, 102*, 1-5. doi:10.1016/j.resuscitation.2016.02.005
- Connolly, F., Byrne, D., Lydon, S., Walsh, C., & O'Connor, P. (2017). Barriers and facilitators related to the implementation of a physiological track and trigger system: A systematic review of the qualitative evidence. *International Society for Quality in Health Care, 29*(8), 973-980. doi:10.1093/intqhc/mzx148
- Cooper, S., McConnell-Henry, T., Cant, R., Porter, J., Missen, K., Kinsman, L., . . . Scholes, J. (2011). Managing deteriorating patients: registered nurses' performance in a simulated setting. *The open nursing journal, 5*, 120-126. doi:10.2174/18744346011050100120
- Creswell, J. W. (2012). *Educational research : planning, conducting, and evaluating quantitative and qualitative research*: Boston : Pearson, c2012. 4th ed.
- Creswell, J. W. (2014). *Research Design : Qualitative, Quantitative, and Mixed Methods Approaches*: Thousand Oaks : SAGE Publications, [2014] Fourth Edition.
- Creswell, J. W., & Plano Clark, V. L. (2011). *Designing and conducting mixed methods research*: Los Angeles, Calif. : SAGE Publications, c2011. 2nd ed.
- Creswell, J. W., & Plano Clark, V. L. (2017). *Designing and conducting mixed methods research*: Los Angeles : SAGE, [2017] Third edition, international student edition.
- Dawes, T. R., Cheek, E., Bewick, V., Dennis, M., Duckitt, R. W., Walker, J., . . . Venn, R. (2014). Introduction of an electronic physiological early warning system: effects on mortality and length of stay. *British Journal of Anaesthesia, 113*(4), 603-609. doi:10.1093/bja/aeu107
- De Meester, K., Haegdorens, F., Monsieurs, K. G., Verpooten, G. A., Holvoet, A., & Van Bogaert, P. (2013). Six-day postoperative impact of a standardized nurse observation and escalation protocol: A preintervention and postintervention study. *Journal of Critical Care, 28*(6), 1068-1074. doi:10.1016/j.jcrc.2013.07.061
- Donohue, L. A., & Endacott, R. (2010). Track, trigger and teamwork: communication of deterioration in acute medical and surgical wards. *Intensive Crit Care Nurs, 26*(1), 10-17. doi:10.1016/j.iccn.2009.10.006



- Douw, G., Huisman-de Waal, G., van Zanten, A. R. H., van der Hoeven, J. G., & Schoonhoven, L. (2018). Surgical ward nurses' responses to worry: An observational descriptive study. *International journal of nursing studies*, 85, 90-95. doi:10.1016/j.ijnurstu.2018.05.009
- Downey, C. L., Tahir, W., Randell, R., Brown, J. M., & Jayne, D. G. (2017). Strengths and limitations of early warning scores: A systematic review and narrative synthesis. *International journal of nursing studies*, 76, 106-119. doi:10.1016/j.ijnurstu.2017.09.003
- Fox, A., & Elliott, N. (2015). Early Warning Scores: A sign of deterioration in patients and systems. *Nursing Management - UK*, 22(1), 26-31. doi:10.7748/nm.22.1.26.e1337
- Gold, D. L., Mihalov, L. K., & Cohen, D. M. (2014). Evaluating the Pediatric Early Warning Score (PEWS) System for Admitted Patients in the Pediatric Emergency Department. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine*, 21(11), 1249-1256. doi:10.1111/acem.12514
- Goldhill, D. R., & McNarry, A. F. (2004). Physiological abnormalities in early warning scores are related to mortality in adult inpatients. *Br J Anaesth*, 92(6), 882-884. doi:10.1093/bja/ae113
- Greenwood, M., Genford, A., Goward, A., & Doherty, K. (2015). *Treat the number not the patient: Does it all ADD up?*
- Halcomb, E. J. (2007). Mixed methods research is an effective method of enquiry for community health research AU - Andrew, Sharon. *Contemp Nurse*, 23(2), 145-153. doi:10.5172/conu.2006.23.2.145
- Hope, J., Recio-Saucedo, A., Fogg, C., Griffiths, P., Smith, G. B., Westwood, G., & Schmidt, P. E. (2018). A fundamental conflict of care: Nurses' accounts of balancing patients' sleep with taking vital sign observations at night. *J Clin Nurs*, 27(9-10), 1860-1871. doi:10.1111/jocn.14234
- Jones, A., & Johnstone, M. J. (2018). Managing gaps in the continuity of nursing care to enhance patient safety. *Collegian*. doi:10.1016/j.colegn.2018.06.006
- Jonsson, T., Jonsdottir, H., Moller, A. D., & Baldursdottir, L. (2011). Nursing documentation prior to emergency admissions to the intensive care unit. *Nurs Crit Care*, 16(4), 164-169. doi:10.1111/j.1478-5153.2011.00427.x
- Kellett, J., Wang, F., Woodworth, S., & Huang, W. (2013). Changes and their prognostic implications in the abbreviated VitalPAC Early Warning Score (ViEWS) after admission to hospital of 18,827 surgical patients. *Resuscitation*, 84(4), 471-476. doi:10.1016/j.resuscitation.2012.12.002
- Kim, H., Sefcik, J. S., & Bradway, C. (2017). Characteristics of Qualitative Descriptive Studies: A Systematic Review. *Research in Nursing & Health*, 40(1), 23-42. doi:10.1002/nur.21768
- Kovacs, C., Jarvis, S. W., Prytherch, D. R., Meredith, P., Schmidt, P. E., Briggs, J. S., & Smith, G. B. (2016). Comparison of the National Early Warning Score in non-elective medical and surgical patients. *Br J Surg*, 103(10), 1385-1393. doi:10.1002/bjs.10267
- Krueger, R. A. (2009). *Focus groups : a practical guide for applied research / Richard A. Krueger; Mary Anne Casey*. Thousand Oaks, Calif. [u.a.]: Sage Publ.
- Kyriacos, U., Jelsma, J., & Jordan, S. (2011). Monitoring vital signs using early warning scoring systems: a review of the literature. *J Nurs Manag*, 19(3), 311-330. doi:10.1111/j.1365-2834.2011.01246.x
- Lambe, K., Currey, J., & Considine, J. (2016). Frequency of vital sign assessment and clinical deterioration in an Australian emergency department. *Australas Emerg Nurs J*, 19(4), 217-222. doi:10.1016/j.aenj.2016.09.001
- Le Lagadec, M. D., & Dwyer, T. (2017). Scoping review: The use of early warning systems for the identification of in-hospital patients at risk of deterioration. *Aust Crit Care*, 30(4), 211-218. doi:10.1016/j.aucc.2016.10.003



- Liamputtong, P. (2013). *Research methods in health. [electronic resource] : foundations for evidence-based practice*: South Melbourne, Victoria, Australia : Oxford University Press , 2013.Second edition.
- Maguire, M., & Delahunt, B. (2017). Doing a Thematic Analysis: A Practical, Step-by-Step Guide for Learning and Teaching Scholars. *AISHE-J: The All Ireland Journal of Teaching & Learning in Higher Education*, 9(3), 3351-33514.
- Martin, R. L. (2015). Midwives' experiences of using a modified early obstetric warning score (MEOWS): a grounded theory study. *Evidence Based Midwifery*, 13(2), 59-65.
- Massey, D., Chaboyer, W., & Anderson, V. (2017). What factors influence ward nurses' recognition of and response to patient deterioration? An integrative review of the literature. *Nursing open*, 4(1), 6-23. doi:10.1002/nop2.53
- Mathukia, C., Fan, W., Vadyak, K., Biege, C., & Krishnamurthy, M. (2015). Modified Early Warning System improves patient safety and clinical outcomes in an academic community hospital. *J Community Hosp Intern Med Perspect*, 5(2), 26716. doi:10.3402/jchimp.v5.26716
- Maupin, J. M., Roth, D. J., & Krapes, J. M. (2009). Use of the Modified Early Warning Score Decreases Code Blue Events. *The Joint Commission Journal on Quality and Patient Safety*, 35(12), 598-603. doi:[https://doi.org/10.1016/S1553-7250\(09\)35084-9](https://doi.org/10.1016/S1553-7250(09)35084-9)
- McCallum, J., Duffy, K., Hastie, E., Ness, V., & Price, L. (2013). Developing nursing students' decision making skills: Are early warning scoring systems helpful? *Nurse Education in Practice*, 13(1), 1-3. doi:<https://doi.org/10.1016/j.nepr.2012.09.011>
- McGaughey, J., O'Halloran, P., Porter, S., & Blackwood, B. (2017). Early warning systems and rapid response to the deteriorating patient in hospital: A systematic realist review. *Journal of Advanced Nursing*, 73(12), 2877-2891. doi:10.1111/jan.13398
- McVicar, A., Clancy, J., & Mayes, N. (2010). An exploratory study of the application of biosciences in practice, and implications for pre-qualifying education. *Nurse Education Today*, 30(7), 615-622. doi:10.1016/j.nedt.2009.12.010
- Michael, D. (2006). Findings of the First Consensus Conference on Medical Emergency Teams. *Critical Care Medicine*, 34(9), 2463-2478.
- Missen, K., Porter, J. E., Raymond, A., de Vent, K., & Larkins, J.-A. (2018). Adult Deterioration Detection System (ADDS): An evaluation of the impact on MET and Code blue activations in a regional healthcare service. *Collegian*, 25(2), 157-161. doi:10.1016/j.colegn.2017.05.002
- Mitchell, I. A., McKay, H., Van Leuvan, C., Berry, R., McCutcheon, C., Avard, B., . . . Lamberth, P. (2010). A prospective controlled trial of the effect of a multi-faceted intervention on early recognition and intervention in deteriorating hospital patients. *Resuscitation*, 81(6), 658-666. doi:10.1016/j.resuscitation.2010.03.001
- Mohammed, M. A., Hayton, R., Clements, G., Smith, G., & Prytherch, D. (2009). Improving accuracy and efficiency of early warning scores in acute care. *British Journal of Nursing*, 18(1), 18-24.
- Mok, W. Q., Wang, W., & Liaw, S. Y. (2015). Vital signs monitoring to detect patient deterioration: An integrative literature review. *International journal of nursing practice*, 21 Suppl 2, 91-98. doi:10.1111/ijn.12329
- Morgan. (1997). An early warning scoring system for detecting developing critical illness. *Clinical intensive care*, 8(2), 100.
- Morris, A., & Davies, K. (2010). Early warning scoring systems: observation of care in practice. *British Journal of Nursing*, 19(18), 1180-1184.
- Neary, P. M., Regan, M., Joyce, M. J., McAnena, O. J., & Callanan, I. (2015). National early warning score (NEWS) - evaluation in surgery. *Int J Health Care Qual Assur*, 28(3), 245-252. doi:10.1108/IJHCQA-01-2014-0012
- Neergaard, M. A., Olesen, F., Andersen, R. S., & Sondergaard, J. (2009). Qualitative description - the poor cousin of health research? *BMC Med Res Methodol*, 9, 52. doi:10.1186/1471-2288-9-52



- Niegsch, M., Fabritius, M. L., & Anhoj, J. (2013). Imperfect implementation of an early warning scoring system in a Danish teaching hospital: a cross-sectional study. *PLoS One*, *8*(7), e70068. doi:10.1371/journal.pone.0070068
- Odell, M., Victor, C., & Oliver, D. (2009). Nurses' role in detecting deterioration in ward patients: systematic literature review. *Journal of Advanced Nursing*, *65*(10), 1992-2006. doi:10.1111/j.1365-2648.2009.05109.x
- Olsen, M., Mooney, K., & Evans, E. (2016). Implementation of an Early Warning Scoring System to Identify Patients With Cancer at Risk for Deterioration. *Clin J Oncol Nurs*, *20*(4), 374-376. doi:10.1188/16.cjon.374-376
- Patient deterioration programme*. (2017). New Zealand Retrieved from <https://www.hqsc.govt.nz/>.
- Peek, K. N., & Gillham, M. (2017). Is the New Zealand Early Warning Score useful following cardiac surgery? *The New Zealand Medical Journal*, *130*(1461), 9-14.
- Petersen, J. A. (2018). Early warning score challenges and opportunities in the care of deteriorating patients. *Dan Med J*, *65*(2).
- Rattray, J. E., Lauder, W., Ludwick, R., Johnstone, C., Zeller, R., Winchell, J., . . . Smith, A. (2011). Indicators of acute deterioration in adult patients nursed in acute wards: a factorial survey. *Journal of Clinical Nursing*, *20*(5/6), 723-732. doi:10.1111/j.1365-2702.2010.03567.x
- The SAGE Encyclopedia of Communication Research Methods. (2017). doi:10.4135/9781483381411
- Salt, L. (2013). Evaluation critical care outreach and the Early Warning Score tool -- the ward nurse's view point. *Kai Tiaki Nursing Research*, *4*(1), 17-24.
- Shearer, B., Marshall, S., Buist, M. D., Finnigan, M., Kitto, S., Hore, T., . . . Ramsay, W. (2012). What stops hospital clinical staff from following protocols? An analysis of the incidence and factors behind the failure of bedside clinical staff to activate the rapid response system in a multi-campus Australian metropolitan healthcare service. *BMJ Qual Saf*, *21*(7), 569-575. doi:10.1136/bmjqs-2011-000692
- Shorten, A., & Smith, J. (2017). Mixed methods research: expanding the evidence base. *Evidence Based Nursing*, *20*(3), 74. doi:10.1136/eb-2017-102699
- Smith, M. E. B., Chiovaro, J. C., O'Neil, M., Kansagara, D., Quiñones, A. R., Freeman, M., . . . Slatore, C. G. (2014). Early warning system scores for clinical deterioration in hospitalized patients: a systematic review. *Annals of the American Thoracic Society*, *11*(9), 1454-1465. doi:10.1513/AnnalsATS.201403-102OC
- Stafseth, S. K., Gronbeck, S., Lien, T., Randen, I., & Lerdal, A. (2016). The experiences of nurses implementing the Modified Early Warning Score and a 24-hour on-call Mobile Intensive Care Nurse: An exploratory study. *Intensive Crit Care Nurs*, *34*, 25-33. doi:10.1016/j.iccn.2015.07.008
- Standar Nasional Akreditasi Rumah Sakit*. (2017). Indonesia.
- Stevenson, J. E., Israelsson, J., Nilsson, G. C., Petersson, G. I., & Bath, P. A. (2016). Recording signs of deterioration in acute patients: The documentation of vital signs within electronic health records in patients who suffered in-hospital cardiac arrest. *Health Informatics Journal*, *22*(1), 21-33. doi:10.1177/1460458214530136
- Tariq, S., & Woodman, J. (2013). Using mixed methods in health research. *Journal of the Royal Society of Medicine Short Reports*, *4*(6), 2042533313479197. doi:10.1177/2042533313479197
- Teddlie, C., & Tashakkori, A. (2003). *Handbook of mixed methods in social & behavioral research*: Thousand Oaks, Calif. ; London : SAGE Publications, c2003.
- Thompson, C., Bucknall, T., Estabrookes, C. A., Hutchinson, A., Fraser, K., de Vos, R., . . . Saunders, J. (2009). Nurses' critical event risk assessments: a judgement analysis. *Journal of Clinical Nursing*, *18*(4), 601-612. doi:10.1111/j.1365-2702.2007.02191.x
- Tirkkonen, J., Hellevuo, H., Olkkola, K. T., & Hoppu, S. (2016). Aetiology of in-hospital cardiac arrest on general wards. *Resuscitation*, *107*, 19-24. doi:<https://doi.org/10.1016/j.resuscitation.2016.07.007>