

## Daftar Pustaka

- Alikhan ,MA., Huynh, M., Kitching, AR., Ooi, JD. 2018. Regulatory T cells in renal disease. *Clinical & Translational Immunology*. 7, e1004.
- Allon, M. 2018. Vascular Access for Hemodialysis Patients New Data Should Guide Decision Making. *Clinical Journal of the American Society of Nephrology*. 14, 954–961.
- Amaral, S., Hwang, W., Fivush, B., Neu, A., Frankenfield, D., Furth, S. 2008. Serum Albumin Level and Risk for Mortality and Hospitalization in Adolescents on Hemodialysis. *Clinical Journal of the American Society of Nephrology*. 3: 759-767.
- Anthony, PS. 2008. Nutrition Screening Tools for Hospitalized Patients Nutrition in Clinical Practice. *American Society for Parenteral and Enteral Nutrition* 10.1177/0884533608321130. 23, 373-382.
- Argyropoulos, C., Roumelioti, ME., Sattar, A., Kellum, JA., Weissfeld, L., Unruh, ML. 2015. Dialyzer Reuse and Outcomes of High Flux Dialysis. *PLOS ONE*. 0129575, 6, 9.
- Astor, BC., Coresh, J., Eustace, JA., Powe, NR. Klag,MJ., Fink, NE. 2005. Type of Vascular Access and Survival among Incident Hemodialysis Patients: The Choices for Healthy Outcomes in Caring for ESRD (CHOICE) Study. *Journal of the American Society of Nephrology*. 16, 1449-1455.
- Ayna, TK., Akman, B., Koçyigit, AO., Güleç, D., Soyöz, M., Tugmen, C. 2017. Flow cytometric evaluation of T and B lymphocyte percentage in chronic kidney disease. *Medical Research Journal*. 2 (1), 29–33.
- Babitt, JL., Lin, HY. 2012. Mechanisms of Anemia in CKD. *Journal of the American Society of Nephrology*. 23: 1631–1634, 2012.
- Banerjee, T., Kim, SJ., Astor, B., Shafi, T., Coresh, J., Powe, NR. 2014. Vascular Access Type, Inflammatory Markers, and Mortality in Incident Hemodialysis Patients: The Choices for Healthy Outcomes in Caring for End-Stage Renal Disease (CHOICE) Study. *American Journal of Kidney Diseases*. 2014 December ; 64(6): 954–961.
- Barenregt, K., Soeters, PB., Allison, SP. 2004. Influence of malnutrition on physiological function. In: Sobotka L, Allison SP, Furst P, Meier R, Pertkiewicz M, Soeters PB, eds. *Basics in Clinical Nutrition*. 3 ed. Prague: ESPEN 2004, 18-20.

- Beberashvili, I., Erlich, A., Azar, A., Sinuani, I., Feldman, L., Gorelik, O. Stav, K., Efrati, S. 2016. Longitudinal Study of Serum Uric Acid, Nutritional Status, and Mortality in Maintenance Hemodialysis Patients. *Clinical Journal of the American Society of Nephrology*. 11, 1015–1023.
- Betjes, MGH., Meijers, RWJ., Litjens, NHR. 2013. Loss of Renal Function Causes Premature Aging of the Immune System. *Blood Purification*. 36, 173–178.
- Beto, JA., Bansal, VK., Hart, J. McCarthy, M., Roberts, D. 1999. Hemodialysis Prognostic Nutrition Index as a Predictor for Morbidity and Mortality in Hemodialysis Patients and Its Correlation to Adequacy of Dialysis. *Nutrition National Research Question Collaborative Study Group. Journal of Renal Nutrition*. 9, 2-8.
- Black, J.M, Hawks, J.H. 2005. *Medical Surgical Nursing Clinical Management for Positive Outcome 7th edition*. Philadelphia : W.B Saunders Company.
- Bossola, M., Muscaritoli, M., Tazza, L., Giungi, S., Tortorelli, A., Fanelli, FR., Luciani, G. 2005. Malnutrition in Hemodialysis Patients: What Therapy? *AJKD American Journal of Kidney Diseases*. 46, 3.
- Brubaker, LH., Nolpi, KLD. 1971. Mechanisms of Recovery From Neutropenia Induced by Hemodialysis. *Blood*. 38, 5.
- Cabrerizo, S., Cuadras, D., Gomez-Busto, F., Artaza-Artabe I, Marin-Ciancas, F., Malafarina, V. 2015. Serum albumin and health in older people: review and meta analysis. *Maturitas*. 81(1), 17–27.
- Carvounis, CP., Manis, T., Cortisidis, G., et al. 2000. Total lymphocyte count: a promising prognostic index of mortality in patients on CAPD. *Peritoneal Dialysis International*. Jan-Feb, 20(1), 33-8.
- Chen, ZY., Gao, C., Ye, T., Zuo XZ., Wang, GH., Xu, XS., Yao, Y. 2015. Association between nutritional risk and routine clinical laboratory measurements and adverse outcomes: a prospective study in hospitalized patients of wuhan tongji hospital. *European Journal of Clinical Nutrition*. 69, 552–557.
- Cheng, KC., Liao, KF., Lin, CL., Liu, CS., Lai, SW. 2018. Chronic kidney disease correlates with increased risk of pulmonary tuberculosis before initiating renal replacement therapy A cohort study in Taiwan. *Medicine*. 97:39
- Cheung, AK., Sarnak, MJ., Yan, G., Berkoben, M., Heyka, R., Kaufman, L., Lewis, J., Rocco, M., Toto, R., Windus, D., Ornt, D. Levey, AS. 2004. Cardiac diseases in maintenance hemodialysis patients: Results of the HEMO Study. *Kidney International*. 65, pp 2380-2389

Chou, CY., Wang, SM., Liang, CC., Chang, CT., Liu, JH., Wang, IK., Hsiao, LC., Muo, CH., Chung, CJ., Huang, CC. 2016. Peritoneal Dialysis is Associated With A Better Survival in Cirrhotic Patients With Chronic Kidney Disease. *Medicine*. January 2016-Volume 95-Issue 4-p e2465

Cohen, SD., Phillips, TM., Khetpal, P., Kimmel, PL. 2010. Cytokine patterns and survival in haemodialysis patients. *Nephrology Dialysis Transplantation*. 25, 1239-1243.

Dai, L., Golembiewska, E., Lindholm, B., Stenvinkel, P. 2017. End-Stage Renal Disease, Inflammation and Cardiovascular Outcomes. Ronco C (ed): Expanded Hemodialysis-Innovative Clinical Approach in Dialysis. *Contribution to Nephrology*. 191, 32–43.

Dewi, YP. 2014. Performa formula Cockcroft-Gault, MDRD, dan CKD-EPI. PPDS PK UGM 2014.

Disbrow, DE., Cull, DL., Carsten III, CG., Yang, SK., Johnson, BL., Keahey, GP. 2012. Comparison of Arteriovenous Fistulas and Arteriovenous Grafts in Patients with Favorable Vascular Anatomy and Equivalent Access to Health Care: Is a Reappraisal of the Fistula First Initiative Indicated? *Journal of the American College of Surgeons*. Apr, 216 (4), 679-85.

Donati, D., Degiannis, D., Combates, N., Raskova, J., Raska, K. 1992. Effects of Hemodialysis on Activation of Lymphocytes: Analysis by an In Vitro Dialysis Model. *Journal of the American Society of Nephrology*. 2, 10.

Fanelli, C., Noreddin, A., Nunes, A. 2018. Inflammation in Nonimmune-Mediated Chronic Kidney Disease. *Chronic Kidney Disease: from Pathophysiology to Clinical Improvements*.

Faria, MS., Teixeira, L., Kohlova, M., Miranda, V., Ribeiro, S., Rocha-Pereira, P., Reis, F., Costa, E., Fernandes, J., Amado, L., Quintanilha, A. 2013. Risk Factors for Mortality in Hemodialysis Patients: Two-Year Follow-Up Study. *Hindawi*. 35, Issue 6, 791–798.

Fiedler, R., Jehle, PM., Osten, B., Dorligschaw, O., Girndt, M. 2009. Clinical nutrition scores are superior for the prognosis of haemodialysis patients compared to lab markers and bioelectrical impedance. *Nephrology Dialysis Transplantation*. 24, 3812–3817.

Gauckler, P., Shin, JI., Mayer, G., Kronbichler, A. 2018. Eosinophilia and Kidney Disease: More than Just an Incidental Finding? *Journal Clinical Medicine*. 2018, 7, 529;

Georgianos, PI., Sarafidis, PA., Zoccali, C. 2015. Intradialysis Hypertension in End-Stage Renal Disease Patients. *Hypertension*. 66, 456-463

Go, AS., Chertow, GM., Fan, D., McCulloch, CE., Hsu, CY. 2004. Chronic Kidney Disease and The Risk of Death, Cardiovascular Events, and Hospitalization. *New England Journal Medicine*. 351, 1296-305.



UNIVERSITAS  
GADJAH MADA

TOTAL LYMPHOCYTE COUNT (TLC) SEBAGAI PREDIKTOR MORTALITAS PADA PENYAKIT GINJAL KRONIS YANG MENJALANI HEMODIALISIS RUTIN  
DHANY HANURDOYO, dr. Iri Kuswadi, Sp.PD-KGH; dr. Heru Prasanto, Sp.PD-KGH  
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Gotlieb, AI. 2018. Molecular Basis of Cardiovascular Disease. Molecular Pathology, Second Edition The molecular Basis of Human Disease. pages 251-276.

Gunarsa, RG., Simadibrata, M., Syam, AF., Timan, IS., Setiati, S., Rani, AA. Total Lymphocyte Count as a Nutritional Parameter in Hospitalized Patients. *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy*. 2011; 12, 2.

Hakim, YAH., Abbas, AA., Khalil, A., Ibrahim, H., Mustafa, A. 2016. The Effect of Hemodialysis on Hemoglobin Concentration, Platelets count and White Blood Cells Count in End Stage Renal Failure. *International Journal of Medical Research & Health Sciences*. 5, 5, 22-35

Haynes, R., Staplin, N., Emberson, J., Herrington, WG., Tomson, C., Agodoa, L., Tesar, V., Levin, A., Lewis, D., Reith, C., Baigent, C., Landray, MJ. 2014. Evaluating the Contribution of the Cause of Kidney Disease to Prognosis in CKD: Results From the Study of Heart and Renal Protection (SHARP). *American Journal of Kidney Diseases*. 64(1), 40-48.

Heras, M., García-Cosmes, P., Fernández-Reyes, MJ., Sánchez, R. 2013. Natural progression of renal function in the elderly: analysis of poor prognosis factors associated with chronic kidney disease. *Nefrologia*. 33(4), 462-9.

Hörl, WH. 2013. Anaemia management and mortality risk in chronic kidney disease. *Nature Reviews Nephrology*. 9(5), 291–301.

Hsu, CY., Iribarren, C., McCulloch, CE., Darbinian, J., Go, AS. 2009. Risk Factors for End-Stage Renal Disease 25-Year Follow-up. *Archives of Internal Medicine*. 169(4), 342-350.

Hsu, HW., Lang, CL., Wang, MH, Chiang, CK, Lu, KC. 2014. A Review of Chronic Kidney Disease and the Immune System: A Special Form of Immunosenescence. *Journal Gerontology and Geriatric Research*. 3, 2, 1000144.

Hu, EA., Lazo, M., Rosenberg, SD., Grams, ME., Steffen, LM., Coresh, J., Rebholz, CM. 2019. Alcohol Consumption and Incident Kidney Disease: Results From the Atherosclerosis Risk in Communities Study. *Journal of Renal Nutrition*.

Hung, TH., Tsai, CC., Tseng, KC., Tseng, CW., Hsieh, YH., Tsai, CC., Lee, HF. 2016. High Mortality of Cirrhotic Patients With End-Stage Renal Disease. *Medicine*. 95, Number 10.

Ikizler, TA. 2013. A Patient with CKD and Poor Nutritional Status. *Clinical Journal of the American Society of Nephrology*. 8, 2174–2182.

Kalantar-Zadeh, K., Brennan, ML., Hazen, SL. 2006. Serum myeloperoxidase and mortality in maintenance hemodialysis patients. *American Journal of Kidney Disease*. 200648, 59-68.

- Kalantar-Zadeh, K., Regidor, DL., Kovesdy, CP.. Wyck, DV., Bunnapradist, S., Horwich, TB., Fonarow, GC. 2009. Fluid Retention Is Associated With Cardiovascular Mortality in Patients Undergoing Long-Term Hemodialysis. *Circulation*. 119, 671–679.
- Kalantar-Zadeh, K., Simmons, H. 2007. Inflammatory Marker Mania in Chronic Kidney Disease: Pentraxins at the Crossroad of Universal Soldiers of Inflammation. *Clinical Journal of the American Society of Nephrology*. 2: 872-875.
- Kang, SH., Cho, KH., Park, JW., Yoon, KW., Do, JY. 2012. Onodera's Prognostic Nutritional Index as a Risk Factor for Mortality in Peritoneal Dialysis Patients. *Journal Korean Medical Science*. 27, 1354-1358.
- Kato, S., Chmielewski, M., Honda, H., Pocoits-Filho, R., Matsuo, S., Yuzawa, Y., Tranaeus, A., Stenvinkel, P., Lindholm, B. 2008. Aspects of Immune Dysfunction in End-stage Renal Disease. *Clinical Journal of the American Society of Nephrology*. 3, 1526–1533.
- Kato, A., Takita, T., Furuhashi, M., Maruyama Y., Kumagai, H., Hishida, A. 2008. Blood Monocyte Count Is a Predictor of Total and Cardiovascular Mortality in Hemodialysis Patients. *Nephron Clinical Practice*. 110, c235–c243.
- Kaysen, GA. 2009. Biochemistry and Biomarkers of Inflamed Patients: Why Look, What to Assess. *Clinical Journal of the American Society of Nephrology*. 4, S56–S63.
- KDOQI. 2006. *Clinical practice guidelines for hemodialysis adequacy*. Maret 2, 2010. <http://www.kidney.org/Professionals/kdoqi>.
- Kim, AJ., Lim, HJ., Ro, H., Jung, JY., Lee, HH., Chung, W., Chang, JH. 2016. Liver cirrhosis leads to poorer survival in patients with end-stage renal disease. *Korean Journal of Internal Medicine*. 31, 730-738.
- Kim, YN., Shin, HS. 2017. Relationships of Total Lymphocyte Count and Subpopulation Lymphocyte Counts with the Nutritional Status in Patients Undergoing Hemodialysis/Peritoneal Dialysis. *Kosin Medical Journal*. 32, 58-71.
- Kirmizis, D., Papagianni, A., Belechri, AM., Memmos, D. 2011. Effects of vitamin E-coated membrane dialyser on markers of oxidative stress and inflammation in patients on chronic haemodialysis. *Nephrology Dialysis Transplantation*. 26, 2296–2301.
- Kohlová, M., Amorim, CG., Araújo, A., Santos-Silva, A., Solich, P., Conceição, M. 2019. The biocompatibility and bioactivity of hemodialysis membranes: their impact in end-stage renal disease. *Journal of Artificial Organs*. 22, 14–28.

Kukita, K., Ohira, S., Amano, I., Naito, H., Azuma, N., Ikeda, K., Kanno, Y., Satou, T., Sakai, S., Sugimoto, T., Takemoto, Y., Haruguchi, H., Minakuchi, J., Miyata, A., Murotani, N., Hirakata, H., Tomo, T., Akizawa, T. 2015. 2011 update Japanese Society for Dialysis Therapy Guidelines of Vascular Access Construction and Repair for Chronic Hemodialysis Guideline Working Group, Japanese Society for Dialysis Therapy. *Therapeutic Apheresis and Dialysis*. 19, 1–39.

Kurts, C., Panzer, U., Anders, HJ., Rees, AJ. 2013. The immune system and kidney disease: basic concepts and clinical implications. *Nature Reviews Immunology*. Immunology Advance Online Publication.

Kuwae, N., Kopple, JD., Kalantar-Zadeh, K. 2005. A low lymphocyte percentage is a predictor of mortality and hospitalization in hemodialysis patients. *Journal of Clinical Nephrology*. 63(1), 22-34.

Kuzuya, M., Kanda, S., Koike, T., Suzuki, Y., Iguchi, A. 2005. Lack of correlation between total lymphocyte count and nutritional status in the elderly. *Clinical Nutrition*. 24, 427–432.

Lai, CC., Wu, CH., Wang, YH., Wang, CY., Wu, VC., Chen, L. 2018. The association between COPD and outcomes of patients with advanced chronic kidney disease. *International Journal of COPD*. 13, 2899-2905.

Leandro-Merhi, VA., Bráz, VN., De Aquino. JLB. 2016. Is total lymphocyte count related to nutritional markers in hospitalized older adults? *Arquivos de Gastroenterologia*. 54, 1, Jan-Mar, 79-82.

Li, H., Lu, X., Xiong, RF., Wang, SX. 2017. High Neutrophil-to-Lymphocyte Ratio Predicts Cardiovascular Mortality in Chronic Hemodialysis Patients. *Hindawi Mediators of Inflammation*. ID 9327136.

Lisowska, KA., Pindell, M., Pietruszuk, K., Kuźmiuk-Glembin, I., Storoniak, H., Dębska-Ślizień, A., Witkowski, JM. 2019. The influence of a single hemodialysis procedure on human T lymphocytes. *Scientific Reports*. 9, 5041.

Lu, X., Wang, S., Zhang, G., Xiong, R., Li, H. 2018. High Neutrophil-to-Lymphocyte Ratio is a Significant Predictor of Cardiovascular and All-Cause Mortality in Patients Undergoing Peritoneal Dialysis. *Kidney and Blood Pressure Research*. 43 (2), 490-499.

Macdougall, IC., Cooper, AC. 2002. Erythropoietin resistance : the role of inflammation and pro-inflammatory cytokines. *Nephrology Dialysis Transplantation* (Suppl 11). 39-43.

Mai, K., Boldt, A., Hau, HM., Kirschfink, M., Schiekofer, S., Keller, F., Beige, J., Giannis, A., Sack, U., Rasche, FM. 2019. Immunological Alterations due to Hemodialysis Might Interfere with Early Complications in Renal Transplantation. *Hindawi. Analytical Cellular Pathology*, 2019, 8389765.

Meier, P., Dayer, E., Blanc, E., Wauters, JP. 2002. Early T cell activation correlates with expression of apoptosis markers in patients with end-stage renal disease. *Journal of the American Society of Nephrology*. 13, 204-212.

Morita, S., Fukuhara, S., Akizawa, T., Asano, Y., Koshikawa, S., Koide, K., Kurokawa, K. 2005. Prognostic Factors for a Composite End-Point of Renal Outcomes in Patients With Chronic Kidney Disease. *Therapeutic Apheresis and Dialysis*. 10(1),72-77.

Mukaia, H., Ming, P., Lindholma, B., Heimbürgera, O., Baranya, P., Stenvinkel, P., Qureshia, AR. 2018. Lung Dysfunction and Mortality in Patients with Chronic Kidney Disease. *Kidney Blood Press. Res* 2018, 43, 522-535.

Mutsert, RD., Grootendorst, DC., Indemans, F., Boeschoten, EW., Krediet, RT., Dekker, FW. 2009. Association Between Serum Albumin and Mortality in Dialysis Patients Is Partly Explained by Inflammation, and Not by Malnutrition. *Journal of Renal Nutrition*. 19, 2, 127-135.

Navaneethan, SD., Schold, JD., Huang, H., Nakhoul, G., Jolly, SE., Arrigain, S., Dweik, RA., Nally Jr, JV. 2016. Mortality Outcomes of Patients with Chronic Kidney Disease and Chronic Obstructive Pulmonary Disease. *American Journal of Nephrology*. 43(1), 39-46.

Nordio, M., Limido, A., Maggiore, U., Nichelatti, M., Postorino, M., Quintaliani, G., on behalf of the Italian Dialysis and Transplantation Registry. 2012. Survival in Patients Treated by Long-term Dialysis Compared With the General Population. *The Americal Journal of Kidney Diseases*. 59(6), 819-828.

Pahl, MV., Vaziri, ND. 2015. Immune Function in Chronic Kidney Disease. *Chronic Renal Disease*.

Palmer, SC., Rabindranath, KS., Craig, JC., Roderick, PJ., Locatelli, F., Strippoli, GFM. 2012. High-flux versus low-flux membranes for end-stage kidney disease. *Cochrane Systematic Review-Intervention Version*.

Pernefri. 2003. *Konsensus Dialisis Perhimpunan Nefrologi Indonesia*. Jakarta.

Pichard, C., Kyle, UG., Morabia, A., Perrier, A., Vermeulem, B. 2004. Nutritional assessment: lean body mass depletion at hospital admission is associated with an increased length of stay. *American Journal Clinical Nutrition*. 79, 613-8.

Pifer,TB., McCullough, KP., Port, FK., et al. 2002. Mortality risk in hemodialysis patients and changes in nutritional indicators: DOPPS. *Kidney International*. 62, 2238–2245.

Pourfarzianu, V., Ghanbarpour, F., Nemati, E., Taheri, S., Einollahi, B. 2008. Laboratory variables and Treatment Adequacy in Hemodialysis Patient in Iran. *Saudi Journal of Nursing Scholarship*. 42, 3, 242-249.

Ptaschinski, C., Lukacs, NW. 2018. Acute and Chronic Inflammation Induces Disease Pathogenesis. *Molecular Pathology*. Second Edition The molecular Basis of Human Disease, pages 251-276.

Reddan, DN., Klassen, PS., Szczech, LA., et al. 2003. White blood cells as a novel mortality predictor in haemodialysis patients. *Nephrology Dialysis Transplantation*. 18, 1167–1173.

Robinson, BM., Joffe, MM., Berns, JS., Pisoni, RL., Port, FK., Feldman, HI. 2005. Anemia and Mortality in Hemodialysis Patients : Accounting for Morbidity and Treatment Variables Updated Over Time. *Kidney International*. 68, 2323-2330.

Robinson, B., Zhang, J., Morgenstern, H., Bradbury, BD., Ng, LJ., McCullough, K., Gillespie, B., Hakim, R., Rayner, H., Fort, J., Akizawa, T., Tentori, F., Pisoni, R. 2014. World-wide, mortality is a high risk soon after initiation of hemodialysis. *Kidney International*. January, 85(1), 158–165.

Robinson, R. 2015. Low serum albumin and total lymphocyte count as predictors of 30 day hospital readmission in patients 65 years of age or older. *PeerJ*. 3, e1181.

Rocha, NP., Fortes, RC. 2015. Total Lymphocyte Count And Serum Albumin As Predictors Of Nutritional Risk In Surgical Patients. *Arquivos Brasileiros de Cirurgia Digestiva*. 28(3), 193-196.

Sayarlioglu, H., Oner, AF., Erkoc, R., Dilek, I., Demir, C., Dogan, E., Sayarlioglu, M.. 2006. Nutritional Status and Immune Functions in Maintenance Hemodialysis Patients. *Hindawi Publishing Corporation Mediators of Inflammation*. 20264, 1–4.

Sequeira, A., Naljayan, M., Vachharajani, TJ. 2016. Vascular Access Guidelines : Summary, Rationale, and Controversies. *Techniques in Vascular and Interventional Radiology*. 20, 2-8.

Staplin, N., Haynes, R., Herrington, WG., Reith, C., Cass, A., Fellstrōm, B., Jiang, L., Kasiske, BL., Krane, V., Levin, A., Walker, R., Wanner, C., Wheeler, DC., Landray, MJ., Baigent, C., Emberson, J. 2016. Smoking and Adverse Outcomes in Patients With CKD: The Study of Heart and Renal Protection (SHARP). *American Journal of Kidney Diseases*. 68(3), 371-380.

Stenvinkel, P. 2013. What Can be Done to Limit Protein Energy Wasting and Its Consequences in Dialysis Patients? Can Treating Persistent Inflammation Limit Protein Energy Wasting? *Seminars in Dialysis*. 26, No 1 (January–February), 16–39.

Stolic, R.. 2013. Most Important Chronic Complications of Arteriovenous Fistulas for Hemodialysis. *Medical Principles an Practice*. 22, 220–228.

Suhardjono. 2014. Gagal Ginjal Kronik dalam Buku Ajar Ilmu Penyakit Dalam. *edisi ke-4 Jilid I*. Jakarta : Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia.

Suwitra, Ketut. 2014. Gagal Ginjal Kronik dalam Buku Ajar Ilmu Penyakit Dalam. *edisi ke-4. Jilid I.* Jakarta : Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia.

Swaminathan, S., Shah, SV. 2011. Novel inflammatory mechanisms of accelerated atherosclerosis in kidney disease. *Kidney International*. 80, 453-463.

Szuck, P., Führ, LM., Garcia, MF., Da Silva, AT., Wazlawik, E. 2016. Association between nutritional indicators and risk of hospitalization among hemodialysis patients. *Revista de Nutrição*. Campinas, 29(3), 317-327.

Tanaka, K., Watanabe, T., Takeuchi, A., Ohashi, Y., Nitta, K., Akizawa, T., Matsuo, S., Imai, E., Makino, H., Hishida, A. 2017. Cardiovascular events and death in Japanese patients with chronic kidney disease. *Kidney International*. 91, 227–234.

Tentori, F., Karaboyas, A., Robinson, BM., Morgenstern, H., Zhang, J., Sen, A., İkizler, TA., Rayner, H., Fissell, RB., Vanholder, R., Tomo, T., Port, FK. 2013. Association of Dialysate Bicarbonate Concentration With Mortality in the Dialysis Outcomes and Practice Patterns Study (DOPPS). *American Journal of Kidney Diseases*. 62 (4).

Tenvinkel, PS., Ketteler, M., Johnson, RJ., Lindholm, B., Pecoits, R., Riella, I., Heimb, OU., Cederholm, T., Girndt, M. 2004. Perspectives In Renal Medicine IL-10, IL-6, And TNF- $\alpha$ : Central Factors In The Altered Cytokine Network Of Uremia-The Good, The Bad, And The Ugly. *Kidney International*. 67, pp. 1216-1233.

Tong, J., Liua, M., Li, H., Luo, Z., Zhong, X., 2016. Mortality and Associated Risk Factors in Dialysis Patients with Cardiovascular Disease. *Kidney and Blood Pressure Research*. 41, 479-487.

US Renal Data System 2015 Annual Data Report: Chapter 1: Incidence, prevalence, patient characteristics, and treatment modalities. *American Journal of Kidney Diseases*. 67, S139-S158.

Vaziri, ND.,Pahl, MV., Crum, A., Norris, K. 2012. Effect of Uremia on Structure and Function of Immune System. *Journal of Renal Nutrition*. 22, 1 (January), 149-156.

Vianna, HR., Soares, CMBM., Tavares, MS., Teixeira, MM., Silva, ACS. 2011. Inflammation in chronic kidney disease: the role of cytokines. *The Brazilian Journal of Nephrology*. 33(3), 351-364.

Wakasugi, M., Kazama, JJ., Narita, I. 2016. Mortality trends among Japanese dialysis patients, 1988-2013: a join point regression analysis. *Nephrology Dialysis Transplantation*. 31, 1501-1507.

Wanner, C., Zimmermann, J., Schwedler, S., Metzger, T. 2002. Inflammation and cardiovascular risk in dialysis patients. *Kidney International*. 61, Supplement 80, S99-S102.

Weiland, W. 2016. Markers of lymphocyte activation and proliferation. Personalized Immunosuppression in Transplantation.

Wicaksono, RN. 2009. Perbedaan Kadar Limfosit Pasien Penyakit Ginjal Kronis Pre-Hemodialisa Dan Post Hemodialisa Di Bagian Penyakit Dalam RSUD Dr. Moewardi Surakarta.

Wood, SK. 2019. The role of inflammation and oxidative stress in depression and cardiovascular disease. *Cardiovascular Implications of Stress and Depression*. *Cardiovascular Implications of Stress and Depression 1st Edition*.

Xia, J., Wang, L., Ma, Z., Zhong, L., Wang, Y., Gao, Y., He, L., Su, X. 2017. Cigarette smoking and chronic kidney disease in the general population: a systematic review and meta-analysis of prospective cohort studies. *Nephrology Dialysis Transplantation*. 32, 475–487.

Xiang, FF., Chen, RY., Tan, X., Cao, XS., Ding, XQ., Shen, B., Zou, JZ., Liu, ZH. 2018. Monocyte/lymphocyte ratio as a better predictor of cardiovascular and all-cause mortality in hemodialysis patients: A prospective cohort study. 2017 International Society for Hemodialysis. *Hemodialysis International*. 22, 82-92.

Xue, JL., Dahl, D., Ebben, JP. 2003. The association of initial hemodialysis access type with mortality outcomes in elderly. Medicare ESRD patients. *American Journal of Kidney Diseases*. 42, 1013-9.

Yan, G., Shen, JI., Harford, R., Yu, W., Nee, R., Clark, MJ., Flaque, J., et al. 2020. Racial and Ethnic Variations in Mortality Rates for Patients Undergoing Maintenance Dialysis Treated in US Territories Compared with the US 50 States. *CJASN*. 15, 101-108.

Yeh, LM., Chiu, SYH., Lai, PC. 2019. The Impact of Vascular Access Types on Hemodialysis Patient Long-term Survival. *Scientific Reports*. 9, 10708.

Yoon, J., Gollapudi, S., Pahl, M., Vaziri, N. 2009. Naïve and Central Memory T-cell lymphopenia in end-stage renal disease. *Kidney International*. 70, 371-376.