

REFERENCES

- Ahmad, I., Yanuar, A., Mulia, K. and Muním, A. (2017). Review of Angiotensin-converting Enzyme Inhibitory Assay: Rapid Method in Drug Discovery of Herbal Plants. *Pharmacognosy Rev*, 11(21): 1-7.
- Aluko, R.E., (2015). Antihypertensive Peptides from Food Proteins. *Annu. Rev. Food Sci. Technol.* 6: 235-262.
- Aluko, R.E., Girgih, A.T., He, R., Malomo, S., Li, H., Offengenden, M., and Wu, J. (2015). Structural and functional characterization of yellow field pea seed (*Pisum sativum* L.) protein-derived antihypertensive peptides, *Food Research International*, 77: 10-16.
- Amidon, G.L., and Lee, H.J. (1994). Absorption of peptide and peptidomimetic drugs. *Annu Rev Pharmacol Toxicol*. 34: 321-341.
- Ashok, N.R. and Aparna, H.S. (2017). Empirical and bioinformatics characterization of buffalo (*Bubalus bubalis*) colostrum whey peptides & their angiotensin I-converting enzyme inhibition. *Food Chemistry*. 228: 582-594.
- Barbana, C. and Boye, JI. (2011). Angiotensin I-Converting enzyme inhibitory properties of lentil protein hydrolysates: Determination of the kinetics inhibition. *Food Chemistry*, 127: 94-101.
- Barthe, L., Woodley, J.F., Kenworthy, S., and Houin, G. (1998). An improved everted gut sac as a simple and accurate technique to measure paracellular transport across the small intestine. *European Journal of Drug Metabolism and Pharmacokinetics*, 23(2): 313-323.
- Bio-Rad Laboratories, Inc. SpectraBase; SpectraBase Compound ID=1KTRsG3YnC2 SpectraBase Spectrum ID=KKgeWkmePLh http://spectrabase.com/spectrum/KKgeWkmePLh?a=SPECTRUM_KKgeWkmePLh%3Fa%3DSPECTRUM_KKgeWkmePLh [Nov 19, 2019].
- Bio-Rad Laboratories, Inc. SpectraBase; SpectraBase Compound ID=3AAgPJJa6QAC SpectraBase Spectrum ID=AYCF7aqLvmt http://spectrabase.com/spectrum/AYCF7aqLvmt?a=SPECTRUM_AYCF7aqLvmt [Nov 19, 2019].
- Bünning, P. (1983). The Catalytic Mechanism of Angiotensin Converting Enzyme. *Clin. And Exper. Hyper. -Theory and Practice*. A5(7&8): 1263- 1275.
- Bünning, P. and Riordan J.F. (1985). The Functional Role of Zinc in Angiotensin Converting Enzyme: Implications for the Enzyme Mechanism. *Journal of Inorganic Biochemistry*. 24: 183-198.

- Campbell, J., Berry, J., and Liang, Y. (2019). Anatomy and Physiology of the Small Intestine. In Yeo, C.J., DeMeester, S.R., McFadden, D.W., Matthews, J.B. and Fleshman, J.W. *Shackelford's Surgery of the Alimentary Tract* Vol. 1, pg. 817-841. Elsevier.
- Campos, M. R. S., Guerrero, L. A. C., dan Ancona, D. A. B., (2011). Purification of angiotensin I-converting enzyme inhibitory peptides from a cowpea (*Vigna unguiculata*) enzymatic hydrolysate. *Process Biochemistry* 46: 864–872.
- Capriotti, A. L., Caruso, G., Cavaliere, C., Samperi, R., Ventura, S., Chiozzi, R. Z. and Lagana, A. (2015). Identification of potential bioactive peptides generated by simulated gastrointestinal digestion of soybean seeds and soy milk proteins. *Journal of Food Composition and Analysis* 44: 205–213.
- Chemat, F., Rombaut, N., Sicaire, A.G., Meullemiestre, A., Fabiano-Tixier, A.S., and Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanism, techniques, combinations, protocols and applications. A review. *Ultrason Sonochem.* 34,540-560.
- Chen I, Lui F. (2019) Physiology, Active Transport. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK547718/> [Accessed: 22 January 2020].
- Chung, Y.C., Kim, Y.S., Shadchehr, A., Garrido, A., MacGregor, I.L., and Sleisenger, M.H. (1976). Protein Digestion and Absorption in Human Small Intestine. *Gastroenterology*. 76:1415-1421.
- Coates, D. (2003). The angiotensin converting enzyme (ACE). *The International Journal of Biochemistry & Cell Biology*. 35: 769-773.
- Cox, M., Nelson, DR. and Lehninger AL. (2008). *Lehninger principles of biochemistry*. W.H. Freeman:San Francisco.
- Cushman, DW. And Cheung, HS. (1971). Spectrophotometric Assay and Properties of The Angiotensin-Converting Enzyme of Rabbit Lung. *Biochemical Pharmacology*. 20: 1637-1648.
- Dai, F., Hsu, W., Huang, J. and Wu, S. (2013). Effect of pigeon pea (*Cajanus cajan* L.) on high-fat diet-induced hypercholesterolemia in hamsters. *Food and Chemical Toxicology*. 53: 384-391.
- Daliri, E.B., Oh, D.H. and Lee, B.H. (2017). Bioactive peptides. *Foods*. 6(32): 1-21.
- Dewi, I.W.R., Anam, C., dan Widowati, E. (2014). Karakteristik sensoris, nilai gizi dan aktivitas antioksidan tempe kacang gude (*Cajanus cajan*) dan tempe

kacang tunggak (*Vigna unguiculata*) dengan berbagai variasi waktu fermentasi. *Biofarmasi* 12(2): 73-82.

Digne-Malcolm, H., Frise, M.C. and Dorrington, K.L. (2016). How Do Antihypertensive Drugs Work? Insight from Studies of the Renal Regulation of Arterial Blood Pressure. *Frontiers in Physiology*. 7(320): 1-19.

Dimsdale, J.E. (1992). Reflections on the Impact of Antihypertensive Medication on Mood, Sedation, and Neuropsychological Functioning. *Arch Intern Med*. 152(1): 35-39.

Dixit, P., Jain, D.K., and Dumbwani, J. (2012). Standardization of an *ex vivo* method for determination of intestinal permeability of drugs using everted rat intestine apparatus. *Journal of Pharmacological and Toxicological Methods*, 65: 13-17.

Foltz, M., van der Pijl, P.C., and Duchateau, G.S. (2010). Current in vitro testing of bioactive peptides is not valuable. *Journal of Nutrition*. 140(1): 117-118.

Forghani, B., Zarei, M., Ebrahimpour, A., Philip, R., Bakar, J., Hamid, A.A., Saari, N. (2016). Purification and characterization of angiotensin converting enzyme-inhibitory peptides derived from *Stichopus horrens* : Stability study against the ACE and inhibition kinetics. *Journal of Functional Foods*. 20: 276-290.

Genty, M., González, G., Clere, C., Desangle-Gouty, V. and Legendre, J. (2001). Determination of the passive absorption through the rat intestine using chromatographic indices and molar volume. *European Journal of Pharmaceutical Sciences*, 12: 223-229.

Girgih, A.T., Nwachukwu, I.D., Hasan, F.M., Fagbemi, T.N., Malomo, S.A., Gill, T.A. and Aluko, R.E. (2016). Kinetics of in vitro enzyme inhibition and blood pressure-lowering effects of salmon (*Salmo salar*) protein hydrolysates in spontaneously hypertensive rats. *Journal of Functional Food*. 20: 43-53.

Gu, Y. and Wu, J. (2013). LC-MS/MS coupled with QSAR modeling in characterising of angiotensin I-converting enzyme inhibitory peptides from soybean proteins. *Food Chemistry*. 141: 2682-2690.

Guo, M., Chen, X., Wu, Y., Zhang, L., Huang, W., Yuan, Y., Fang, M., Xie, J. and Wei, D. (2017). Angiotensin I-converting enzyme inhibitory peptides from *Sipuncula* (*Phascolosoma esculenta*), Purification, identification, molecular docking and antihypertensive effects on spontaneously hypertensive rats. *Process Biochemistry*. 63: 84-95.

- Haliza, W., Purwani, E.Y. and Thahir, R. (2007). Pemanfaatan Kacang-kacangan lokal sebagai substitusi bahan baku tempe dan tahu. *Buletin Teknologi Pascapanen Pertanian*. 3: 1-8.
- Hang, M and Zhao, X.H. (2012). Fermentation time and ethanol/water-based solvent system impacted in vitro ACE-inhibitory activity of the extract of Mao-tofu fermented by *Mucor* spp., *CyTA - Journal of Food* 10(2):137-143.
- Himaya, S., Ngo, D., Ryu, B. and Kim, S. (2012). An active peptide purified from gastrointestinal enzyme hydrolysate of Pacific cod skin gelatin attenuates angiotensin-1 converting enzyme (ACE) activity and cellular oxidative stress. *Food Chemistry*. 132: 1872-1882.
- Holmquist, B., Bunning, P. and Riorda, JF. (1979). A Continuous Spectrophotometric Assay for Angiotensin Converting Enzyme. *Analytical Biochemistry*. 95: 540-548.
- Hong, F., Ming, L., Yi, S., Zhanxia, L., Yongquan, W. and Chi, L. (2008). The antihypertensive effect of peptides: A novel alternative to drugs?. *Peptides*, 29: 1062-1071.
- International Union of Biochemistry and Molecular Biology. (2011). *IUBMB Enzyme Nomenclature: EC 3.4.15.1*. <http://www.sbcs.qmul.ac.uk/iubmb/enzyme/EC3/4/15/1.html> (accessed on 6th June 2019, 08,48 GMT+7).
- Iwaniak, A., Minkiewicz, P. and Darewicz, M. (2014). Food-originating ACE Inhibitors, Including Antihypertensive Peptides, as Preventive Food Components in Blood Pressure Reduction. *Comprehensive Reviews in Food Science and Food Safety*. 13: 114-134.
- Jackson, R.E. and Bellamy, M.C. (2015). Antihypertensive drugs. *BJA Education*. 15(6): 280-295.
- Jakubczyk, A., Karas, M., Baraniak, B. and Pietrzak, M. (2013). The impact of fermentation and *in vitro* digestion on formation angiotensin converting enzyme (ACE) inhibitory peptides from pea proteins. *Food Chem*. 141: 3774-3780.
- Kageyama, H., Ueda, H., Tezuka, T., Ogasawara, A., Narita, Y., Kageyama, T., and Ichinose, M. (2010). Differences in the P1' substrate specificities of pepsin A and chymosin. *Journal of Biochemistry*, 147(2): 167-174.
- Kemenkes. 2013. *Riset Kesehatan Dasar*. Kementerian Kesehatan. Jakarta.
- Kemenkes. 2014. *Infodatin: Hipertensi*. Kementerian Kesehatan. Jakarta.

- Kim, H. K., Kim, Y. H., Park, H. J., and Lee, N. H. (2013). Application of ultrasonic treatment to extraction of collagen from the skins of sea bass *Lateolabrax japonicus*. *Fisheries Science*, 79(5): 849-856.
- Kim, S.B., Seo, I.S., Khan, M.A., Ki, K.S., Lee, W.S., Lee, H.J., Shin, H.S., and Kim, H.S. (2007). Enzymatic Hydrolysis of Heated Whey: Iron-Binding Ability of Peptides and Antigenic Protein Fractions. *J Dairy Sci*, 90(9): 4033-4042.
- Kits, DD and Weiler K. (2003). Bioactive proteins and peptides from food sources. Applications of bioprocesses used in isolation and recovery. *Curr Pharm Des*, 9(16):1309-1323.
- Knight J, Williams N and Niggam Y. (2019) Gastrointestinal tract 3: the duodenum, liver and pancreas. *Nursing Times* [online]; 115: 8, 56-60. Available from <https://www.nursingtimes.net/clinical-archive-2/gastrointestinal-tract-3-the-duodenum-liver-and-pancreas-29-07-2019/> [Accessed: 22 January 2020].
- Köhn, C.R., Almeida, J.C., Schmidt, M.M., Vidal, A.R., Kempka, A.P., Demiate, I.M., Rosa, C.S., Kubota, E.H., Mello, R.O., and Prestes, R.C. (2016). Evaluation of water absorption capacity of ingredients and additives used in the meat industry submitted to different concentrations and ultrasound. *Int Food Res J*, 23(2):653-659.
- Korhonen, H. and Pihlanto, A. 2006. Bioactive peptides: production and functionality. *Int Dairy J*, 16(9), 945-960.
- Lam, LH., Shimamura, T., Sakaguchi, K., Noguchi, K., Ishiyama, M., Fujimura, Y. and Ukeda, H. 2007. Assay of angiotensin I-converting enzyme inhibiting activity based on the detection of 3-hydroxybutyric acid. *Anal Biochem*, 364, 104-111.
- Lavilla, I and Bendicho, C. (2017). Fundamentals of Ultrasound-Assisted Extraction. In González, HD and Muñoz, MJG. (2018). *Water Extraction of Bioactive Compounds: From Plants to Drug Development*. Pg. 291-316. Elsevier.
- Ledesma-Hernandez, B., del Mar Contreras, M. and Recio, I. (2011). Antihypertensive peptides: Production, bioavailability and incorporation into foods. *Advances in Colloid and Interface Science*, 165,23-35.
- Lee, B., Lai, Y. and Wu, S. (2015). Antioxidant, angiotensin converting enzyme inhibition activity, nattokinase, and antihypertension of *Bacillus subtilis* (natto)-fermented pigeon pea. *J Food Drug Anal*. 23,750-757.

- Liu, C., Fang, L., Min, W., Liu, J. and Li, H. 2018. Exploration of the molecular interactions between angiotensin-I-converting enzyme (ACE) and the inhibitory peptides derived from hazelnut (*Corylus heterophylla* Fisch.). *Food Chemistry*. 245, 471-480.
- Ma, Y., Cheng Y., Yin, L., Wang, J., and Li, L. (2013). Effects of processing an NaCl on angiotensin I-converting enzyme inhibitory activity and γ -aminobutyric acid content during sufu manufacturing. *Food and Bioprocess Technology* 6,1782-1789.
- Mahmoud, R.M. 2004. Everted Intestinal Sacs As In vitro Model For Assessing Absorptivity of L-Histidine Under The Effect of Aspirine And Gum Acacia In Male Rats. *Egypt J Hosp Med*, 16,14-28.
- Maintang, Hanifa, A.P. and Agustin, R. (2014). Potensi Kacang Gude sebagai Komponen Diversifikasi pangan. *Prosiding Seminar Hasil penelitian tanaman aneka kacang dan umbi*. 917-924.
- Mat, D.J.L., Cattenoz, T., Souchon, I., Michon, C. and Le Feunteun, S. 2018. Monitoring protein hydrolysis by pepsin using pH-stat: *In vitro* gastric digestions in static and dynamic pH conditions. *Food Chemistry*, 239, 268-275.
- Mathew, D., Lidiya John P., Manila T.M., Divyasree P. and Sandhya Rajan V.T.K. (2017)). Therapeutic molecules for multiple human diseases identified from pigeon pea (*Cajanus cajan* L. Millsp.) through GC-MS and molecular docking. *Food Science and Human Wellness*. 6, 202-216.
- Medeiros, D.M., Wildman, R.E.C. (2019). *Advance human nutrition*. Jones & Barlett Learning, Massachusetts.
- Minekus, M. Alminger, M., Alvito, P., Ballance, S., Bohn, T., Bourlieu, C., Carrière F., Boutrou R., Corredig M., Dupont, D., Dufour, C., Egger, L., Golding, M., Karakaya, S., Kirkhus, B., Le Feunteun, S., Lesmes, U., Macierzanka, A., Mackie, A., Marze, S., McClements, D.J., Ménard, O., Recio, I., Santos, C.N., Singh, R.P., Vegarud, G.E., Wickham, M.S., Weitschies, W., and Brodkorb, A. (2014). A standardised static in vitro digestion method suitable for food - an international consensus. *Food & Function*, 5(6),1113-1124.
- Murray, R.K., Granner, D.K., Mayes, P.A., and Rodwell, V.W. (2003). *Harper's Illustrated Biochemistry*. Lange Medical Books/McGraw-Hill, New York.
- National Institute for Health and Clinical Excellence. (2011). *NICE Guideline 127, Hypertension: Clinical Management of Hypertension in Adults*. National Institute for Health and Clinical Excellence: Manchester.

- Nawaz, K.A.A., David, S.M., Muruges, E., Thandeeswaran, M., Kiran, K.G., Mahendran, R., Palaniswamy, M. and Angayarkanni, J. (2017). Identification and in silico characterization of a novel peptide inhibitor of angiotensin converting enzyme from pigeon pea (*Cajanus cajan*). *Phytomedicine*. 36,1-7.
- Nielsen, P.M., Petersen, D. and Dambmann, C. (2001). Improved Method for Determining Food Protein Degree of Hydrolysis. *J Food Sci: Food Chemistry Toxicol*. 66(5), 642-646.
- Niggam Y, Williams, N and Knight J. (2019) Gastrointestinal tract 4: anatomy and role of the jejunum and ileum. *Nursing Times* [online]; 115: 9, 43-46. Available from <https://www.nursingtimes.net/clinical-archive/gastroenterology/gastrointestinal-tract-4-anatomy-role-jejunum-ileum-19-08-2019/> [Accessed: 22 January 2020]
- Nixon, S.E., Mawer, G.E. (1970). The digestion and absorption of protein in man. I. The site of absorption. *British Journal of Nutrition*. 24:227-240.
- Onuh, JO., Girgih, AT., Malomo, S.A., Aluko, R.E. and Aliani, M. (2015). Kinetics of in vitro renin and angiotensin converting enzyme inhibition by chicken skin protein hydrolysates and their blood pressure lowering effects in spontaneously hypertensive rats. *J Funct Food*, 14, 133-143.
- Oshidi, A.A., Olaofe, O. and Hall, G.M. (1993). Amino acid, fatty acid and mineral composition of pigeon pea (*Cajanus cajan*). *Int J Food Sci Nutr*. 43, 187-191.
- Pebrianti, S.A. (2019). Aktivitas Penghambatan Angiotensin Converting Enzyme (ACE) Dari Peptida Inhibitor Ace Yang Dihasilkan Selama Fermentasi Tempe Gude (*Cajanus cajan*). *Thesis*. Fakultas Teknologi Pertanian Universitas Gadjah Mada. Yogyakarta.
- Pertiwi, M.G.P., Marsono, Y. and Indrati, R. (2019). In vitro gastrointestinal simulation of tempe prepared from koro kratok (*Phaseolus lunatus* L.) as an angiotensin-converting enzyme inhibitor. *Journal of Food Science and Technology*, DOI: 10.1007/s13197-019-04219-1.
- Prilisa, W.R. (2019). Bioaktif Peptida Tempe Koro Benguk Putih (*Mucuna pruriens* var. *Chochinensis*) sebagai Penghambat Angiotensin-I Converting Enzyme (ACE) dalam Simulasi Pencernaan. *Thesis*. Fakultas Teknologi Pertanian Universitas Gadjah Mada. Yogyakarta.
- Puspitojati, E., Cahyanto M.N., Marsono, Y., dan Indrati, R. (2019). Production of angiotensin-I-converting enzyme (ACE) inhibitory peptides during the fermentation of jack bean (*Canavalia ensiformis*) tempe. *Pak J Nutr* 18(5),464-470.

- Puspitojati, E., Cahyanto M.N., Marsono, Y., dan Indrati, R. (2019a). Jack bean as tempe ingredients: The safety study and fate of protein against gastrointestinal enzymes. *IOP Conference Series Earth and Environmental Science*. 346:012070.
- Qu W., Ma H., Jia J., He R., Luo L., Pan Z. (2012) Enzymolysis Kinetics and Activities of ACE-Inhibitory Peptides from Wheat Germ Protein Prepared with SFP Ultrasound-Assisted Processing. *Ultrason. Sonochem.* 19:1021–1026. doi: 10.1016/j.ultsonch.2012.02.006
- Ratnayani, K., Suter, I.K., Antara, N.S., dan Putra, I.N.K. (in press). Angiotensin converting enzyme (ACE) inhibitory activity of peptide fraction of germinated pigeon pea (*Cajanus cajan* (L.) Millsp.). *Indones J Chem*. Doi: 10.22146/ijc.37513.
- Ruan, C.Q., Chi, Y.J., and Zhang, R.D. (2010). Kinetics of Hydrolysis of Egg White Protein by Pepsin. *Czech J Food Sci*, 28(5), 355-363.
- Ruan, LP., Chen, S., Yu, BY., Zhu, DN., Cordell, GA., and Qiu, SX. (2006). Prediction of human absorption of natural compounds by the non-everted rat intestinal sac model. *European Journal of Medicinal Chemistry*, 41(5), 605-610.
- Ryan, J.T., Ross, R.P., Bolton, D., Fitzgerald, G.F. and Stanton, C. (2011). Bioactive Peptides from Muscle Sources: Meat and Fish. *Nutrients*. 3, 765-791.
- Saleh, I.A., Vinatoru, M., Mason, T.J., Abdel-Azim, N.S., Aboutabl, E.A., and Hammou, F.M. (2016). A possible general mechanism for ultrasound-assisted extraction (UEA) suggested from the results of UEA of chlorogenic acid from *Cynara scolymus* L. (artichoke) leaves. *Ultrason Sonochem*, 31, 330-336.
- Sangsawad, P., Roytrakul, S. and Yongsawatdigul, J. (2017). Angiotensin converting enzyme (ACE) inhibitory peptides derived from the simulated in vitro gastrointestinal digestion of cooked chicken breast. *Journal of Functional Foods*. 29,77-83.
- Saxena, KB., Kumar, RV. And Rao, PV. (2002). Pigeonpea Nutrition and Its Improvement. *J Crop Prod*, 5(1-2), 227-260.
- Segura-Campos, M.R., Chel-Guerrero, A., and Betancur-Ancona, D.A. (2011). Purification of I-angiotensin converting enzyme inhibitory peptides from a cowpea (*Vigna unguiculata*) by enzymatic hydrolysate. *Process Biochemistry* 46,864-872.

- Shen, H., Smith, D.E., and Brosius III, F.C. (2001). Developmental Expression of PEPT1 and PEPT2 in Rat Small Intestine, Colon, and Kidney. *Pediatric Research*. 49(6):789-795.
- Shen, W., & Matsui, T. (2017). Current knowledge of intestinal absorption of bioactive peptides. *Food and Function*, 8(12), 4306-4314
- Shen, W., & Matsui, T. 2019. Intestinal absorption of small peptides: a review. *Int J Food Sci Technol*, 54(6), 1942-1948.
- Shrestha, RK., Khan, GM., Thapa, P. and Koju R. (2012). Study of the Side effects profile of different antihypertensive drugs among the Hypertensive patient. *Nepalese Heart Journal*. 9(1), 25-29.
- Silvestra, M.P.C., Morais, H.A., Silva, V.D.M. and Silva M.R. (2013). Degree of hydrolysis and peptide profile of whey proteins using pancreatin. *J. Brazilian Soc. Food Nutr*. 38(3), 278-290.
- Sine, Y. (2016). Fermentasi tempe gude (*Cajanus cajan* L.) dan kualitas tempe hasil aktivitas jamur inokulum tradisional. *Tesis*. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Singh, U. and Jambunathan, R. (1982). Distribution of seed protein fractions and amino acids in different anatomical parts of chickpea (*Cicer arietinum* L.) and pigeon pea (*Cajanus cajan* L.). *Qual Plant Plant Foods Hum Nutr*. 21,347- 354.
- Sivakumar, M., Tang, S.Y., and Tan, K.W. (2014). Cavitation technology - A greener processing technique for the generation of pharmaceutical nanoemulsions. *Ultrasonics Sonochemistry*, 21(6), 2069-2083.
- Solomon, S.G., Okomoda, V.T. and Oda, S.O. (2017). Nutritional value of toasted pigeon pea, *Cajanus cajan* seed and its utilization in the diet of *Clarias gariepinus* (Burchell, 1822) fingerlings. *Aquaculture Reports*. 7, 34-39.
- Sullivan, R. (2009). *Digestion and Nutrition*. Infobase Publishing, New York.
- Tapal A., and Tikku, P.K. (2019). *Enzymes in Food Biotechnology: Chapter 27 - Nutritional and Nutraceutical Improvement by Enzymatic Modification of Food Proteins*. Academic Press, Massachusetts.
- Tedla, Y.G. and Bautista, L.E. (2016). Drug Side Effect Symptoms and Adherence to Antihypertensive Medication. *American Journal of Hypertension*. 29(6), 772-779.
- Trapani, G., Franco, M., Trapani, A., Lopodota, A., Latrofa, A., Gallucci, E., Micelli, S., and Liso, G. (2004). Frog intestinal sac: a new in vitro method

- for the assessment of intestinal permeability. *Journal of Pharmaceutical Sciences*, 93(12), 2909-2919.
- Tuz, M.A.O., and Campos, M.R.S. (2017). Purification of *Mucuna pruriens* (L) peptide fractions and evaluation of their ACE inhibitory effect. *Biocatalysis and Agricultural Biotechnology*, 10,390-295.
- Udenigwe, C.C., and Mohan, A. (2014). Mechanisms of food protein-derived antihypertensive peptides other than ACE inhibition. *Journal of Functional Foods*. 8C: 45-52.
- Vahdatpour, S., Pourrasmi-Mamaghani, A., Soleymani-Goloujeh, M., Maheri-Sis, N., Mahmoodpour, H., and Vahdatpour, T. (2016). The Systematic Review of Proteins Digestion and New Strategies for Delivery of Small Peptides. *Electronic Journal of Biology*, 12(3), 265-275.
- Volpe, D.A. (2010). Application of Method Suitability for Drug Permeability Classification. *AAPS Journal*, 12(4), 670-678.
- White, C.L., Pschorr, J., Jacob, I.C.M, von Lutterotti N. and Dahlheim, H. (1986). The effect of Zinc in vivo and in vitro on the activities of angiotensin converting enzyme and kinase-I in the plasma of rats. *Biochemical Pharmacology*. 35(15), 2489-2493.
- World Health Organization. (2013). *A global brief on HYPERTENSION: Silent killer, global public health crisis*. World Health Organization, Geneva.
- World Health Organization. (2018). *World health statistics 2018, monitoring health for the SDGs, sustainable development goals*. World Health Organization, Geneva.
- Wu, Q., Du, J., Jia, J. and Kuang, C. (2016). Production of ACE inhibitory peptides from sweet sorghum grain protein using alcalase: Hydrolysis kinetic, purification and molecular docking study. *Food Chemistry*, 190, 140-149.
- Xu, Q., Hong, H., Wu, J., and Yan, X. (2019). Bioavailability of bioactive peptides derived from food proteins across the intestinal epithelial membrane: A review. *Trends in Food Science and Technology*, 86, 399-411.
- Zhang, C., Wu, S. and Xu, D. (2003). Catalytic Mechanism of AngiotensinConverting Enzyme and Effects of the Chloride Ion. *The Journal of Physical Chemistry*, 117(22), 6635-6645.
- Zhang, P., Roytrakul, S. and Sutheerawattananonda, M. (2017). Production and purification of glucosamine and angiotensin-I converting enzyme (ACE) inhibitory peptides from mushroom hydrolysates. *Journal of Functional Foods*. 36, 72-83.

Zhang, Y.C., Viennois, E., Zhang, M.Z., Xiao, B., Han, M.K., Walter, L., Garg, P., and Merlin, D. (2016). PepT1 Expression Helps Maintain Intestinal Homeostasis by Mediating the Differential Expression of miRNAs along the Crypt-Villus Axis. *Scientific Reports*. 6:27119.

Ziv, E., and Bendayan, M. (2000). Intestinal Absorption of Peptides Through the Enterocytes. *Microscopy Research and Technique*, 49,346-352.