

DAFTAR PUSTAKA

- Abdullah, M. M. H., Gyles, C. L., Marinangeli, C. P. F., Carlberg, J. G., & Jones, P. J. H. (2015). Dietary fibre intakes and reduction in functional constipation rates among Canadian adults: a cost-of-illness analysis. *Food & Nutrition Research*, 59(1), 28646. <https://doi.org/10.3402/fnr.v59.28646>
- Abenavoli, L., Scarpellini, E., Colica, C., Boccuto, L., Salehi, B., Sharifi-Rad, J., Aiello, V., Romano, B., De Lorenzo, A., Izzo, A. A., & Capasso, R. (2019). Gut microbiota and obesity: A role for probiotics. *Nutrients*, 11(11), 1–27. <https://doi.org/10.3390/nu11112690>
- Angka Kecukupan Gizi. (2013). Tabel AKG .Kementerian Kesehatan Republik Indonesia.
- Anjar, F., & Setyani, R. (2012). *Universitas Indonesia* dampak minuman probiotik dalam upaya pencegahan konstipasi pada pasien.
- Azad, M. A. K., Sarker, M., Li, T., & Yin, J. (2018). Probiotic Species in the Modulation of Gut Microbiota: An Overview. *BioMed Research International*, 2018. <https://doi.org/10.1155/2018/9478630>
- Bae, S. H. (2014). Diets for constipation. *Pediatric Gastroenterology, Hepatology and Nutrition*, 17(4), 203–208. <https://doi.org/10.5223/pghn.2014.17.4.203>
- Cao, H., Liu, X., An, Y., Zhou, G., Liu, Y., Xu, M., Dong, W., Wang, S., Yan, F., Jiang, K., & Wang, B. (2017). Dysbiosis contributes to chronic constipation development via regulation of serotonin transporter in the intestine. *Scientific Reports*, 7(1), 1–12. <https://doi.org/10.1038/s41598-017-10835-8>
- Ceresola, E. R., Ferrarese, R., Preti, A., & Canducci, F. (2018). Targeting patients' microbiota with probiotics and natural fibers in adults and children with constipation. *European Review for Medical and Pharmacological Sciences*, 22(20), 7045–7057. https://doi.org/10.26355/eurrev_201810_16177
- Chambaud, I., Moulineaux, I.L., and Palaiseau, B.L. (2016). *Lactococcus lactis* Strains for Use in Improving Digestive Condition. *United States Patent* : US009408878B2
- Chen, M., Ye, X., Shen, D., & Ma, C. (2019). Modulatory Effects of Gut Microbiota on Constipation: The Commercial Beverage Yakult Shapes Stool Consistency. *Journal of Neurogastroenterology and Motility*, 25(3), 475–477. <https://doi.org/10.5056/jnm19048>
- Choi, C. H., & Chang, S. K. (2015). Alteration of gut microbiota and efficacy of probiotics in functional constipation. *Journal of Neurogastroenterology and Motility*, 21(1), 4–7. <https://doi.org/10.5056/jnm14142>

- Clavel, T., Desmarchelier, C., Haller, D., Gérard, P., Rohn, S., Lepage, P., & Daniel, H. (2014). Intestinal microbiota in metabolic diseases: From bacterial community structure and functions to species of pathophysiological relevance. *Gut Microbes*, 5(4), 544–551. <https://doi.org/10.4161/gmic.29331>
- Dahiya, D. K., Renuka, Puniya, M., Shandilya, U. K., Dhewa, T., Kumar, N., Kumar, S., Puniya, A. K., & Shukla, P. (2017). Gut microbiota modulation and its relationship with obesity using prebiotic fibers and probiotics: A review. *Frontiers in Microbiology*, 8(APR). <https://doi.org/10.3389/fmicb.2017.00563>
- Dehingia, M., Devi, K. T., Talukdar, N. C., Talukdar, R., Reddy, N., Mande, S. S., Deka, M., & Khan, M. R. (2015). Gut bacterial diversity of the tribes of India and comparison with the worldwide data. *Scientific Reports*, 5(1), 1–12. <https://doi.org/10.1038/srep18563>
- Dimidi, E., Christodoulides, S., Fragkos, K. C., Scott, S.M., and Whelan, K. (2014). The effect of probiotics on functional constipation in adults: a systematic review and meta-analysis of randomized controlled trials. *Am. J. Clin. Nutr.* 100, 1075–1084. doi: 10.3945/ajcn.114.089151
- Dimidi, E., Christodoulides, S., Scott, S. M., & Whelan, K. (2017). Mechanisms of Action of Probiotics and the Gastrointestinal Microbiota on Gut. *Adv Nutr*, 8(5), 484–494. <https://doi.org/10.3945/an.116.014407>.FIGURE
- Estri, A.K., Fatimah, S., dan Prawesti, A. (2016). Perbandingan Abdminal Massage dengan Teknik Swedish Massage dan Teknik Effleurage terhadap Kejadian Konstipasi pada Pasien yang Terpasang Ventilasi mekanik di ICU. *Jurnal Kesehatan Perawatan* 4(3) 3 Des 2016: 226-235
- FAO/WHO. (2002). Guidelines for the evaluation of probiotics in food, report of a joint FAO/WHO working group on drafting guidelines for the evaluation of probiotics in food. *London, ON, Canada*.
- Fuller, R. (1989). Probiotics in man and animals. *Journal Applied Bacteriol.* 66:365-378.
- Gallegos-Orozco, J. F., Foxx-Orenstein, A. E., Sterler, S. M., & Stoa, J. M. (2012). Chronic constipation in the elderly. *American Journal of Gastroenterology*, 107(1), 18–25. <https://doi.org/10.1038/ajg.2011.349>
- Ge, X., Zhao, W., DIng, C., Tian, H., Xu, L., Wang, H., Ni, L., Jiang, J., Gong, J., Zhu, W., Zhu, M., & Li, N. (2017). Potential role of fecal microbiota from patients with slow transit constipation in the regulation of gastrointestinal motility. *Scientific Reports*, 7(1), 1–11. <https://doi.org/10.1038/s41598-017-00612-y>

- Gerritsen, J., Smidt, H., Rijkers, G. T., & De Vos, W. M. (2011). Intestinal microbiota in human health and disease: The impact of probiotics. *Genes and Nutrition*, 6(3), 209–240. <https://doi.org/10.1007/s12263-011-0229-7>
- Gotoh, Y., Nanba, F., Shioya, N., Sugimura, H., & Suzuki, T. (2020). A dose-finding study for a supplement containing *Lactococcus lactis* subsp. *cremoris* FC in healthy adults with mild constipation. *Bioscience of Microbiota, Food and Health*, 39(1), 19–22. <https://doi.org/10.12938/bmfh.19-009>
- Guimarães, E. V., Goulart, E. M. A., & Penna, F. J. (2001). Dietary fiber intake, stool frequency and colonic transit time in chronic functional constipation in children. *Brazilian Journal of Medical and Biological Research*, 34(9), 1147–1153. <https://doi.org/10.1590/S0100-879X2001000900007>
- H. Juhling McClung, Linda Boyne, and Leo Heitlinger. (1995). Constipation and Dietary Fiber Intake in Children. *Pediatrics* 96(5): 999.
- Heaton, K. W., Radvan, J., Cripps, H., Mountford, R. A., Braddon, F. E. M., & Hughes, A. O. (1992). Defecation frequency and timing, and stool form in the general population: A prospective study. *Gut*, 33(6), 818–824. <https://doi.org/10.1136/gut.33.6.818>
- Huang, R., & Hu, J. (2017). Positive effect of probiotics on constipation in children: A systematic review and meta-analysis of six randomized controlled trials. *Frontiers in Cellular and Infection Microbiology*, 7(APR), 1–9. <https://doi.org/10.3389/fcimb.2017.00153>
- Ishida, T., Yokota, A., Umezawa, Y., Toda, T., & Yamada, K. (2005). Identification and characterization of lactococcal and *Acetobacter* strains isolated from traditional Caucasian fermented milk. *Journal of Nutritional Science and Vitaminology*, 51(3), 187–193. <https://doi.org/10.3177/jnsv.51.187>
- Kang, D. W., DiBaise, J. K., Ilhan, Z. E., Crowell, M. D., Rideout, J. R., Caporaso, J. G., Rittmann, B. E., & Krajmalnik-Brown, R. (2015). Gut microbial and short-chain fatty acid profiles in adults with chronic constipation before and after treatment with lubiprostone. *Anaerobe*, 33, 33–41. <https://doi.org/10.1016/j.anaerobe.2015.01.005>
- Kementerian Kesehatan Republik Indonesia. (2018). Hasil Riset Kesehatan Dasar tahun 2018.
- Khalif, I. L., Quigley, E. M. M., Konovitch, E. A., & Maximova, I. D. (2005). Alterations in the colonic flora and intestinal permeability and evidence of immune activation in chronic constipation. *Digestive and Liver Disease*, 37(11), 838–849. <https://doi.org/10.1016/j.dld.2005.06.008>

- Khemariya, P., Singh, S., Nath, G., & Gulati, A. K. (2017). Probiotic *Lactococcus lactis*: A Review. *Turkish Journal of Agriculture - Food Science and Technology*, 5(6), 556. <https://doi.org/10.24925/turjaf.v5i6.556-562.690>
- King, C. H., Desai, H., Sylvestsky, A. C., LoTempio, J., Ayanyan, S., Carrie, J., Crandall, K. A., Fochtman, B. C., Gasparyan, L., Gulzar, N., Howell, P., Issa, N., Krampis, K., Mishra, L., Morizono, H., Pisegna, J. R., Rao, S., Ren, Y., Simonyan, V., ... Mazumder, R. (2019). Baseline human gut microbiota profile in healthy people and standard reporting template. *PLoS ONE*, 14(9), e0206484. <https://doi.org/10.1371/journal.pone.0206484>
- Larasati, T., Kusnadi, J., & Widyastuti, E. (2016). PEMANFAATAN WHEY DALAM PEMBUATAN CASPIAN SEA YOGURT DENGAN MENGGUNAKAN ISOLAT *Lactobacillus cremoris* DAN *Acetobacter orientalis* (Whey Utilization for Making of Caspian Sea Yogurt Using Isolate *Lactobacillus cremoris* and *Acetobacter orientalis*). *Jurnal Pangan Dan Agroindustri*, 4(1), 201–210.
- Lee, K. N., & Lee, O. Y. (2014). Intestinal microbiota in pathophysiology and management of irritable bowel syndrome. In *World Journal of Gastroenterology* (Vol. 20, Issue 27, pp. 8886–8897). <https://doi.org/10.3748/wjg.v20.i27.8886>
- Markland, A. D., Palsson, O., Goode, P. S., Burgio, K. L., Busby-Whitehead, J., & Whitehead, W. E. (2013). Association of Low Dietary Intake of Fiber and Liquids With Constipation: Evidence From the National Health and Nutrition Examination Survey. *American Journal of Gastroenterology*, 108(5), 796–803. <https://doi.org/10.1038/ajg.2013.73>
- Maruo, T., Sakamoto, M., Toda, T., & Benno, Y. (2006). Monitoring the cell number of *Lactococcus lactis* subsp. *cremoris* FC in human feces by real-time PCR with strain-specific primers designed using the RAPD technique. *International Journal of Food Microbiology*, 110(1), 69–76. <https://doi.org/10.1016/j.ijfoodmicro.2006.01.037>
- McClung, H. J., Boyne, L., & Heitlinger, L. (1995). Constipation and Dietary Fiber Intake in Children. *Pediatrics*, 96(5), 999 LP – 1001. <http://pediatrics.aappublications.org/content/96/5/999.abstract>
- Murakami, K., Okubo, H., & Sasaki, S. (2006). Dietary intake in relation to self-reported constipation among Japanese women aged 18-20 years. *European Journal of Clinical Nutrition*, 60(5), 650–657. <https://doi.org/10.1038/sj.ejcn.1602365>
- Murakami, K., Sasaki, S., Okubo, H., Takahashi, Y., Hosoi, Y., & Itabashi, M. (2007). Food intake and functional constipation: A cross-sectional study of 3,835 Japanese women aged 18-20 years. *Journal of*

- Nutritional Science and Vitaminology*, 53(1), 30–36.
<https://doi.org/10.3177/jnsv.53.30>
- Nakayama, J., Watanabe, K., Jiang, J., Matsuda, K., Chao, S. H., Haryono, P., La-Ongkham, O., Sarwoko, M. A., Sujaya, I. N., Zhao, L., Chen, K. T., Chen, Y. P., Chiu, H. H., Hidaka, T., Huang, N. X., Kiyohara, C., Kurakawa, T., Sakamoto, N., Sonomoto, K., ... Lee, Y. K. (2015). Diversity in gut bacterial community of school-age children in Asia. *Scientific Reports*, 5, 1–12. <https://doi.org/10.1038/srep08397>
- Nishitani, Y., & Mizuno, M. (2010). Anti-inflammatory Activities of *Lactococcus lactis* subsp. *cremoris* FC in In Vitro and In Vivo Gut Inflammation Models. *Bioscience and Microflora*, 29(4), 169–178. <https://doi.org/10.12938/bifidus.29.169>
- Okubo, H., Sasaki, S., Murakami, K., Mi, K. K., Takahashi, Y., Hosoi, Y., & Itabashi, M. (2007). Dietary patterns associated with functional constipation among Japanese women aged 18 to 20 years: A cross-sectional study. *Journal of Nutritional Science and Vitaminology*, 53(3), 232–238. <https://doi.org/10.3177/jnsv.53.232>
- Org, E., Parks, B. W., Joo, J. W. J., Emert, B., Schwartzman, W., Kang, E. Y., Mehrabian, M., Pan, C., Knight, R., Gunsalus, R., Drake, T. A., Eskin, E., & Lusi, A. J. (2015). Genetic and environmental control of host-gut microbiota interactions. *Genome Research*, 25(10), 1558–1569. <https://doi.org/10.1101/gr.194118.115>
- Ou, Y., Chen, S., Ren, F., Zhang, M., Ge, S., Guo, H., Zhang, H., & Zhao, L. (2019). *Lactobacillus casei* strain shirota alleviates constipation in adults by increasing the pipercolinic acid level in the gut. *Frontiers in Microbiology*, 10(FEB), 1–12. <https://doi.org/10.3389/fmicb.2019.00324>
- Ozaki, K., Maruo, T., Kosaka, H., Mori, M., Mori, H., Yamori, Y., & Toda, T. (2018). The effects of fermented milk containing *Lactococcus lactis* subsp. *cremoris* FC on defaecation in healthy young Japanese women: a double-blind, placebo-controlled study. *International Journal of Food Sciences and Nutrition*, 69(6), 762–769. <https://doi.org/10.1080/09637486.2017.1417977>
- Panigrahi, M. K., Kar, S. K., Singh, S. P., & Ghoshal, U. C. (2013). Defecation frequency and stool form in a coastal eastern indian population. *Journal of Neurogastroenterology and Motility*, 19(3), 374–380. <https://doi.org/10.5056/jnm.2013.19.3.374>
- Parthasarathy G, Chen J, Chen X, Chia N, O'Connor HM, Wolf PG, Gaskins HR, Bharucha AE. (2016). Relationship Between Microbiota of the Colonic Mucosa vs Feces and Symptoms, Colonic Transit, and Methane Production in Female Patients With Chronic Constipation. *Gastroenterology*. 2016; 150:367–79. e1. doi:10.1053/j.gastro.2015.10.005

- Parthasarathy, G., Chen, J., Chia, N., O'Connor, H. M., Gaskins, H. R., & Bharucha, A. E. (2017). Reproducibility of assessing fecal microbiota in chronic constipation. *Neurogastroenterology and Motility*, 29(10), 1–10. <https://doi.org/10.1111/nmo.13172>
- Phatak, U.P and Pashankar, D.S. (2014). Prevalence of functional gastrointestinal disorders in obese and overweight children. *International Journal of Obesity*. 38(10) 1324-1327. <https://doi.org/10.1038/ijo.2014.67>
- Pinzon, R.T., Jody, A.A., dan Sugianto, S. (2016). Prevalensi Gejala Gangguan Gastrointestinal Pada Pasien Penyakit Parkinson. *Jurnal Kedokteran Yarsi* 27(1). <http://dx.doi.org/10.33476/jky.v27i1.647>
- Pradani, A.R., Rahfiludin, M.Z., dan Suyatno. (2015). Hubungan Asupan Serat, Lemak, dan Posisi Buang Air Besar dengan Kejadian Konstipasi pada Lansia. *Jurnal Kesehatan Masyarakat* 3(3) April 2015. ISSN: 2356-3346.
- Quigley, E. M. & Spiller, R. C. (2016) Constipation and the Microbiome: Lumen Versus Mucosa! *Gastroenterology* 150, 300–303, doi:10.1053/j.gastro.2015.12.023
- Rahayu, E. S., Utami, T., Mariyatun, M., Hasan, P. N., Kamil, R. Z., Setyawan, R. H., Pamungkaningtyas, F. H., Harahap, I. A., Wiryohanjoyo, D. V., Pramesi, P. C., Cahyanto, M. N., Sujaya, I. N., & Juffrie, M. (2019). Gut microbiota profile in healthy Indonesians. *World Journal of Gastroenterology*, 25(12), 1478–1491. <https://doi.org/10.3748/wjg.v25.i12.1478>
- Raja, A., Gajalakshmi, P., Mohamed Mahroop Raja, M., & Mohamed Imran, M. (2009). Effect of *Lactobacillus lactis cremoris* Isolated from kefir against food spoilage bacteria. In *American Journal of Food Technology* (Vol. 4, Issue 5, pp. 201–209). <https://doi.org/10.3923/ajft.2009.201.209>
- Rajindrajith, S., Devanarayana, N. M., Perera, B. J. C., & Benninga, M. A. (2016). Childhood constipation as an emerging public health problem. *World Journal of Gastroenterology*, 22(30), 6864–6875. <https://doi.org/10.3748/wjg.v22.i30.6864>
- Rinninella, E., Raoul, P., Cintoni, M., Franceschi, F., Miggiano, G. A. D., Gasbarrini, A., & Mele, M. C. (2019). What is the healthy gut microbiota composition? A changing ecosystem across age, environment, diet, and diseases. *Microorganisms*, 7(1). <https://doi.org/10.3390/microorganisms7010014>
- Rome Foundation. Guidelines—Rome III diagnostic criteria for functional gastrointestinal disorders. *J Gastrointestin Liver Dis* 2006;15:307-312.
- Rose, C., Parker, A., Jefferson, B., & Cartmell, E. (2015). The characterization of feces and urine: A review of the literature to inform advanced treatment technology. *Critical Reviews in Environmental Science and*

Technology, 45(17), 1827–1879.
<https://doi.org/10.1080/10643389.2014.1000761>

- Shin, D., Chang, S. Y., Bogere, P., Won, K. H., Choi, J. Y., Choi, Y. J., Lee, H. K., Hur, J., Park, B. Y., Kim, Y., & Heo, J. (2019). Beneficial roles of probiotics on the modulation of gut microbiota and immune response in pigs. *PLoS ONE*, 14(8), 1–23.
<https://doi.org/10.1371/journal.pone.0220843>
- Siah, K. T. H., Wong, R. K., Chan, Y. H., Ho, K. Y., & Gwee, K. A. (2016). Prevalence of irritable bowel syndrome in Singapore and its association with dietary, lifestyle, and environmental factors. *Journal of Neurogastroenterology and Motility*, 22(4), 670–676.
<https://doi.org/https://doi.org/10.1038/ijo.2014.67>
- Spinzi, G., Amato, A., Imperiali, G., Lenoci, N., Mandelli, G., Paggi, S., Radaelli, F., Terreni, N., & Terruzzi, V. (2009). Constipation in the elderly: Management strategies. *Drugs and Aging*, 26(6), 469–474.
<https://doi.org/10.2165/00002512-200926060-00003>
- Tawfik, S. A., Azab, M. M., Ahmed, A. A. A., & Fayyad, D. M. (2018). Illumina MiSeq Sequencing for Preliminary Analysis of Microbiome Causing Primary Endodontic Infections in Egypt. *International Journal of Microbiology*, 2018, 2837328. <https://doi.org/10.1155/2018/2837328>
- Talley, N.J., Fleming, K.C., Evan, J.M., O'keefe, E.A, Weaver, A.L., Zinsmeister, A.R., dan Melton, L.J, 3rd. (1996). Constipation in an elderly community: a study of prevalence and potential risk factors. *American Journal of Gastroenterol*, 91:19-25.
- Tidjani Alou, M., Lagier, J. C., & Raoult, D. (2016). Diet influence on the gut microbiota and dysbiosis related to nutritional disorders. In *Human Microbiome Journal* (Vol. 1, pp. 3–11). Elsevier Ltd.
<https://doi.org/10.1016/j.humic.2016.09.001>
- Toda, T., Kosaka, H., Terai, M., Mori, H., Benno, Y., & Yamori, Y. (2005). Effects of fermented milk with *Lactococcus lactis* subsp. *cremoris* FC on defecation frequency and fecal microflora in healthy elderly volunteers. *Nippon Shokuhin Kagaku Kogaku Kaishi*, 52(6), 243–250.
<https://doi.org/10.3136/nskkk.52.243>
- Vandeputte, D., Falony, G., Vieira-Silva, S., Tito, R. Y., Joossens, M., & Raes, J. (2016). Stool consistency is strongly associated with gut microbiota richness and composition, enterotypes and bacterial growth rates. *Gut*, 65(1), 57–62. <https://doi.org/10.1136/gutjnl-2015-309618>
- Vargas-García, E. J., & Vargas-Salado, E. (2013). [Food intake, nutritional status and physical activity between elderly with and without chronic constipation. A comparative study]. *Cirugia y Cirujanos*, 81(3), 214–220. <http://www.ncbi.nlm.nih.gov/pubmed/23769250>

- Vermorken, A. J. M., Andrès, E., & Cui, Y. (2016). Bowel movement frequency, oxidative stress and disease prevention. *Molecular and Clinical Oncology*, 5(4), 339–342. <https://doi.org/10.3892/mco.2016.987>
- Vieira, C. P., Cabral, C. C., da Costa Lima, B. R. C., Paschoalin, V. M. F., Leandro, K. C., & Conte-Junior, C. A. (2017). *Lactococcus lactis* ssp. *cremoris* MRS47, a potential probiotic strain isolated from kefir grains, increases cis-9, trans-11-CLA and PUFA contents in fermented milk. *Journal of Functional Foods*, 31, 172–178. <https://doi.org/10.1016/j.jff.2017.01.047>
- Wang, L., Chen, C., Cui, S., Lee, Y., Wang, G., Zhao, J., Zhang, H., & Chen, W. (2019). Adhesive Bifidobacterium Induced Changes in Cecal Microbiome Alleviated Constipation in Mice. *Frontiers in Microbiology*, 10(August), 1–16. <https://doi.org/10.3389/fmicb.2019.01721>
- Whitehead WE, Borrud L, Goode PS, et al. (2009). Fecal Incontinence in US Adults: Epidemiology and Risk Factors. *Gastroenterology*. 2009; 137(2):512. [PubMed: 19410574]
- Wojtyniak, K., & Szajewska, H. (2017). Systematic review: probiotics for functional constipation in children. *European Journal of Pediatrics*, 176(9), 1155–1162. <https://doi.org/10.1007/s00431-017-2972-2>
- Xu, Z., Liu, T., Zhou, Q., Chen, J., Yuan, J., & Yang, Z. (2019). Roles of Chinese Medicine and Gut Microbiota in Chronic Constipation. *Evidence-Based Complementary and Alternative Medicine*, 2019. <https://doi.org/10.1155/2019/9372563>
- Yawger, E. S., & Sherman, J. M. (1937). *Streptococcus Cremoris*. *Journal of Dairy Science*, 20(4), 205–212. [https://doi.org/10.3168/jds.S0022-0302\(37\)95686-8](https://doi.org/10.3168/jds.S0022-0302(37)95686-8)
- Yin, J., Von Wright, A., Griselda Binetti, A., Wang, G., Y-k, L., Wang, L., Chen, C., Cui, S., Lee, Y., Zhao, J., Zhang, H., & Chen, W. (2019). Adhesive Bifidobacterium Induced Changes in Cecal Microbiome Alleviated Constipation in Mice. *Front. Microbiol*, 10, 1721. <https://doi.org/10.3389/fmicb.2019.01721>
- Zhao, Y., & Yu, Y. B. (2016). Intestinal microbiota and chronic constipation. *SpringerPlus*, 5(1), 1–8. <https://doi.org/10.1186/s40064-016-2821-1>
- Zhu, L., Liu, W., Alkhouri, R., Baker, R. D., Bard, J. E., Quigley, E. M., & Baker, S. S. (2014). Structural changes in the gut microbiome of constipated patients. *Physiological Genomics*, 46(18), 679–686. <https://doi.org/10.1152/physiolgenomics.00082.2014>