

PUSTAKA ACUAN

- Abbey, A., Abramis, D. J., & Caplan, R. D. (1985). Effects of Different Sources of Social Support and Social Conflict on Emotional Well-Being. *Basic and Applied Social Psychology*, 6(2), 111–129. <https://doi.org/10.1207/s15324834basps0602>
- Addington, J., & Heinssen, R. (2012). Prediction and Prevention of Psychosis in Youth at Clinical High Risk. *Annual Review of Clinical Psychology*, 8(1), 269–289. <https://doi.org/10.1146/annurev-clinpsy-032511-143146>
- Aggarwal, S. (2007). Stressful life events among adolescents: The development of a new measure. *Indian Journal of Psychiatry*, 49(2), 96–102.
- Alkozei, A., Cooper, P. J., & Creswell, C. (2014). Emotional reasoning and anxiety sensitivity: Associations with social anxiety disorder in childhood. *Journal of Affective Disorders*, 152–154(1), 219–228. <https://doi.org/10.1016/j.jad.2013.09.014>
- Allen, P., Freeman, D., Johns, L., & McGuire, P. (2006). Misattribution of self-generated speech in relation to hallucinatory proneness and delusional ideation in healthy volunteers. *Schizophrenia Research*, 84(2–3), 281–288. <https://doi.org/10.1016/j.schres.2006.01.021>
- Angell, B., & Test, M. A. (2002). The relationship of clinical factors and environmental opportunities to social functioning in young adults with schizophrenia. *Schizophrenia Bulletin*, 28(2), 259–271. <https://doi.org/10.1093/oxfordjournals.schbul.a006936>
- Armando, M., Pontillo, M., De Crescenzo, F., Mazzone, L., Monducci, E., Lo Cascio, N., ... Schultze-Lutter, F. (2015). Twelve-month psychosis-predictive value of the ultra-high risk criteria in children and adolescents. *Schizophrenia Research*, 169(1–3), 186–192. <https://doi.org/10.1016/j.schres.2015.10.033>
- Arnett, J. J. (2006). G. Stanley Hall's adolescence: Brilliance and nonsense. *History of Psychology*, 9(3), 186–197. <https://doi.org/10.1037/1093-4510.9.3.186>
- Azwar, S. (2015). *Reliabilitas dan Validitas* (4th ed.). Yogyakarta: Pustaka Pelajar.
- Balzan, R. P. (2012). The Role of Cognitive Biases in the Development, Maintenance and Treatment of Delusional Belief across the Psychosis Continuum.
- Bar-Tal, Y., & Jarymowicz, M. (2010). The Effect of Gender on Cognitive Structuring: Who are More Biased, Men or Women? *Psychology*, 01(02), 80–87. <https://doi.org/10.4236/psych.2010.12011>
- Bartels-Velthuis, A. A., Van De Willige, G., Jenner, J. A., Wiersma, D., & Van Os, J. (2012). Auditory hallucinations in childhood: Associations with adversity and delusional ideation. *Psychological Medicine*, 42(3), 583–593. <https://doi.org/10.1017/S0033291711001590>
- Blanco, F. (2017). Cognitive Bias. *Encyclopedia of Animal Cognition and Behavior*, (June). <https://doi.org/10.1007/978-3-319-47829-6>
- Block, C., & Brock, J. (2008). The Relationship of Pain Catastrophizing to Heightened

Feelings of Distress. *Pain Management Nursing : Official Journal of the American Society of Pain Management Nurses*, 9, 73–80. <https://doi.org/10.1016/j.pmn.2008.01.004>

- Bukenaite, A., Stochl, J., Mossaheb, N., Schäfer, M. R., Klier, C. M., Becker, J., ... Amminger, G. P. (2017). Usefulness of the CAPE-P15 for detecting people at ultra-high risk for psychosis: Psychometric properties and cut-off values. *Schizophrenia Research*, 189, 69–74. <https://doi.org/10.1016/j.schres.2017.02.017>
- Burns, D. D. (2008). *Feeling Good: The New Mood Therapy*. New York: Avon Books.
- Capra, C., Kavanagh, D. J., Hides, L., & Scott, J. (2013). Brief screening for psychosis-like experiences. *Schizophrenia Research*, 149(1–3), 104–107. <https://doi.org/10.1016/j.schres.2013.05.020>
- Capra, C., Kavanagh, D. J., Hides, L., & Scott, J. G. (2015). Current CAPE-15: a measure of recent psychotic-like experiences and associated distress. *Early Intervention in Psychiatry*, 11(5), 411–417. <https://doi.org/10.1111/eip.12245>
- Combs, D. R., Penn, D. L., Wicher, M., & Waldheter, E. (2007). The Ambiguous Intentions Hostility Questionnaire (AIHQ): A new measure for evaluating hostile social-cognitive biases in paranoia. *Cognitive Neuropsychiatry*, 12(2), 128–143. <https://doi.org/10.1080/13546800600787854>
- Cornblatt, B. A., Lencz, T., Smith, C. W., Correll, C. U., Auther, A. M., & Nakayama, E. (2003). The Schizophrenia Prodrome Revisited: A Neurodevelopmental Perspective. *Schizophrenia Bulletin*, 29(4), 633–651. <https://doi.org/10.1093/oxfordjournals.schbul.a007036>
- Crush, E., Arseneault, L., Moffitt, T. E., Danese, A., Caspi, A., Jaffee, S. R., ... Fisher, H. L. (2018). Protective factors for psychotic experiences amongst adolescents exposed to multiple forms of victimization. *Journal of Psychiatric Research*, 104(June), 32–38. <https://doi.org/10.1016/j.jpsychires.2018.06.011>
- DeRosse, P., & Karlsgodt, K. H. (2015). Examining the Psychosis Continuum. *Curr Behav Neurosci Rep.*, 2(2), 80–89. <https://doi.org/10.1016/j.physbeh.2017.03.040>
- Dudley, R., Taylor, P., Wickham, S., & Hutton, P. (2016). Psychosis, delusions and the “Jumping to Conclusions” reasoning bias: A systematic review and meta-analysis. *Schizophrenia Bulletin*, 42(3), 652–665. <https://doi.org/10.1093/schbul/sbv150>
- Erawati, E. (2014). *Pengaruh Terapi Metakognitif Kelompok terhadap Intensitas Waham dan Kemampuan Metakognitif*. Universitas Indonesia.
- Erawati, E., Keliat, B., & Daulima, N. (2014). The validation of the Indonesian version of psychotic symptoms ratings scale (PSYRATS), the Indonesian version of cognitive bias questionnaire for psychosis (CBQP) and metacognitive ability questionnaire (MAQ). *International Journal of Advanced Nursing Studies*, 3(2), 97. <https://doi.org/10.14419/ijans.v3i2.3132>
- Ermel, J. A., Moran, E. K., Culbreth, A. J., & Barch, D. M. (2019). Psychotic like experiences

as part of a continuum of psychosis: Associations with effort-based decision-making and reward responsivity. *Schizophrenia Research*, 206(xxxx), 307–312. <https://doi.org/10.1016/j.schres.2018.10.026>

- Escher, S., Romme, M., Buiks, A., Delespaul, P., & van Os, J. (2002). Independent course of childhood auditory hallucinations: A sequential 3-year follow-up study. *The British Journal of Psychiatry*, 181(Suppl43), s10–s18. <https://doi.org/10.1192/bjp.181.43.s10>
- Evans, S. L., Averbek, B. B., & Furl, N. (2015). NDT-56870-jumping-to-conclusions-in-schizophrenia, 1615–1624.
- Fonseca-Pedrero, E., Lemos-Giraldez, S., Paino, M., & Sierra-Baigrie, S. (2011). Psychotic-Like Experiences in Nonclinical Adolescents. *Hallucinations: Types, Stages and Treatments*, 131–146.
- Garety, P. A., Kuipers, E., Fowler, D., Freeman, D., & Bebbington, P. E. (2001). A cognitive model of the positive symptoms of psychosis. *Psychological Medicine*, 31(2), 189–195. <https://doi.org/10.1017/S0033291701003312>
- Gawęda, Ł., Pionke, R., Kręzolek, M., Prochwicz, K., Kłosowska, J., Frydecka, D., ... Nelson, B. (2018). Self-disturbances, cognitive biases and insecure attachment as mechanisms of the relationship between traumatic life events and psychotic-like experiences in non-clinical adults – A path analysis. *Psychiatry Research*, 259(November 2017), 571–578. <https://doi.org/10.1016/j.psychres.2017.11.009>
- Gawęda, Ł., & Prochwicz, K. (2015). A comparison of cognitive biases between schizophrenia patients with delusions and healthy individuals with delusion-like experiences. *European Psychiatry*, 30(8), 943–949. <https://doi.org/10.1016/j.eurpsy.2015.08.003>
- Gawęda, Ł., Prochwicz, K., & Cella, M. (2015). Cognitive biases mediate the relationship between temperament and character and psychotic-like experiences in healthy adults. *Psychiatry Research*, 225(1–2), 50–57. <https://doi.org/10.1016/j.psychres.2014.10.006>
- Gayer-Anderson, C., & Morgan, C. (2013). Social networks, support and early psychosis: A systematic review. *Epidemiology and Psychiatric Sciences*, 22(2), 131–146. <https://doi.org/10.1017/S2045796012000406>
- Gejman, P. V., Sanders, A. R., & Duan, J. (2010). The role of genetics in the etiology of schizophrenia. *Psychiatric Clinics of North America*, 33(1), 35–66. <https://doi.org/10.1016/j.psc.2009.12.003>
- George, Manju; Maheshwari, Shreemit; Chandran, Suhas; Manohar, J. Shivananda; Rao, T. S. S. (2017). Understanding the Schizophrenia Prodrome. *Indian Journal of Psychiatry*, 59(4), 505–509. https://doi.org/10.4103/psychiatry.IndianJPsychiatry_464_17
- Georgopoulos, G., Stowkowy, J., Liu, L., Cadenhead, K. S., Cannon, T. D., Cornblatt, B. A., ... Addington, J. (2019). The role of a family history of psychosis for youth at clinical high risk of psychosis. *Early Intervention in Psychiatry*, 13(2), 251–256. <https://doi.org/10.1111/eip.12471>

- Glockner, A., & Moritz, S. (2009). <A fine-grained analysis of the jumping-to-conclusions bias in schizophrenia.pdf>, 4(7), 587–600.
- Gluck, R. L., Lynn, D. A., Dritschel, B., & Brown, G. R. (2014). Sex differences in interpretation bias in adolescents. *British Journal of Developmental Psychology*, 32(1), 116–122. <https://doi.org/10.1111/bjdp.12030>
- Good, B. J., Marchira, C. R., Subandi, M. A., Mediola, F., Tyas, T. H., & Good, M. J. D. V. (2019). Early psychosis in Indonesia: reflections on illness and treatment. *International Review of Psychiatry*, 31(5–6), 510–522. <https://doi.org/10.1080/09540261.2019.1604495>
- Gore, F. M., Bloem, P. J. N., Patton, G. C., Ferguson, J., Joseph, V., Coffey, C., ... Mathers, C. D. (2011). Global burden of disease in young people aged 10-24 years: A systematic analysis. *The Lancet*, 377(9783), 2093–2102. [https://doi.org/10.1016/S0140-6736\(11\)60512-6](https://doi.org/10.1016/S0140-6736(11)60512-6)
- Gottesman, I., & Erlenmeyer-Kimling, L. (2001). Family and twin strategies as a head start in defining prodromes and endophenotypes for hypothetical early-interventions in schizophrenia. *Schizophrenia Research*, 51, 93–102. [https://doi.org/10.1016/S0920-9964\(01\)00245-6](https://doi.org/10.1016/S0920-9964(01)00245-6)
- Hadi, S. (2016). *Metodologi Riset*. Yogyakarta: Pustaka Pelajar.
- Handayani, L., Febriani, F., Rahmadanni, A., & Saufi, A. (2017). Faktor Risiko Kejadian Skizofrenia Di Rumah Sakit Jiwa Grhasia Daerah Istimewa Yogyakarta (Diy). *Humanitas*, 13(2), 135. <https://doi.org/10.26555/humanitas.v13i2.6069>
- Hankin, B. L., & Abramson, L. Y. (2001). Development of Gender Differences in Depression: An Elaborated Cognitive Vulnerability-Transactional Stress Theory. *Psychological Bulletin*, 127(6), 773–796. <https://doi.org/10.1037/0033-2909.127.6.773>
- Haque, M. K., Jacobson, J. A., Bowie, C. R., & Munhall, K. G. (2018). The score distribution and factor structure of the Community Assessment of Psychic Experiences-Positive Scale (CAPE-P15) in a Canadian sample. *Early Intervention in Psychiatry*, 12(6), 1217–1221. <https://doi.org/10.1111/eip.12532>
- Hawari, D. (2009). *Psikometri: Alat Ukur (Skala) Kesehatan Jiwa*. Jakarta: Balai Penerbit.
- Hayes, J., Allinson, C. W., & Armstrong, S. J. (2004). Intuition, women managers and gendered stereotypes. *Personnel Review*, 33(4). <https://doi.org/10.1108/00483480410539489>
- Herlina. (2013). *Perkembangan Masa Remaja (Usia 11/12-18 tahun). Mengatasi Masalah Anak Dan Remaja*. Bandung: Pustaka Cendekia Utama. <https://doi.org/https://doi.org/10.1016/j.jvoice.2013.08.014>
- Holmes, T. H., & Rahe, R. H. (1967). The social readjustment rating scale. *Journal of Psychosomatic Research*, 11(2), 213–218. [https://doi.org/10.1016/0022-3999\(67\)90010-4](https://doi.org/10.1016/0022-3999(67)90010-4)

- Hyde, J. S., Mezulis, A. H., & Abramson, L. Y. (2008). The ABCs of Depression: Integrating Affective, Biological, and Cognitive Models to Explain the Emergence of the Gender Difference in Depression. *Psychological Review*, 115(2), 291–313. <https://doi.org/10.1037/0033-295X.115.2.291>
- Idaiani, S., Yunita, I., Tjandrarini, D. H., Indrawati, L., Darmayanti, I., Kusumawardani, N., & Mubasyiroh, R. (2019). Prevalensi Psikosis di Indonesia berdasarkan Riset Kesehatan Dasar The Prevalence of Psychosis in Indonesia based on Basic Health Research. *Jurnal Penelitian Dan Pengembangan Pelayanan Kesehatan*, 3(1), 9–16.
- Isaac, K. S. (2018). The impact of spirituality and trauma on appraisals of psychotic-like experiences. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 79(2-B(E)). Retrieved from <http://proxygw.wrlc.org/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2018-00726-179&site=ehost-live&scope=site&authtype=ip,uid&custid=s8987071>
- Jaya, E. S. (2017). Confirmatory Factor Analysis of the Indonesian Version of Community Assessment of Psychic Experiences. *Makara Human Behavior Studies in Asia*, 21(1), 1. <https://doi.org/10.7454/mssh.v21i1.3495>
- Johns, L. C., Cannon, M., Singleton, N., Murray, R. M., Farrell, M., Brugha, T., ... Meltzer, H. (2004). Prevalence and correlates of self-reported psychotic symptoms in the British population. *British Journal of Psychiatry*, 185(OCT.), 298–305. <https://doi.org/10.1192/bjp.185.4.298>
- Jolley, S., Thompson, C., Hurley, J., Medin, E., Butler, L., Bebbington, P., ... Garety, P. (2014). Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. *Psychiatry Research*, 219(2), 275–282. <https://doi.org/10.1016/j.psychres.2014.05.051>
- Juárez-Ramos, V., Rubio, J. L., Delpero, C., Mioni, G., Stablum, F., & Gómez-Milán, E. (2014). Jumping to Conclusions bias, BADE and Feedback Sensitivity in schizophrenia and schizotypy. *Consciousness and Cognition*, 26(1), 133–144. <https://doi.org/10.1016/j.concog.2014.03.006>
- Kalman, J. L., Bresnahan, M., Schulze, T. G., & Susser, E. (2019). Predictors of persisting psychotic like experiences in children and adolescents: A scoping review. *Schizophrenia Research*, 209, 32–39. <https://doi.org/10.1016/j.schres.2019.05.012>
- Kelleher, I., Keeley, H., Corcoran, P., Lynch, F., Fitzpatrick, C., Devlin, N., ... Cannon, M. (2012). Clinicopathological significance of psychotic experiences in non-psychotic young people: Evidence from four population-based studies. *British Journal of Psychiatry*, 201(1), 26–32. <https://doi.org/10.1192/bjp.bp.111.101543>
- Ko, H. C., Wang, L. L., & Xu, Y. T. (2013). Understanding the different types of social support offered by audience to a-list diary-like and informative bloggers. *Cyberpsychology, Behavior, and Social Networking*, 16(3), 194–199. <https://doi.org/10.1089/cyber.2012.0297>

- Kreżolek, M., Pionke, R., Banaszak, B., Kokoszka, A., & Gawęda, Ł. (2019). The relationship between jumping to conclusions and neuropsychological functioning in schizophrenia. *Psychiatry Research*, 273(January), 443–449. <https://doi.org/10.1016/j.psychres.2019.01.035>
- Kupriyanov, R. V., Sholokhov, M. A., Kupriyanov, R., & Zhdanov, R. (2014). The Eustress Concept: Problems and Outlooks. *World Journal of Medical Sciences*, 11(2), 179–185. <https://doi.org/10.5829/idosi.wjms.2014.11.2.8433>
- Larsen, T. K., Friis, S., Haahr, U., Joa, I., Johannessen, J. O., Melle, I., ... Vaglum, P. (2001). Early detection and intervention in first-episode schizophrenia: A critical review. *Acta Psychiatrica Scandinavica*, 103(5), 323–334. <https://doi.org/10.1034/j.1600-0447.2001.00131.x>
- Laursen, T. M., Labouriau, R., Licht, R. W., Bertelsen, A., Munk-Olsen, T., & Mortensen, P. B. (2005). Family history of psychiatric illness as a risk factor for schizoaffective disorder: A Danish register-based cohort study. *Archives of General Psychiatry*, 62(8), 841–848. <https://doi.org/10.1001/archpsyc.62.8.841>
- Lee, K., & 李傑為. (2018). Psychotic-like experiences (PLEs) in the general population of Hong Kong. *HKU Theses Online (HKUTO)*. Retrieved from <http://hdl.handle.net/10722/270225>
- Lewis, S. W., Reveley, A. M., Reveley, M. A., Chitkara, B., & Murray, R. M. (1987). The familial/sporadic distinction as a strategy in schizophrenia research. *British Journal of Psychiatry*, 151(SEPT.), 306–313. <https://doi.org/10.1192/bjp.151.3.306>
- Linton, S. J., Nicholas, M. K., MacDonald, S., Boersma, K., Bergbom, S., Maher, C., & Refshauge, K. (2011). The role of depression and catastrophizing in musculoskeletal pain. *European Journal of Pain*, 15(4), 416–422. <https://doi.org/10.1016/j.ejpain.2010.08.009>
- Lopez-Zafra, E., Ramos-álvarez, M. M., El Ghoudani, K., Luque-Reca, O., Augusto-Landa, J. M., Zarhbouch, B., ... Pulido-Martos, M. (2019). Social support and emotional intelligence as protective resources for well-being in Moroccan adolescents. *Frontiers in Psychology*, 10(JULY). <https://doi.org/10.3389/fpsyg.2019.01529>
- Łosiak, W., Blaut, A., Kłosowska, J., & Łosiak-Pilch, J. (2019). Stressful Life Events, Cognitive Biases, and Symptoms of Depression in Young Adults. *Frontiers in Psychology*, 10(September), 1–11. <https://doi.org/10.3389/fpsyg.2019.02165>
- Low, N. C. P., Dugas, E., O'Loughlin, E., Rodriguez, D., Contreras, G., Chaiton, M., & O'Loughlin, J. (2012). Common stressful life events and difficulties are associated with mental health symptoms and substance use in young adolescents. *BMC Psychiatry*, 12. <https://doi.org/10.1186/1471-244X-12-116>
- Lumban Gaol, N. T. (2016). Teori Stres: Stimulus, Respons, dan Transaksional. *Buletin Psikologi*, 24(1), 1. <https://doi.org/10.22146/bpsi.11224>
- MacCabe, J. H., Koupil, I., & Leon, D. A. (2009). Lifetime reproductive output over two

generations in patients with psychosis and their unaffected siblings: The Uppsala 19151929 birth cohort multigenerational study. *Psychological Medicine*, 39(10), 1667–1676. <https://doi.org/10.1017/S0033291709005431>

Makhmudah, S. (2019). *Hubungan antara Trauma Masa Anak, Stres, dan Dukungan Sosial terhadap Psychotic Like Experience (PLE) Remaja*. Universitas Gadjah Mada.

Malda, A., Boonstra, N., Barf, H., De Jong, S., Aleman, A., Addington, J., ... Maria Pijnenborg, G. H. (2019). Individualized prediction of transition to psychosis in 1,676 individuals at clinical high risk: Development and validation of a multivariable prediction model based on individual patient data meta-analysis. *Frontiers in Psychiatry*, 10(345). <https://doi.org/10.3389/fpsyt.2019.00345>

Mayo, D., Corey, S., Kelly, L. H., Yohannes, S., Youngquist, A. L., Stuart, B. K., ... Loewy, R. L. (2017). The Role of Trauma and Stressful Life Events among Individuals at Clinical High Risk for Psychosis: A Review . *Frontiers in Psychiatry* . Retrieved from <https://www.frontiersin.org/article/10.3389/fpsyt.2017.00055>

Melle, I. (2019). Cognition in schizophrenia: a marker of underlying neurodevelopmental problems? *World Psychiatry*, 18(2), 164–165. <https://doi.org/10.1002/wps.20646>

Mitra, Sayantanava; Mahintamani, Tathagata; Kavoor, Anjana Rao; Nizamie, S. H. (2017). Negative Symptoms in Schizophrenia. *Industrial Psychiatry Journal*, 25(2), 135–144. https://doi.org/10.4103/ipj.ipj_30_15

Mittal, V. A., Tessner, K. D., & Walker, E. F. (2007). Elevated social Internet use and schizotypal personality disorder in adolescents. *Schizophrenia Research*, 94(1–3), 50–57. <https://doi.org/10.1016/j.schres.2007.04.009>

Morin, F., Dhir, A., Mitchell, E., & Jones, A. (2017). Social support: A useful tool in the management of psychotic disorders REVIEW. *Ubcmj*, 8(10), 10–12. https://doi.org/10.1176/ps.62.5.pss6205_0541

Núñez, D., Arias, V., Vogel, E., & Gómez, L. (2015). Internal structure of the Community Assessment of Psychic Experiences-Positive (CAPE-P15) scale: Evidence for a general factor. *Schizophrenia Research*, 165(2–3), 236–242. <https://doi.org/10.1016/j.schres.2015.04.018>

Ochoa, S., Haro, J. M., Huerta-Ramos, E., Cuevas-Esteban, J., Stephan-Otto, C., Usall, J., ... Brebion, G. (2014). Relation between jumping to conclusions and cognitive functioning in people with schizophrenia in contrast with healthy participants. *Schizophrenia Research*, 159(1), 211–217. <https://doi.org/10.1016/j.schres.2014.07.026>

Okifuji, A., & Turk, D. C. (2016). *Neuroscience of Pain, Stress, and Emotion*. Elsevier. <https://doi.org/10.1016/C2013-0-16065-5>

Oshio, A. (2012). Human ability. *Journal of Consulting Psychology*, 14(4), 332–332. <https://doi.org/10.1037/h0051890>

Pauly, K., & Moessnang, C. (2016). Schizophrenia and Functional Imaging. *The Neurobiology*

of Schizophrenia, 297–312. <https://doi.org/10.1016/B978-0-12-801829-3.00025-2>

- Peters, E. R., Moritz, S., Schwannauer, M., Wiseman, Z., Greenwood, K. E., Scott, J., ... Garety, P. A. (2014). Cognitive biases questionnaire for psychosis. *Schizophrenia Bulletin*, 40(2), 300–313. <https://doi.org/10.1093/schbul/sbs199>
- Pohl, R., & Pohl, R. F. (2004). *Cognitive Illusions: A Handbook on Fallacies and Biases in Thinking, Judgement and Memory*. Psychology Press. Retrieved from <https://books.google.co.id/books?id=k5gTes7yyWEC>
- Polanczyk, G., Moffitt, T. E., Arseneault, L., Cannon, M., Ambler, A., Keefe, R. S. E., ... Caspi, A. (2010). Etiological and Clinical Features of Childhood Psychotic Symptoms. *Archives of General Psychiatry*, 67(4), 328. <https://doi.org/10.1001/archgenpsychiatry.2010.14>
- Pot-Kolder, R., Veling, W., Counotte, J., & Van Der Gaag, M. (2018). Self-reported Cognitive Biases Moderate the Associations between Social Stress and Paranoid Ideation in a Virtual Reality Experimental Study. *Schizophrenia Bulletin*, 44(4), 749–756. <https://doi.org/10.1093/schbul/sbx119>
- Poulton, R., Caspi, A., Moffitt, T. E., Cannon, M., Murray, R., & Harrington, H. (2000). Children's self-reported psychotic symptoms and adult schizophreniform disorder: A 15-year longitudinal study. *Archives of General Psychiatry*, 57(11), 1053–1058. <https://doi.org/10.1001/archpsyc.57.11.1053>
- Pruessner, M., Iyer, S. N., Faridi, K., Joobar, R., & Malla, A. K. (2011). Stress and protective factors in individuals at ultra-high risk for psychosis, first episode psychosis and healthy controls. *Schizophrenia Research*, 129(1), 29–35. <https://doi.org/10.1016/j.schres.2011.03.022>
- Ramos, V. J., & Torres, M. L. M. (2016). Cognitive Biases in Schizophrenia Spectrum Disorders. *Schizophrenia Treatment - The New Facets*, (May 2017). <https://doi.org/10.5772/65726>
- Ran, M.-S., Xiao, Y., Zhao, X., Zhang, T., Yu, Y.-H., Mao, W.-J., ... Chan, C. (2018). Family history of psychosis and outcome of people with schizophrenia in rural China: 14-year follow-up study. *Asian Journal of Psychiatry*, 32, 14–19. <https://doi.org/10.1016/j.ajp.2017.11.016>
- Rasor, R. A., Grill, C., & Barr, J. E. (1999). Life 's Stress Events That American River College Students Experience by.
- Remberk, B. (2017). Clinical significance of psychotic-like experiences in children and adolescents. *Psychiatria Polska*, 51(2), 271–282. <https://doi.org/10.12740/pp/63894>
- Richardson, E., Ness, T., Doleys, D., Baños, J., Cianfrini, L., & Richards, J. (2009). Depressive symptoms and pain evaluations among persons with chronic pain: Catastrophizing, but not pain acceptance, shows significant effects. *Pain*, 147, 147–152. <https://doi.org/10.1016/j.pain.2009.08.030>



- Robustelli, B. L., Newberry, R. E., Whisman, M. A., & Mittal, V. A. (2017). Social relationships in young adults at ultra high risk for psychosis. *Psychiatry Research*, 247, 345–351. <https://doi.org/10.1016/j.psychres.2016.12.008>
- Romdhane, F. F., Sassi, H., Ennaifer, S., Tira, S., & Cheour, M. (2020). Prevalence and Correlates of Psychotic Like Experiences in a Large Community Sample of Young Adults in Tunisia. *Community Mental Health Journal*, (0123456789). <https://doi.org/10.1007/s10597-019-00542-1>
- Sacks, S. A. (2013). Domains of schizotypy and associations with cognitive biases in a non-clinical sample: A structural equation modeling approach. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 74(2-B(E)), No-Specified. Retrieved from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=psyc10&NEWS=N&AN=2013-99160-226>
- Sari, S. P., & Wijayanti, D. Y. (2014). Keperawatan Spiritual Pada Pasien Skizofrenia (Spirituality nursing among patients with schizophrenia). *Jurnal Ners*, 9(1), 7. Retrieved from https://www.researchgate.net/publication/315367126_SPIRITUALITY_NURSING_AMONG_PATIENTS_WITH_SCHIZOPHRENIA/link/5a243b6d4585155dd41eac7f/download
- Savulich, G., Shergill, S., & Yiend, J. (2012). Biased Cognition in Psychosis. *Journal of Experimental Psychopathology*, 3(4), 514–536. <https://doi.org/10.5127/jep.016711>
- Sawant, N. S., & Jethwani, K. S. (2010). Understanding family functioning and social support in unremitting schizophrenia: A study in India. *Indian Journal of Psychiatry*, 52(2), 145–149. <https://doi.org/10.4103/0019-5545.64593>
- Schwarzer, R., & Schulz, U. (2002). The role of stressful life events. *Comprehensive Handbook of Psychology*, 9, 27–49.
- Sevi, O. M. (2018). *From Vulnerability to Resilience: A Coping Related Approach to Psychosis*. *IntechOpen*. <https://doi.org/10.1016/j.colsurfa.2011.12.014>
- Shakoor, S., Zavos, H. M. S., Haworth, C. M. A., McGuire, P., Cardno, A. G., Freeman, D., & Ronald, A. (2016). Association between stressful life events and psychotic experiences in adolescence: Evidence for gene-environment correlations. *British Journal of Psychiatry*, 208(6), 532–538. <https://doi.org/10.1192/bjp.bp.114.159079>
- Slavny, R. J. M., Sebastian, C. L., & Pote, H. (2019). Age-related changes in cognitive biases during adolescence. *Journal of Adolescence*, 74(June 2018), 63–70. <https://doi.org/10.1016/j.adolescence.2019.04.007>
- Subandi, M. A., & Good, B. J. (2018). Shame as a cultural index of illness and recovery from psychotic illness in Java. *Asian Journal of Psychiatry*, 34(2010), 33–37. <https://doi.org/10.1016/j.ajp.2018.04.005>
- Sündermann, O., Onwumere, J., Kane, F., Morgan, C., & Kuipers, E. (2014). Social networks

and support in first-episode psychosis: Exploring the role of loneliness and anxiety. *Social Psychiatry and Psychiatric Epidemiology*, 49(3), 359–366. <https://doi.org/10.1007/s00127-013-0754-3>

Takeda, T., Nakataki, M., Ohta, M., Hamatani, S., Matsuura, K., & Ohmori, T. (2018). Effect of cognitive function on jumping to conclusion in patients with schizophrenia. *Schizophrenia Research: Cognition*, 12(February), 50–55. <https://doi.org/10.1016/j.scog.2018.04.002>

Tandon, R., & Greden, J. F. (1989). Positive and negative syndromes in schizophrenia. *American Journal of Psychiatry*, 146(3), 407. <https://doi.org/10.1097/00005053-199302000-00021>

Tessner, K. D., Mittal, V., & Walker, E. F. (2011). Longitudinal study of stressful life events and daily stressors among adolescents at high risk for psychotic disorders. *Schizophrenia Bulletin*, 37(2), 432–441. <https://doi.org/10.1093/schbul/sbp087>

Tsao, J., Payne, L., Evans, S., Lu, Q., Myers, C., & Zeltzer, L. (2009). Anxiety Sensitivity and Catastrophizing Associations with Pain and Somatization in Non-clinical Children. *Journal of Health Psychology*, 14, 1085–1094. <https://doi.org/10.1177/1359105309342306>

Unterrassner, L. (2018). Subtypes of Psychotic-Like Experiences and Their Significance for Mental Health. *Psychosis - Biopsychosocial and Relational Perspectives*, 3–20. <https://doi.org/10.5772/intechopen.78691>

Van Os, J., Linscott, R. J., Myin-Germeys, I., Delespaul, P., & Krabbendam, L. (2009). A systematic review and meta-analysis of the psychosis continuum: Evidence for a psychosis proneness-persistence-impairment model of psychotic disorder. *Psychological Medicine*, 39(2), 179–195. <https://doi.org/10.1017/S0033291708003814>

Veen, G., & Arntz, A. (2000). Multidimensional Dichotomous Thinking Characterizes Borderline Personality Disorder. *Cognitive Therapy and Research*, 24(1), 23–45. <https://doi.org/10.1023/A>

Vermeiden, M., Janssens, M., Thewissen, V., Akinsola, E., Peeters, S., Reijnders, J., ... Lataster, J. (2019). Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): A comparison of student populations in the Netherlands, Nigeria and Norway. *BMC Psychiatry*, 19(1), 1–15. <https://doi.org/10.1186/s12888-019-2210-8>

Widhiarso, W. (2011). *Menghitung Sumbangan Efektif Tiap Aspek terhadap Variabel Dependen*. Yogyakarta.

Widhiarso, W. (2012). Memperkenalkan Program G * Power untuk Mengkalkulasi Berapa Ukuran Sampel untuk Penelitian Aplikasi Kasus, 3–6.

Wills, T. A. (1991). Social support and interpersonal relationships. In *Prosocial behavior*. (pp. 265–289). Thousand Oaks, CA, US: Sage Publications, Inc.

Wood, B. M., Nicholas, M. K., Blyth, F., Asghari, A., & Gibson, S. (2013). Catastrophizing



UNIVERSITAS
GADJAH MADA

mediates the relationship between pain intensity and depressed mood in older adults with persistent pain. *Journal of Pain*, 14(2), 149–157. <https://doi.org/10.1016/j.jpain.2012.10.011>

Yung, A. R., & Nelson, B. (2013). The ultra-high risk concept - A review. *Canadian Journal of Psychiatry*, 58(1), 5–12. <https://doi.org/10.1177/070674371305800103>

Yung, A. R., Phillips, L. J., Pan, H., & McGorry, P. D. (2004). Risk factors for psychosis in an ultra high-risk group: psychopathology and clinical features, 67, 131–142. [https://doi.org/10.1016/S0920-9964\(03\)00192-0](https://doi.org/10.1016/S0920-9964(03)00192-0)

Zimet, G. D., Dahlem, N. W., Zimet, S. G., Gordon, K., & Farley, G. K. (2010). The Multidimensional Scale of Perceived Social Support The Multidimensional Scale of Perceived Social Support. *Journal of Personality Assessment*, 52(1), 37–41. <https://doi.org/10.1207/s15327752jpa5201>

Zimet, & Gregory. (2016). Multidimensional Scale of Perceived Social Support (MSPSS) - Scale Items and Scoring Information, (December), 3–5.