

## DAFTAR PUSTAKA

- Altman, D.G. (1991). *Practical Statistics for Medical Research*. London: Chapman and Hall.
- Bappenas. (2013). *Proyeksi Penduduk Indonesia 2010-2035* (Publikasi bersama Bappenas, BPS, dan UNPF). Jakarta: Bappenas.
- Bechtel, B., Alexander, P. J., Böhner, J., Ching, J. & Conrad, O. (2015). *Mapping Zona Iklim Lokals for a worldwide database of the form and function of cities*, 199-219. <https://doi.org/10.3390/ijgi40101999>
- Bechtel, B., Pesaresi, M., See, L., Mills, G., Ching, J., Alexander, P.J., Feddema, J.J., Florczyk, A.J., Stewart, I., (2016). Towards consistent mapping of urban structure global human settlement layer and local climate zones. *ISPRS-International Arch. Photogrammetry and Remote Sensing Spat. Inf. Science*, 41, 1371–1378. <https://doi.org/10.5194/isprsarchives-XLI-B8-1371-2016>.
- Betchel, B., Brousse, O., Alexander, Paul J., Beck, C., Böhner, J., Hidalgo, J., Ching, J., Demuzere, M., Fonte, C., Gál, T., Hoffmann, P., Middel, A., Mills, G., Ren, C., See, L., Sismanidis, P., Verdonck, M., Xu, G., Xu, Y. (2019). Generating WUDAPT Level 0 data – Current status of production and evaluation. *Journal of Urban Climate*, 27, 24–45. <https://doi.org/10.1016/j.uclim.2018.10.0011>
- Becker, F., & Li, Z.L. (1990). Toward a local split windows method over land surface. *International Journal of Remote Sensing*, 11 (3), 369-393. <https://doi.org/10.1080/01431169008955028>
- Brousse, O., Martilli, A., Foley, M., Mills, G., Bechtel, B. (2016). WUDAPT, an efficient land use producing data tool for mesoscale models? Integration of urban ZIL in WRF over Madrid. *Urban Climate*, 17, 116–134. <https://doi.org/10.1016/j.uclim.2016.04.001>
- Cai, M., Ren, C., Xu, Y., Ka-Lun Lau, K., Wang, R. (2018). Investigating the relationship between local climate zone and Suhu Permukaan Lahan using an improved WUDAPT methodology – A case study of Yangtze River Delta, China. *Urban Climate*, 24, 485-502. <https://doi.org/10.1016/j.uclim.2017.05.010>

- Childs, J. (2013). Landsat 8 Multispektral Analysis. <http://pancroma.com/lansat%208%20Multispectral%20Analysis.html> diakses pada 31 Mei 2018 14.39
- Davenport, A. G., Grimmond, C. S. B., Oke, T. R. and Wieringa J. (2000). Estimating the roughness of cities and sheltered country (12<sup>th</sup> Conference on Applied Climatology), *Amer. Meteor. Soc.*, 96–99.
- Ellefsen, R. (1991). Mapping and measuring buildings in the canopy boundary layer in ten US cities. *Energy Buildings*, 16(3–4), 1025–1049. [https://doi.org/10.1016/0378-7788\(91\)90097-M](https://doi.org/10.1016/0378-7788(91)90097-M)
- Emmanuel, R., Krüger, E. (2012). Urban heat island and its impact on climate change resilience in a shrinking city: the case of Glasgow, UK. *Build Environment*, 53, 137–149. <https://doi.org/10.1016/j.buildenv.2012.01.020>
- Estoque, R. C., Muryama, Y., Myint, S.W. (2017). Effects of landscape composition and pattern on Suhu Permukaan Lahan. An urban heat island study in the megacities of Southeast Asia. *Sci. Total Environment*, 577, 349-359. <https://doi.org/10.1016/j.scitotenv.2016.10.195>
- Faridah, S. N., & Krisbiantoro, A. (2014). Analisis distribusi temperatur permukaan tanah wilayah potensi panas bumi menggunakan teknik penginderaan jauh di Gunung Lamongan Tiris-Probolinggo Jawa Timur. *Berkala Fisika*, 17(2), 57-62.
- Fawzi, Nurul Ihsan. (2017). Mengukur urban heat island menggunakan penginderaan jauh. Kasus di Kota Yogyakarta. *Majalah Ilmiah Globë*, 19(2), 195-206. <http://dx.doi.org/10.24895/MIG.2017.19-2.603>
- Gál, T., Bechtel, B., Unger, J. (2015). *Comparison of two different Zona Iklim Lokal mapping methods*. ICUC9 - 9<sup>th</sup> International Conference on Urban Climate jointly with 12<sup>th</sup> Symposium on the Urban Environment. Toulouse, France.
- Guntara, I. (2015). Pemanfaatan Citra Landsat 8 untuk Mengestimasi Suhu Permukaan Lahan (SPL) di Kabupaten Bantul Menggunakan SWA. *Tugas Akhir*. Yogyakarta: SV UGM.

- Jatmiko, R.H. (2016). Penggunaan citra saluran inframerah thermal untuk studi perubahan liputan lahan dan suhu sebagai indikator perubahan iklim perkotaan di yogyakarta. *Desertasi*. Yogyakarta: Fakultas Geografi UGM.
- Jimenez-Munoz, J.C., Sobrino, J. A., Gillespie, A., Sabol, D., Gustafson, W.T. (2006). Improved land surfaces emissivities over agricultural areas using ASTER NDVI. *Remote Sensing Environment* Vol 103 (4):474-487. <http://dx.doi.org/10.1016/j.rse.2006.04.012>
- Jimenez-Munoz, J.C., Sobrino, J. A., Skokovic, D., Mattar, C., Cristobal, J. 2014. Suhu Permukaan Lahan retrieval methods from Landsat-8 TIRS Data. *IEEE Geoscience and Remote Sensing Letters*, 11(10), 1840-1843. <http://dx.doi.org/10.1109/LGRS.2014.2312032>
- Khomaruddin, M.R. 2005. Pendugaan evapotranspirasi skala regional menggunakan data satelit penginderaan jauh. *Tesis*. Bogor: IPB.
- Lakitan, B. 1992. *Dasar-dasar Klimatologi*. Jakarta: Penebar Swadaya.
- Latif, M. S. 2014. Suhu Permukaan Lahan retrieval of landsat-8 data using split window algorithm – A case study of Ranchi District. *International Journal of Engineering Development and Research*, 2(4), 3840-3849.
- Lau, K.K.-L., Ren, C., Shi, Y., Zheng, V., Yim, S., Lai, D. (2015). *Determining the optimal size of Zona Iklim Lokals for spatial mapping in high-density cities*. (9th ICUC Toulouse Fr).
- Leconte, F., Bouyer, J., Claverie, R., Pétrissans, M. (2015). Estimation of Spatial Air Temperature Distribution at Sub-Mesoclimatic Scale Using the ZIL Scheme and Mobile Measurements. *Urban Environment*. 9th International Conference on Urban Climate. Toulouse, France
- Leconte, F., Bouyer, J., Claverie, R., Pétrissans, M., (2015b). Using local climate zone scheme for UHI assessment: evaluation of the method using mobile measurements. *Build. Environ.*, 83, 39–49. <https://doi.org/10.1016/j.buildenv.2014.05.005>
- Leconte, F., Bouyer, J., Claverie, R., Pétrissans, M. (2017). Analysis of nocturnal air temperature in districts using mobile measurements and a cooling

- indicator. *Theoretical and Applied Climatology*, 130(1-2), 365-376.  
<https://doi.org/10.1007/s00704-016-1886-7>
- Lehnert, M., Geletič, J., Husák, J., Vysoudil, M. (2015). Urban field classification by “local climate zones” in a medium-sized Central European city: the case of Olomouc (Czech Republic). *Theor. Appl. Climatol.*, 122, 531–541.  
<https://doi.org/10.1007/s00704-014-1309-6>.
- Lillesand, T., Kiefer, R. and Chipman, J. (2003). *Remote Sensing and Image Interpretation*. 5th Edition. New York: Willey.
- Lo, C.P., Quattrochi, D. A. & Luvall, J.C. (1997). Application of High-Resolution Thermal Infrared Remote Sensing and GIS to Assess the UHI Effect. *International Journal of Remote Sensing*, 18, 287-304.
- Marwasta, Djaka. (2018). The influence of Yogyakarta urban physical development to residential comfort. The 1<sup>st</sup> International Conference on South East Asia Studies 2016, *KnE Social Sciences*, 175–188.  
<https://doi.org/10.18502/kss.v3i5.2332>
- Nurjani, E. (2016). Karakteristik spasio temporal curah hujan di daerah perkotaan yogyakarta sebagai fungsi penutup lahan. *Desertasi*. Yogyakarta: Fakultas Geografi UGM
- Nurwanda, A. and Honjo, T. (2018). Analysis of land use change and expansion of Surface UHI in Bogor City by Remote Sensing. *International Journal of Geo-Information*, 7, 165. <https://doi.org/10.3390/ijgi7050165>
- Oke, T.R. (1982). The energetic basic of Urban Heat Island. *Quarterly Journal of The Royal Meteorological Society*, 108, 1-24
- Oke, T.R. (1987). *Boundary layer climates*, 2<sup>nd</sup> edition. London: Routledge.
- Oke, T.R. (2004). Initial guidance to obtain representative meteorological observation at urban sites. *IOM Report*, 81. Geneva: World Meteorological Organization.
- Perera, N.G.R., Emmanuel, R. (2016). A “Local Climate Zone” based approach to urban planning in Colombo, Sri Lanka. *Urban Climate*.  
<https://doi.org/10.1016/j.uclim.2016.11.006>.

- Pratama, R. K. (2014). Analisis perubahan albedo, suhu permukaan dan suhu udara sebagai dampak perubahan penutupan lahan menggunakan data citra satelit landsat. *Skripsi*. Bogor: IPB.
- Qin, Z., Zhang, M., Amon, K. and Pedro, B. (2001). Mono-window algorithm for retrieving SPL from landsat TM6 data. *Acta Geogr. Sinica*, 68(4), 456-466.doi: 10.11821/xb200104009
- Rajeshwari, A., Mani, N.D. (2014). Estimation of Suhu Permukaan Lahan of dindigul district using landsat 8 data. *International Journal of Research in Engineering and Technology*, 3(5), 122-126.
- Richard, Y. (2018). How relevant are local climate zones and urban climate zones for urban climate research? Dijon (France) as a case study. *Urban Climate* Vol. 28 p. 258–274 <https://doi.org/10.1016/j.uclim.2018.10.002>
- Roth, M. (2013). *Handbook of Environmental Fluid Dynamics Volume Two*, edited by Harindra Joseph Sermal Fernand-Chapter 11: Urban Heat Island. Singapore: Taylor & Francis Group.
- Schrijvers, P.J.C., Jonker, H.J.J., Kenjereš, S. and de Roode, S.R. (2015). Breakdown of the night time urban heat island energy budget. *Building and Environment*, 83, 50-64. <https://doi.org/10.1016/j.buildenv.2014.08.012>
- Schwarz, Manceur. (2011). Analyzing the influence of urban forms on surface urban heat islands in europe. *Journal of Urban Planning and Development* 141(3): A4014003. [https://doi.org/10.1061/\(ASCE\)UP.1943-5444.0000263](https://doi.org/10.1061/(ASCE)UP.1943-5444.0000263)
- Skokovic, D., Sobrino, J.A., Jimenez-Munoz, J.C., Soria, G., Julien, Y., Mattar, C. & Cristobal, J. (2014). *Calibration and Validation of Suhu Permukaan Lahan for Landsat 8 - TIRS sensor*. Italy: European Space Agency (ESA).
- Stewart, I. D. and Oke, T. R. (2012). Local climate zones for urban temperature studies. *Bull. Amer. Meteorol. Soc.*, 93(12), 1879–1990. <https://doi.org/10.1175/BAMS-D-11-00019.1>
- UN. (2008). *State of the World Cities 2008/ 2009 Harmonious Cities: UN Habitat Settlement Programme*. London: Earthscan.
- UNFPA. (2007). *Earlier UN Estimates indicated that this urban transition will occur in 2007*. UNPF

- UNFPA. (2013). Urbanisation, demographics, and adaptation to climate change in Semarang, Indonesia. *Urbanization and Emerging Population Issues Working Paper 11*. United Kingdom: Human Settlements Group International Institute for Environment and Development (IIED) <http://www.iied.org/pubs/display.php?o=10632IIED>
- UN-Habitat. (2012). *Cities and climate change initiative: Tool series – Developing local climate change plans: a guide for cities in developing countries*. Nairobi: UNON Publishing Services Section.
- USGS. (2013). Landsat 8 fact Sheet. Sioux Fall, SD: USGS. <https://pubs.usgs.gov/fs/2013/3060/>
- USGS. (2013b). *Using the USGS landsat 8 product*. Disadur dari USGS Landsat Missions: <https://landsat.usgs.gov/using-usgs-landsat-8-product> diakses 20 April 2017.
- Voogt, J.A.; Oke, T.R. (2003). Thermal remote sensing of urban climate. *Remote Sensing Environment*, 86, 370-384. [https://doi.org/10.1016/S0034-4257\(03\)00079-8](https://doi.org/10.1016/S0034-4257(03)00079-8)
- Voogt, J.A. (2004). UHI: Hotter cities. Online Articles. <http://www.actionbioscience.org/environment/voogt.html> diakses 17 Maret 2018.
- Wan, Z.J.D. (1996). A generalized split-window algorithm for retrieving land surface temperature for space. *IEEE Trans Geoscience and Remote Sensing*, 34(4), 892-905. <https://doi.org/10.1109/36.508406>
- Wang, H., Zhang, Y., Tsou, J., Li, Y. (2017). Surface urban heat island of Shanghai (China) based on the change of landuse and landcover. *Sustainability*, 9(9), 1538. <https://doi.org/10.3390/su9091538>
- Wibowo, S. Tanjung. (2012). Aplikasi *Object-Based Image Analysis* (OBIA) untuk deteksi perubahan penggunaan lahan menggunakan citra ALOS AVNIR-2. 2012. *Jurnal Bumi Indonesia*, 1(3), 130-138.
- Wicahyani, S. Setia B. D. dan Munifatul I. (2013). Pulau bahang kota (UHI) di Yogyakarta hasil interpretasi citra landsat TM tanggal 28 Mei 2012.

- Prosiding Seminar Nasional Pengelolaan SDA dan Lingkungan.*  
[http://eprints.undip.ac.id/40682/1/044-Suksesi\\_Wicahyani.pdf](http://eprints.undip.ac.id/40682/1/044-Suksesi_Wicahyani.pdf)
- Widodo. B. (2015). Analysis of environmental carrying capacity for the development of sustainable settlement in Yogyakarta urban area. *Procedia Environmental Sciences*, 28, 519–527.
- Widyasamratri, H. (2011). Pengaruh pola penutup lahan terhadap distribusi spasial suhu permukaan daratan kasus : perkotaan yogyakarta. *Tesis*. Yogyakarta: FT UGM.
- Yuan, F., Bauer, M.E. (2007). Comparison of impervious surface area and normalized difference vegetation index as indicators of surface urban heat island effects in Landsat imagery. *Remote Sens. Environ.*, 106(3), 375-386.  
<https://doi.org/10.1016/j.rse.2006.09.003>
- Zhao, C. 2018. Linking the local climate zone and Suhu Permukaan Lahan to investigate the surface urban heat island, A case study of San Antonio. *ISPRS Annals of the Photogrammetry and Spatial Information Sciences*, 4(3), 277-283. <https://doi.org/10.5194/isprs-annals-IV-3-277-2018>
- Zheng Y., Ren, C., Xu, Y., Wang, R., Ho, J., Lau, K. and Ng, Edward. (2017). GIS-based mapping of local climate zone in the high-density city of Hong Kong. *Urban Climate*, 24, 419-448a.  
<http://dx.doi.org/10.1016/j.uclim.2017.05.008>