



DAFTAR PUSTAKA

- Anonim, (2016). *DBSWIN Dental Imaging Software Installation and Operating Instruction*, Air Techniques Inc., New York, <https://www.airtechniques.com/> (11/11/2019).
- Ardhana, W., (2013). Identifikasi Perawatan Ortodontik Spesialistik dan Umum. *Maj Ked Gi*, 20(1):1-8.
- Athanasiou, A. E., (1995). *Orthodontic Cephalometry*, London: Mosby-Wolfe. p. 9.
- Bhalajhi, S.I., (2004). *Orthodontics, The Art and Science*. 3rd edition. New Delhi: Arya (MEDI) Publishing House. pp.56-62, 69-70, 154, 259-65, 320-3, 397, 434-6.
- Bourzgui, F. (2015). Issues In Temporary Orthodontics, Croatia: InTech. P.221.
- Budiarto, E., Anggraeni, D., (2002). *Pengantar Epidemiologi*. Edisi 2. Jakarta: EGC. h.118.
- Buretić-Tomljanović, A., Giacometti, J., Ostojić, S., & Kapović, M. (2007). Sex-specific differences of craniofacial traits in Croatia: The impact of environment in a small geographic area. *Annals of Human Biology*. 34(3): 296–314.
- Mitchell, L., Littlewood, S. J., Nelson-Moon, Z., Dyer, F., (2013). *An introduction to orthodontics*. London: Oxford University Press. pp. 1-3.
- Cakan, D. G., Ulkur, F., Taner, T. U., (2012). The genetic basis of facial skeletal characteristics and its relation with orthodontics. *Eur J Dent*, 7(1): 340-5.
- Čelar, A., Tafaj, E., Graf, A., Lettner, S., (2018). Association of anterior and posterior occlusal planes with different Angle and skeletal classes in permanent dentitions : A lateral cephalometric radiograph study. *J Orofac Orthop*. 79(4): 267-76.
- Chan, C.C. (2007). A Review of the Clinical Significance of the Occlusal Plane Its Variation and Effect on Head Posture. *Anthology of ICCMO*. 8(1): 1-63.
- Coburne, M., DiBase, A., (2010). *Handbook of Orthodontics*. UK: Elsevier. p. 176 .
- Coro, J., Velasquez, R., Coro, I., (2016). Relationship of Maxillary 3-Dimensional Posterior Occlusal Plane to Mandibular Spatial Position and Morphology. *Am J Orthod Dentofacial Orthop*. 150(1):140-52.
- Del Santo, M. (2006). Influence of occlusal plane inclination on ANB and Wits assessments of anteroposterior jaw relationships. *Am J Orthod Dentofacial Orthop*. 129(5): 641-8.
- Deswi-Arwelli, Hardjono, S., Kuswahyuning, (2011). Perubahan tinggi wajah dan rotasi mandibula pada maloklusi kelas II divisi 1 dengan sudut bidang mandibula kecil dan besar sesudah perawatan teknik Begg (Kajian sefalogram lateral). *J. Ked. Gi*. 2(3):152-8.
- Durão, A. R., Bolstad, N., Pittayapat, P., Lambrechts, I., Ferreira, A. P., & Jacobs, R. (2014). Accuracy and reliability of 2D cephalometric analysis in orthodontics. *J RPEMD*. 55(3): 135–141



- Emil, Iman, P., Kuswahyuning, (2013). Hubungan Antara Perawatan Teknik Begg dan Perubahan Sudut Bidang Oklusal terhadap Perubahan Jarak AO-BO. *J ked gi.* 4(3): 177-80.
- Enlow, D. (1990). *Facial growth*. Philadelphia: W.B. Saunders Company. pp 56, 363.
- Foster, T. D., (1993). Buku Ajar Ortodonti (terj.). Jakarta: Penerbit Buku Kedokteran EGC. hh. 30-3.
- Fushima, K., Kitamura, Y., Mita, H., (1996). Significance Of The Cant Of The Posterior Occlusal Plane In Class II Division 1 Malocclusions. *Eur J Orthod.* 18(1):27–40.
- Hardin, A., Valiathan, M., Oh, H., Knigge, R., McNulty, K., Leary, E., Duren, D. and Sherwood, R. (2019). Clinical implications of age-related change of the mandibular plane angle. *Orthod Craniofac Res.* 00:1-9.
- Harkati-Dewanto, H., (1993). *Aspek-Aspek Epidemiologi Maloklusi*. Yogyakarta: Gadjah Mada University Press. hh. 64, 167.
- Hartati, S., Heryumanji J. C. P., Kuswahyuning, (2013). Perubahan Posisi Mandibula pada Perawatan Kamuflase Maloklusi Kelas III Skeletal. *Maj Ked Gi.* 20(2):140-5.
- Hayati, R., (2003). Kajian Tumbuh Kembang Dentokraniofasial Untuk Kedokteran Gigi. *JKG UI.* 10: 454-61.
- Irawan, R., Suparwitri, S., Hardjono S., (2014). Perawatan Maloklusi Angle Klas II Divisi 1 Menggunakan Bionator Myofungsional. *Maj Ked Gi.* 21(1): 97-101.
- Irsa, R., Syaifulah, Tjong, D.H., (2013,). Variasi Sefalometri pada Beberapa Suku di Sumatera Barat, *JBIOUA*, 2(2): 130-7.
- Iwa-Sutardjo, (2008). Perbedaan Free Way Space pada anak balita suku jawa dan cina di Yogyakarta, *M. I. Kedokteran Gigi*, 23(1): 13-8.
- Li, J. L., Kau, C., Wang, M., (2014). Changes of occlusal plane inclination after orthodontic treatment in different dentoskeletal frames. *Prog Orthod.* 15(1): 41-51.
- Mitchell, L., (2013). *An Introduction of Orthodontic*. 4th ed. London: Oxford University Press. p. 2.
- Monica, G.A. (2007). Gambaran Senyum Pasien Pasca Perawatan Ortodontia (Kajian Foto Frontal). *J Dent Ind.* 14(2): 136-45.
- Nelson, S. J., Ash, M. M., (2010). *Wheeler's Dental Anatomy, Physiology and Occlusion*. Missouri: Elsevier. p. 284.
- Nijkamp, P., Habets. L., Aartman, I., Zentner, A., (2008). The influence of cephalometrics on orthodontic treatment planning. *Eur J Orthod.* 30(6): 630–5.
- Palaskar, J., Joshi, N., Gullapalli, P., Shah, P., (2019). Comparative evaluation of sagittal inclination of the occlusal plane with Frankfort horizontal plane in facebow transfers to semiadjustable and fully adjustable articulators. *J Prosthet Dent.* doi: 10.1016/j.jprostdent.2018.12.024.
- Phulari, B. S., (2011). *Orthodontics: Principal and Practice*. 1st Ed. New Delhi: Jaypee Brothers Medical Publisher. pp. 98-101.
- Phulari, B. S., (2013). *History of Orthodontic*, London: JP Medical Ltd. p. 15.



- Pram, 2013, Suku Bangsa Dunia dan Kebudayaannya, Cerdas Interaktif, Jakarta, h. 47.
- Premkumar, S., (2008). *Orthodontics : Prep Manual For Undergraduates*. India: Elseiver. pp. 221-2.
- Premkumar, S., (2011). *Textbook of Craniofacial Growth*. 1st Ed. New Delhi: JayPee Medical Ltd. pp. 42-5
- Premkumar, S., (2015). *Textbook of Orthodontics*. New Delhi: JayPee Medical Ltd. h. 169.
- Prihatiningrum, B., Sutardjo, I., (2014). *Ukuran dan Bentuk Lengkung Gigi pada Fase Geligi Bercampur pada Anak Suku Jawa*. Yogyakarta: Tesis Program Studi Ilmu Kedokteran Gigi Klinik Minat Studi Kedokteran Gigi Anak Fakultas Kedokteran Gigi Universitas Gadjah Mada.
- Proffit, W. R., Fields, H. W., Larson, B., Sarver, D. M., (2019). *Contemporary Orthodontics*. Philadelphia: Elseiver. p. 202.
- Purbaningsih, M., Chusida, A., Soegeng, B., (2012). Penentuan usia growth spurt pubertal mandibula perempuan berdasarkan Cervical Vetebral Maturation Indication. *Jurnal PDGI*. 61(1). pp.15-9.
- Rajagukguk, F., (2015). *Nilai Sefalometri Pada Mahasiswa FKG USU Orang Jawa*. Medan: Skripsi Fakultas Kedokteran Gigi. p. 25.
- Rambe, S., (2016) Gambaran Lengkung Senyum Pasien Dengan Usia Minimum 15 Tahun Sebelum Dan Sesudah Perawatan Ortodonti Cekat. *J Syiah Kuala Dent Soc*. 1(2): 143-6.
- Raked, T., (2017). *Orthodontics For Dental Hygienists and Dental Therapists*. Oxford: Wiley. p 7-10.
- Rangarajan, V., Padmanabhan, T. V., (2017). *Textbook of prosthodontic*. 2nd ed. New Dehli: Elseiver. p. 484.
- Rao, A., (2008). *Principle and Practice of Pedodontics*. 2nd Ed. New Delhi: Jaypee Brothers Medical Publisher. pp 46-50.
- Rieuwpassa, I. E., Toppo, S., Haerawati, S. D., (2012). Perbedaan Ukuran dan Bentuk Lengkung Gigi Antara Laki-Laki dan Perempuan Suku Bugis, Makassar, dan Toraja. *J Dentofasial*. 11(3): 156-60.
- Romano, F. L., Ramalli, E. L., Tavares, S. W., Neto, J. S. P., Magnani, M. B. B. A., Nouer, D. F., (2005). Comparison between cephalometrics measure using anatomic and metallic porion point. *Braz J Oral Sci*. 4(13):730-734.
- Russo, P., (2018). *Handbook of X-ray Imaging: Physics and Technology*. New York: CRC Publisher. p. 435.
- Said, O. T., Rossouw, P. E., Fishman, L. S., Feng, C., (2017). Relationship Between Anterior Occlusion And Frontal Sinus Size. *Epub*. 87(5): 752-8.
- Sakinah, N., Wibowo, D., Helmi, Z. N., (2016). Peningkatan Lebar Lengkung Gigi Rahang Atas melalui Perawatan Ortodonti Menggunakan Sekrup Ekspansi, *Dentino Jur Ked Gigi*. 1(1): 83-7.
- Sato, M., Motoyoshi, M., Hirabayashi, M., Hosoi, K., Mitsui, N., Shimizu, N., (2007). Inclination of the occlusal plane is associated with the direction of the masticatory movement path. *Eur J Orthod*. 29(1): 21-5.
- Scheid, R.C., Woelfel, J.B., (2007). *Woelfel's Dental Anatomy*. New York: Lip-



- pincott Williams & Wilkins. pp. 137, 360.
- Singh, G., (2015). *Textbook of orthodontic*, New Dehli: Jaypee Brothers Medical Publisher. pp. 90, 171.
- Singh, V., (2017). *Textbook Of Clinical Embryology*. 2nd Ed. Haryana: Elseiver. pp. 103-6.
- Stanley, R. N., Reske, N. T., (2011). *Essential of Orthodontics: Diagnosis and Treatment*. London: Wiley -Blackwell Publishing. pp. 43-55.
- Suhartini, (2011) Fisiologi Pengunyanan Pada Sistem Stomatognati. *J. K. G Unej*. 8(3): 122-6.
- Suryani, Hendriyadi, (2016). *Metode Riset Kuantitatif: Teori dan Aplikasi pada Penelitian Bidang Manajemen dan Ekonomi Islam*, Jakarta: Prenada Media. hh. 116, 71.
- Syada, A. N., Kurniawan, F. K. D., Wibowo, D., (2017). Perbandingan Tingkat Keparahan Dan Tingkat Kebutuhan Perawatan Ortodonti Menggunakan Malalignment Index, *Dentino*. 2(1): 78-83.
- Tanaka, E.M., Sato, S., (2008). Longitudinal alteration of the occlusal plane and development of different dentoskeletal frames during growth. *American Journal of Orthodontics Dentofacial Orthopedics*. 134(5): 602-13.
- Ta, Y., YS, O. (2018). Vertical Facial Height and its Correlation with Skeletal Pattern Among Young Nigerian Orthodontic Patients. *International Journal of Dentistry and Oral Science*. 5(8):661-6.
- Tomson, D.R. (2015). *An Evaluation of the Constructed Frankfort Mandibular Plane Angle Bisector (cFMBAB) Wits' Appraisal in the Assessment of Anteroposterior Jaw Relationships*. Ontario: Tesis Program Studi Ilmu Ortodontik Universitas Western Ontario.
- Vaid, S., Verma, S., Negi, K. S., Kaundal, J. R., Sood, S., Malhotra, A., (2018). Determination of downs hard tissue cephalometric norms for himachali mongoloid tribes. *Orthodontic Waves*. 78(1): 11-7.
- Vukusic, N., Lapter, M., Muretic, Z., (2000). Change in the inclination of the occlusal plane during craniofacial growth and development. *Coll Antropol*. 24(1):145-50.
- Wahyuningsih, S., Hardjono, S., Suparwitri, S., (2014). Perawatan Maloklusi Angle Klas I dengan Gigi Depan Crowding Berat dan Cross Bite Menggunakan Teknik Begg Pada Pasien dengan Kebersihan Mulut Buruk. *Maj Ked Gi*. 21(2): 205-11 .
- Whaites, E., (2003). *Essentials of Dental Radiography and Radiology*. UK: Elseiver. p. 138.
- Whaites, E., Drage, N., (2013). *Essentials of Dental Radiography and Radiology*. 5th Ed. China: Elseiver. p. 161.
- Widiarsanti, S., Sutantyo, D., Pudyani, P. S., (2015). Perawatan Ortodontik Inter-septif dengan Alat Aktivator pada Periode Percepatan Pertumbuhan. *Maj Ked Gi*. 1(1): 27-32.
- Windriyatna, Sugianto, E., Tjahjanti, M. Th. E., (2015). Pengaruh Kehilangan Gigi Posterior Rahang Atas dan Rahang Bawah Terhadap Gangguan Sendi Temporomandibula (Tinjauan Klinis Radiografi Sudut Inklinasi Eminensia Artikularis). *J Ked Gi*. 6(3): 315-20.



UNIVERSITAS
GADJAH MADA

HUBUNGAN ANTARA INKLINASI BIDANG OKLUSAL DAN INKLINASI BIDANG MANDIBULA PADA
MALOKLUSI ANGLE KELAS I

ORANG JAWA

ELVINA DIGNA PUTRI D, drg. Christnawati, M.Kes., Sp.Ort(K); drg. Darmawan Soetantyo, S.U., Sp.Ort(K)

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Yuliastanti, D., Dirdjowiharjo, S., Heryuman, J. C. P., (2014). Hubungan Antara Perubahan Sudut Bidang Oklusal Terhadap Perubahan Tinggi Wajah Anterior Pada Maloklusi Angle Kelas II Divisi 1 Setelah Perawatan Ortodonti Dengan Teknik Begg. *J Ked Gigi.* 5(3): 247-52.
- Zenab, Y., Hambali, T. S., Salim, J., Mardiati, E., (2009). Changes of occlusal plane inclination after orthodontic treatment with four premolars extraction in dento-alveolar bimaxillary protrusion cases. *Padjadjaran J Dent.* 21(2): 100-3.