

## DAFTAR PUSTAKA

- Ale, M., Tutor, Meyer, and S. Anne. 2019. Fucoidans from brown seaweeds: An update on structures, extraction techniques and use of enzymes as tools for structural elucidation. *R S C Advance S.* 8131- 8141.
- Ale, M.T., J.D. Mikkelsen, and A. S. Meyer, 2011. Important Determinants for Fucoidan Bioactivity: A Critical Review of Structure-Function Relations and Extraction Methods for Fucose-Containing Sulfated Polysaccharides from Brown Seaweeds. *Marine Drugs.* 9: 2106–2130.
- Anand, S.P., S. Deborah, and G. Velmurugan. 2018. Evaluation of antioxidant activity of some wild edible fruits collected from Boda and Kolli hills. *The Journal of Phytopharmacology.* 7(2): 127-133.
- Anastyuk, S. D., dan N. M. Shevchenko. 2009. Structural analysis of a fucoidan from the brown alga *Fucus evanescens* by MALDI-TOF and tandem ESI mass spectrometry. *Carbohydrate Research.* 344(6): 779-787.
- Ayucitra, A., N. Indraswati, V. Mulyandasari, dan Y. K. Dengi. 2011. Potensi senyawa fenolik bahan alam sebagai antioksidan alami minyak goreng nabati. *Widya Teknik.* 10 (1): 1- 10
- Bag, G.C. and Devi, P.G. 2015. Assessment of Total Flavonoid Content and Antioxidant Activity of Methanolic Rhizome Extract of Three *Hedychium* Species of Manipur Valley . *International Journal of Pharmaceutical Sciences Review and Research.* 30, 154-159.
- Bebengu, I. K. R. S. 2018. Pengaruh pemberian fucoidan terhadap penambahan berat badan, konsumsi pakan dan konversi pakan pada ayam broiler (Doctoral Dissertation, Universitas Gadjah Mada).
- Bittkau, K. S, Neupane, and S., Alban. 2020. Initial evaluation of six different brown algae species as source for crude bioactive fucoidans. *Algal Research.* (1); 1-10.
- Budhiyanti, S. A., S. Raharjo, D. W. Marseno, dan I. Y. B. Lelana. 2012. Antioxidant activity of brown algae *Sargassum* species extract from the coastline of Java Island. *American Journal of Agricultural and Biological Sciences,* 7 (3): 337-346.
- Clarke, G., K. N., Ting, C. H., Wiart, and J. Fry. 2013. High correlation of (2,2-diphenyl-1-picrylhydrazyl) (DPPH) radical scavenging, ferric reducing activity potential and total phenolics content indicates redundancy in use of all three assays to screen for Antioxidant activity of extract of plants from the malaysian rainforest. *Antioxidant.* 2(1): 1-10.
- Diachanty, S., N. Nurjanah, dan A. Abdullah. 2017. Antioxidant Activities of Various Brown Seaweeds from Seribu Islands. *Jurnal Pengolahan Hasil Perikanan Indonesia.* 20: 305.

- Diaz, A. C., M. L. Espino, N. S. Arzoz, S. M. Velurtaz, N. M. A. Ponce, C. A. Stortz and J. L. Fenucci. 2017. F radical scavenging activity of extracts from seaweeds *Macrocystis pyrifera* and *Undaria pinnatifida*: applications as functional food in the diet of prawn *Artemisia longinaria*. *Latin America Journal of Aquatic Research*. 45 (1).
- Dodgson, K. S. and R. G. Price. 1962. A note on the determination of the easier sulphate content of sulphated polysaccharides. *Biochemical Journal*, 84 (1): 106-110.
- Duarte, M., M. Cardoso, and M. Nosedá. 2001. Structural studies on fucoidans from the brown seaweed *Sargassum stenophyllum*. *Carbohydrate Research*. 333: 281-293.
- Dubois, M., K. A. Gilles, J. K. Hamilton, P. A. Rebers and F. Smith. 1956. Colorimetric method for determination of sugars and related substances. *Anal. Chem.* 28:350-356.
- Fernández, N. F., M. D. Torres, M. J. G. Muñoz, and H. Domínguez. 2018. Potential of intensification techniques for the extraction and depolymerization of fucoidan. *Algal Research*. 128- 148.
- Fleita, D., M., El-Sayed, and D. Rifaat. 2015. Evaluation of the antioxidant activity of enzymatically-hydrolyzed sulfated polysaccharides extracted from red algae; *Pterocladia capillacea*. *Lebensmittel-Wissenschaft und -Technologie- Food Science and Technology*. 63: 1236–1244.
- Fletcher, H. F., P. Biller, A. B., Ross, and J. M. M. Adams. 2019. The seasonal variation of fucoidan within three species of brown macroalgae. *Algal research*. 22(1): 79-86.
- Ghasemi, F. F., S. Dobaradaran, A., Raesesi, A. H., Esmaili, M. J., Mohammadi, M. Keshtkar, S. G. Nasab, and F. Solimani. 2016. Data on Fe(II) biosorption onto *Sargassum hystrix* algae obtained from the Persian Gulf in Bushehr Port, Iran. *Data In Brief*. 823-827.
- Gopidas, S. K., and N. Subramani. 2019. In vitro antioxidant and cytotoxic properties of fucoidan from three Indian brown seaweeds. *Asian Journal Pharmacy Clinic*. (1): 99–105.
- Guzman, R. D., and M. Malik. 2019. Global cancer burden and natural disasters: a focus on Asia's vulnerability, resilience building, and impact on cancer care. *American Society of Clinical Oncology*. 1(1).
- Hifney, A. F., M. A. Fawzy, K. M. A. Gawad, and M. Gomaa. 2016. Industrial optimization of fucoidan extraction from *Sargassum* sp. and its potential antioxidant and emulsifying activities. *Food Hydrocolloids*. 54: 77-88.
- Hikariastri, P., H. Winarno, K. Kusmardi, D. R. Laksmiawati dan S. Abdillah. 2019. Aktivitas antiinflamasi crude extract fukoidan dari *Sargassum crassifolium* pada sel RAW 264.7 yang Diinduksi LPS. *Jurnal Kefarmasian Indonesia*. 97-105.
- Huang, C., Kuo, and C. Lee. 2018. Antibacterial and Antioxidant Capacities and Attenuation of Lipid Accumulation in 3T3-L1 Adipocytes by Low-Molecular-

- Weight Fucoidans Prepared from Compressional-Puffing-Pretreated *Sargassum crassifolium*. *Marine Drugs*. 16: 24.
- Huang, D., Ou, B., and R.,L. Prior. 2005. The Chemistry behind Antioxidant Capacity Assays, *Journal of Agricultural and Food Chemistry*. 53: 1841- 1856.
- Isnansetyo, A., A. Fikriyahand N. Kasanah. 2016. Non-specific immune potentiating activity of fucoidan from a tropical brown algae (Phaeophyceae), *Sargassum cristaefolium* in tilapia (*Oreochromis niloticus*). *Aquaculture international*. 24(2): 465-477.
- Iqbal, S., Bhanger, M.I. and Anwar, F. 2005. Antioxidant properties and components of some commercially available varieties of rice bran in Pakistan. *Food chemistry*. 93(2): 265-272.
- Kadi, A. 2007. Beberapa catatan kehadiran Marga *Sargassum* di perairan Indonesia. *LIPI Journal of Nutrition* 132(3): 461-471.
- Koh, H. S. A., J. Lu, and W. Zhou. 2019. Structure characterization and antioxidant activity of fucoidan isolated from *Undaria pinnatifida* grown in New Zealand. *Journal Pertain*. (1): 1-38.
- Kordjazi, M.1., Y. Etemadian, B. Shabanpour and P. Pourashouri. 2019. Chemical composition antioxidant and antimicrobial activities of fucoidan extracted from two species of brown seaweeds (*Sargassum ilicifolium* and *S. angustifolium*) around Qeshm Island. *Iranian Journal of Fisheries Sciences* .18(3) 457-475
- Kurnialahi, I. D., A. Husni, E. Sinurat, dan A. Isnansetyo. 2020. Antioxidant activity of tropical seaweed *Sargassum muticum* fucoidan. *AACL Bioflux*. 13(1).
- Laeliocattleya, R.A., Yunianta, A.F Suloi, P.P. Gayatri, N.A. Putri, dan Y.C. Anggraeni. 2020. Fucoidan Content from Brown Seaweed (*Sargassum filipendula*) And Its Potential As Radical Scavenger. *Journal of Physics: Conference Series*. 1(1).
- Lattea, K.P. dan H. Kolodziej. 2004. Antioxidant properties of phenolic compounds from *Pelargonium reniforme*. *Journal of Agricultural and Food Chemistry*. 52(7): 4899-4902.
- Leba, M. A. U. 2017. Buku Ajar: Ekstraksi Dan Real Kromatografi. Yogyakarta : Deepublish.
- Lim, S.N., Cheung, P.C., Ooi, V.E., and Ang, P.O. 2002. Evaluation of Antioxidative Activity of Extracts from A Brown Seaweed, *Sargassum siliquastrum*. *Jurnal Agric Food Chem*. 50(13): 3862-3866.
- Liu, X., Sun Z.L., Jia A.R., Shi Y.P., Li R.H., and Yang P.M. 2014. Extraction, preliminary characterization and evaluation of in vitro antitumor and antioxidant activities of polysaccharides from *Mentha piperita*. *International Journal of Molecular Sciences*, 15: 16302–16319.
- M.D. Guiry in Guiry, M.D. & Guiry, G.M. 2020. *AlgaeBase*. World-wide electronic publication, National University of Ireland, Galway. <http://www.algaebase.org/>; searched on 28 March 2020.

- Mak, W., Hamid N., Liu T., Lu J., dan White W., L. 2013. Fucoidian from New Zealand *Undaria pinnatifida*: Monthly variations and determination of antioxidant activities. Elsevier. 1(1): 606-614.
- Marudhupandi, T., T. T. A. Kumar, S. L. Senthil and K. N. Devi. 2014. In vitro antioxidant properties of fucoidian fractions from *Sargassum tenerrimum*. Pakistan Journal of Biological Sciences. 17 (3): 402-407.
- Moghadamtousi, Z., S. Karimian, H. Khanabdali, R. Razavi, M. Firoozinia, M. Zandi, K. Abdul Kadir. 2014. Anticancer and Antitumor Potential of Fucoidian and Fucoxanthin, Two Main Metabolites Isolated from Brown Algae. Science World Journal. (1):1-10.
- Mukhriani. 2014. Ekstraksi, Pemisahan Senyawa, Dan Identifikasi Senyawa Aktif, Jurnal Kesehatan, 7(2): 361-367.
- Olasehinde, T. A., Leonard V. Mabinyaa, O. Ademola. Olaniranc, and Anthony I. Okoh. 2019. Chemical characterization, antioxidant properties, cholinesterase inhibitory and anti-amyloidogenic activities of sulfated polysaccharides from some seaweeds. *Bioactive Carbohydrates and Dietary Fibre*. 1(1)
- Palanisamy, S., M. Vinosha, T. Marudhupandi, P. Rajasekar. And N. M. Prabhu. 2017. Isolation of fucoidian from *Sargassum polycystum* brown algae: structural characterization, in vitro antioxidant and anticancer activity. International Journal of Biological Macromolecules. 102: 405-412.
- Papalia, S., dan H. Arfah. 2013. Produktifitas biomassa makroalga di perairan Pulau Ambalau, Kabupaten Buru Selatan. Jurnal Ilmu dan Teknologi Kelautan Tropis, 5 (2): 465-477.
- Patel, P., R. Sunkara, L. T. Walker and M. Verghese. 2016. Effect of Drying Techniques on Antioxidant Capacity of Guava Fruit. *Food and Nutrition Sciences*. (7):544-554.
- Pereira, L., A. M. Amando, A. T. Critchley, F. van de Velde and P. J. A. Ribeiro-Claro. 2009. Identification of selected seaweed polysaccharides (*phycocolloids*) by vibrational spectroscopy (FTIR-ATR and FTRaman). *Food Hydrocolloids*. 23: 1903-1909.
- Podungge, A., L. J. Damongilala, dan H.W. Mewengkang. 2018. Kandungan Antioksidan pada Rumput Laut *Eucheumas Spinosum* yang Diekstrak dengan Metanol dan Etanol. Jurnal Media Teknologi Hasil Perikanan. 6(1):197-201
- Prieto, P., M. Pineda, and M. Anguiler. 1999. Spectrophotometric Quantitation of Antioxidant Capacity through the Formation of a Phosphomolybdenum Complex: Specific Application to the Determination of Vitamin E. *Analytical Biochemistry*. 337-341.
- Purbomartono, C., A. Isnansetyo, Murwantoko dan Triyanto. 2019. Dietary Fucoidian from *Padina boergesenii* to Enhance Non-specific Immune of Catfish (*Clarias* sp.). Jurnal Biology Science. 19: 173-180.

- Putra, R. P. dan S. R. Aris. 2018. Uji aktivitas antioksidan senyawa fukoidan hasil isolasi dari rumput laut cokelat (*Sargassum ilicifolium* (Turner) C. Agard). Skripsi. Fakultas Farmasi. Universitas Sumatera Utara.
- Rani, V. 2017. Influence of Species, Geographic Location, Seasonal Variation and Extraction Method on the Fucoidan Yield of the Brown Seaweeds of Gulf of Mannar, India. *Indian Jurnal Pharmacy Science*. 79.
- Rao, P. dan T. N. Pattabiraman 1989. Reevaluation of the phenol-sulfuric acid reaction for the estimation of hexoses and pentoses. *Analytical Biochemical*. 181(1):18-22.
- Riyanto, E.I., I. Widowati, dan A. Sabdono. 2013. Skrining Aktivitas Antibakteri Pada Ekstrak *Sargassum polycystum* Terhadap Bakteri *Vibrio Harveyi* Dan *Micrococcus Luteus* Di Pulau Panjang Jepara. *Journal Of Marine Research* 3 (2), 115-121.
- Rode, S.P. and Sabale, A.B. 2018. Antioxidant Activity of Some Green and Red Seaweeds From West Coast of Maharashtra, India. *International Research Journal Of Pharmacy*, 9(6):108-112
- Rohim, A., & T. Estiasih. 2019. Senyawa-senyawa bioaktif pada rumput laut cokelat *Sargassum* sp. *Jurnal Teknologi Pertanian*. 20(2): 115-126.
- Rohimat, I., Widowati, dan A. Trianto. 2014. Aktivitas antioksidan ekstrak metanol rumput laut coklat (*Turbinaria conoides* dan *Sargassum cristaeifolium*) yang dikoleksi dari Pantai Rancabuaya Garut Jawa Barat. *Jurnal Marine Research*. 3(3): 304-313.
- Rosa, M. R., I. M. Solange, P. Lorenzo, and A. T. Jose. 2013. Extraction of sulfated by polysaccharides extraced from brown seaweed *Fucus vesiculosus*. *Journal of Applied Phycocology*. 25(1): 31-39
- Salamah, N. dan L. Farahana. 2014. Uji Aktivitas Antioksidan Ekstrak Etanol Herba Pegagan (*Centella Asiatica* (L.) Urb) dengan Metode Fosfomolibdat. *Pharmacia*, 4(1):23-30.
- Salma, H., S., Sedjati, dan A., Ridlo 2019. Aktivitas Antioksidan Fraksi Etil Asetat Dari Ekstrak Metanol. *Journal of Marine Research*. 8 (1): 41-46.
- Sandapare, M. 2015. Uji aktivitas antioksidan dan toksisitas ekstrak kasar polisakarida yang diisolasi dari alga cokelat *Sargassum duplicatum*. Makassar (ID): Universitas Hasanudin.
- Satyarsa A. B. S. 2019. Potential of Fucoidan From Brown Seaweeds (*Sargassum* sp.) as Innovation Therapy on Breast Cancer. *Journal of Medicine and Health*. Vol.2
- Sawyer, C.N., P.L. Mc Carty, dan G.F Parkin. 2003. Chemistry for Environmental Engineering and Science. 5th ed. Boston: McGraw Hill Companies, Inc.
- Sayuti, K., dan Yenrina, R. 2015. Antioksidan Alami dan Sintetik. Andalas University Press, Padang.
- Senja, Y. R., E. Issusilaningtyas, A. K. Nugroho And E. P. Setyowati. 2014. Perbandingan Metode Ekstraksi Dan Variasi Pelarut Terhadap Rendemen Dan



- Aktivitas Antioksidan Ekstrak Kubis Ungu (*Brassica oleracea* L Var. *Capitata* F. *Rubra*). *Trad. Med. J.*, 19(1): 43-48.
- Senthilkumar, K., Manivasagan, P., Venkatesan, and J., Kim. 2013. Brown seaweed fucoidan: Biological activity and apoptosis, growth signaling mechanism in cancer. *International Journal Biology Macromol.* 60: 366–374.
- Setyawan, A., Isnansetyo, A., Indarjulianto, S. and Handayani, C.R. 2018. Comparative immune response of dietary fucoidan from three Indonesian brown algae in white shrimp *Litopenaeus vannamei*. *Aquaculture, Aquarium, Conservation & Legislation.* 11(6):1707-1723.
- Shao, P, Chen XX and Sun PL. 2014. Chemical characterization, antioxidant and antitumor activity of sulfated polysaccharide from *Sargassum horneri*. *Carbo Poly*, 105, 260–269
- Silverstein, R. M., and G. C., Bassler. 1962. *Spectrometric Identification of Organic Compound*, sixth edition, John Wiley & Sons, Inc, US
- Singh, R.P., S. Sharad, dan S. Kapur. 2004. Free radical and oxidative stress in neurodegenerative diseases: relevance of dietary antioxidant, *Journal Indian Academy Of Clinical Medicine.* 5(3): 218-22.
- Sinurat, E. 2011. Isolasi dan karakterisasi serta uji aktivitas fukoidan sebagai anti koagulan dari rumput laut cokelat (*Sargassum crassifolium*) [tesis]. Depok (ID): Universitas Indonesia.
- Sinurat, E, dan R. Kusumawati. 2017. Optimasi metode ekstraksi fukoidan kasar dari rumput laut cokelat *Sargassum binderi* sonder. *JPB Kelautan dan Perikanan.* 12(2): 125-134.
- Sinurat, E., & Maulida, N. N. 2018. Pengaruh hidrolisis fukoidan terhadap aktivitasnya sebagai antioksidan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan.* 13(2): 123-130.
- Sinurat, E, P. Rosmawaty, dan E. Saepudin. 2015. Purification and characterization of fucoidan from the brown seaweed *Sargassum binderi* sonder. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology.* 10(2): 79- 87.
- Skriptsova, A. V., Shevchenko, N. M., Zvyagintseva, T. N., dan Imbs, T. I. 2009. Monthly changes in the content and monosaccharide composition of fucoidan from *Undaria pinnatifida* (*Laminariales*, *Phaeophyta*). *Journal of Applied Phycology*, 22, 79-86.
- Solarin, B. B., D. A. Bolaji, O. S. Fakayod, and R. O., Akinnigbagb. 2014. Impacts of an invasive seaweed *Sargassum hystrix* var. *Fluitans* (Borgensen 1914) on The Fisheries and other economic implications for the Nigerian coastal waters. *IOSR Journal Of Agriculture and Veterinary Science.* 7(7): 01-06.
- Souza R.D., M. Marques, C. Dore, C. da Silva, F. Oliveria Rocha, dan H. Leite. 2007. Antioxidant Activities of Sulfated Polysaccharides from Brown and Red Seaweeds. *Journal of Applied Phycology.* 19: 153-160.
- Sugiono. 2015. Isolasi dan karakterisasi fukoidan dari alga coklat *Sargassum* sp. *Agrosains.* 2(1): 96-107.

- Sugiyono. 2012. Metode Penelitian Kuantitatif, Kualitatif dan R&D. Bandung: Alfabeta
- Suhaila K., A. Husni dan E. Sinurat. 2019. Characteristic and antioxidant activity of fucoidan from the brown seaweed *Sargassum hystrix*. AACL Bioflux. 12(6): 2319-2329
- Tristantini, D. A. Ismawati, B. T. Pradana., dan J. G. Jonathan. 2016. Pengujian aktivitas antioksidan menggunakan metode DPPH pada daun tanjung (*Mimusops elengi L.*). Prosiding Seminar Nasional Teknik Kimia “Kejuangan”. 1(1).
- Triyasmono, L., B. Rahmanto, W. Halwany, F. Lestari, M. I. Rizki, dan K. Anwar. 2017. Daya Reduksi Ekstrak Etanol Biji *Aquilaria microcarpa*, *Aquilaria malaccensis*, dan *Aquilaria beccariana* Terhadap Ion Ferri ( $\text{Fe}^{3+}$ ) dengan Metode FRAP (Ferric Reducing Antioxidant Power). Journal Pharmascience 4.
- Wang, J., Q. Zhang, Z. Zhang, and Z. Li. 2008. Antioxidan activity of sulfated polysaccharide fractions extracted from *Laminaria japonica*. International Journal Biology Macromol. 42: 127-132.
- Wang, C., X. Liu , L. Guo, C. Shao, Y. Fang, Y. Wei , C. Zheng, Y. Gu, W. Zhu and H. Guan. 2009. Two new natural ketoacid derivatives from *Sargassum pallidum*. Chemistry of Natural Compounds, 46: 292–294.
- Wang, J., Q. Zhang, Z. Zhang, H. Zhang, dan X. Niu. 2010. Structural studies on a novel fucogalactan sulfate extracted from the brown seaweed *Laminaria japonica*. International Journal Biology Macromol 47:126–131
- Wang, C. Y, & Chen, C. Y. 2016. Extraction and characterization of fucoidan from six brown macroalgae. *Journal of Marine Science and Technology*, 24(2): 319-328.
- Wang, Z.J., L. Zheng, J. M. Yang, Y. Kang, Y. D. Park. 2018. Proteomic analyses for profiling regulated proteins/enzymes by *Fucus vesiculosus* fucoidan in B16 melanoma cells: A combination of enzyme kinetics functional study. International Journal Biology Macromol .112: 667-74.
- Wang, Y., M. Xing, Q. Cao, J. Aiguo, H. Liang dan S. Song. 2019. Biological Activities of Fucoidan and the Factors Mediating Its Therapeutic Effects: A Review of Recent Studies. *Journal Marine Drugs*. (1): 1-18.
- Werawati, A., M. Esti, Kusmardi, R. L. Dian, dan A. Syamsudin. 2019. Pengaruh crude fukoidan dari ekstrak *Sargassum crassifolium* terhadap kadar icam-1 dan vcam-1 pada sel raw 264.7 yang diinduksi lipopolisakarida. Jurnal Ilmu Kefarmasian Indonesia. 17(1): 95-102.
- Wijaya, A. 1996. Radikal Bebas dan Parameter Status Antioksidan. Forum Diagnosticum. Laboratorium Klinik Prodia. 1: 1-12.
- Winarno, F. G., 1997. *Kimia Pangan dan Gizi*. Jakarta (ID): Gramedia Pustaka
- Xie, J.H., X. Liu, M. Y. Shen, S. P. Nie, H. Zhang, dan C. Li. 2013. Purification, physicochemical characterisation and anticancer activity of a polysaccharide from *Cyclocarya paliurus* leaves. Food Chemistry. 136: 1453–1460.



- Yanuarti, R., N. Nurjanah, E. Anwar, dan T. Hidayat. 2017. Profile of Phenolic and Antioxidants Activity from Seaweed Extract *Turbinaria conoides* and *Eucheuma cottonii*. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 20: 23.
- Zaranappa, H. M. Vagdevi, M. R. Lokesh, and B. C. Gowdarshivannanavar. 2012. Synthesis and antioxidant activity of 3-substituted schiff bases of quinazoline 2,4-diones. *International Journal of Chem Tech Research*. 4(4): 1527-1533.
- Zhang, Z. S., F. Wang, X. M. Wang, X. Liu, Y. Hou and Q. B. Zhang. 2010. Extraction of the polysaccharides from five algae and their potential antioxidant activity in vitro *Carbohydrate Polymers*. *Jurnal Fisheries*. 82(1):118–121.
- Zong, A.Z., H. Z. Cao, dan F. S. Wang. 2012. Anticancer polysaccharides from natural resources: A review of recent research. *Carbohydr. Polym.* 90: 1395–1410.