

DAFTAR PUSTAKA

- Aaronson, N., Alonso, J., Burnam, A., Monica, S., Lohr, K.N., Patrick, D.L., Perrin, E., Stein, R.E.K., 2002, Assessing Health Status and Quality-of-life Instruments: Attributes and Review Criteria, *Quality of Life Research*, 11, 193-205.
- Adibe, M., Ubaka, C., Igboeli, N., & Abraham-Igwe, K., 2014, Effect of Occupational Factors on the Quality of Life of Workers in Governmental and Non-Governmental Sectors in Southeastern Nigeria, *Tropical Journal of Pharmaceutical Research*, 13 (2), 287-293.
- Andayani, T. M., 2013, *Definisi Farmakoekonomi, dalam: Farmakoekonomi Prinsip dan Metodologi*, Yogyakarta, Bursa Ilmu.
- Andayani, T. M., Kristina, S. A. & Endarti, D., 2019, Translation, Cultural Adaptation, and Validation of the Quality of Well Being Self-administered Questionnaire in General Population in Indonesia, *Journal of Basic and Clinical Physiology and Pharmacology*.
- Anonim, 2004, Naskah Akademik Sistem Jaminan Sosial Nasional (SJSN).
- Anonim, 2011, UU No.24 pasal 3 tentang Sistem Jaminan Kesehatan Nasional, Peraturan Presiden RI.
- Anonim, 2013, Peraturan Menteri Kesehatan Republik Indonesia nomor 71.
- Arnold, D., Girling, A., Stevens, A., Lilford, R., 2009, Comparison of Direct and Indirect Methods of Estimating Health State Utilities for Resource Allocation: Review and Empirical Analysis, *BMJ*, 339, b2688–b2688.
- Azwar, S., 2014, *Reliabilitas dan Validitas*, Yogyakarta, Pustaka Pelajar.
- Baxter, S., Sanderson, K. & Venn, A., 2015, Construct Validity of SF-6D Health State Utility Values in an Employed Population, *Quality of Life Research*, 24(4), 851-70.
- Brazier, J., Roberts, J., Deverill, M., 2002, The Estimation of a Preference-based Measure of Health from the SF-36, *Journal of Health Economics*, 21(2), 271-292.
- Campolina, A.G., López, R.V.M., Nardi, E.P., Ferraz, M.B., 2018, Internal Consistency of the SF-6D as a Health Status Index in the Brazilian Urban Population, *Value in Health Regional Issues*, 17, 74–80.
- Craig, B. M., Pickard, A. S., Stolk, E., & Brazier, J. E., 2013, US Valuation of the SF-6D, *Medical Decision Making*, 33(6), 793–803.
- Cramer, J.A., & Spilker, B., 1998, *Quality of Life and Pharmacoeconomics*, Philadelphia: Lippicott-Raven Publishers.
- Cohen-Swerdlik, 2010, *Psychological Testing and Assessment: An Introduction to Tests and Measurement*, Seventh Edition, The McGraw–Hill Companies.
- Davidson, M., 2014, Known-Groups Validity, *Encyclopedia of Quality of Life and Well-Being Research*, 3481–3482.
- Devlin, N. J., & Krabbe, P. F. M., 2013, The development of new research methods for the valuation of EQ-5D-5L, *The European Journal of Health Economics*, 14, 1–3.

- Devlin, N. J., Shah, K. K., Feng, Y., Mulhern, B., & van Hout, B., 2017, Valuing health-related quality of life: An EQ-5D-5L value set for England, *Health Economics*, 27(1), 7–22.
- Drummond, M.F., Sculpher, M.J., Torrance, G.W., O'Brien, B.J., Stoddart, G.L., 2005, *Methods for the Evaluation of Health Care Programmes*, Third Ed, Oxford University Press, New York.
- Endarti, D., Riewpaiboon, A., Thavorncharoensap, M., Praditsithikorn, N., Hutubessy, R., 2015, Evaluation of Health-Related Quality of Life among Patients with Cervical Cancer in Indonesia, *Asian Pacific Journal of Cancer*, 8 (16), 3345-3350.
- Ferreira, L. N., Ferreira, P. L., Pereira, L. N., Rowen, D., Brazier, J. E., 2013, Exploring the Consistency of the SF-6D, *Value in Health*, 16(6), 1023–1031.
- Fitzpatrick, R., Davey, C., Buxton, M.J., Jones, D.R., 1998, Evaluating patient-based outcome for use in clinical trials, *Health Technology Assessment*, 2(14), 1-74.
- Giavarina, D., 2015, Understanding Bland Altman analysis, *Biochemia Medica*, 25(2), 141–151.
- Gundle, K.R., Cizik, A.M., Punt, S.E.W., Conrad, E.U., dan Davidson, D.J., 2014, Validation of the SF-6D Health State Utilities Measure in Lower Extremity Sarcoma, *Sarcoma*, 1.
- Haris, R.N.H., Makmur, Rahmat., Andayani, T.M., Kristina, S.A., 2019, Penilaian Properti Psikometrik Instrumen Kualitas Hidup (HRQoL) pada Populasi Umum: Tinjauan Sistematis, *Jurnal Manajemen dan Pelayanan Farmasi*, 9(2), 65-75.
- Hill, B., Pallant, J., Williams, G., Olver, J., Ferris, S., & Bialocerkowski, A, 2016, Evaluation of Internal Construct Validity and Unidimensionality of the Brachial Assessment Tool, A Patient-Reported Outcome Measure for Brachial Plexus Injury, *Archives of Physical Medicine and Rehabilitation*, 97(12), 2146–2156.
- Hinz, A., Kohlmann, T., Stöbel-Richter, Y., Zenger, M., Brähler, E., 2013, The quality of life questionnaire EQ-5D-5L: psychometric properties and normative values for the general German population, *Quality of Life Research*, 23(2), 443–447.
- Jalali-Farahani, S., Amiri, P., Bakht, S., Shayeghian, Z., Cheraghi, L., Azizi, F., 2017, Socio-Demographic Determinants of Health-Related Quality of Life in Tehran Lipid and Glucose Study (TLGS), *International Journal in Endocrinology & Metabolism*, 4, 15.
- Janssen, M.F., Pickard, A.S., Golicki, D., Gudex, C., Niewada, M., Scalone, L., Swinburn, P., dan Busschbach, J., 2012, Measurement Properties of the EQ-5D-5L Compared to the EQ-5D-3L Across Eight Patient Groups: A Multicountry Study, *Quality of Life Research*, 22(7), 1717-1727.
- Jin, H., Wang, B., Gao, Q., Chao, J., Wang, S., Tian, L., & Liu, P., 2012, Comparison between EQ-5D and SF-6D Utility in Rural Residents of Jiangsu Province, China, *PLoS ONE*, 7(7).

- Kemenkes, 2013, *Buku Pegangan Sosialisasi Jaminan Kesehatan Nasional (JKN) dalam Sistim Jaminan Sosial Nasional*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Kemenkes, 2014, *Health Technology Assessment*, Kementerian Kesehatan.
- Kim, T.H., Jo, M.-W., Lee, S., Kim, S.H., Chung, S. M., 2012, Psychometric properties of the EQ-5D-5L in the general population of South Korea, *Quality of Life Research*, 22(8), 2245–2253.
- Koo, T. K., & Li, M. Y., 2016, A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research, *Journal of Chiropractic Medicine*, 15(2), 155–163.
- Lam, C. L. K., Brazier, J., McGhee, S. M., 2008, Valuation of the SF-6D Health States Is Feasible, Acceptable, Reliable, and Valid in a Chinese Population, *Value in Health*, 11(2), 295-303.
- Longwortha, L. & Bryan, S., 2003, An empirical comparison of EQ-5D and SF-6D in liver transplant, *Health Economics*, 12, 1061–1067.
- Norman, R., Church, J., van den Berg, B., & Goodall, S., 2013, Australian health-related quality of life population norms derived from the SF-6D, *Australian and New Zealand Journal of Public Health*, 37, 17-23.
- Notoadmodjo, 2010. *Metodologi Penelitian Kesehatan*. Jakarta, Rineka Cipta.
- Nursalam, 2013, *Metodologi Penelitian Ilmu Keperawatan*, Salemba Medika, Jakarta.
- Palfreyman, S., & Mulhern, B., 2015, The psychometric performance of generic preference-based measures for patients with pressure ulcers, *Health and Quality of Life Outcomes*, 13(1).
- Pattanaphesaj & Thavorncharoensap, 2015, Measurement properties of the EQ-5D-5L compared to EQ-5D-3L in the Thai diabetes patients, *Health and Quality Of Life Outcomes*, 1-8.
- Purba, F.D., Hunfeld, J.A.M., Iskandarsyah, A., Fitriana, T.S., Sadarjoen, S. S., Ramos-Goni, J. M., Passchier, J., Busschbach, J.J.V., 2017, The Indonesian EQ-5D-5L Value Set, *PharmacoEconomics*, 35, 1153–1165.
- Rabin & Charro, 2001, EQ-5D: a measure of health status from the EuroQol Group, *Annals of Medicine*, 33(5), 337-343.
- Rascati, K., 2013, *Essentials of Pharmacoeconomics*, 2nd ed, Lippinent Williams & Wilkins.
- Shafie, A. A., Thakumar, V. A., Lim, C. J., Luo, N., Rand-Hendriksen, K., Yusof, F.A.M., 2018, EQ-5D-5L Valuation for the Malaysian Population, *PharmacoEconomics*, 37(5), 715-725.
- Stiggelbout, A., & Haes, J., 2001, Patient Preference for Cancer Therapy: An Overview of Measurement Approaches, *Journal of Clinical Oncology*, 19(1), 220-30.
- Terwee, C.B., Bot, S.D., Van der, W.D.A., Knol, D.L., Dekker, J., Bouter, L.M., de vet, H.C., 2007, Quality criteria were proposed for measurement properties of health status questionnaires, *Journal of Clinical Epidemiology*, 60(1), 34-42.
- Tsuchiya, A., Brazier, J., Roberts, J., 2006, Comparison of valuation methods used to generate the EQ-5D and the SF-6D value sets, *Journal of Health Economics*, 25(2), 334–346.

- Vogenberg, F., 2001, Introduction to Applied Pharmacoeconomics, McGraw-Hill Companies, USA.cit. Morimoto, T., & Fukui, T., Utilities Measured by Rating Scale, Time Trade-off, and Standard Gamble: Review and Reference for Health Care Professionals. *Journal of Epidemiology*, 12(2), 160-78.
- Walters, S.J., 2009. *Quality of Life Outcomes in Clinical Trials and Health-Care Evaluation*. John Wiley & Sons Ltd, UK.
- Wang, H.M., Patrick, D.L., Skaliky, A.M., Zeng, H.Y., Gu, W.W., 2012, Validation of the EQ-5D in a general population sample in urban China, *Quality of Life Research*, 21(1), 155-160.
- WHO, 1997, *WHOQOL Measuring Quality of Life*, Geneva, World Health Organization.
- Wiebe, S., Guyat, G., Weaver, B., Matijevic, S., Sidwell, C., 2003, Comparative responsiveness of generic and specific quality-of-life instruments, *Journal of Clinical Epidemiology*, 56(1), 52-60.
- Yulaw, A., 2010, Hubungan karakteristik individu dengan kualitas hidup dimensi fisik pasien gagal ginjal kronik di RS Dr. Kariadi Semarang, diakses dari digilib.unimus.ac.id/files/disk1/106/jtpunimus-gdl_annyulaw-5289_bab2.pdf pada tanggal 24 Januari 2020.
- Zhao, L., Liu, X., Liu, D., He, Y., Liu, Z., Li, N., 2019, Comparison of the psychometric properties of the EQ-5D-3L and SF-6D in the general population of Chengdu city in China, *Medicine*, 98(11).