

DAFTAR PUSTAKA

- Abe, T., Ogura, H., Kushimoto, S., Shiraishi, A., Sugiyama, T., Deshpande, G., Uchida, M., Nagata, I., Saitoh, D., Fujishima, S., Mayumi, T., Hifumi, T., Shiino, Y., Nakada, T., Tarui, T., Otomo, Y., Okamoto, K., Umemura, Y., Kotani, J., Sakamoto, Y., Sasaki, J., Shiraishi, S., Takuma, K., Tsuruta, R., Hagiwara, A., Yamakawa, K., Masuno, T., Takeyama, N., Yamashita, N., Ikeda, H., Ueyama, M., Fujimi, S. dan Gando, S. (2019). Variations in infection sites and mortality rates among patients in intensive care units with severe sepsis and septic shock in Japan. *Journal of Intensive Care*, 7(1). doi: <https://doi.org/10.1186/s40560-019-0383-3>.
- Amatullah, H., Shan, Y., Beauchamp, B., Gali, P., Gupta, S., Maron-Gutierrez, T., Speck, E., Fox-Robichaud, A., Tsang, J., Mei, S., Mak, T., Rocco, P., Semple, J., Zhang, H., Hu, P., Marshall, J., Stewart, D., Harper, M., Liaw, P., Liles, W. dan dos Santos, C., 2016. DJ-1/PARK7 Impairs Bacterial Clearance in Sepsis. *American Journal of Respiratory and Critical Care Medicine*, 195(7), pp.889-905.
- Bae, M. H., Park, S. H., Park, C. J., Cho, E. J., Lee, B. R., Kim, Y. J. *et al.*, 2016. Flow cytometric measurement of respiratory burst activity and surface expression of neutrophils for septic patient prognosis. *Cytometry Part B - Clinical Cytometry*, 90(4), pp. 368–375. doi: 10.1002/cyto.b.21274.
- Biston, P., Aldecoa, C., Devriendt, J., Madl, C., Chochrad, D., Vincent, J. dan De Backer, D. (2013). Outcome of elderly patients with circulatory failure. *Intensive Care Medicine*, 40(1), pp.50-56.
- Black, R., Laxminarayan, R., Temmerman, M. dan Walker, N. (2016). Reproductive, Maternal, Newborn, and Child Health. Washington (DC): The International Bank for Reconstruction and Development / The World Bank. doi: <https://doi.org/10.1596/978-1-4648-0348-2>.
- Boomer, J. S., Green, J. M. dan Hotchkiss, R. S., 2014. The changing immune system in sepsis. *Virulence*, 5(1), pp. 45–56. doi: 10.4161/viru.26516.
- Caraballo, C., Ascuntar, J., Hincapié, C., Restrepo, C., Bernal, E. dan Jaimes, F. (2019). Association between site of infection and in-hospital mortality in patients with sepsis admitted to emergency departments of tertiary hospitals in Medellin, Colombia. *Revista Brasileira de Terapia Intensiva*, 31(1):47-56. doi:10.5935/0103-507X.20190011.

- Cdc.gov. (2018). Hospital Toolkit for Adult Sepsis Surveillance. [online] Available at: https://www.cdc.gov/sepsis/pdfs/Sepsis-Surveillance-Toolkit-Mar-2018_508.pdf.
- Chen, C., Cheng, K., Chan, K. dan Yu, W. (2014). Age May Not Influence the Outcome of Patients with Severe Sepsis in Intensive Care Units. *International Journal of Gerontology*, 8(1), pp.22-26. doi: <https://doi.org/10.1016/j.ijge.2013.08.004>.
- Choi, S.H., Woo Kim, J., Cha, Y. dan Kim, C. (2006). A Quantitative Nitroblue Tetrazolium Assay for Determining Intracellular Superoxide Anion Production in Phagocytic Cells. *Journal of Immunoassay and Immunochemistry*, 27(1), pp.31-44. doi: 10.1080/15321810500403722.
- Cliff, J., Kaufmann, S., McShane, H., van Helden, P. dan O'Garra, A. (2015). The human immune response to tuberculosis and its treatment: a view from the blood. *Immunological Reviews*, 264(1), pp.88-102. doi: 10.1111/imr.12269.
- Dahlan, M.S. (2009). Statistik untuk Kedokteran dan Kesehatan. 3rd ed. Deskriptif, Bivariat dan Multivariat. Jakarta : Salemba Medika.
- Danikas, D., Karakantza, M., Theodorou, G., Sakellaropoulos, G. dan Gogos, C. (2008). Prognostic value of phagocytic activity of neutrophils and monocytes in sepsis. Correlation to CD64 and CD14 antigen expression. *Clinical & Experimental Immunology*, 154(1), pp.87-97. doi: 10.1111/j.1365-2249.2008.03737.x.
- Dashti, A.S., Taheri, S., Jouybar, R., Hashemnia, M., Karimi, A. dan Shoja, S. (2016). Respiratory Burst Process in Diabetic Children. *Iranian Journal of Pediatrics*, In Press(In Press). June; 26(3):e3989. doi: 10.5812/ijp.3989.
- Djaldetti, M., Salman, H., Bergman, M., Djaldetti, R. dan Bessler, H. (2002). Phagocytosis?The mighty weapon of the silent warriors. *Microscopy Research and Technique*, 57(6), pp.421-431. doi: 10.1002/jemt.10096.
- Drewry, A., Samra, N., Skrupky, L., Fuller, B., Compton, S. dan Hotchkiss, R. (2014). Persistent Lymphopenia After Diagnosis of Sepsis Predicts Mortality. *Shock*, 42(5), pp.383-391. doi:10.1097/SHK.0000000000000234.
- Engelich, G., Wright, D. dan Hartshorn, K. (2001). Acquired Disorders of Phagocyte Function Complicating Medical and Surgical Illnesses. *Clinical Infectious Diseases*, 33(12), pp.2040-2048.

- Ferreira, C.S., Araújo, T., Ângelo, M., Pennacchi, P., Okada, S., de Araújo Paula, F., Migliorini, S. and Rodrigues, M. (2012). Neutrophil dysfunction induced by hyperglycemia: modulation of myeloperoxidase activity. *Cell Biochemistry and Function*, 30(7), pp.604-610. doi: 10.1002/cbf.2840
- Fleischmann, C., Scherag, A., Adhikari, N., Hartog, C., Tsaganos, T., Schlattmann, P., Angus, D. dan Reinhart, K. (2016). Assessment of Global Incidence and Mortality of Hospital-treated Sepsis. Current Estimates and Limitations. *American Journal of Respiratory and Critical Care Medicine*, 193(3), pp.259-272.
- Frydrych, L., Fattahi, F., He, K., Ward, P. dan Delano, M. (2017). Diabetes and Sepsis: Risk, Recurrence, and Ruination. *Frontiers in Endocrinology*, 8. doi: 10.3389/fendo.2017.00271.
- Fujishima, S. (2016). Organ dysfunction as a new standard for defining sepsis. *Inflammation and Regeneration*, 36(1). doi: 10.1186/s41232-016-0029-y
- Galli, S., Borregaard, N. dan Wynn, T. (2011). Phenotypic and functional plasticity of cells of innate immunity: macrophages, mast cells and neutrophils. *Nature Immunology*, 12(11), pp.1035-1044. doi: 10.1038/ni.2109.
- Grinstein, S., Lim, J., dan Roth, Z. (2017). Diversity and Versatility of Phagocytosis: Roles in Innate Immunity, Tissue Remodeling, and Homeostasis. *Frontiers in Cellular and Infection Microbiology*, 7. doi: 10.3389/fcimb.2017.00191.
- Hart, S., Smith, J. dan Dransfield, I. (2004). Phagocytosis of opsonized apoptotic cells: roles for 'old-fashioned' receptors for antibody and complement. *Clinical and Experimental Immunology*, 135(2), pp.181-185. doi: 10.1111/j.1365-2249.2003.02330.x.
- Hack, C., De Groot, E., Felt-Bersma, R., Nuijens, J., Strack Van Schijndel, R., Eerenberg-Belmer, A., Thijs, L. dan Aarden, L. (1989). Increased plasma levels of interleukin-6 in sepsis. *Blood*, 74(5), pp.1704-1710.
- Heffernan, D. S., Monaghan, S. F., Thakkar, R. K., Machan, J. T., Cioffi, W. G., Ayala, A. et al., 2012. Failure to normalize lymphopenia following trauma is associated with increased mortality, independent of the leukocytosis pattern. *Critical Care*. BioMed Central Ltd, 16(1), p. R12. doi: 10.1186/cc11157.

- Hotchkiss, R., Monneret, G. dan Payen, D. (2013). Sepsis-induced immunosuppression: from cellular dysfunctions to immunotherapy. *Nature Reviews Immunology*, 13(12), pp.862-874. doi:10.1038/nri3552.
- Iba, T., Hashiguchi, N., Nagaoka, I., Tabe, Y. dan Murai, M. (2013). Neutrophil cell death in response to infection and its relation to coagulation. *Journal of Intensive Care*, 1(1). doi: 10.1186/2052-0492-1-13.
- Jentzer, J., Bennett, C., Wiley, B., Murphree, D., Keegan, M., Gajic, O., Wright, R. dan Barsness, G. (2018). Predictive Value of the Sequential Organ Failure Assessment Score for Mortality in a Contemporary Cardiac Intensive Care Unit Population. *Journal of the American Heart Association*, 7(6). doi: 10.1161/JAHA.117.008169
- Kanyilmaz, S., Hepguler, S., Atamaz, F., Gokmen, N., Ardeniz, O. dan Sin, A. (2013). Phagocytic and Oxidative Burst Activity of Neutrophils in Patients With Spinal Cord Injury. *Archives of Physical Medicine and Rehabilitation*, 94(2), pp.369-374. doi: 10.1016/j.apmr.2012.09.015.
- Kaukonen, K., Bailey, M., Suzuki, S., Pilcher, D. dan Bellomo, R. (2014). Mortality Related to Severe Sepsis and Septic Shock Among Critically Ill Patients in Australia and New Zealand, 2000-2012. *JAMA*, 311(13), p.1308-1316. doi: 10.1001/jama.2014.2637.
- Labro, M. (2000). Interference of Antibacterial Agents with Phagocyte Functions: Immunomodulation or "Immuno-Fairy Tales"?. *Clinical Microbiology Reviews*, 13(4), pp.615-650.
- László, I., Trásy, D., Molnár, Z. dan Fazakas, J. (2015). Sepsis: From Pathophysiology to Individualized Patient Care. *Journal of Immunology Research*, 2015, pp.1-13. doi: doi.org/10.1155/2015/510436_
- Laxminarayan, R., Matsoso, P., Pant, S., Brower, C., Røttingen, J., Klugman, K. dan Davies, S. (2016). Access to effective antimicrobials: a worldwide challenge. *The Lancet*, 387(10014), pp.168-175. doi: [http://dx.doi.org/10.1016/S0140-6736\(15\)00474-2](http://dx.doi.org/10.1016/S0140-6736(15)00474-2).
- Li, W. (2013). Phagocyte dysfunction, tissue aging and degeneration. *Ageing Research Reviews*, 12(4), pp.1005-1012. doi: <http://dx.doi.org/10.1016/j.arr.2013.05.006>.

- Liu R, Fu S, Zhan H, dan Lucia LA. (2009). Spectrophotometric determination of superoxide anion radical with nitro blue tetrazolium General Spectroscopic Protocol to Obtain the Concentration of the Superoxide Anion Radical. *Industrial and Engineering Chemistry Research*, 48:9331-9334. doi:10.1021/ie9007826
- Liu, T., Zhang, L., Joo, D. dan Sun, S. (2017). NF- κ B signaling in inflammation. *Signal Transduction and Targeted Therapy*, 2(1). doi:10.1038/sigtrans.2017.23.
- Marik, P. dan Taeb, A. (2017). SIRS, qSOFA and new sepsis definition. *Journal of Thoracic Disease*, 9(4), pp.943-945. doi: 10.21037/jtd.2017.03.125.
- Marshall JC. Neutrophils in the pathogenesis of sepsis. *Crit Care Med*. 2005;33(12 SUPPL.):12-15. doi:10.1097/01.CCM.0000186266.34541.5F
- Marshansky, V. dan Futai, M., 2008. The V-type H⁺-ATPase in vesicular trafficking: targeting, regulation and function. *Current Opinion in Cell Biology*, 20(4), pp. 415–426. doi: 10.1016/j.ceb.2008.03.015.
- Martín, S., Pérez, A. dan Aldecoa, C. (2017). Sepsis and Immunosenescence in the Elderly Patient: A Review. *Frontiers in Medicine*, 4. doi: 10.3389/fmed.2017.00020.
- Medam, S., Zieleskiewicz, L., Duclos, G., Baumstarck, K., Loundou, A., Alingrin, J., Hammad, E., Vigne, C., Antonini, F. dan Leone, M. (2020). *Risk factors for death in septic shock*. doi: <http://dx.doi.org/10.1097/MD.00000000000009241>.
- Merzbach, D. dan Obedeanu, N. (1975). Standardization of The Nitroblue-Tetrazolium Test. *Journal of Medical Microbiology*, 8(2), pp.375-384.
- Mizock, B. (2009). The Multiple Organ Dysfunction Syndrome. *Disease-a-Month*, 55(8), pp.476-526. doi:10.1016/j.disamonth.2009.04.002.
- Mogensen, T. (2009). Pathogen Recognition and Inflammatory Signaling in Innate Immune Defenses. *Clinical Microbiology Reviews*, 22(2), pp.240-273. doi: 10.1128/CMR.00046-08.
- Monneret G, Venet F, Pachot A, Lepape A. Monitoring immune dysfunctions in the septic patient: A new skin for the old ceremony. *Mol Med*. 2008;14(1-2):64-78. doi:10.2119/2007-00102.Monneret

- Murphy, K., Weaver, C., Mowat, A. dan Janeway, C. (2017). *Janeway's immunobiology*. New York, N.Y.: Garland Science.
- Nagar, H., Piao, S. dan Kim, C. (2018). Role of Mitochondrial Oxidative Stress in Sepsis. *Acute and Critical Care*, 33(2), pp.65-72. doi: <https://doi.org/10.4266/acc.2018.00157>.
- Nasir, N., Jamil, B., Siddiqui, S., Iqbal, N., Khan, F. dan Hussain, R. (2015). *Mortality in Sepsis and its relationship with gender*. doi: <http://dx.doi.org/10.12669/pjms.315.6925>.
- Neumann, H. dan Takahashi, K. (2007). Essential role of the microglial triggering receptor expressed on myeloid cells-2 (TREM2) for central nervous tissue immune homeostasis. *Journal of Neuroimmunology*, 184(1-2), pp.92-99. doi:10.1016/j.jneuroim.2006.11.032
- Nguyen, G., Green, E. dan Meccas, J. (2017). Neutrophils to the ROScue: Mechanisms of NADPH Oxidase Activation and Bacterial Resistance. *Frontiers in Cellular and Infection Microbiology*, 7. doi: 10.3389/fcimb.2017.00373.
- Nicholson, L. (2016). The immune system. *Essays in Biochemistry*, 60(3), pp.275-301. doi: 10.1042/EBC20160017.
- Park, S., Park, B., Park, C., Kim, S., Kim, D., Jang, S., Hong, S. dan Chi, H. (2014). An extended leukocyte differential count (16 types of circulating leukocytes) using the cytodiff flow cytometric system can provide informations for the discrimination of sepsis severity and prediction of outcome in sepsis patients. *Cytometry Part B: Clinical Cytometry*, pp.244-256. doi: 10.1002/cyto.b.21123.
- Pawelec, G., Solana, R., Remarque, E. *et al.*, 1998. Impact of aging on innate immunity. *Journal of Leukocyte Biology*, 64(6), pp. 703–712. doi:10.1002/jlb.64.6.703
- Reinhart, K. dan Bloos, F. (2015). *Pathophysiology of Sepsis and Multiple Organ Dysfunction*. [online] Clinical Gate. Available at: <https://clinicalgate.com/pathophysiology-of-sepsis-and-multiple-organ-dysfunction/>.
- Remick, D. (2007). Pathophysiology of Sepsis. *The American Journal of Pathology*, 170(5), pp.1435-1444. doi: 10.2353/ajpath.2007.060872.

- Rosales, C. dan Uribe-Querol, E. (2017). Phagocytosis: A Fundamental Process in Immunity. *BioMed Research International*, 2017, pp.1-18. doi: <https://doi.org/10.1155/2017/9042851>.
- Rothe, G. dan Klouche, M. (2004). Phagocyte Function. *Methods in Cell Biology*, pp.679-708. doi: [https://doi.org/10.1016/S0091-679X\(04\)75029-3](https://doi.org/10.1016/S0091-679X(04)75029-3).
- Sastroasmoro, S. (2014). *Dasar-dasar metodologi penelitian klinis*. 5th ed. Jakarta: Bagian Ilmu Kesehatan Anak, Fakultas Kedokteran, Universitas Indonesia.
- Say, L., Chou, D., Gemmill, A., Tunçalp, Ö., Moller, A., Daniels, J., Gülmezoglu, A., Temmerman, M. dan Alkema, L. (2014). Global causes of maternal death: a WHO systematic analysis. *The Lancet Global Health*, 2(6), pp.e323-e333. doi: [http://dx.doi.org/10.1016/S2214-109X\(14\)70227-X](http://dx.doi.org/10.1016/S2214-109X(14)70227-X).
- Singer, M., Deutschman, C., Seymour, C., Shankar-Hari, M., Annane, D., Bauer, M., Bellomo, R., Bernard, G., Chiche, J., Cooper-Smith, C., Hotchkiss, R., Levy, M., Marshall, J., Martin, G., Opal, S., Rubenfeld, G., van der Poll, T., Vincent, J. and Angus, D. (2016). The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), p.801. doi:10.1001/jama.2016.0287.
- Spapen, H., Jacobs, R. dan Honoré, P. (2017). Sepsis-induced multi-organ dysfunction syndrome—a mechanistic approach. *Journal of Emergency and Critical Care Medicine*, 1(10), pp.27-27. doi: 10.21037/jeccm.2017.09.04. doi: 1058-4838/2000/3106-0003403.00.
- Spittler, A., Razenberger, M., Kupper, H., Kaul, M., Hackl, W., Boltz-Nitulescu, G., Függer, R. dan Roth, E. (2000). Relationship between Interleukin-6 Plasma Concentration in Patients with Sepsis, Monocyte Phenotype, Monocyte Phagocytic Properties, and Cytokine Production. *Clinical Infectious Diseases*, 31(6), pp.1338-1342.
- Sumantri, S. (2012). Referat: Tinjauan Immunopatogenesis dan Tatalaksana Sepsis. Jakarta: Divisi Tropik Infeksi Departemen Ilmu Penyakit Dalam, Fakultas Kedokteran, Universitas Indonesia. [Accessed 6 Jan. 2019].
- Tewuh, T., Lalenoh, D. dan Kumaat, L. (2014). Hubungan Skor SOFA dengan Lama Rawat Inap Pasien Sepsis Pasca Laparotomi di ICU Periode Juli 2012 – September 2013. *e-CliniC*, 2(2).
- van der Poll T, Van De Veerdonk FL, Scicluna BP, Netea MG. The immunopathology of sepsis and potential therapeutic targets. *Nat Rev Immunol*. 2017;17(7):407-420. doi:10.1038/nri.2017.36

Wichmann, M., Inthorn, D., Andress, H. dan Schildberg, F. (2000). Incidence and mortality of severe sepsis in surgical intensive care patients: the influence of patient gender on disease process and outcome. *Intensive Care Medicine*, 26(2), pp.167-172.