

REFERENCES

- Abd-Elkareem, M.I., Al Tamimy, H.M., Khamis, O.A., Abdellatif, S.S., Hussein, M.R.A., 2010. Increased urinary levels of the leukocyte adhesion molecules ICAM-1 and VCAM-1 in human lupus nephritis with advanced renal histological changes: preliminary findings. *Clin. Exp. Nephrol.* 14, 548–557. <https://doi.org/10.1007/s10157-010-0322-z>
- Arfian, N., Emoto, N., Vignon-Zellweger, N., Nakayama, K., Yagi, K., Hirata, K., 2012. ET-1 deletion from endothelial cells protects the kidney during the extension phase of ischemia/reperfusion injury. *Biochem. Biophys. Res. Commun.* 425, 443–449. <https://doi.org/10.1016/j.bbrc.2012.07.121>
- Arrizabalaga, P., Solé, M., Abellana, R., de las Cuevas, X., Soler, J., Pascual, J., *et al.*, 2003. Tubular and interstitial expression of icam-1 as a marker of renal injury in IgA nephropathy. *Am. J. Nephrol.* 23, 121–128. <https://doi.org/10.1159/000068920>
- Bobulescu, I.A., 2010. Renal lipid metabolism and lipotoxicity. *Curr Opin Nephrol Hypertens* 19, 393–402. <https://doi.org/10.1097/MNH.0b013e32833aa4ac>
- Bonventre, J.V., 2012. Can we target tubular damage to prevent renal function decline in diabetes? *Semin Nephrol* 32, 452–462. <https://doi.org/10.1016/j.semnephrol.2012.07.008>
- Bošanská, L., Michalský, D., Lacinová, Z., Dostálová, I., Bártlová, M., Haluzíková, D., *et al.*, 2010. The influence of obesity and different fat depots on adipose tissue gene expression and protein levels of cell adhesion molecules 59, 10.
- Brake, D.K., Smith, E.O., Mersmann, H., Smith, C.W., Robker, R.L., 2006. Icam-1 expression in adipose tissue: effects of diet-induced obesity in mice. *American Journal of Physiology-Cell Physiology* 291, 1232–1239. <https://doi.org/10.1152/ajpcell.00008.2006>
- Chade, A.R., Hall, J.E., 2016. Role of the renal microcirculation in progression of chronic kidney injury in obesity. *Am J Nephrol* 44, 354–367. <https://doi.org/10.1159/000452365>
- Chow, F.Y., Nikolic-Paterson, D.J., Atkins, R.C., Tesch, G.H., 2004. Macrophages in streptozotocin-induced diabetic nephropathy: potential role in renal fibrosis. *Nephrol. Dial. Transplant.* 19, 2987–2996. <https://doi.org/10.1093/ndt/gfh441>
- Chow, F.Y., Nikolic-Paterson, D.J., Ozols, E., Atkins, R.C., Tesch, G.H., 2005. Intercellular adhesion molecule-1 deficiency is protective against nephropathy in type 2 diabetic db/db mice. *JASN* 16, 1711–1722. <https://doi.org/10.1681/ASN.2004070612>
- Damasceno, D.C., Sinzato, Y.K., Bueno, A., Dallaqua, B., Lima, P.H., Calderon, I.M.P., *et al.*, 2013. Metabolic profile and genotoxicity in obese rats exposed to cigarette smoke. *Obesity* 21, 1596–1601. <https://doi.org/10.1002/oby.20152>

- D'Elia, J.A., Roshan, B., Maski, M., Weinrauch, L.A., 2009. Manifestation of renal disease in obesity: pathophysiology of obesity-related dysfunction of the kidney. *Int J Nephrol Renovasc Dis* 2, 39–49.
- Escasany, E., Izquierdo-Lahuerta, A., Medina-Gomez, G., 2019. Underlying mechanisms of renal lipotoxicity in obesity. *NEF* 143, 28–32. <https://doi.org/10.1159/000494694>
- Felizardo, R.J.F., da Silva, M.B., Aguiar, C.F., Câmara, N.O.S., 2014. Obesity in kidney disease: a heavyweight opponent. *World J Nephrol* 3, 50–63. <https://doi.org/10.5527/wjn.v3.i3.50>
- Ferri Claudio, Desideri Giovambattista, Valenti Marco, Bellini Cesare, Pasin Mehtap, Santucci Anna, *et al.*, 1999. Early upregulation of endothelial adhesion molecules in obese hypertensive men. *Hypertension* 34, 568–573. <https://doi.org/10.1161/01.HYP.34.4.568>
- Hall, J.E., do Carmo, J.M., da Silva, A.A., Wang, Z., Hall, M.E., 2015. Obesity-induced hypertension: interaction of neurohumoral and renal mechanisms. *Circ. Res.* 116, 991–1006. <https://doi.org/10.1161/CIRCRESAHA.116.305697>
- Hall, M.E., Carmo, J.M. do, Silva, A.A. da, Juncos, L.A., Wang, Z., Hall, J.E., 2014. Obesity, hypertension, and chronic kidney disease [WWW Document]. *International Journal of Nephrology and Renovascular Disease*. <https://doi.org/10.2147/IJNRD.S39739>
- Harbuwono, D.S., Pramono, L.A., Yunir, E., Subekti, I., 2018. Obesity and central obesity in Indonesia: evidence from a national health survey. *Medical Journal of Indonesia* 27, 114–20. <https://doi.org/10.13181/mji.v27i2.1512>
- Hariri, N., Thibault, L., 2010. High-fat diet-induced obesity in animal models. *Nutrition Research Reviews* 23, 270–299. <https://doi.org/10.1017/S0954422410000168>
- Hodgkins, K.S., Schnaper, H.W., 2012. Tubulointerstitial injury and the progression of chronic kidney disease. *Pediatr Nephrol* 27, 901–909. <https://doi.org/10.1007/s00467-011-1992-9>
- Hubbard, A.K., Rothlein, R., 2000. Intercellular adhesion molecule-1 (ICAM-1) expression and cell signaling cascades. *Free Radic. Biol. Med.* 28, 1379–1386. [https://doi.org/10.1016/s0891-5849\(00\)00223-9](https://doi.org/10.1016/s0891-5849(00)00223-9)
- Isoppo de Souza, C., Rosa, D.D., Ettrich, B., Cibeira, G.H., Giacomazzi, J., Tusset, P., *et al.*, 2012. Association of adipokines and adhesion molecules with indicators of obesity in women undergoing mammography screening. *Nutr Metab (Lond)* 9, 97. <https://doi.org/10.1186/1743-7075-9-97>
- Jao, T.-M., Nangaku, M., Wu, C.-H., Sugahara, M., Saito, H., Maekawa, H., *et al.*, 2019. ATF6 α downregulation of PPAR α promotes lipotoxicity-induced tubulointerstitial fibrosis. *Kidney International* 95, 577–589. <https://doi.org/10.1016/j.kint.2018.09.023>
- Kamijo-Ikemori, A., Kimura, K., 2015. Urinary liver-type fatty acid binding protein and chronic kidney disease. *Indian J Nephrol* 25, 263–264.
- Kovesdy, C.P., Furth, S., Zoccali, C., 2017. Obesity and kidney disease: Hidden consequences of the epidemic. *Indian J Nephrol* 27, 85–92. https://doi.org/10.4103/ijn.IJN_61_17

- Leslie, S.W., Sajjad, H., Sharma, S., 2019. Anatomy, abdomen and pelvis, renal artery, in: *StatPearls*. StatPearls Publishing, Treasure Island (FL).
- Lhotta, K., Neumayer, H.P., Joannidis, M., Geissler, D., König, P., 1991. Renal expression of intercellular adhesion molecule-1 in different forms of glomerulonephritis. *Clin. Sci.* 81, 477–481. <https://doi.org/10.1042/cs0810477>
- Lindsberg, P.J., Carpén, O., Paetau, A., Karjalainen-Lindsberg, M.L., Kaste, M., 1996. Endothelial ICAM-1 expression associated with inflammatory cell response in human ischemic stroke. *Circulation* 94, 939–945. <https://doi.org/10.1161/01.cir.94.5.939>
- Liu, Z.-X., Hong, Q., Peng, D.-H., Yang, Y., Yu, W.-L., Shui, H., *et al.*, 2019. Evaluation of serum free fatty acids in chronic renal failure: evidence from a rare case with undetectable serum free fatty acids and population data. *Lipids Health Dis* 18, 151. <https://doi.org/10.1186/s12944-019-1093-5>
- Marques, C., Meireles, M., Norberto, S., Leite, J., Freitas, J., Pestana, D., *et al.*, 2016. High-fat diet-induced obesity Rat model: a comparison between Wistar and Sprague-Dawley Rat. *Adipocyte* 5, 11–21. <https://doi.org/10.1080/21623945.2015.1061723>
- Mescher, A.L., Junqueira, L.C.U., 2013. Junqueira's basic histology: text and atlas, 13th ed.
- Miyachi, Y., Tsuchiya, K., Komiya, C., Shiba, K., Shimazu, N., Yamaguchi, S., *et al.*, 2017. Roles for cell-cell adhesion and contact in obesity-induced hepatic myeloid cell accumulation and glucose intolerance. *Cell Reports* 18, 2766–2779. <https://doi.org/10.1016/j.celrep.2017.02.039>
- Okada, S., Shikata, K., Matsuda, M., Ogawa, D., Usui, H., Kido, Y., *et al.*, 2003. Intercellular adhesion molecule-1-deficient mice are resistant against renal injury after induction of diabetes. *Diabetes* 52, 2586–2593. <https://doi.org/10.2337/diabetes.52.10.2586>
- Othumpangat, S., Noti, J.D., McMillen, C.M., Beezhold, D.H., 2016. Icam-1 regulates the survival of influenza virus in lung epithelial cells during the early stages of infection. *Virology* 487, 85–94. <https://doi.org/10.1016/j.virol.2015.10.005>
- Sherwood, L., 2010. Human physiology: from cells to systems, 7th ed. ed. Brooks/Cole, Cengage Learning, Australia ; United States.
- Silva Junior, G.B. da, Bentes, A.C.S.N., Daher, E.D.F., Matos, S.M.A. de, Silva Junior, G.B. da, Bentes, A.C.S.N., *et al.*, 2017. Obesity and kidney disease. *Brazilian Journal of Nephrology* 39, 65–69. <https://doi.org/10.5935/0101-2800.20170011>
- Str[agon]czkowski, M., Lewczuk, P., Dzienis-Str[agon]czkowska, S., Kowalska, I., St[ecedil]pie[nacute], A., Kinalska, I., 2002. Elevated soluble intercellular adhesion molecule-1 levels in obesity: relationship to insulin resistance and tumor necrosis factor-[alpha] system activity. *Metabolism - Clinical and Experimental* 51, 75–78. <https://doi.org/10.1053/meta.2002.28095>

- Strutz, F., Zeisberg, M., 2006. Renal fibroblasts and myofibroblasts in chronic kidney disease. *J. Am. Soc. Nephrol.* 17, 2992–2998. <https://doi.org/10.1681/ASN.2006050420>
- Sugimoto, H., Shikata, K., Hirata, K., Akiyama, K., Matsuda, M., Kushiro, M., *et al.*, 1997. Increased expression of intercellular adhesion molecule-1 (icam-1) in diabetic rat glomeruli: glomerular hyperfiltration is a potential mechanism of icam-1 upregulation. *Diabetes* 46, 2075–2081. <https://doi.org/10.2337/diab.46.12.2075>
- Tang, J., Yan, H., Zhuang, S., 2012. Inflammation and oxidative stress in obesity-related glomerulopathy. *Int J Nephrol* 2012. <https://doi.org/10.1155/2012/608397>
- Tortora, G.J., Derrickson, B., 2014. Principles of anatomy and physiology, 14th ed. Wiley, Hoboken.
- Tsuboi, N., Okabayashi, Y., Shimizu, A., Yokoo, T., 2017. The renal pathology of obesity. *Kidney International Reports* 2, 251–260. <https://doi.org/10.1016/j.ekir.2017.01.007>
- Vahdat, S., 2018. The complex effects of adipokines in the patients with kidney disease. *J Res Med Sci* 23. https://doi.org/10.4103/jrms.JRMS_1115_17
- Zeisberg, M., Kalluri, R., 2015. Physiology of the renal interstitium. *Clinical journal of the american society of nephrology* 10. <https://doi.org/10.2215/CJN.00640114>
- Zhang, D.-W., Huang, X.-Z., Wu, J.-H., Fan, Y.-P., Shi, H., 2012. Effects of intercellular adhesion molecule-1 on renal damage in spontaneously hypertensive rats. *Renal Failure* 34, 915–920. <https://doi.org/10.3109/0886022X.2012.692751>
- Zhang, X.L., Selbi, W., de la Motte, C., Hascall, V., Phillips, A., 2004. Renal proximal tubular epithelial cell transforming growth factor-beta1 generation and monocyte binding. *Am. J. Pathol.* 165, 763–773. [https://doi.org/10.1016/s0002-9440\(10\)63339-1](https://doi.org/10.1016/s0002-9440(10)63339-1)
- Zhao, X., Chen, X., Zhang, Y., George, J., Cobbs, A., Wang, G., *et al.*, 2019. Kidney injury molecule-1 is upregulated in renal lipotoxicity and mediates palmitate-induced tubular cell injury and inflammatory response. *Int J Mol Sci* 20. <https://doi.org/10.3390/ijms20143406>
- Zlobine, I., Gopal, K., Ussher, J.R., 2016. Biochimica et biophysica acta lipotoxicity in obesity and diabetes-related cardiac dysfunction . *Bba - molecular and cell biology of lipids*. <https://doi.org/10.1016/j.bbalip.2016.02.011>