

REFERENCES

- Adewuya, A. O. (2006) 'Early postpartum mood as a risk factor for postnatal depression in Nigerian women', *American Journal of Psychiatry*. doi: 10.1176/ajp.2006.163.8.1435.
- Alvarado-Esquivel C., Sifuentes-Alvarez A., Salas-Martinez C. and Martínez-García S. (2006) 'Validation of the Edinburgh postpartum depression scale in a population of puerperal women in Mexico', *Clinical Practice and Epidemiology in Mental Health*. doi: 10.1186/1745-0179-2-33.
- Andajani-Sutjahjo, S., Manderson, L., & Astbury, J. (2007). 'Complex emotions, complex problems: understanding the experiences of perinatal depression among new mothers in urban Indonesia', *Culture, Medicine and Psychiatry*. 31(1), 101-122.
- Apriliana K. A., Maftuchah & Nurhudhariani R. (2014) 'Hubungan pendidikan dan paritas dengan kejadian kehamilan tidak diinginkan pada akseptor KB di PKBI as Sakinah Kabupaten Pemalang tahun 2014', *SMART Jurnal Kebidanan*. 3(2): 36–45.
- Ashaba, S., Kaida, A., Burns, B. F., O'Neil, K., Dunkley, E., Psaros, C., Kastner, J., Tsai, A. C., Bangsberg, D. R. and Matthews, L.T. (2017) 'Understanding coping strategies during pregnancy and the postpartum period: a qualitative study of women living with HIV in rural Uganda', *BMC Pregnancy Childbirth*. 17(1):138. doi: 10.1186/s12884-017-1321-9. PMID: 28482821; PMCID: PMC5423027.
- Beck, C. T. (2002) 'Revision of the postpartum depression predictors inventory.', *Journal of obstetric, gynecologic, and neonatal nursing: JOGNN / NAACOG*. doi: 10.1111/j.1552-6909.2002.tb00061.x.
- Boyd, R. (2015) 'How To Manage Stress' London: *Mind (National Association for Mental Health)*.
- Bobak. (2005). Buku Ajar Keperawatan Maternitas. Edisi 4. Jakarta: EGC
- Burt, V. K. (2006) 'Mood disorders in women: Focus on postpartum', *Women's Health Psychiatry*.
- Chow, A., Dharma, C., Chen, E., Mandhane, P. J., Turvey, S. E., Elliott, S. J., Becker, A. B., Subbarao, P., Sears, M. R. and Kozyrskyj, A. L. (2019). Trajectories of Depressive Symptoms and Perceived Stress From Pregnancy to the Postnatal Period Among Canadian Women: Impact of Employment and Immigration. *American journal of public health, 109(S3)*, S197–S204. doi:10.2105/AJPH.2018.304624
- Cung, C. H. and Chung, H. H. (2002). 'The effects of postpartum stress and social support on postpartum women's health', *Journal of advanced nursing*. 36(5):676-84. doi. 10.1046/j.1365-2648.2001.02032.x.

- Cohen, S., Kamarck, T. and Mermelstein, R. (1983) 'A global measure of perceived stress'. *Journal of Health and Social Behavior*, 24(4), 385-396.
- Collins, N. L., Dunkel-Schetter, C., Lobel, M., & Scrimshaw, S. C. (1993) 'Social support in pregnancy: Psychosocial correlates of birth outcomes and postpartum depression'. *Journal of Personality and Social Psychology*, 65(6), 1243-1258
- Cox, J.L., Holden, J.M., and Sagovsky, R. (1987) 'Detection of postnatal depression: Development of the 10-item Edinburgh Postnatal Depression Scale'. *British Journal of Psychiatry* 150:782-786.
- Duthie, L. and Reynolds, R. M. (2013) 'Changes in the Maternal Hypothalamic-Pituitary- Adrenal Axis in Pregnancy and Postpartum: Influences on Maternal and Fetal Outcomes', *Neuroendocrinology*, pp. 106–115. doi: 10.1159/000354702.
- Elsanti, D., & Sumarni. (2016) 'The Effect of Stress and Social Support among Postpartum Depression Women in Indonesia'. *GSTF Journal of Nursing and Health Care*, 3(2), 26–29. https://doi.org/10.5176/2345-718X_3.2.116
- Elvira, S. D. (2006) 'Depresi pasca persalinan'. Jakarta: *Balai Penerbit Fakultas Kedokteran Universitas Indonesia*.
- Fatmawati, D. A. (2014) 'Analisis Faktor Risiko Yan Berpengaruh Terhadap Kejadian Postpartum Blues Pada Ibu Postpartum Di Puskesmas Wilayah Kerja Kota Yogyakarta', *Fakultas Kedokteran Universitas Gadjah Mada*.
- Field, T. (2010) 'Postpartum depression effects on early interactions, parenting, and safety practices: A review', *Infant Behavior and Development*. 33: 1-6. doi: 10.1016/j.infbeh.2009.10.005
- Gao, L. L., Chan, S. W. C., & Mao, Q. (2009). Depression, perceived stress, and social support among first-time Chinese mothers and fathers in the postpartum period. *Research in Nursing and Health*. <https://doi.org/10.1002/nur.20306>
- George, L. (2005) 'Lack of Preparedness: Experiences of first-time mothers.' *The American Journal of Maternal/Child Nursing*. 30(4):251-255. PMID: 16000971
- Ghimire, U. (2014) 'PERCEIVED STRESS AND ITS ASSOCIATION WITH PSYCHOSOCIAL WORKING CONDITIONS', *University of Eastern Finland, Faculty of Health Sciences*.
- Gürel S. A. and Gürel H. (2000) The evaluation of determinants of early postpartum low mood: the importance of parity and inter-pregnancy interval. *Eur J Obstet Gynecol Reprod Biol* 91: 21–4

- Hankin, B. L., Badanes, L. S., Smolen, A., and Young, J. F. (2015) 'Cortisol reactivity to stress among youth: stability over time and genetic variants for stress sensitivity'. *Journal of abnormal psychology*. 124(1):54-67. doi. 10.1037/abn0000030
- Harris, B., Lovett, L., Newcombe R. G., Read, G.F., Walker, R. and Riad-Fahmy, D. (1994) 'Maternity blues and major endocrine changes: Cardiff puerperal mood and hormone study II', *BMJ*. doi: 10.1136/bmj.308.6934.949
- Henshaw, C. (2003) 'Mood disturbance in the early puerperium: A review', in *Archives of Women's Mental Health*. doi: 10.1007/s00737-003-0004-x.
- Herman J. P., McKlveen J. M., Ghosal S., Kopp B., Wulsin A., Makinson R., Scheimann J. and Myers B. (2016) 'Regulation of the Hypothalamic-Pituitary-Adrenocortical Stress Response.' *Compr Physiol*. 6(2):603-21. doi: 10.1002/cphy.c150015. PMID: 27065163; PMCID: PMC4867107.
- Hidayat, T. (2007) 'Selalu Murung setelah Melahirkan'. Available from: <http://www.pikiranrakyat.com/hikmah/konsultasi>.
- Holmes, T. H., & Rahe, R. H. (1967). The social readjustment rating scale. *Journal of psychosomatic research*, 11, 213.
- Jackowska, M. *et al.* (2011) 'Psychosocial factors and sleep efficiency: Discrepancies between subjective and objective evaluations of sleep', *Psychosomatic Medicine*. doi: 10.1097/PSY.0b013e3182359e77.
- Jayasima, A. L, Deliana, S. M. & Mabruri, M. I. (2014). Postpartum Blues Syndrome Pada Kelahiran Anak Pertama. *Journal Psychology Universitas Negeri Semarang*, 1(1), 21–27. <https://doi.org/10.1017/S1368980007000298>
- Jeli, I. A. (2015) 'Hubungan Dukungan Sosial Dengan Postpartum Blues Pada Ibu Postpartum di Puskesmas Rambangaru Kecamatan Haharu Kabupaten Sumba Timur Provinsi Nusa Tenggara Timur', *Fakultas Kedokteran Universitas Gadjah Mada*.
- Josepho, S. A., Plutchik, R. (1994) 'Stress, coping, and suicide risk in psychiatric inpatients.' *Suicide Life Threat Behav*, 24(1):48–57. PMID:8203008.
- Kagamimori, S., Nasermoaddeli, A. and Wang, H. (2004) 'Psychosocial Stressors in Inter-human Relationships and Health at Each Life Stage: A Review', *Environmental Health and Preventive Medicine*, 9(3), pp. 73–86. doi: 10.1265/ehpm.9.73.
- Katwijk, C. V. and Peeters L. L. H. (1998) 'Clinical aspects of pregnancy after the age of 35 years: a review of the literature', *Human Reproduction Update*, Volume 4, Issue 2, Pages 185–194, <https://doi.org/10.1093/humupd/4.2.185>

- Kuevi, V., Causon, A. F., Dixon, A.F., Everard, D. M., Hall, J. M., Hole, D., Whitehead, S. A., Wilson, C. A. and Wise, J. C. M. (1983) 'PLASMA AMINE AND HORMONE CHANGES IN 'POST-PARTUM BLUES'', *Clinical Endocrinology*. doi: 10.1111/j.1365-2265.1983.tb00740.x.
- Kurniasari, D. and Astuti, Y. A. (2015) 'Hubungan Antara Karakteristik Ibu, Kondisi Bayi Dan Dukungan Sosial Suami Dengan Postpartum Blues Pada Ibu Dengan Persalinan SC Di Rumah Sakit Umum Ahmad Yani Metro Tahun 2014', *Kesehatan Holistik*, 9(3), pp. 115–125.
- Lazarus R. S. and Folkman, S. (1984) 'Stress, appraisal, and coping', *Behaviour Research and Therapy*.
- Lee, D. T., Yip, A. S., Leung, T. Y. and Chung, T. K. (2000) 'Identifying women at risk of postnatal depression: prospective longitudinal study.', *Hong Kong Medical Journal = Xianggang yi xue za zhi / Hong Kong Academy of Medicine*, 6(4), pp. 349–354.
- Lennartsson, A. K., Sjörs, A., Währborg, P., Ljung, T., & Jonsdottir, I. H. (2015). Burnout and Hypocortisolism - A Matter of Severity? A Study on ACTH and Cortisol Responses to Acute Psychosocial Stress. *Frontiers in psychiatry*, 6, 8. doi:10.3389/fpsy.2015.00008
- Leung, S. S., Arthur, D. and Marinson, I. M. (2005) Perceived stress and support of Chinese postpartum ritual "doing the month". *Health Care for Women International*. 26 (3), 212-224
- Lubis, L. N. (2009). *Depresi Tinjauan Psikologis*, Edisi 1. Jakarta: Kencana.
- Manjunath, N., Venkatesh, G. and Rajanna (2011) 'Postpartum blue is common in socially and economically insecure mothers', *Indian Journal of Community Medicine*, 36(3), pp.231–3. doi: 10.4103/0970-0218.86527.
- Manurung S., Lestari T. R., Suryati B., Mita-dwiyana B., Karma A. and Paulina K. (2011) Efektivitas terapi musik terhadap pencegahan postpartum blues pada ibu primipara di Ruang Kebidanan RSUP Cipto Mangunkusumo Jakarta Pusat. *Buletin Penelitian Sistem Kesehatan*. 14(1): 17–23.
- Marshall, F. 2004. *Mengatasi Depresi Pasca Melahirkan*. Alih bahasa Fransiska & Juwono, L. Jakarta: Arcan.
- Masoumi, S. Z. *et al.* (2017) 'A comparison between pregnancy outcome in women in 15 to 19 and 20 to 35 years age group', *Medical Journal of the Islamic Republic of Iran*. doi: 10.14196/mjiri.31.140.
- McFarlane, A. C. (1986) 'Long-term psychiatric morbidity after a natural disaster: Implications for disaster planners and emergency services', *Medical Journal of Australia*, 145: 561-563. doi:10.5694/j.1326-5377.1986.tb139497.x

- Mezzacappa, E. S., & Katkin, E. S. (2002). Breast-feeding is associated with reduced perceived stress and negative mood in mothers. *Health Psychology*, 21(2), 187–193. <https://doi.org/10.1037/0278-6133.21.2.187>
- Miller, L. J. (2002) ‘Postpartum depression’, *JAMA – Journal of the American Medical Association*, 287(6):762–765. doi:10.1001/jama.287.6.762
- Mollborn, S. and Lovegrove, P. J. (2011) How teenage fathers matter for children: Evidence from the ECLS-B. *Journal of Family Issues*, 32(1):3–30. doi: 10.1177/0192513X10370110.
- Mursidin, W. O. M. (2017) ‘Gambaran Kejadian Postpartum Blues Pada Ibu Postpartum Di RS PKU Muhammadiyah, Yogyakarta’, *Universitas ‘Aisyiyah Yogyakarta*.
- Nelson, A. M. (2003) ‘Transition to motherhood.’, *Journal of obstetric, gynecologic, and neonatal nursing: JOGNN / NAACOG*. doi: 10.1177/0884217503255199.
- Netsi, E., Pearson, R. M., Murray, L., Cooper, P., Craske, M. G. and Stein, A. (2018) ‘Association of persistent and severe postnatal depression with child outcomes’, *JAMA Psychiatry*. doi: 10.1001/jamapsychiatry.2017.4363.
- Nierop, A., Bratsikas, A., Zimmermann, R. and Ehlert, U. (2006) ‘Are stress-induced cortisol changes during pregnancy associated with postpartum depressive symptoms?’, *Psychosomatic Medicine*. doi: 10.1097/01.psy.0000244385.93141.3b.
- Osman, H., Saliba, M., Chaaya, M. and Naasanm G. (2014) ‘Interventions to reduce postpartum stress in first-time mothers: A randomized-controlled trial’, *BMC Women’s Health*. doi: 10.1186/1472-6874-14-125.
- Patel, V., Rodrigues, M. and DeSouza, N. (2002) ‘Gender, poverty, and postnatal depression: A study of mothers in Goa, India’, *American Journal of Psychiatry*, 159:43–7. doi: 10.1176/appi.ajp.159.1.43.
- Petrie, K. J., Booth, R. J. and Pennebaker, J. W. (1998) ‘The immunological effects of thought suppression.’, *Journal of personality and social psychology*. doi: 10.1037/0022-3514.75.5.1264.
- Putriarsih, R., Budihastuti, U. R., & Murti, B. (2017). Prevalence and Determinants of Postpartum Depression in Sukoharjo District, Central Java. *Journal of Maternal and Child Health*, 03(01), 395–408. <https://doi.org/10.26911/thejmch.2017.03.01.02>
- Rahmadani, A. (2007) ‘Strategi Penanggulangan (Coping) Pada Ibu Yang Mengalami Postpartum Blues di Rumah Sakit Umum Daerah Kota Semarang’, *Universitas Diponegoro Semarang*.

- Rallis, S., Skouteris, H., McCabe M. and Milgrom J. (2014) ‘ The transition to motherhood: towards a broader understanding of perinatal distress’, *Women and Birth*. 27(1):68–71
- Reck, C., Stehle, E. and Reinig, K. (2009) ‘Maternity blues as a predictor of DSM-IV depression and anxiety disorders in the first three months postpartum’, *Journal of Affective Disorders*. 113:77–87. doi: 10.1016/j.jad.2008.05.003.
- Renaud. (2005) ‘Predictive Validation Study of the Edinburgh Postnatal Depression Scale’. *Affective Disorders Journal*. Vol 16, no3, 300-314.
- Ria, M.B., Sudiyanto, A., Budihastuti, U.R., 2018. Risk Factors of Postpartum Depression at Dr. Moewardi Hospital, Surakarta. *J. Matern. Child Health* 03, 81–90. <https://doi.org/10.26911/thejmch.2018.03.01.08>
- Robertson, E., Grace, S., Wallington, T., & Stewart, D. E. (2004). Antenatal risk factors for postpartum depression: A synthesis of recent literature. *General Hospital Psychiatry*. <https://doi.org/10.1016/j.genhosppsych.2004.02.006>
- Rusli, R. A., Tatik, M. & Weni, E. W. (2011). Perbedaan Depresi Pasca Melahirkan pada Ibu Primipara Ditinjau dari Usia Ibu Hamil. *Jurnal INSAN*. Vol 13. No. 01. Fakultas Psikologi Universitas Hang Tuah Surabaya.
- Ryan, D., Milis, L. & Milsri, N. (2005). ‘Depression during Pregnancy.’ 51:087-1093.
- Salari, P., Nazari, S., Mazlom, S. R. and Ghanbari Hashem Abadi, B.A. (2014) ‘Comparing Postpartum Stressors and Social Support Level in Primiparous and Multiparous Women.’ *Journal of Midwifery and Reproductive Health*. 2(1):71-76.
- Saptarini I, Suparmi S. (2016). determinan kehamilan tidak diinginkan di Indonesia (analisis data sekunder Riskes-das 2013). *Jurnal Kesehatan Reproduksi*. 7(1): 15–24.
- Sarafino, E. P. & Smith, T. W. (2012) *Health Psychology: Biopsychosocial Interactions*. 7th edn. John Wiley & Sons, Inc.
- Schiller, C. E., Meltzer-Brody, S., & Rubinow, D. R. (2015). The role of reproductive hormones in postpartum depression. *CNS spectrums*, 20(1), 48–59. doi:10.1017/S1092852914000480
- Schwab-Reese, L. M., Schafer, E. J., and Ashida, S. (2016) Associations of social support and stress with postpartum maternal mental health symptoms: Main effects, moderation, and mediation. *Women & health*, 57(6), 723-740.
- Sibuea, M. D., Tendean, H. M. M. & Wagey F. W. (2013) ‘PERSALINAN PADA USIA ≥ 35 TAHUN DI RSUD PROF. DR. R. D. KANDOU MANADO’, *Bagian Obstetri dan Ginekologi RSUD Prof. Dr. R. D. Kandou Manado, Universitas Sam Ratulangi*.

- Steptoe, A. *et al.* (2008) 'Positive affect, psychological well-being, and good sleep', *Journal of Psychosomatic Research*. doi: 10.1016/j.jpsychores.2007.11.008.
- Strömberg, R., Backlund, L. G. and Löfvander, M. (2011) 'Psychosocial stressors and depression at a Swedish primary health care centre. A gender perspective study', *BMC Family Practice*. doi: 10.1186/1471-2296-12-120.
- Sugita (2016) 'Budaya Jawa Pada Ibu Postpartum di Desa Candirejo Kecamatan Ngawen Kabupaten Klaten', *Jurnal Kesehatan Al-Irsyad (JKA)*, IX(1), pp. 25–34.
- Sumarni D.W., Cecep, S., Fitri, D., 2014. Perawatan nifas dalam budaya padarang dan revolusi kesehatan ibu dan anak di Kabupaten Sumba Timur NTT. Penelit. HPEQ Tahun Anggaran. 2013 Yogyakarta. Fak. Kedokt. Univ. Gadjah Mada.
- Sumarni D.W., Silas, H., Fitri, D., Wenny, A., 2013. Identifikasi postpartum blues dan faktor-faktor psikososial yang mempengaruhi serta upaya penanganannya pada wanita postpartum di hantap kecamatan cangkringan Kabupaten Sleman. Penelit. HPEQ Tahun Anggaran. 2013 Yogyakarta. Fak. Kedokt. Univ. Gadjah Mada.
- Sumarni D.W. and Shinta P. (2018) 'PKM Kelompok Kesehatan Mental Ibu Pasca Persalinan di Kecamatan Cangkringan dan Kecamatan Pakem Kabupaten Sleman D.I. Yogyakarta', *Universitas Gadjah Mada*.
- Surachman, A. and Almeida, D. M. (2018) 'Stress and Coping Theory Across the Adult Lifespan', *Oxford Research Encyclopedia of Psychology*. doi: 10.1093/acrefore/9780190236557.013.341.
- Suryawati, C. (2007) 'Faktor Sosial Budaya dalam Praktik Perawatan Kehamilan, Persalinan, dan Pasca Persalinan (Studi di Kecamatan Bangsri Kabupaten Jepara)', *Jurnal Promosi Kesehatan Indonesia*, 2(1), pp. 21–31.
- Ugarriza, D.N., 1992. Postpartum affective disorders: incidence and treatment. *J. Psychosoc. Nurs. Ment. Health Serv.* 30, 29–32.
- United Nations (2015) 'Transforming our world: The 2030 agenda for sustainable development. A/RES/70/1', *United Nations General Assembly*.
- Wahyuningsih, R. (2015) 'Postpartum di Hunian Tetap Kecamatan Cangkringan Pasca Bencana Erupsi Merapi', *Fakultas Kedokteran Universitas Gadjah Mada*.
- Wijayanti, K., Wijayanti, F. A. and Nuryanti, E. (2013) 'Gambaran Faktor – Faktor Risiko Postpartum Blues Di Wilayah Kerja Puskesmas Blora', *Jurnal Kebidanan*, 2(5), pp. 57–64. doi: 10.1017/CBO9781107415324.004.
- World Health Organization (1998) 'Postpartum care of the mother and newborn: A practical guide' (1998) *World Health Organization*. doi: 10.1046/j.1523-536x.1999.00255.x.

World Health Organization (1993) *The ICD-10 Classification of Mental and Behavioural Disorders, Nonserial Publication WHO*. doi: 10.4103/0019.

Yehuda R. and Seckl J. (2011) Minireview: Stress-related psychiatric disorders with low cortisol levels: a metabolic hypothesis. *Endocrinology*. Volume 152, Issue 12, 1 December 2011, Pages 4496–4503, <https://doi.org/10.1210/en.2011-1218>

Yim, I. S., Tanner Stapleton, L. R., Guardino, C. M., Hahn-Holbrook, J., and Dunkel Schetter, C. (2015) Biological and psychosocial predictors of postpartum depression: systematic review and call for integration. *Annual review of clinical psychology*. 11:99-137. doi. 10.1146/annurev-clinpsy-101414-020426

Yip, S. K., Chung, T. K. and Lee T. S. (1997) ‘Suicide and maternal mortality in Hong Kong’, *The Lancet*. doi: [https://doi.org/10.1016/S0140-6736\(05\)70466-9](https://doi.org/10.1016/S0140-6736(05)70466-9)