

REFERENCES

- Ayu,P, Oktiadewi.2012. Hubungan Kadar Hb dan Status Gizi dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik Stadium 5 yang Menjalani Hemodialisis. Semarang. *Jurnal Medika Muda*.
- Bacci, MR, Adami, F, Figueiredo, FWS, Alves, BCA, da Veiga, GL & Fonseca, FLA 2018. Quality of Life on Hemodialysis and Inflammation: A Descriptive Analysis. *Brazilian Journal of Medical and Biological Research*, 51(6).
- Baxter Healthcare Cooperation, 2013. Hypoalbuminemia in peritoneal dialysis patients. *NCBI*, Volume 29, pp. 55-60.
- Bruce, B., 2014. *Wikipedia*. [Online] Available at: https://commons.wikimedia.org/wiki/File:Blausen_0592_KidneyAnatomy_01.png. [Accessed 12 October 2018].
- Biffi, W. L., Moore, E. E., Moore, F. A., & Peterson, V. M. 1996. Interleukin-6 in the injured patient. Marker of injury or mediator of inflammation. *Annals of surgery*, 224(5),pp. 647–664. doi:10.1097/00000658-199611000-00009.
- Cabrezo, S. et al., 2015. Serum albumin and health in older people: Review and meta analysis. *Elsevier*, 81(1), pp. 17-27.
- Czyzewski, T., Sanko-Resmer, J., Wyzgal, J., Kurowski, A., Assessment of health-related quality of life of patients after kidney transplantation in comparison with hemodialysis and peritoneal dialysis. *Ann Transplant*, 19, pp. 576-85.
- David, F. & Joseph, V., 2015. Mechanisms of maladaptive repair after AKI leading to accelerated kidney ageing and CKD. *Nature Review Nephrology*, 11(5), pp. 264-276.
- Enajite, O., Sagren, N., Momina, A. & Malcom, D., 2015. Quality of life in patients on continuous ambulatory peritoneal dialysis in an African setting. *Saudi Journal of Kidney Disease and Transplantation*, 26(3), pp. 631-637.
- Gomi, I. et al., 2007. Relationship between Serum Albumin Level and Aging in Community-Dwelling Self-Supported Elderly Population. *Journal of Nutritional Science and Vitaminology*, 53(1), pp. 37-42.
- Indonesian Renal Registry, 2015. 8th Report of Indonesian Renal Registry. Perkumpulan Nefrologi Indonesia.
- Indonesian Renal Registry, 2017. 10th Report of Indonesian Renal Registry. Perkumpulan Nefrologi Indonesia.

- Jung, H., Jeon, Y., Park, Y. *et al.* 2019. Better Quality of Life of Peritoneal Dialysis compared to Hemodialysis over a Two-year Period after Dialysis Initiation. *Sci Rep* **9**, 10266 doi:10.1038/s41598-019-46744-1.
- Joshi, VD., 2014. Validation of the Kidney Disease Quality of Life-Short Form: a cross-sectional study of a dialysis-targeted health measure in Singapore'. *BMC Nephrology*, 11(1).
- Kalantar Zadeh, K., Block, G., Humphreys, MH., Kopple, JD., 2003. Reverse epidemiology of cardiovascular risk factors in maintenance dialysis patients. *Kidney Int*, 63(3), pp. 793-808.
- Kalantar, Z. *et al.*, 2005. Revisiting mortality predictability of serum albumin in the dialysis population: time dependency, longitudinal changes and population-attributable fraction.. *Pubmed*, 20(9), pp. 1880-1888.
- Krediet, R. T. 2010. Effects of icodextrin on the peritoneal membrane. *Nephrology Dialysis Transplantation*, 25, pp. 1373-1375.
- Lee JS., 2012. Albumin for End-Stage Liver Disease. *Journal of the Korean Association of Internal Medicine*, 27(1), pp.14.
- Lin J., 2011. Proteinuria in chronic kidney disease. *Chronic kidney disease*. 6th ed. Los Angeles: Henry Ford Health System, pp.24-25.
- Liu, W. J., T F, C., A S F, C. & M Zaki, F., 2006. Quality of Life of Dialysis Patients in Malaysia. *Med J Malaysia*, 61(5), pp. 1-7.
- Masson, P., Morton, R., Webster, A. & Nagler, E., 2017. Chronic Kidney Disease. *Lancet*, 389(10075), pp. 1238-1252.
- Md. Yusop NB, Yoke Mun C, Shariff ZM, Beng Huat C. 2013. Factors Associated with Quality of Life among Hemodialysis Patients in Malaysia. *PLoS ONE* 8(12): e84152. doi:10.1371/journal.pone.0084152.
- Mulia, D.S., Mulyani, E., Pratomo, G.S., Chusna, N. 2018. Kualitas Hidup Pasien Gagal Ginjal Kronis yang Menjalani Hemodialisis di RSUD Dr. Doris Sylvanus Palangka Raya. Palangka Raya: Media Neliti.
- Murray K, Rodwell V, Bender D, Botham KM, Weil PA and Kennelly PJ., 2009. *Harper's Illustrated Biochemistry*, McGraw-Hill, New York, pp.28.
- Natascha, B., Remy, M. & Jeroen, K., 2018. Health-related quality of life in end-stage renal disease patients: the effects of starting dialysis in the first year after the transition period. *International Urology and Nephrology*, 50(6), pp. 1131-1142.

- Nathan, R., Samuel T, F., Jason, O. & Jennifer A, H., 2016. Hill NR, Fatoba ST, Oke JL, et al. Global Prevalence of Chronic Kidney Disease - A Systematic Review and Meta-Analysis. *PLoS One*, 11(7), pp. 1-18.
- NHS, 2019. *NHS*. [Online]. Available at: <https://www.nhs.uk/conditions/kidney-disease/diagnosis/>. [Accessed 12 October 2019].
- Nuttall, F. Q., 2015. Obesity, BMI, and Health: A Critical Review. *Nutrition Research*, 50(3), pp. 117-128.
- Okaka, E. I. et al., 2015. Quality of life in patients on continuous ambulatory peritoneal dialysis in an African setting. *Saudi Journal of Kidney Disease and Transplantation*, 26(3), pp. 631-637.
- Peralta R., 2015. Hypoalbuminemia. [Online]. Available at: <http://emedicine.medscape.com/article/166724>. [Accessed 12 October 2018].
- Prodjosudjadi, W.A., Suhardjono, 2009. End-Stage Renal Disease in Indonesia: Treatment Development, *Ethn Dis*, 19(suppl1): S1-33-S1-36.
- Putri, R, Sembiring, LP & Bebasari, E. 2014. Gambaran Kualitas Hidup Pasien Gagal Ginjal Kronik Yang Menjalani Terapi Continuous Ambulatory Peritoneal Dialysis Di RSUD Arifin Achmad Provinsi Riau Dengan Menggunakan Kuesioner KDQOL-SF. Fakultas Kedokteran Universitas Riau, Pekanbaru.
- Reas, D. L., Nygård, J. F., Svensson, E., Sørensen, T., & Sandanger, I. 2007. Changes in body mass index by age, gender, and socio-economic status among a cohort of Norwegian men and women (1990-2001). *BMC public health*, 7, 269. doi:10.1186/1471-2458-7-269.
- Roh, L., Braun, J., Chiolero, A. et al. 2014. Mortality risk associated with underweight: a census-linked cohort of 31,578 individuals with up to 32 years of follow-up. *BMC Public Health* 14, 371. doi:10.1186/1471-2458-14-371.
- Rubinstein, S., Wang, C., & Qu, W. 2013. Occupational risk and chronic kidney disease: a population-based study in the United States adult population. *International journal of nephrology and renovascular disease*, 6, pp. 53-59. doi:10.2147/IJNRD.S39522.
- Saint, L., 2019. *Saint Luke's*. [Online]. Available at: <https://www.saintlukeskc.org/health-library/peritoneal-dialysis-pd>. [Accessed 12 October 2019].
- Sarastika, Y, Kisan, Mendrofa, O & Siahaan, JV. 2019. Faktor-faktor yang Mempengaruhi Kualitas Hidup Pasien Gagal Ginjal Kronik (GGK) yang Menjalani Terapi Hemodialisa di RSU Royal Prima Medan. FKK Universitas Prima Indonesia, Medan.

- Suwitra, K., 2014. *Buku Ajar Ilmu Penyakit Dalam: Penyakit Ginjal Kronik*. 6 ed. Jakarta: InternaPublishing.
- S, S. et al., 2008. Assessment of quality of life in patients of end stage renal disease on different modalities of treatment. *Journal of the Nepal Medical Association*, 47(169), pp. 1-6.
- Tambunan, MEA., 2018. *Perkembangan Terapi Pengganti Ginjal di Indonesia*. Kidneys & Women's Health. Jakarta.
- Tayebeh, S., Maral, N., Mohsen, K. & Hassan, A., 2017. SF36 Quality of Life and Mortality across Different Levels of Serum Albumin in Patients with Hemodialysis. *Nephrology and Urology Research Center*, pp. 2-8.
- Tiffany, P., Arthur, M. & Maya, M., 2016. Gambaran kadar albumin serum pada pasien penyakit ginjal kronik stadium 5 non dialisis. *e-Bm*, 4(1), pp. 1-5.
- University of East Anglia. 2018. Age and education affect job changes. *ScienceDaily*. Retrieved January 7, 2020 from www.sciencedaily.com/releases/2018/07/180705205142.htm.
- Zahed, N. S. & Chehrazi, S., 2017. The Evaluation of the Relationship Between Serum Levels of Interleukin-6 and Interleukin-10 and Metabolic Acidosis in Hemodialysis Patients. *Saudi Journal Kidney Diseases and Transplantation*, 28(1), pp. 23-29.