



DAFTAR PUSTAKA

- Afrianti, L. H., E. Y. Sukandar, S. Ibrahim dan I. K. Adnyana. 2010. Senyawa asam 2-metilester-1-h-pirol-4-karboksilat dalam ekstrak etil asetat buah salak varietas bongkok sebagai antioksidan dan antihyperuricemia. J.Teknol. dan Industri Pangan, XXI (1): 66-72.
- Ahmad, T. 2015. Methods for quantification and extraction of fucoidan, and quantification of the release of total carbohydrate and fucoidan from the brown algae *Laminaria hyperborean*. Thesis. Trondheim (Noreg), Norwegian University of Science and Technology.
- Ajisaka, K., S. Agawa, S. Nagumo, K. Kurato, T. Yokoyama, K. Arai, T. Miyazaki. 2009. Evaluation and comparison of the antioxidative potency of various carbohydrates using different methods. *J. Agric. Food Chem.*, 57: 3102–3107.
- Alboofetileh, M., M. Rezaei, M. Tabarsa, M. Ritta, M. Donalisio, F. Mariatti, S. G. You, D. Lembo, G. Cravotto. 2019. Effect of different non-conventional extraction methods on the antibacterial and antiviral activity of fucoidans extracted from *Nizamuddinia zanardinii*. *International Journal of Biological Macromolecules* 124: 131–137.
- Alboofetileh, M., M. Rezaei, M. Tabarsa, S. G. You, F. Mariatti, G. Cravotto. 2019. Subcritical water extraction as an efficient technique to isolate biologically-active fukoidan from *Nizamuddinia zanardinii*. *International Journal of Biological Macromolecules* 128: 244-253.
- Aruoma, O. I. 1998. Free radicals, oxidative stress, and antioxidants in human health and disease, *J. Am. Oil Chem. Soc.*, 75: 199–212.
- Babuponnusami, A. dan K. Muthukumar. 2014. A review on Fenton and improvements to the Fenton process for wastewater treatment. *Journal of Environmental Chemical Engineering*, 2: 557–572.
- Bank, G. dan Lenoble, R. 2002. Oxygen Radical Absorbency Capacity, Standardizing the Way We Look at Antioxidants. *Nutraceutical World September*, 42-45.
- Budhiyanti, S. A., S. Raharjo, D. W. Marseno, I. Y. B. Lelana. 2012. Antioxidant activity of brown algae sargassum species extract from the coastline of java island. *American Journal of Agricultural and Biological Sciences*, 7 (3): 337-346.
- Budhiyanti, S. A., S. Raharjo, D. W. Marseno, I. Y. B. Lelana. 2011. Free radical scavenging, metal chelating, and singlet oxygen quenching activity of fractionated brown seaweed *Sargassum hystrix* extract. *Journal of Biological Science*, 11 (4): 288-298.
- Bukhari, S.M., N. Simic, H. L. Siddiqui, V. U. Ahmad. 2013. Determination of antioxidant activity of *Crambe cordifolia*. *World Applied Sciences Journal*, 22 (11): 1561-1565.
- Clarke, G., K. N. Ting, C. H. Wiart, J. Fry. 2013. High correlation of (2,2-diphenyl-1-picrylhydrazyl) (DPPH) radical scavenging, ferric reducing activity potential and total phenolics content indicates redundancy in use of all three assays to screen for antioxidant activity of extract of plants from the malaysian rainforest. *Antioxidant*, 2 (1): 1-10.
- Cumashi, A., A. N. Ushakova, E. M. Preobrazhenskaya, D. A. Incecco, A. Piccoli, L. Totani, N. Tinari, E. G. Morozovich, E. A. Berman dan I. M. Bilan. 2007. A comparative study of the anti-inflammatory, anticoagulant, antiangiogenic, and



- antiadhesive activities of nine different fucoidans from brown seaweeds. *Glycobiology*, 17: 541–552.
- Day, R. A. dan A. L. Underwood. terj. R Soendoro. 1986. Analisa Kimia Kuantitatif, edisi ke-4. Penerbit Erlangga. Jakarta.
- Diachanty, S., Nurjanah, A. Abdullah. 2017. Aktivitas antioksidan berbagai jenis rumput laut cokelat dari perairan kepulauan seribu. *JPHPI*, 20 (2): 305-318.
- Distantina, S, D. R. Anggraeni dan L.E. Fitri. 2008. Pengaruh konsentrasi dan jenis larutan perendaman terhadap kecepatan ekstraksi dan sifat gel agar-agar dari rumput laut *Gracilaria verrucosa*. *Jurnal Rekayasa Proses*, 2: 11-16.
- Dodgson, K. S. dan R. Price. G. 1962. A note on the determination of the easier sulphate content of sulphated polysaccharides. *Biochemical Journal*, 84 (1): 106-110.
- Domili, R. S. 2019. Identifikasi fucoidan dalam alga coklat (*Sargassum polycystum*) sebagai pangan fungsional dalam mendukung ketahanan pangan Indonesia. Prosiding Konferensi Tahunan Keadilan Sosial.
- Dubois, M., K. A. Gilles, J. K. Hamilton, P. A. Rebers, F. Smith. 1956. Colorimeter method for determination of sugars and related substances. *Analytical Chemistry*. 28:350-356.
- Eluvakkal, T., N. Shanthi, M. Murugan, K. Arunkumar. 2014. Extraction of antibacterial substances, galactofucoidan and alginate successively from the Gulf of Mannar brown seaweed *Sargassum wightii* Greville ex J. Agardh. *Indian Journal of Natural Products and Resources*, 5 (3): 249-257.
- Fernandez, N. F., M. D. Torres, M. J. G. Munoz, H. Domínguez. 2018. Potential of intensification techniques for the extraction and depolymerization of fucoidan. *Algal Research*, 30: 128–148.
- Fernandez, N. F., M. L. Garcia, M. J. G. Munoz, J. M. L. Vilarino, H. Bominguez. 2017. Ultrasound-assisted extraction of fucoidan from *Sargassum muticum*. *J Appl Phycol*, 29: 1553–1561.
- Fitton, J. H. Therapies from fucoidan; multifunctional marine polymers. *Marine drugs*, 9 (10): 1731-1760.
- Gazali, M., Nurjanah, N. P. Zamani. 2018. Eksplorasi senyawa bioaktif alga cokelat *Sargassum* sp. Agardh sebagai antioksidan dari pesisir barat Aceh. *JPHPI*, 21 (1): 167-178.
- Guiyan, Q. U., L. Xu, W. Dongfeng, Y. Yi, H. Lijun. 2014. Isolation and characterization of fucoidans from five brown algae and evaluation of their antioxidant activity. *Journal Ocean Univ. China*, 13 (5): 851-856.
- Hahn, T., S. Lang, R. Ulber dan K. Muffler. 2012. Novel procedures for the extraction of fucoidan from brown algae. *Process Biochemistry*, 47: 1691-1698.
- Harborne, J. B. 1987. Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan. Penerbit ITB. Bandung.
- Hifney, A. F., M. A. Fawzy, K. M. A. Gawad, M. Gomaa. 2016. Industrial optimization of fucoidan extraction from *Sargassum* sp. and its potential antioxidant and emulsifying activities. *Food Hydrocolloids*, 54: 77-88.
- Husni, A., R. Lailatussifa, A. Isnansetyo. 2019. *Sargassum hystrix* as a source of functional food to improve blood biochemistry profiles of rats under stress. *Prev. Nutr. Food Sci.*, 24 (2): 150-158.
- Imbs, T. I., A. V. Skripsova dan T. N. Zvyagintseva. 2015. Antioxidant activity of fucose-containing sulfated polysaccharides obtained from *Fucus evanescens* by different extraction methods. *Journal of Applied Phycology*, 27: 545–553.



- Jatmika, C., B. P. Maggadani, Hayun. 2015. Evaluasi aktivitas antioksidan senyawa 4-[*(E*)-2-(4-okso-3-fenilkuinazolin-2-il)etenil]-benzensulfonamida dan analognya. *Pharm Sci Res*, 2 (3): 143-151.
- Jayakar, S. S. dan R. S. Singhal. 2012. Development of an efficient cell disruption method for release of lipoic acid from *Saccharomyces cerevisiae*. *Global Journal of Biotechnology & Biochemistry*, 7 (4): 90-99.
- Kadam, S. U., B. K. Tiwari, T. J. Smyth, C. P. Odonell. 2015. Optimization of ultrasound assisted extraction of bioactive components from brown seaweed *Ascophyllum nodosum* using response surface methodology. *Ultrasonics Sonochemistry*, 23: 308–316.
- Kadi, A. 2005. Beberapa catatan kehadiran marga *Sargassum* diperairan indonesia. *Oseana*, 30 (4): 19-29.
- Katrin dan A. Bendra. 2015. Aktivitas antioksidan ekstrak, fraksi dan golongan senyawa kimia daun *Premna oblongata* miq. *Pharm Sci Res*, 2 (1): 21-31.
- Khalauf, S. H. S., W. M. W Aida, S. J. Lim, M. Y. Maskat. 2017. Effects of deodorisation methods on volatile compounds, chemical properties and antioxidant activities of fucoidan isolated from brown seaweed (*Sargassum* sp.). *Algal Research*, 25: 507-515.
- Kikuzaki, H. dan M. Hisamoto. 2002, antioxidants properties of ferulic acid and its related compound. *J. Agric.Food Chem*, 50: 2161- 2168.
- Kim, W. J., Y. K. Koo, M. K., H. R. Moon, S. M. Kim, I. Synytsya, H. S. Y. Hye Sook Yun-Choi, Y. S. Kim, J. K. Park dan Y. Park. 2010. Anticoagulating activities of low-molecular weight fuco-oligosaccharides prepared by enzymatic digestion of fucoidan from the Sporophyll of Korean *Undaria pinnatifida*. *Arch Pharm Res*, 33 (1): 125-131.
- Kordjazi, M., Y. Etemadian, B. Shabanzpour, P. Pourashouri. 2017. Chemical composition antioxidant and antimicrobial activities of fucoidan extracted from two species of brown seaweeds (*Sargassum ilicifolium* and *S. angustifolium*) around Qeshm Island. *Iranian Journal of Fisheries Sciences*: 1-19.
- Kumar, S. 2014. The importance of antioxidant and their role in pharmaceutical science-a review. *Asian Journal of Research in Chemistry and Pharmaceutical Sciences*, 1(1): 27 - 44.
- Kurnialahi, I. D., A. Husni, E. Sinurat, A. Isnansetyo. 2020. Antioxidant activity of tropical seaweed *Sargassum muticum* fucoidan. *AACL Bioflux*, 13 (1): 230-240.
- Lehninger, A. L. 1982. Principle of Biochemistry. Worth Publisher, Inc. New York.
- Li, B., F. Lu, X. Wei, R. Zhao. 2008. Fukoidan: structure and bioactivity. *Molecules*, 13: 1671-1695.
- Li, G. Y., Z. C. Luo, F. Yuan, X. Yu. 2017. Combined process of high-pressure homogenization and hydrothermal extraction for the extraction of fukoidan with good antioxidant properties from *Nemacystus decipiens*. *Food and Bioproducts Processing*, 106: 35–42.
- Li, Q., L. Chai, Q. Wang, Z. Yang, H. Yan dan Y. Wang. 2010. Fast esterifikasi of spent grain for enhanced heavy metal ions adsorption. *Bioresource Technology*, 101: 3796-3799.
- Lim, S. J., W. A. W. Mustapha dan M. Y. Maskat. 2017. Seaweed tea: fucoidan-rich functional food product development from Malaysian brown seaweed, *Sargassum binderi*. *Sains Malaysiana*, 46 (9): 1573–1579.



- Lim, S. J., W. M. W. Aida, M. Y. Maskat, S. Mamot, J. Ropien, D. M. Mohd. 2014. Isolation and antioxidant capacity of fucoidan from selected malaysian seaweeds. *Food Hydrocolloids*, 42: 280-288.
- Lim, S., A. H. Choi, M. Kwon, E. J. Joung, T. Shin, S. G. Lee, N. G. Kim, H. R. Kim. 2019. Evaluation of antioxidant activities of various solvent extract from *Sargassum serratifolium* and its major antioxidant components. *Food Chemistry*, 278: 178-184.
- Lim, S.J., W. M. W. Aida, M. Y. Maskat, J. Latip, K. H. Badri, O. Hassan, B. M. Yamin. 2016. Characterisation of fucoidan extracted from Malaysian *Sargassum binderi*. *Food Chemistry*, 209: 267–273.
- Littler, M. M. dan D. S. Littler. 2012. The Nature of Macroalgae and Their Interactions on Reefs. formerly of Department of Botany, National Museum of Natural History, Smithsonian Institution, Washington, District of Columbia, USA.
- Liu, J., S. Y. Wu, L. Chen, Q. J. Li, Y. Z. Shen, L. Jin, X. Zhang, P. C. Chen, M. J. Wu, J. Choi, H. B. Tong. 2019. Different extraction methods bring about distinct physicochemical properties and antioxidant activities of *Sargassum fusiforme* fucoidans. *International Journal of Biological Macromolecules*, 1-8.
- Liu, X., B. Liu, X. L. Wei, Z. L. Sun, C. Y. Wang. 2016. Extraction, fractionation, and chemical characterisation of fucoidans from the brown seaweed *Sargassum pallidum*. *Czech J. Food Sci.*, 34 (5): 406–413.
- Lopez, A., M. Rico, A. Rivero, M. S. de Tangil. 2011. The effects of solvents on the phenolic contents and antioxidant activity of *Stylocaulon scoparium* algae extracts. *Food Chemistry*, 125(3): 1104-1109.
- Lutfiawan, M., Karnan, L. Japa. 2015. Analisis pertumbuhan *Sargassum* sp. dengan sistem budidaya yang berbeda di teluk ekas lombok timur sebagai bahan pengayaan mata kuliah ekologi tumbuhan. *Jurnal Biologi Tropis*, Juli-Desember, 15 (2): 135-144.
- Maesaroh, K., K. Dikdik, A. A. Jamaludin. 2018. Perbandingan Metode Uji Aktivitas Antioksidan DPPH, FRAP dan FIC Terhadap Asam Askorbat, Asam Galat dan Kuersetin. *Chimica et Natura Acta*, 6 (2): 93-100.
- Mailandari, M. 2012. Uji Aktivitas Antioksidan Ekstrak Daun *garcinia kydia roxb.* dengan Metode DPPH dan Identifikasi Senyawa Kimia Fraksi Yang Aktif. Universitas Indonesia.
- Mak, W., N. Hamid, T. Liu, J. Lu, W. L. White. 2013. Fucoidan from New Zealand *Undaria pinnatifida*: monthly variations and determination of antioxidant activities. *Carbohydrate Polymers*, 95: 606–614.
- Mamta, K. Misra, G. S. Dhillon, S. K. Brar dan M. Verma. 2014. *Antioxidants*. Springer Science, Business Media New York.
- Maryam, St., M. Baits, A. Nadia. 2014. Pengukuran aktivitas antioksidan ekstrak etanol daun kelor (*Moringa oleifera* Lam.) menggunakan metode FRAP (*Ferric Reducing Antioxidant Power*). *Jurnal Fitofarmaka Indonesia*, 2 (2): 115-118.
- McNally, A. 2007. Fucoidan extract process protected. Ministry of Fisheries, Wellington.
- Mermelstein, N. H. 2007. Determining antioxidant activity. *Food Technology*: 63-66.
- Mir, I. N., N. P. Sahu, N. Sushila. 2018. Stress mitigation of fucoidan-based nutraceuticals in *Labeo rohita* fingerlings challenged with *Aeromonas hydrophila*. *Journal of Entomology and Zoology Studies*, 6 (5): 49-56.



- Molyneux, P. 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. Sci. Technology*, 26 (2): 211-219.
- Mukhriani. 2014. Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal Kesehatan*, 7 (2): 361-367.
- Na, Y. S., J. W. Kim, S. Kim, J. Park, S. Lee, S. Kim, A. Synytsya, Y. Park. 2010. Purification, characterization and immunostimulating activity of water soluble polysaccharides isolated from *Capsosiphon fulvescen*. 2010. *International immunopharmacology*, 10: 364-370.
- Nagaoka, M. dan H. Shibata. 2000. Anti-ulcer effects and biological activities of polysaccharides from marine algae. *Biofactors*, 12 (1): 267-274.
- Nawaly, H., A. B. Susanto, J. L. A. Uktolseja. 2017. Senyawa bioaktif dari rumput laut sebagai antioksidan. Seminar Nasional X. UNS. Solo.
- Nurfahmi, A. R. 2016. Pengaruh Pemberian Bubuk *Sargassum hystrix* terhadap Kadar Glukosa Darah Tikus Wistar Diabetes. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Olabarria, C., F. Rodill, M. Incera, J. S. Troncoso. 2009. Limited impact of *Sargassum muticum* on native algal assemblages from rocky intertidal shores. *Marine Environmental Research*, 67: 153-158.
- Pakidi, C. S. dan H. S. Suwoyo. 2017. Potensi dan pemanfaatan bahan aktif alga cokelat *Sargassum* sp. *Jurnal Ilmu Perikanan*, 6 (1): 551-5562.
- Palanisamy, S., M. Vinosh, M. Manikandan Krishnan, R. Anjali, P. Rajasekar, T. Marudhupandi, R. Manikandan, B. Vaseeharan, N. M. Prabhu. 2018. Investigation of antioxidant and anticancer potential of fucoidan from *Sargassum polycystum*. *International Journal of Biological Macromolecules*, 116: 151-161.
- Palanisamy, S., M. Vinosh, T. Marudhupandi, P. Rajasekar, N. M. Prabhu. 2017. Isolation of fucoidan from *Sargassum polycystum* brown algae: Structural characterization, in vitro antioxidant and anticancer activity. *International Journal of Biological Macromolecules*, 102: 405-412.
- Patel, R. M. 2013. Ferrous ion chelating activity (FICA) – a comparative antioxidant activity evaluation of extracts of eleven naturally growing planys of Gujarat, India. *International Journal of Scientific Research*, 2 (8): 426-428.
- Ponce, N. M. A., C. A. Pujol, E. B. Damonte, M. L. Flores, C. A. Stortz. 2003. Fukoidan from the brown seaweed *Adenocystis utricularis*: extraction methods, antiviral activity and structural studies. *Carbohydrate Research*, 338 (2): 153-165.
- Prabu, D. L., N. P. Sahu, A. K. Pal, A. Narendra. 2013. Isolation and evaluation of antioxidant and antibacterial activities of fucoidan rich extract (FRE) from Indoan seaweed *Sargassum wightii*. *J. Pharmaceutical Sciences*, 7 (1): 11-21.
- Prieto, P., M. Pineda, M. Anguiler. 1999. Spectrophotometric quantitation of antioxidant capacity through the formation of a phosphomolybdenum complex: specific application to the determination of vitamin E. *Analytical Biochemistry*: 337-341.
- Purwanto, D., S. Bahri, A. Ridhay. 2017. Uji aktivitas antioksidan ekstrak buah purnajiwa (Kopsia arborea Blume.) dengan berbagai pelarut. *Kovalen*, 3 (1): 24-32.
- Putra, R. P. dan S. R. Aris. 2018. Uji aktivitas antioksidan senyawa fukoidan hasil isolasi dari rumput laut cokelat (*Sargassum ilicifolium* (Turner) C. Agard). Skripsi. Fakultas Farmasi. Universitas Sumatera Utara.



- Qalsum, U., A. W. M. Diah, Supriadi. 2015. Analisis kadar karbohidrat, lemak dan protein dari tepung biji mangga (*Mangifera indica L.*) jenis gadung. J. Akad. Kim., 4 (4): 168-174.
- Raharjo S. 2006. Kerusakan Oksidatif pada Makanan. Gadjah Mada University Press. Yogyakarta.
- Rahmawati, A. Mufluhunna, L. M. Sarif. 2015. Analisis aktivitas antioksidan produk sirup buah mengkudu (*Morinda citrifolia L.*) dengan metode DPPH. Jurnal Fitofarmaka Indonesia, 2 (2): 97-101.
- Rosdiana, R. 2014. Fortifikasi tahu menggunakan antioksidan dari ekstrak kulit pisang kepok (*Musa bluggoe*). Skripsi. Universitas Pendidikan Indonesia.
- Ruperez, P., O. Ahrazem, J. A. Leal. 2002. Potential antioxidant capacity of sulfated polysaccharides from the edible marine brown seaweed *Fucus vesiculosus*. J. Agric. Food Chem., 50: 840–845.
- Salamah, N. dan L. Farahana. 2014. Uji aktivitas antioksidan ekstrak etanol herba pegagan (*Centella asiatica* (L.) Urb) dengan metode fosfomolibdat. Pharmaciana, 4 (1): 23-30.
- Salma, H., S. Sedjati, A. Ridho. 2019. Aktivitas antioksidan fraksi etil asetat dari ekstrak metanol *Sargassum* sp. Journal of Marine Research, 8 (1): 41-46.
- Sandapare, M., A. Ahmad, S. Dali. 2016. Uji aktivitas antioksidan dan toksisitas ekstrak kasar polisakarida yang diisolasi dari alga coklat *Sargassum duplicatum*. Jurnal pascapanen dan bioteknologi kelautan dan perikanan, 3 (2): 107-112.
- Santoso, J., S. Anwariyah, R. O. Rumiantin, A. P. Putri, N. Ukhy, Y. Y. Stark. 2012. Phenol content, antioxidant activity and fibers profile of four tropical seagrasses from Indonesia. Journal of Coastal Development, 15(2): 189-196.
- Saravana, P. S., Y. J. Cho, Y. B. Park, H. C. Woo, B. S. Chun. 2016. Structural, antioxidant, and emulsifying activities of fukoidan from *Saccharina japonica* using pressurized liquid extraction. Carbohydrate Polymers, 153: 518–525.
- Sarini, A. W., H. N. Aishah, N. M. Zaini. 2014. Determination of antioxidant activity for seven types of macroalgae. International Conference on Food Engineering and Biotechnology. 65: 51-56.
- Septiana, A. T. dan A. Asnani. 2013. Aktivitas antioksidan ekstrak rumput laut *Sargassum duplicatum*. Jurnal Teknologi Pertanian, 14 (2): 79-86.
- Shahidi, F. 2015. Handbook of Antioxidants for Food Preservation. Woodhead Publishing Series in Food Science, Technology and Nutrition: 276.
- Sheikh, T. Z. B., C. L. Yong, M. S. Lian. 2009. In vitro antioxidant activity of the hexane and methanolic extracts of *Sargassum baccularia* and *Cladophora patentiramea*. Journal of Applied Sciences, 13 (9): 2490-2493.
- Sinaga, F. A. 2016. Stress oksidatif dan status antioksidan pada aktivitas fisik maksimal. Jurnal Generasi Kampus, 9 (2): 176-189.
- Sinurat, E. 2011. Isolasi dan Karakterisasi serta Uji Aktivitas Fukoidan sebagai Antikoagulan dari Rumput Laut Cokelat (*Sargassum crassifolium*). Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Indonesia. Jakarta. Tesis.
- Sinurat, E. dan N. N. Maulida. 2018. Pengaruh hidrolisis fukoidan terhadap aktivitasnya sebagai antioksidan. JPB Kelautan dan Perikanan, 13 (2): 123-130.
- Sinurat, E. dan R. Kusumawati. 2017. Optimasi metode ekstraksi fukoidan kasar dari rumput laut cokelat *Sargassum binderi* sonder. JPB Kelautan dan Perikanan, 12 (2): 125-134.



- Sinurat, E., R. Peranginangin, E. Saepudin. 2011. Ekstraksi dan uji aktivitas fukoidan dari rumput laut cokelat (*Sargassum crassifolium*) sebagai antikoagulan. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan, 6 (2): 131-138.
- Solarin, B. B., D. A. Bolaji, O. S. Fakayode, R. O. Akinnigbagbe. 2014. Impacts of an invasive seaweed *Sargassum hystrix* var. fluitans (Børgesen 1914) on the fisheries and other economic implications for the Nigerian coastal waters. IOSR Journal of Agriculture and Veterinary Science (IOSR-JAVS), 7 (7): 1-6.
- Souza, M. C. R., C. T. Marques, C. M. G. Dore, F. R. F. Silva, H. A. O. Rocha dan E. L. Leite. 2007. Antioxidant activities of sulfated polysaccharides from brown and red seaweeds. Journal of Applied Phycology, 19: 153-160.
- Spencer, J. P. E., A. Jenner, O. I. Aruoma, P. J. Evans, H. Kaur dan D. T. Dexter. 1994. Intense oxidative DNA damage promoted by L-DOPA and its metabolites, implications for neurodegenerative disease. FEBS Letters, 353: 246–250.
- Sugiono, S. B. Widjanarko, L. A. Soehono. 2014. Extraction optimization by response surface methodology and characterization of fucoidan from brown seaweed *Sargassum polycystum*. Int.J. ChemTech Res., 6 (1): 195-205.
- Suhaila, K., A. Husni, E. Sinurat. 2019. Characteristics and antioxidant activity of fucoidan from the brown seaweed *Sargassum hystrix*. AACL Bioflux, 12 (6): 2319-2329.
- Susanto, R. 2019. Purifikasi Senyawa Inhibitor Enzim A-Amilase Dan A-Glukosidase Dalam Fraksi Metanol Ekstrak Rumput Laut *Sargassum hystrix* J. Agardh. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Talha, B. S. A. 2015. Methods for quantification and extraction of fucoidan, and quantification of the release of total carbohydrate and fucoidan from the brown algae *Laminaria hyperborea*. Norwegian University of Science and Technology. Thesis: 109.
- Then, M., K. Szentmihalyi, A. Sarkozi, I. S. Varga. 2003. Examination on antioxidant activity in greater celadine (*Celidonium majus* L) extracts by FRAP method. Acta Bio szegediensis, 47: 115-117.
- Tristantini, D., A. Ismawati, B. T. Pradana, J. G. Jonathan. 2016. Pengujian aktivitas antioksidan menggunakan metode DPPH pada daun tanjung (*Mimusops elengi* L). Prosiding Nasional Teknik Kimia “Perjuangan”.
- Utami, S. N. H., A. Maas, B. Radjagukguk, B. H. Purwanto. 2009. Sifat fisik, kimia dan FTIR spektrofotometri gambut hidrofobik Kalimantan Tengah. J. Tanah Trop., 14 (2): 159-166.
- Wahdaningsih, S., E. P. Setyowati, S. Wahyuono. 2011. Aktivitas penangkap radikal bebas dari batang pakis (*Alsophila glauca* J. Sm). Majalah Obat Tradisional, 16 (3): 156 – 160.
- Wang, C. Y., T. C. Wu, S. L. Hsieh, Y. H. Tsai, C. W. Yeh, C. Y. Huang. 2015. Antioxidant activity and growth inhibition of human colon cancer cells by crude and purified fucoidan preparations extracted from *Sargassum cristaefolium*. Journal of Food and Drug Analysis, 23: 766-777.
- Wang, C., X. Liu, L. Guo, C. Shao, Y. Fang, Y. Wei, C. Zheng, Y. Gu, W. Zhu dan H. Guan. 2009. Two new natural ketoacid derivatives from *Sargassum pallidum*. Chemistry of Natural Compounds, 46: 292–294.
- Warsi dan G. Puspitasari. 2017. Aktivitas antioksidan ekstrak etanol dan fraksi etil asetat daun kemangi (*Ocimum basilicum* L.) dengan metode fosfomolibdat. Jurnal Farmasi dan Ilmu Kefarmasian Indonesia, 4 (2): 67-73.



- Werdhasari, A. 2014. Peran antioksidan bagi kesehatan. *Jurnal Biotek Medisiana Indonesia*, 3 (2): 59-68.
- Widyawati, P. S., T. S. W. Budianta, Y. D. W. Werdani, M. O. Halim. 2018. Aktivitas antioksidan minuman daun beluntas teh hitam (*Pluchea indica* Less-*Camelia sinensis*). *Agritech*, 38 (2): 200-207.
- Winarsi, H. M. S. 2007. Antioksidan Alami dan Radikal. Penerbit Kanisius. Yogyakarta.
- Wulandari, R. R. 2009. Uji Aktivitas Penangkap Radikal DPPH Analog kurkumin Siklik dan N-Heterosiklik Monoketon. Skripsi. Fakultas Farmasi. Universitas Muhamadiah Surakarta. Surakarta.
- Yefrida, N. Ashikin, Refilda. 2015. Validasi metoda frap modifikasi pada penentuan kandungan antioksidan total dalam sampel mangga dan rambutan. *J. Ris. Kim.*, 8 (2): 170-175.
- Yuan, Y. dan D. Macquarrie. 2015. Microwave assisted extraction of sulfated polysaccharides (fukoidan) from *Ascophyllum nodosum* and its antioxidant activity. *Carbohydrate Polymers*, 129: 101–107.
- Yuanita, L. 2009. Analisis monomer sakarida dan gugus fungsi kompleks fe-serat pangan pada perebusan kondisi asam. *Jurnal Ilmu Dasar*, 10 (1): 49–55.
- Yunizal. 2004. Teknologi Pengolahan Alginat. Pusat Riset Pengolahan Produk dan Sosial Ekonomi dan Kelautan dan Perikanan. Jakarta.
- Zaranappa, H. M. Vagdevi, M. R. Lokesh, B. C. Gowdarshivannavar. 2012. Synthesis and antioxidant activity of 3-substituted schiff bases of quinazoline 2,4-diones. *International Journal of Chen Tech Research*, 4 (4): 1527-1533.
- Zengin, G. 2010. Antioxidant properties of methanolic extract and fatty acid composition of *Centaurea urvillei* DC. subsp. *hayekiana* Wagenitz, Department of Biology, Science Faculty, Selcuk University, Konya, Turkiye.
- Zhang, W., O. Tatsuya, Y. Qing dan J. Jun-O. 2015. Fucoidan from *Macrocytis pyrifera* has powerful immune-modulatory effects compared to three other fucoidans. *Mar. Drugs*, 13: 1084-1104.
- Zhao, D., J. Xu, X. Xu. 2018. Bioactivity of fukoidan extracted from *Laminaria japonica* using a novel procedure with high yield. *Food Chemistry* 245: 911–918.