

DAFTAR PUSTAKA

- Arthritis Research UK, 2013, Osteoarthritis in General Practice, www.arthritisresearchuk.org online accessed 16 September 2019.
- Baharuddin, M.Y., Salleh, SH-Hussain, Zulkifly, A.H., Lee, M.H., Noor, A.M., Harris, A.R.A., Majid, N.A., and Kader, A.S.A, 2014, Design process of cementless femoral stem using a nonlinear three dimensional finite element analysis, *BMC Musculoskeletal Disorders*, vol. 15, no. 30.
- Brun, O.-C. L., and Maansson, L., 2013, Fractures of the Greater Trochanter following Total Hip Replacement, *HIP International*, vol. 23, no. 2, pp. 143–146.
- Chen, C. Q. L., Scott, W., & Barker, T. M., 1999, Effect of metal surface topography on mechanical bonding at simulated total hip stem-cement interfaces, *Journal of Biomedical Materials Research*, vol. 48, no. 4, pp. 440–446.
- Chethan, K.N., Zuber, M., Bhat N., S., Shenoy B., S., and Kini, C.R., 2019, Static structural analysis of different stem designs used in total hip arthroplasty using finite element method, *Elsevier Heliyon*, vol. 5.
- De Oliveira Filho, P. B., Nascimento, M. L. F., & Pontes, K. V., 2018, Optimal Design of a Dividing Wall Column for The Separation of Aromatic Mixtures using the Response Surface Method, *28th European Symposium on Computer Aided Process Engineering*, pp. 361–366.
- Hendel, D., Yasin, M., Garti, A., Weisbort, M., & Beloosesky, Y., 2002, Fracture of the greater trochanter during hip replacement, *Acta Orthopaedica Scandinavica*, vol. 73, no. 3, pp. 295-297.
- Ilmusiana, 2019, Fungsi Tulang Paha Manusia, <https://www.ilmusiana.com/2019/08/fungsi-tulang-paha.html> online accessed 30 September 2019.
- Janssen, D., Aken, J., Scheerlinck, T., and Verdonschot, N., 2009, Finite element analysis of the effect of cementing concepts on implant stability and cement fatigue failure, *Acta Orthopaedica 2009*, vol. 80, no. 3, pp. 319–324.
- Keaveny, T. M., & Bartel, D. L., 1993, Effects of porous coating and collar support on early load transfer for a cementless hip prosthesis, *Journal of Biomechanics*, vol. 26, no. 10, pp. 1205–1216.

- Li, X., Li, D., Lian, Q., Guo, H., and Jin, Z., 2010, The Effect of Stem Structure on Stress Distribution of a Custom-Made Hip, *Journal of Engineering in Medicine*, vol. 224, no. 768, pp. 1275-1284.
- Minitab Inc., 2000, Minitab Statistical Software, Release 13.32, State College, Pennsylvania.
- Oshkour, A. A., Osman, N. A. A., Bayat, M., Afshar, R., & Berto, F., 2014, Three-dimensional finite element analyses of functionally graded femoral prostheses with different geometrical configurations, *Materials & Design (1980-2015)*, vol. 56, pp. 998–1008.
- Pavlina, E. J., & Van Tyne, C. J., 2008, Correlation of Yield Strength and Tensile Strength with Hardness for Steels, *Journal of Materials Engineering and Performance*, vol. 17, no. 6, pp. 888–893.
- Pekedis, M., and Yildiz, H., 2011, Comparison of fatigue behaviour of eight different hip stems: a numerical and experimental study, *J. Biomedical Science and Engineering 4*, pp. 643-650.
- Ro, J., Kim, P., and Shin, C. S., 2018, Optimizing Total Hip Replacement Prosthesis Design, *International Journal of Precision Engineering And Manufacturing*, vol. 19, no. 1, pp. 119-127.
- Ruben, R. B., Fernandes, P. R., and Folgado, J., 2012, On the optimal shape of hip implants, *Journal of Biomechanics*, vol.45, pp. 239-246.
- Sakuda, A., Hayashi, A., Takagiwa, Y., Higashi, K., & Tatsumisago, M., 2013, Evaluation of elastic modulus of Li₂S[^]—P₂S₅ glassy solid electrolyte by ultrasonic sound velocity measurement and compression test, *Journal of the Ceramic Society of Japan*, vol. 121, no. 1419, pp. 946–949.
- Tomaszewski, P. K., Verdonschot, N., Bulstra, S. K., & Verkerke, G. J., 2010, A Comparative Finite-Element Analysis of Bone Failure and Load Transfer of Osseointegrated Prostheses Fixations, *Annals of Biomedical Engineering*, vol. 38, no. 7, pp. 2418–2427.
- Widmer, K.-H., & Majewski, M., 2005, The impact of the CCD-angle on range of motion and cup positioning in total hip arthroplasty, *Clinical Biomechanics*, vol. 20, no. 7, pp. 723–728.