

DAFTAR PUSTAKA

- Abraham A., 2018. Teen physical development. <https://parentandteen.com/adolescent-physical-development/>. 20 Juli 2019 (14.45).
- Ahmad, N., Adam, S.I.M., Nawis, A.M., Hassan, M.R., Ghazi, H.F., 2016. Abdominal obesity indicators waist circumference or waist-to-hip ratio in Malaysian adults population; *International Journal of Preventive Medicine*;7(82):2008-7802.
- Ali, R., Nuryani., 2018. Sosial ekonomi, konsumsi fast food dan riwayat obesitas sebagai faktor risiko obesitas remaja. *Media Gizi Indonesia*;13(2):123-132.
- American Addiction Centers., 2019. Adolescent physical development. <https://www.mentalhelp.net/adolescent-development/physical/>. 25 Juli 2019 (19:35).
- American Psychological Association., 2002. *A Reference for Professionals: Developing Adolescents*. APA: Washington DC.
- Anjaneyulu, S.R., Thiagarajan, P., 2012. Antropometric parameter-based assessment for cardiovascular disease predisposition among young indians. *World Journal of Cardiology*;4(7):221-225.
- Arslianian, S., Suprasongsin, C., 1997. Testosterone treatment in adolescents with delayed puberty: changes in body composition, protein, fat, and glucose metabolism. *The Journal of Clinical Endocrinology and Metabolism*;82(10):3213-3220.
- Ashwell, M., Gibson, S., 2016. Waist to height ratio as an indicator of earlt health risk:simpler and more predictive than using a matrix based on bmi and waist circumference. *British Medical Journal Open*;1(1):1-7.
- Azwar, A., 2004. Tubuh sehat ideal dari segi kesehatan. *Seminar Kesehatan Obesitas Senat Mahasiswa Fakultas Kesehatan Masyarakat UI*. Depok.
- Bacopoulou, F., Efthymiou, V., Landis, G., Rentoumis, A., Chrousos, G.P., 2015. Waist circumference, waist-to-hip ratio, and waist-to-height ratio reference percentiles for abdominal obesity among Greek adolescents. *Biomedical Central Pediatrics*;15(50):1-9.
- Badan Penelitian dan Pengembangan Kesehatan., 2013. *Buku 2 Riskesdas dalam Angka: Indonesia Tahun 2013*. Kementrian Kesehatan Republik Indonesia: Jakarta Selatan.
- Badan Penelitian dan Pengembangan Kesehatan., 2018. *Riset Kesehatan Dasar 2018: Laporan Nasional Riskesdas 2018*. Kementrian Kesehatan Republik Indonesia: Jakarta Selatan.
- Badan Pusat Statistik., 2019. Statistik Indonesia. Badan Pusat Statistik: Jakarta.
- Badan Pusat Statistik Provinsi Daerah Istimewa Yogyakarta., 2019. Statistik Daerah Istimewa Yogyakarta. Badan Pusat Statistik: Daerah Istimewa Yogyakarta.
- Batubara, J.R.L., 2010. Adolescent development (perkembangan remaja). *Sari Pediatri*;12(1):21-29.

- Batubara, J.R.L., 2005. Practices of growth assessment in children: is antropometric measurement important?. *Paediatrica Indonesiana*;45(7):145-153.
- Budiyati., Wanda, D., Hartoyo, M., 2013. Hubungan indeks massa tubuh ayah dan ibu dengan kejadian obesitas pada anak usia sekolah di sd islam al-azhar 14 di Semarang. *Jurnal Keperawatan Anak*;1(1):49-55.
- Carthy, H.D., Ashwell, M., 2006. A study of central fatness using waist-to-height ratios in UK children and adolescents over two decades supports the simple message- 'keep your waist circumference to half your height'. *International Journal of Obesity*;1(1):1-18.
- Caprio, S., Daniels, S.R., Drewnowski, A., Kaupman, F., Palinkas, L.A., Rosenbloom, A.L., Schwimmer, J.B., 2008. Influence of race, ethnicity, and culture on childhood obesity: implication for prevention and treatment. *Diabetes Care*;31(11): 2211-2221
- Centers for Disease Control and Prevention., 2015. Body mass index: considerations for practitioners. <https://www.cdc.gov/healthyweight/assessing/bmi/index.html>. 25 Juli 2019 (19:00).
- Chandra-Mouli, V., Haider, R., Moreira, A.D., 2006. Adolescent nutrition: lessons learnt and challenges ahead. *Standing Committee on Nutrition*;31(1):40-42.
- Cordido, F., Buela, J.G., Alarellos, S.S., Martinez, T., Vidal, O., 2009. The decreased growth hormone response to growth hormone releasing hormone in obesity is associated to cardiometabolic risk factors. *Mediators of Inflammation*;1(1):1-8.
- Crossrow, N., Falkner, B., 2004. Race/ethnic issues in obesity and obesity-related comorbidities. *The Journal of Clinical Endocrinology and Metabolism*;89(6):2590-2594.
- Daniels, S.R., Khouury, P.R., Morrison, J.A., 2000. Utility of different measures of body fat distribution in children and adolescents. *American Journal of Epidemiology*;152(12):1179-1184.
- Daniels, S.R., Arnett, D.K., Eckel, R.H., Gidding, S.S., Hayman, L.L., Kumanyika, S., Robinson, T.N., Scott, B.J., Sachiko., Christine., 2005. Overweight in children and adolescents. *American Heart Association*;111(15):1999-2012.
- Das, S., Bose, K., 2011. Body mass abdominal index:a new index for adiposity among pre-school children. *Ibrahim Medical College Journal*;5(1):9-12.
- Deshmukh, P.R., Sinha, N., Dongre, A.R., 2013. Social determinants of stunting in rural area of Wardha, Central India. *Medical Journal*;69(3):213-217.
- Deurenberg, M., Chew, S.K., Lin, V.F.P., Tan, B.Y., van Staveren, W.A., Deurenberg, P., 2001. Relationships between indices of obesity and its co-morbidities in multi-ethnic Singapore. *International Journal of Obesity*;25(10):1554-1562.
- Doustjalali, S.R., Gujjar, K.R., Sharma, R., Syukri, M., Napatr, W., Syahirah., Appalanaidu, V., Kadir, S., 2008. Correlation between body mass index (BMI) and waist to hip ratio (WHR) among undergraduate students. *Pakistan Journal of Nutrition*;15(7):618-624.
- Durkin, K., 2005. *Adolescence and adulthood*. In: Miles H, Frank DF, Jonathan F, editors. *Psychology*. John Wiley and Sons: New York.

- Fredriks, A.M., van Buuren, S., Fekkes, M., Verloove-Vanhorick, S.P., Wit, J.M., 2005. Are age reference for waist circumference, hip circumference, and WHR in Dutch children useful in clinical practice?. *European Journal of Pediatrics*;164(1):216-222.
- Gandhi, R., Dhotar, H., Tsvetkov, D., Mahomed, N.N., 2010. The relation between body mass index and waist-hip ratio in knee osteoarthritis. *Canadian Journal of Surgery*; 53(3):151-153.
- Gierach, M., Emertowska, M., Arndt, A., Junik, R., 2014. Correlation between body mass index and waist circumference in patients with metabolic syndrome. *ISRN Endocrinology*;1(1):1-6.
- Goulding, A., Taylor, R.W., Grant, A.M., Parnell, WR., Wilson, NC., Williams, SM., 2010. waist to height ratios in relation to BMI z-score in three ethnic group from a representative sample New Zealand children aged 5-14 years. *International Journal of Obesity*;34(1):1188-1190.
- Guarino, D., Nannipieri, M., Lervasi, G., Taddei, S., Bruno, R.M., 2017. The role of the autonomic nervous system in the pathophysiology of obesity. *Frontiers in Physiology*; 8(1):1-16.
- Halidar, S., Chia, S.C., Henry, C.J., 2015. Body composition in Asians and Caucasians: comparative analyses and influences on cardiometabolic outcomes. *Advances in Food and Nutrition Research*;75(1):97-154.
- Han, T.S., Seidell, J.E.P., Morrison, C.E., Deurenberg, P., Lean, M.E.J., 1997. The influences of height and age on waist circumference as an index of adiposity in adults. *International Journal of Obesity*;21(1):83-89.
- Harahap, M., Mochtar, Y., 2016. Gambaran rasio lingkaran pinggang pinggul, riwayat penyakit dan usia pada pegawai polres pekanbaru. *Jurnal Kesehatan Masyarakat Andalas*;10(2):140-144.
- Hu, F.B., Malik, V.S., 2010. Sugar-sweetened beverages and risk of obesity and type 2 diabetes : epidemiologic evidence. *Physiology and Behavior*;100(1): 47-54.
- Junaidi., Noviyanda., 2016. Kebiasaan konsumsi fast food terhadap obesitas pada anak sekolah dasar Banda Aceh. *Aceh Nutrition Journal*;1(2):78-82.
- Kee, C.C., Jamaiah, H., Safiza, N., Khor G.L., Suzana, S., Jamalludin, A.R., Rahmah, R., Ahmad, A.Z., Ruzita, A.T., Wong, N.F., Ahmad, F.Y., 2008. Abdominal obesity in Malaysian adults:national health and morbidity survey III (NHMS III,2016). *Malaysian Journal of Nutrition*;14(2):125-135.
- Kementrian Kesehatan Republik Indonesia., 2012. *Pedoman pencegahan dan penanggulangan kegemukan dan obesitas pada anak sekolah*. Kemenkes RI: Jakarta.
- Kementrian Kesehatan Republik Indonesia., 2011. *Standar antropometri penilaian status gizi dan anak*. Kemenkes RI: Jakarta.
- Kementrian Kesehatan Republik Indonesia., 2014. *Info Datin (Pusat Data dan Informasi Kementrian Kesehatan RI): Situasi Kesehatan Reproduksi Remaja*. Kemenkes RI: Jakarta Selatan.

- Khusna, F.H., Murbawani, E.A., 2016. Hubungan indeks massa tubuh dengan rasio trigliserida/high density lipoprotein (TG/HDL) pada remaja. *Journal of Nutrition College*;5(2):85-91.
- Klein, S., Allison, D.B., Heymsfield, S.B., Kelley, D.E., Leibel, R.L., Nonas, C., Kahn, R., 2007. Waist circumference and cardiometabolic risk. *American Diabetes Association*;30(6):1647-1652.
- Koscinski, K., 2013. Attractiveness of women's body:body mass index, waist hip ratio and their relative importance. *Behavioral Ecology*;1(1):1-12.
- Kurdanti, W., Suryani, I., Syamsiatun, N.H., Siwi, L.P., Adityanti, M.M., Mustikaningsih, D., Sholihah, K.I., 2015. Faktor-faktor yang mempengaruhi kejadian obesitas pada remaja. *Jurnal Gizi Klinik Indonesia*;11(4):179-190.
- Kurdaningsih, S.V., Sudargo, T., Lusmilasari, L., 2016. Physical activity and sedentary lifestyle towards teenagers' overweight/obesity status. *International Journal of Community Medicine and Public Health*;3(3):630-635.
- Kusuma, B.J., Pinandita, T., 2011. Rancang bangun aplikasi mobile perhitungan indeks massa tubuh dan berat badan ideal. *Jurnal Informatika*;1(4):157-168.
- Li, M., Dibley, M.J., Sibbritt, D., Yan, H., 2008. Factors associated with adolescents overweight and obesity at community school and household levels in Xi'an City China:results of hierarchical analysis. *Journal Clinic Nutrition*;62(1):635-643.
- Lindsey, A., Albrecht, L., Dennis, M., Styne, M.D., 2012. The physiology of puberty and its disorder. *CME Article*;41(4):73-80.
- Luis, E.O., Satish, R.R., Alfredo, G., Cyndya, A.S., Amy, C.A., Emily, M.G., Bonnie, K.B., Ginnie, F., Andre, D., Italo, B., 2015. Sympathetic activation is associated with increased IL-6, but not CRP in the absence of obesity: lessons from postural tachycardia syndrome and obesity. *American Journal of Physiology*;309(12):2098-2107.
- Marfell-Jones, M., Olds, T., Stewart, A., Carter, L., 2006. *International Standard for Anthropometric Assessment*. International Society for the Advancement of Kinanthropometry: Lower Hutt.
- Mederico, M., Paoli, M., Zerpa, Y., Briceno, Y., Gomez-Perez, R., Martinez, J.L., Camacho, N., Cichetti, R., Molina, Z., Mora, Y., Valeri, L., 2012. Reference values of waist circumference and waist/hip ratio in children and adolescents of Merida, Venezuela: comparison with international references. *Elsevier Espana*;60(5):235-242.
- Miko, A., Pratiwi, M., 2017. Hubungan pola makan dan aktivitas fisik dengan kejadian obesitas mahasiswa politeknik kesehatan Kemenkes Aceh. *Aceh Nutrition Journal*;2(1):1-5.
- Mondragon-Ceballos, R., Granados, M.D.G., Cerda-Molina, A., Chavira-Ramirez, R., Hernandez-Lopez, E., 2015. Waist-to-hip ratio, but not body mass index, is associated with testosterone and estradiol concentration in young woman. *International Journal of Endocrinology*;1(1):1-6.

- Moreno, L.A., Mesana, M.I., Gonzalez-Gross, M., Gil, C.M., Ortega, F.B., Fleta, J., Warnberg, J., Leon, J.F., Marcos, A., Bueno, M., 2007. Body fat distribution reference standards in Spanish adolescents: The avena study. *International Journal of Obesity*;31(1):1798-1805.
- Mukiwanti, E., 2017. Hubungan rasio lingkaran pinggang panggul dan indeks massa tubuh terhadap tekanan darah pada middle age (45-59 tahun) di Desa Polaman Kota Semarang. *Skripsi*. Program Studi Ilmu Gizi Universitas Muhammadiyah Surakarta: Surakarta.
- Mulyasari, I., Pontang, G.S., 2018. Waist circumference and waist to height ratio as indicator for excess adiposity in Indonesian adolescents. *Jurnal Gizi Pangan*;13(3):131-136.
- Nadimin, Ayumar, Fajarwati. Obesitas pada orang dewasa anggota keluarga miskin di Kecamatan Lembang Kabupaten Pinrang. *Jurnal Media Kesehatan Masyarakat Indonesia*;1(1):9-15.
- National Geographic., 2019. Race and ethnicity: How are they different?. <https://www.nationalgeographic.com/culture/topics/reference/race-ethnicity/>. 18 April 2020 (13.55).
- National Health Service., 2018. Stages of puberty: what happens to boys and girls. <https://www.nhs.uk/live-well/sexual-health/stages-of-puberty-what-happens-to-boys-and-girls/>. 20 Juli 2019 (14:15).
- Newell, J., 2014. Physiological assessments: antropometric measurements. <https://www.acefitness.org/fitness-certifications/ace-answers/exam-preparation-blog/3815/anthropometric-measurements-when-to-use-this-assessment> 20 Mei 2019 (16:27).
- Norafidah, A.R., Azmawati, M.N., Norfazilah, A., 2013. Factors influencing abdominal obesity by waist circumference among normal bmi population. *Malaysian Journal of Public Health Medicine*;13(1):37-47.
- Pulungan, A.B., Julia, M., Batubara, J.R.L., Hermanussen, M., 2018. Indonesian national synthetic growth chart. *Acta Scientifica Pediatrics*;1(1):20-34.
- Putra., 2017. Hubungan pola makan, aktivitas fisik dan aktivitas sedentari dengan overweight di SMA Negeri 5 Surabaya. *Jurnal Berkala Epidemiologi*;5(3):298-310.
- Putri, R.M., Rahayu, W., Maemunah, N., 2017. Kaitan pendidikan, pekerjaan orang tua dengan status gizi anak pra sekolah. *Jurnal Care*;5(2):231-245.
- Prasasti, H.E., Utari, D.M., 2013. Jenis kelamin dan umur sebagai faktor dominan lingkaran pinggang pada guru SD di Kecamatan Cilandak Jakarta Selatan tahun 2013. *Skripsi*. Program Studi Gizi Universitas Indonesia: Depok.
- Rafiony, A., Purba, M., Pramantara, D.P., 2015. Konsumsi fast food dan soft drink sebagai faktor risiko obesitas pada remaja. *Jurnal Gizi Klinik Indonesia*;11(1):170-178.
- Rising, R., Harper, A.M., Fontvielle, R.T., Ferraro, M., Spraul., Ravussin., 1994. Determinants of total daily energy expenditure:variability on physical activity. *The American Journal of Clinical Nutrition*;59(4):800-804.

- Roemmich, J.N., Rogol, A.D., 1999. Hormonal changes during puberty and their relationship to fat distribution. *American Journal of Human Biology*;11(1):209-224
- Salam, A., 2010. Faktor risiko kejadian obesitas pada remaja. *Jurnal Media Kesehatan Masyarakat Indonesia*; 6(3):185-190.
- Santomauro, F., Lorini, C., Pieralli, F., Niccolai, G., Picciolli, P., Vezzosi, S., Bonaccorsi, G., 2017. Waist-to-height ratio and its associations with body mass index in a sample of Tuscan children in primary school. *Italian Jurnal Pediatrics*;45(53):1-6.
- Sattar, A., Baig, S., Rehman, N., Bashir, B., 2013. Assessment of the effect of sociodemographic factors on body mass index in the population of Ghulam Mohammad Abad Faisalabad. *Professional Medical Journal*;20(6):956-964.
- Setyawati, V.A.V., 2015. Karakter gizi remaja putri urban dan rural di Provinsi Jawa Tengah. *Jurnal Kesehatan Masyarakat*;1(1):43-52.
- Sinclair, D., 1978. *Human growth after birth*, Edisi 3. Oxford University Press, New York.
- Singh, D., Sanyal, S., Chattopadhyay, N., 2011. The role of estrogen in bone growth and formation: Changes at puberty. *Cell Health and Cytoskeleton*;3(1):1-12.
- Soma, G., Tapobrataa., Indranil, S., 2009. Overweight, obesity and influence of stress on body weight among undergraduate medical students. *Journal Community Medical*;34(1):255-257.
- Steinberg, L., 2014. Age of opportunity: Lessons from the new science of adolescence. Boston, MA: Houghton Mifflin Harcourt.
- Stevens, J., Katz, E.G., Huxley, R.R., 2010. Associations between gender, age and waist circumference. *European Journal of Clinical Nutrition*;64(1):1-20.
- Syamsinar, W., 2016. Faktor yang berhubungan dengan kejadian obesitas pada remaja di SMA 4 Kendari Tahun 2016. *Skripsi*. Universitas Haluoleo.
- Tajik, E., Zulkefli, N.A.M., Baharom, A., Minhat, H.S., Latiff, L.A., 2014. Contributing factors of obesity among stressed adolescents. *Electronic Physician*; 6(1):771-778
- Tanner, J.M., 1989. *Foetus into Man: Physical Growth from Conception to Maturity*. 2nd ed. Castlemead Publication: Inggris.
- Taylor-Miller, T., Simm, P.J., 2017. Growth disorder in adolescents. *The Royal Australian College of General Practicioners*;46(12):913-917.
- Tienboon, P., Mai, C., Deakin., Wahlqvist, M., Rutishauser., 1992. early life factors affecting body mass index waist-hip ratio in adolescence. *Asia Pasific Journal Clinical Nutrition*;1(1):21-27.
- Tran, N.T.T., Blizzard, C.L., Luong, K.N., Truong, N.L.V., Tran, B.Q., Otahal, P., Nelson, M., Magnussen, C., Gall, S., Bui, T.V., Srikanth, V., Au, T.B., Ha, S.T., Phung, H.N., Tran, M.H., Callisaya, M., 2018. The importance of waist circumference and body mass index in cross-sectional relationships with risk of cardiovascular disease in Vietnam. *Public Library of Science*;13(5):1-13.

Tybor, D.J., Lichtenstein, A.H., Dallal, G.E., Must, A., 2009. Waist-to-height ratio is correlated with height in US children and adolescents aged 2-18 years. *International Journal of Pediatric Obesity*;3(3):148-151.

University of Chicago Press Journals. 2008. Why the perfect body isn't always perfect: how hormones interact with waist to hip ratio in women. <https://www.sciencedaily.com/releases/2008/12/081201200036.htm>. 27 Februari 2020 (20:00).

Utami, N.W.A., 2016., Dasar ilmu gizi. *Gizi Kesehatan Masyarakat Program Studi Kesehatan Masyarakat*: Fakultas kedokteran Universitas Udayana

Verma, M., Rajput, M., Sahoo, S.S., Kaur, N., Rohilla, R., 2016. Correlation between the percentage of body fat and surrogate indices of obesity among adult population in rural block of Haryana. *Journal of Family Medicine and Primary Care*; 5(1):154-159.

Viera, S.A., Ribeiro, A.Q., Hermsdorff, H.H.M., Pereira, P.F., Priore, S.E., Francheschini, S.C.C., 2016. Waist to height ratio index or the prediction of overweight in children. *Original Article*;36(1):52-58.

Walker, S.P., Rimm, E.B., Ascheno, A., Kawachi, I., Stampfer, M.J., Willett, W.C., 1996. Body size and fat distribution as predictors of stroke among US men. *American Journal of epidemiology*;144(12):1143-1150.

Wardani, D.A.K., Huriyati, E., Mustikaningtyas., Hastuti, J., 2015. Obesitas, body image, dan perasaan stress pada mahasiswa di Daerah Istimewa Yogyakarta. *Jurnal Gizi Klinik Indonesia*;11(4):161-169.

World Health Organization., 2006. *Orientation Programme on Adolescent Health for Health-care Providers*. WHO Press: Geneva.

World Health Organization., 2011, *Waist Circumference and Waist-Hip Ratio: Report of a WHO Expert Consultation (Geneva, 8-11 December 2008)*. WHO Press: Geneva.

World Health Organization., 2014. *Obesity and inequities, guidance for addressing inequities in overweight and obesity*. WHO Press: Europe,

World Health Organization., 2017. Global health observatory data repository. Tersedia dari: apps.who.int/gho/data/view.main.BMIPLUS2REGv?lang=en (diakses 20 Juli 2019).

Wu, C.H., Heshka, S., Wang, J., 2007. Truncal fat in relation to total body fat: influences of age, sex, ethnicity and fatness. *International Journal of Obesity*; 31(9):1384-1391.

Yusuf, S., Steven, H., Stephanie, O., Leonelo, B., Maria, G.F., Patrick, C., Chim, C.L., Zvonko, R., Churchill, L.O., Liu, L., Supachai, T., Paul, W.Jr., Fahad, R., Arya, M.S., Sonia, S.A., 2005. Obesity and the risk of myocardial infarction in 27000 participants from 52 countries: a case-control study. *Lancet*;366(9497):1640-1649.

Yoo, E.G., 2016. Waist to height ratio as screening tool for obesity and cardiometabolic risk. *Korean Journal Pediatric*;59(11):425-431.

Yau, Y.H.C., Potenza, M.N., 2014. Stress and eating behaviors. *Minerva Endocrinol*;38(3):255-267.



UNIVERSITAS
GADJAH MADA

HUBUNGAN RASIO LINGKAR PINGGANG-TINGGI TUBUH, RASIO LINGKAR PINGGANG- LINGKAR PANGGUL TERHADAP

INDEKS MASSA TUBUH PADA REMAJA DI SMP NEGERI KULONPROGO DAN SMP NEGERI BANTUL

VIRA FAHIMA, Janatin Hastuti, S.Si., M.Kes., Ph.D; Dra. Neni Trilusiana R., M.Kes., Ph.D; Dr. dr. Zaenal Muttaqien S

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zvonar, M., Stefan, L., Kasovic, M., 2019. Percentile curves for body mass index, waist circumference, waist to height ratio and waist to height ratio(exp) in croatian adolescents. *International Journal Environmental Research Public Health*;16(11):1-8.