

DAFTAR PUSTAKA

- Amalina, Nur Dina, Nurhayati, Ika Putri, Meiyanto, Edy, 2017, Doxorubicin Induces Lamellipodia Formation and Cell Migration, *Indones. J. Cancer Chemoprevent.*, **8**(2), 61-66 .
- Anonim, 2015, Situasi Penyakit Kanker, *Buletin Jendela Data dan Informasi Kesehatan, Kementerian Kesehatan Republik Indonesia*, semester 1 2015.
- Asraza Indo Herbal, 2017, <http://www.asrazaindoherbal.com/2017/09/temu-putih-curcuma-zedoaria.html>, diakses pada tanggal 30 Desember 2018, pukul 11.35 WIB.
- ATCC, nd., Characteristics 4T1 (ATCC[®] CRL-2539TM), <https://www.atcc.org/products/all/CRL-2539.aspx#characteristics>, diakses pada tanggal 28 Januari 2018, pukul 11.57 WIB.
- Backer, C.A. and Brink, R.C.B.V.D. 1968. Flora of Java (Spermatophytes only) Vol III. *Netherland. Wolters - Noordhoof*. V. - Groningen.
- Bandyopadhyay, A., Long, W., Joseph, A., Yuping, T., Shu, L., I-Tien, Y., Keya, D., 2010, Doxorubicin in Combination with a small TGFb Inhibitor: A Potential Novel Therapy for Metastatic Breast Cancer in Mouse Models, *PlosOne*, **Vol. 5**.
- Bhargava, R., Beriwal, S., Dabbs, D.J., Ozbek, U., Soran, A., Johnson, R.R., Brufsky, A.M., Lambersky, B.C., and Ahrendt, G.M., 2010, Immunohistochemical Surrogate Markers of Breast Cancer Molecular Classes Predict Response to Neoadjuvant Chemotherapy: a single Institutional Experience with 359 casses, *Canncer*, **116**: 1431-1439.
- Brand, S., Dambacher, J., Beigel, F., Olszak, T., Diebold, J., Otte, Jan-M., Goke, B., Eichhorst, S.T., 2005, CXCR4 and CXCL12 are inversely expressed in colorectal cancer cells and modulate cancer cell migration, invasion, and MMP-9 activation, *Experimental Cell Research*, **310**(1), 117-130.
- Chaffer, C.L., and Weinberg, R.A., 2011, A perspective on cancer cell metastasis, *Science*, **331**(6024), 1559-1564.
- Chaman, L. and Verma, L.R., 2006, Use of certain bio-products for insect-pest control, *Indian Journal of Traditional Knowledge*, **5**(1), 79- 82.
- Chambers, A.F., Groom, A.C., and MacDonald, I.C., 2002, Dissemination and Growth of Cancer Cells in Metastatic Sites, *Nat Rev Cancer*, **2**: 563-572.

- Chen, W., Lu, Yu, Gao, Ming, Wu, Jiaming, Wang, Aiyun, Shi, R., 2011, Anti-angiogenesis effect of essential oil from *Curcuma zedoaria* (Christm.) in vitro and in vivo. *Journal of Ethnopharmacology*, **133**(2011), 220-226.
- Christofori, G., 2006, New signals from the invasive front, Insight review, *Nature*, **vol. 441**, pp. 444-450.
- De-Fatima, A., Modolo, L.V., Conegero, L.S., Pilli, R.A., Ferreira, C.V., Kohn, L.K., de-Carvalho, J.E., 2006, Lactones and their derivatives: biological activities, mechanisms of action potential leads for drug design, *Curr. Med. Chem*, **13**, 3371-3384.
- Doyle, A., and Griffiths, J. B., 2000, *Cell and Tissue Culture for Medical research*, New York,: Jhon Willey and Sons Ltd.
- Farina, A.R., and Mackay, A.R., 2014, Gelatinase B/MMP-9 in Tumour Pathogenesis and progression, *Cancers*, **2014**(6), 240-296.
- Ford, D., Easton, D.F., Stratton, M., Narod, S., Goldgar, D., Devilee, P., *et al.*, 1998, Genetic Heterogeneity and Penetrance Analysis of the BRCA1 and BRCA2 Genes in Breast Cancer Families, *AJHG*, **62**(3), pp. 676-689.
- Gao, Xiu-fei, Li, Qing-lin, Li, Hai-long, Zhang, Hong-yan, SU, Jian-ying, Wang, Bei, Liu, Pei, and Zhang, Ai-qin, 2014, Extracts from *Curcuma zedoaria* inhibit proliferation of human breast cancer cell, MDA-MB-231 in vitro, *Evid Based Complement Alternat Med*. **2014**; 2014: 730678.
- Giehl, K., and Andre, M., 2006, Moving on : Molecular mechanisms in TGF β induced ephithelial cell migration, *Signal Transduction*, **2006** (6), 355-364.
- Guo, Chan-Bhao, Wang, S., Deng, C., Zang, Dian-Liang, Wang, Fu-Liang, Jin, Xian-Qing, 2012, Relationship Between Matrix Metalloproteinase 2 and Lung Cancer Progression, *Molecular Diagnosis & Therapy*, **11**(3), pp. 183-192.
- Gupta, S.K., Banerjee, A.B., and Achari, B., 1976, Isolation of ethyl p-methoxycinnamate, the major antifungal principle of *Curcuma zedoaria*, *Lloydia*, **vol. 39**, no. 4, pp. 218-222.
- Hamdi, O.A.A., Rahman, S.N.S.A., Awang, Khalijah, Wahab, N.A., Looi, C.Y., Thomas, N. F., Malek, S.N., 2014, Research Article: Cytotoxic constituents from the rizoma of *Curcuma zedoaria*, *The Scientific World Journal*, **Vol. 2014**.
- Haryanti, Sari, Murwanti, Retno, Putri, H., Ilmawati, Gagas P. Nur, Pramono, S., Meianto, E., 2017, Different 4T1 cells migration under *Caesalpiniasappan* L., and *Ficus septica* Burm. f ethanolic extracts, *Indones. J. of Cancer Chemoprevention*, **8** (1), 21-26.

- Hong, W.K., and Sporn, M.B., 1997, Recent Advances in Chemoprevention of Cancer, *Science*, **vol. 278**, pp. 1073-1077.
- Jang, M.K., Sohn, D.H., Ryu, J.H., 2001, A curcuminoid and sesquiterpenes as inhibitors of macrophage TNF- α release from *Curcuma zedoaria* (Christm.), *Planta Med.*, **67**(6), 550-2.
- John, A., and Tuszynski, G., 2001, The role of matrix metalloproteinase in tumor angiogenesis and tumor metastasis, *Pathology Oncology Research*, **7**:14.
- Johnson, M., Yamunadevi, M., and Gnaraj, W.E., 2011, Chromatographic fingerprint analysis of steroids in *Aerva lanata* L. by HPTLC technique, *Asian Pac J of Trop Biomed*, 428-433.
- Kalluri, R., and Weinberg, R.A., 2009, The basics of epithelial-mesenchymal transition, *The Journal of Clinical Investigation*, **119**(6), pp. 1420-1428.
- Kaushik, J.C., Sanjay A., Tripathi N.N., Arya S., 2002, Antifungal properties of some plant extracts against damping off fungi of forest nurseries, *Indian Journal of Forestry*, **25**, 359- 361.
- Kim, E. S., Kim, M. S., and Moon, A., 2004, TGF- β -induced upregulation of MMP-2 and MMP-9 depends on p38 MAPK, but not ERK signaling in MCF10A human breast epithelial cells, *International journal of oncology*, **25**(5), pp. 1375-1382.
- Kupai, K., 2011, Gelatin Zymography for detection of matrix metalloproteinase-2 and -9 (MMP-2, MMP-9) from myocardium samples, In *A practical manual*. (p.29).
- Lai, E.Y.C., Chyau, C.C., Mau, J.L. *et al.*, 2004, Antimicrobial activity and cytotoxicity of the essential oil of *Curcuma zedoaria*, *America Journal of Chinese Medicine*, **32**(2) 281-290.
- Lakshmi, S., Padmaja, G., Remani, P., 2011, Research Article: Antitumor effects of Isocurcumenol isolated from *Curcuma zedoaria* rhizomes on human and murine cancer cells, *The Scientific World Journal*, **Vol. 2011**.
- Lee, H., and Lin, J.-H., 1988, Antimutagenic activity of extracts from anticancer drugs in Chinese medicine, *Mutation Research*, **204**, 229-234.
- Leber, M.F., and Efferth, T., 2009, Molecular Principles of cancer invasion and metastasis (Review), *International Journal of Oncology*, **34**(6), pp. 881-895.
- Liang, C., Park, A.Y., and Guan, J., 2007, In Vitro scratch assay: a convenient and inexpensive method for analysis of cell migration in vitro, *Nature Protocols*, **2**(2): 329-333.

- Lien, E.J., and Li, W., 1985, *Advances in chinese medicine materials research*, **5**, 432-455.
- Liu, Y., Wang, W., Fang, B., Ma, F., Zheng, Q., Deng, P., Zaho, S., Chen, M., Yang, G., He, G., 2013, Anti-tumor effect of germacrone on human hepatoma cell lines through inducing G2/M cell cycle arrest and promoting apoptosis, *European Journal of Pharmacology*, **698**(1-3), pp. 95-102.
- Maliya, A., 2004, Perubahan sel menjadi kanker dari sudut pandang biologi molekuler, *Infokes*, **Vol. 8**, No.1.
- Maheswari, R.K., A.K., Gaddipati. J., Srimal, R.C., 2006, Multiple Biological activities of curcumin: a short review, *Life Science*, **78**, 2081-2087.
- Mandai, K., Rikotake, Y., Shimono, Y., Takai, Y., 2013, Chapter nineteen-Afadin/AF-6 and canoe: Role in cell adhesion and beyond, *Progress in Molecular Biology and Translational Science*, **Vol. 116**, pp. 433-454.
- Marston, A., 2007, Role of Advances in chromatographic techniques in phytochemistry, *Phytochemistry*, **68**, 2785-2797.
- Mau, J.-L., Lai, Eric Y.C., Wang, N.-P., Chen, C.-C., Chang, C.-H., Chyau, C.-C., 2003, Composition and antioxidant activity of the essential oil from *Curcuma zedoaria*, *Food Chemistry*, **82**(2003) 583-591.
- Meiyanto, E., Susidarti, R.A., Handayani, S., and Rahmi, F., 2008, Ekstrak Etanolik Biji Buah Pinang (*Areca catechu* L.) Mampu Menghambat Proliferasi dan memacu Apoptosis Sel MCF-7, *Majalah Farmasi Indonesia*, **19**(1), pp. 12-19.
- Morikawa, T., Matsuda, H., Ninomiya, K., Yoshikawa, M., 2002, Medicinal Foodstuffs. XXIX Potent Protective Effects of Sesquiterpenes and Curcumin From *Zedoaria Rhizoma* on Liver Injury Induced by D-galactosamine/Lippoolysaccharide or Tumor Necrosis Factor- α , *Biol. Pharm. Bull.*, **25**(5), 627-631.
- Mosmann, T., 1983, Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays, *Journal of Immunological Methods*, **65**: 55-63.
- NCI, 2015, Understanding Cancer, <https://www.cancer.gov/about-cancer/understanding/what-is-cancer>, diakses pada tanggal 26 Desember 2018 pukul 21.35 WIB.
- Novitasari, Dhania, Handayani, Sri, Jenie, Riris Istighfari, 2018, Ethanolic Extract of *Hedyotis corymbosa* L. Inhibits Migration and MMP-9 Activity on Metastatic Breast Cancer Cells, *Indones. J. Of Cancer Chemoprevent.*, **9**(1), 16-22.

- NCI, 2018, Cancer causes and prevention, <https://www.cancer.gov/about-cancer/causes-prevention/patient-prevention-overview-pdq>, diakses pada tanggal 28 Desember 2018, pukul 09.25 WIB.
- O'brien, M.E.R., Wigler, N., Inbar, M.C.B.C.S.G. *et al.*, 2004, Reduced cardiotoxicity and comparable efficacy in a phase III trial of pegylated liposomal doxorubicin HCl (CAELYXTM/Doxil®) versus conventional doxorubicin for firstline treatment of metastatic breast cancer. *Annals of oncology*, **15**(3), pp. 440-449.
- Oh, O.J., Min, H.Y., and Lee, S. K., 2007, Inhibition of inducible prostaglandin E2 production and cyclooxygenase-2 expression by curdione from *Curcuma zedoaria*, *Archives of Pharmacol Research*, **30** (10) 1226-1239.
- Ordonez, M., Rivera, I.G., Gomez-Munoz, A., 2016, Implication of Matrix Metalloproteinase 2 and 9 in Ceramide 1-phosphate-stimulated Macrophage Migration, *Cell Signal*, **28**(8), 1066-1074.
- Pellikainen, J.M., Ropponen, K.M., Kataja, V.V., Kellokoski, J.K., Eskelinen, M.J., and Kosma, V.M., 2004, Expression of matrix metalloproteinase (MMP)-2 and MMP-9 in breast cancer with a special reference to activator protein-2, HER2, and prognosis, *Clinical Cancer Research*, (10)**22**, pp. 7621-7628.
- Prayong, P., Barusrux, S. and Weerapreeyakul, N., 2008, Cytotoxic Activity Screening of Some Indigenous Thai Plants, *Fitoterapia*, **79**(7-8), 598-601.
- Purkayastha, Jubilee, Nath, Subhan C., Klinkby, Naja, 2006, Essential Oil of the Rhizome of *Curcuma zedoaria* (Christm.) Rose. Native to Northeast India, *J. Essent. Oil Res.*, **18**, 154-155.
- Pusztai, L., Lewis, C.E., and Yap, E., 1996, *Cell Prolifetaion in Cancer Regulatory Mechanisms of Neoplastic Cell Growth*, Oxford University Press Inc., New York.
- Pusztai, L., Mazouni, C., Anderson, K., Wa, Y., Symmans, W.F., 2006, Molecular Classification of Breast Cancer: Limitations ad Potential, *The Oncologist*, **11**: 868-877.
- Radisky, E.S., and Radisky, D.C., 2010, Matrix Metalloproteinase- Induced Epithelial Mesenchymal Transition in Breast Cancer, *J. Mammary Gland Biol Neoplasia*, **15**: 201-212.
- Rajeswara Rao, B. R., Kaul, P. N., Bhattacharya, A. K., Rajput, D. K., Syamasundar, K. V., Ramesh, S., 2011, Comparative Chemical Composition of Steam Distilled and Water-Soluble Essential Oils of South American Marigold (*Tagetes minuta* L.), *J. Essent. Oil Res.*, **18**, 622-626.

- Ramadani, Ratna Dwi, Utoma, Rohmad Yudi, Hermawan, Adam, Meiyanto, Edy, 2018, Curcumin Analog Pentagamaboronon-0-Sorbitol Inhibits Cell Migration Activity of Triple Negative Breast Cancer Cell Line, *Indones. J. Cancer Chemoprevent.*, **9**(3), 126-133.
- Scully, O.J., Bay, B.H., Yip, G., and Yu, Y., 2012, Breast cancer metastasis. *Cancer Genomics-proteomics*, **9**(%), pp.311-320.
- Shah, R., Rosso, K., Nathanson, S.D., 2014. Pathogenesis, prevention, diagnosis and treatment of breast cancer. *World J. Clin. Oncol.* **5**, 283–298.
- Sharma, Girish, Tyagi, Anil K., Singh, Rana P., Chan, Daniel C. F., and Agarwal, Rajesh, 2004, Synergistic anti-cancer effects of grape seed extract and conventional cytotoxic agent doxorubicin against human breast carcinoma cells, *Breast Cancer Research and Treatment* **85**: 1–12, 2004.
- Singh, Pratibha, Singh, Sunita, Kapoor, I. P. S., Isidorov, Valery, Szczepaniak, Lech, 2013, Chemical composition and antioxidant activities of essential oil and oleoresins from *Curcuma zedoaria* rhizomes, part-47, *Food Bioscience*, **3**, 42-48.
- Sotiriou, C., and Pusztai, L., 2009, Gene-Expression Signatures in Breast Cancer, *The New England Journal of Medicine*, **360**: 790-800.
- Studebaker, A.W., Storci, G., Werbeck, J.L., Sansone, P., Sasser, A.K., Tavolari, S., Huang, T., Chan, M.W.Y., Marini, F.C., Rosol, T.J., Bonafe, M., and Hall, B.M., 2008, Fibroblasts isolated from common sites of breast cancer metastasis enhance cancer cell growth rates and invasiveness in an interleukin-6-Dependent manner, *Cancer Research*, **68**(21), 9087-9095.
- Surh, Y.J., 1999, Molecular Mechanisms of Chemoprevention Effects of Selected Dietary and Medicinal Phenolic Substances, *Mutat. Res.*, **428**, 305-327.
- Sylvestere, M., Pichette, A., Longtin, A., Nagau, F., Legault, J., 2006, Essential oil analysis and anticancer activity of leaf essential oil of *Croton flavens* L. from Guadeloupe, *Journal of Ethnopharmacology*, **103**(2006), 99-102.
- Syu, W.J., Shen, C.C., Don, M.J., Ou, J.C., Lee, G.H., and Sun, C.M., 1998, Cytotoxicity of curcuminoids and some novel compounds from *Curcuma zedoaria*, *Journal of Natural Products*, **vol. 61**, no. 12, pp. 1531-1534.
- Tao, K., Fang, M., Alroy, J., and Sahagian, G.G., 2008, Imagable 4T1 Model for the study of late stage breast cancer, *BMC Cancer*, **8**:23.
- Toth, M., and Fridman, R., 2001, Assesment of Gelatinases (MMP-2 and MMP-9) by gelatin zymography, *Metastasis Research Protocols*: Vol. 1: Analysis of Cells and Tissues, pp. 163-174.

- Verma, R.P., and hansch, C., 2007, Matrix Metalloproteinases (MMP): Chemical-biological Function and (Q)SARs, *Biorganic and Medicinal Chemistry*, **15**: 2223-2268.
- Vu, T.H., J., Michaels S., Bergers, G., Berger, J.E., Helms, J.A., Hanahan, D., Shapiro, S.D., Senior, R.M., and Werb, Z., 1998, MMP-9/Gelatinase B Is a Key Regulator of Growth Plate Angiogenesis and Apoptosis of Hypertrophic Chondrocytes, *Cell*, **Vol. 93**, 411-422.
- Watanabe, K., Shibata, M., and Yano, S., 1986, Antiulcer activity of extracts and isolated compounds from zedoary (*Gajutsu*) cultivated in Yakushima (Japan), *Yakugaku Zasshi*, **vol. 106**, no. 12, pp. 1137-1142.
- WHO, 2018, Cancer, <https://www.who.int/cancer/en/> , diakses pada tanggal 26 Desember 2018, pukul 19.45 WIB.
- Wilson, B., Abraham, G., Manju, V.S., Mathew, M., Vimala, B., Sundaresan, S., Nambisan, B., 2005, Antimicrobial activity of *Curcuma zedoaria* and *Curcuma malabarica* tubers, *J. Ethnopharmacol*, **99**, 147-151.
- Windono, M. S., dan Parfiati, N, 2002, *Curcuma zedoaria* (Christm.) Rosc., Kajian Pustaka Kandungan Kimia dan Aktivitas Farmakologik, *Artocarpus*, **2**(1): 1-10.
- Yerlikaya, A., Okur, E., and Ulukaya, E., 2012, The p-53-independent induction of apoptosis in breast cancer cells in response to proteasome inhibitor bortezomib, *Tumor Biology*, **33**(5), pp. 1385-1392.
- Yoshioka, T., Fuji, E., Endo, M., Wada, K., Tokunaga, Y., Shiba, N., *et al.*, 1998, Antiinflammatory potency of dehydrocurdione, a zedoary-derived sesquiterpene, *Inflamm Res*, **47**(12): 476-481.
- Zhong, Z., Chen, X., Tan, W., Xu, Z., Zhou, K., Wu, T., Cui, Liao, Wang, Y. 2011. Germacrone inhibits the proliferation of breast cancer cell lines by inducing cell cycle arrest and promoting apoptosis. *European Journal of Pharmacology*, **667**(1-3), 50–55. doi:10.1016/j.ejphar.2011.03.041.
- Zulharini, M., Sutejo, Ika R., Fadliyah, Hilyatul, Jenie, Riris Istighfari, 2017, Methanolic Extract of Red Betel Leaves (*Piper crocatum* Ruiz & Pav) Perform Cytotoxic Effect and Antimigration Activity toward Metastatic Breast Cancer, *Indones. J. Cancer Chemoprevent.*, **8**(3), 90-96.
- Zwolak, P., Jasinski, P., Terai, K., Gallus, N.J., Ericson, M.E., Clohisy, D.R., and Dudek, A.Z., 2008, Addition of receptor tyrosine kinase inhibitor to radiation increases tumour control in an orthotopic murine model of breast cancer metastatic in bone, *European Journal of Cancer*, **44**(16), pp. 2506-

2517.

Zyad, A., Leouifoudi, I., Tilaoui, M., Mouse, H. A., Khouchani, M., *and* Jaafari, A., 2018, Natural Products as Cytotoxic Agents in Chemotherapy against Cancer, *Cytotoxicity*. doi:10.5772/intechopen.72744.