

## DAFTAR PUSTAKA

- [1] B. Aryoyudanta, T. B. Adji, and I. Hidayah, "Semi-supervised learning approach for Indonesian Named Entity Recognition (NER) using co-training algorithm," *Proceeding - 2016 Int. Semin. Intell. Technol. Its Appl. ISITIA 2016 Recent Trends Intell. Comput. Technol. Sustain. Energy*, pp. 7–12, 2017.
- [2] Z. Huang, W. Xu, and K. Yu, "Bidirectional LSTM-CRF Models for Sequence Tagging," 2015.
- [3] S. Bird, E. Klein, and E. Loper, *Natural Language Processing with Python*. 2009.
- [4] A. S. Wibawa and A. Purwarianti, "Indonesian Named-entity Recognition for 15 Classes Using Ensemble Supervised Learning," *Procedia Comput. Sci.*, vol. 81, no. May, pp. 221–228, 2016.
- [5] W. Gunawan, D. Suhartono, F. Purnomo, and A. Ongko, "Named-Entity Recognition for Indonesian Language using Bidirectional LSTM-CNNs," *Procedia Comput. Sci.*, vol. 135, pp. 425–432, 2018.
- [6] X. Ma and E. Hovy, "End-to-end sequence labeling via bi-directional LSTM-CNNs-CRF," *54th Annu. Meet. Assoc. Comput. Linguist. ACL 2016 - Long Pap.*, vol. 2, pp. 1064–1074, 2016.
- [7] D. Hoesen and A. Purwarianti, "Investigating Bi-LSTM and CRF with POS Tag Embedding for Indonesian Named Entity Tagger," *Proc. 2018 Int. Conf. Asian Lang. Process. IALP 2018*, pp. 35–38, 2019.
- [8] K. Xu, Z. Yang, P. Kang, Q. Wang, and W. Liu, "Document-level attention-based BiLSTM-CRF incorporating disease dictionary for disease named entity recognition," *Comput. Biol. Med.*, vol. 108, no. April, pp. 122–132, 2019.
- [9] M. Peters *et al.*, "Deep Contextualized Word Representations," pp. 2227–

2237, 2018.

- [10] J.-T. Hsieh, C. Li, and W. Liu, “Effective Word Representation for Named Entity Recognition,” pp. 1–11, 2017.
- [11] G. Lample, M. Ballesteros, S. Subramanian, K. Kawakami, and C. Dyer, “Neural architectures for named entity recognition,” *2016 Conf. North Am. Chapter Assoc. Comput. Linguist. Hum. Lang. Technol. NAACL HLT 2016 - Proc. Conf.*, pp. 260–270, 2016.
- [12] A. Zukov-Gregoric, Y. Bachrach, P. Minkovsky, S. Coope, and B. Maksak, “Neural named entity recognition using a self-attention mechanism,” *Proc. - Int. Conf. Tools with Artif. Intell. ICTAI*, vol. 2017-Novem, pp. 652–656, 2018.
- [13] R. Wongso, Meiliana, and D. Suhartono, “A Literature Review of Question Answering System using Named Entity Recognition,” *Proc. 2016 3rd Int. Conf. Inf. Tech., Comput. Electr. Eng. (ICITACEE), Oct 19-21st, 2016, Semarang, Indones.*, pp. 274–277, 2016.
- [14] H. Dito Murya Alfaroehmi and M. A. Bijaksana, “Building the Indonesian NE Dataset Using Wikipedia and DBpedia with Entities Expansion Method on DBpedia,” *Proc. 2018 Int. Conf. Asian Lang. Process. IALP 2018*, pp. 334–339, 2019.
- [15] G. Veena, D. Gupta, S. Athulya, and S. Shaji, “A Graph-Based Relation Extraction Method for Question Answering System,” pp. 944–949, 2017.
- [16] F. A. Yusup, M. A. Bijaksana, and A. F. Huda, “Name Recognition with Support Vector Machine for Narrator ’ s Name Recognition with Support Vector Machine for Indexing Indonesian Hadith translations,” *Procedia Comput. Sci.*, vol. 157, pp. 191–198, 2019.
- [17] L. Luo *et al.*, “An attention-based BiLSTM-CRF approach to document-level chemical named entity recognition,” *Bioinformatics*, vol. 34, no. 8, pp. 1381–1388, 2018.

- [18] A. Goyal, V. Gupta, and M. Kumar, “Recent Named Entity Recognition and Classification techniques: A systematic review,” *Comput. Sci. Rev.*, vol. 29, pp. 21–43, 2018.
- [19] I. Budi, “Association Rules Mining for Name Entity Recognition Indra Budi Computer Science Faculty , University of School of Computing , National University of,” *Inf. Syst. J.*, pp. 15–18, 2003.
- [20] D. Küük and A. Yazici, “A hybrid named entity recognizer for Turkish,” *Expert Syst. Appl.*, vol. 39, no. 3, pp. 2733–2742, 2012.
- [21] S. H. Na, H. Kim, J. Min, and K. Kim, “Improving LSTM CRFs using character-based compositions for Korean named entity recognition,” *Comput. Speech Lang.*, vol. 54, pp. 106–121, 2019.
- [22] L. Verwimp, J. Pelemans, H. Van Hamme, and P. Wambacq, “Character-word LSTM language models,” *15th Conf. Eur. Chapter Assoc. Comput. Linguist. EACL 2017 - Proc. Conf.*, vol. 1, pp. 417–427, 2017.
- [23] D. C. Wintaka, M. A. Bijaksana, and I. Asror, “Named-Entity Named-Entity Recognition Recognition on Indonesian Indonesian Tweets using Bidirectional LSTM-CRF,” *Procedia Comput. Sci.*, vol. 157, pp. 221–228, 2019.
- [24] D. Bahdanau, K. Cho, and Y. Bengio, “Neural Machine Translation by Jointly Learning to Align and Translate,” pp. 1–15, 2014.
- [25] Z. Tan, M. Wang, J. Xie, Y. Chen, and X. Shi, “Deep semantic role labeling with self-attention,” *32nd AAAI Conf. Artif. Intell. AAAI 2018*, pp. 4929–4936, 2018.
- [26] J. P. C. Chiu and E. Nichols, “Named Entity Recognition with Bidirectional LSTM-CNNs,” *Trans. Assoc. Comput. Linguist.*, vol. 4, no. 2003, pp. 357–370, 2016.
- [27] T. Mikolov, I. Sutskever, K. Chen, G. Corrado, and J. Dean, “Distributed representations of words and phrases and their compositionality,” *Adv.*

*Neural Inf. Process. Syst.*, pp. 1–9, 2013.

- [28] J. Alammam, “The Illustrated Transformer [Blog post].” [Online]. Available: <http://jalammar.github.io/illustrated-bert/>. [Accessed: 05-Oct-2019].
- [29] D. Liang, W. Xu, and Y. Zhao, “Combining Word-Level and Character-Level Representations for Relation Classification of Informal Text,” pp. 43–47, 2017.
- [30] Y. Zhu, G. Wang, and B. F. Karlsson, “CAN-NER: Convolutional Attention Network for Chinese Named Entity Recognition,” pp. 3384–3393, 2019.
- [31] S. Hochreiter and J. Unger Schmidhuber, “Long Short-Term Memory,” *Neural Comput.*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [32] G. Rao, W. Huang, Z. Feng, and Q. Cong, “LSTM with sentence representations for document-level sentiment classification,” *Neurocomputing*, vol. 308, pp. 49–57, 2018.
- [33] G. Zheng, S. Mukherjee, X. L. Dong, and F. Li, “OpenTag: Open Attribute Value Extraction from Product Profiles [Deep Learning, Active Learning, Named Entity Recognition],” 2018.
- [34] A. M. Ertugrul and P. Karagoz, “Movie Genre Classification from Plot Summaries Using Bidirectional LSTM,” *Proc. - 12th IEEE Int. Conf. Semant. Comput. ICSC 2018*, vol. 2018-Janua, pp. 248–251, 2018.
- [35] T. Fujita, W. Bay, and C. Quan, “Long Short-Term Memory Networks for Automatic Generation of Conversations,” pp. 483–487, 2017.
- [36] Y. Nie, C. An, J. Huang, Z. Yan, and Y. Han, “A bidirectional LSTM model for question title and body analysis in question answering,” *Proc. - 2016 IEEE 1st Int. Conf. Data Sci. Cyberspace, DSC 2016*, pp. 307–311, 2017.
- [37] I. Sutskever, O. Vinyals, and Q. V Le, “Sequence to sequence learning with

- neural networks,” *Adv. Neural Inf. Process. Syst.*, pp. 3104–3112, 2014.
- [38] C. Olah, “Understanding LSTM Networks,” 2015. [Online]. Available: <https://colah.github.io/posts/2015-08-Understanding-LSTMs/>. [Accessed: 07-Oct-2019].
- [39] Y. Chen *et al.*, “Named entity recognition from Chinese adverse drug event reports with lexical feature based BiLSTM-CRF and tri-training,” *J. Biomed. Inform.*, vol. 96, no. July, p. 103252, 2019.
- [40] L. Weng, “Attention? Attention!,” *lilianweng.github.io/lil-log*, 2018. [Online]. Available: <https://lilianweng.github.io/lil-log/2018/06/24/attention-attention.html>. [Accessed: 01-Oct-2019].
- [41] J. Cheng, L. Dong, and M. Lapata, “Long Short-Term Memory-Networks for Machine Reading,” pp. 551–561, 2016.
- [42] A. Ambartsoumian and F. Popowich, “Self-Attention: A Better Building Block for Sentiment Analysis Neural Network Classifiers,” *Proc. 9th Work. Comput. Approaches to Subj. Sentim. Soc. Media Anal.*, pp. 130–139, 2018.
- [43] X. Liu, Y. Zhou, and Z. Wang, “Recognition and extraction of named entities in online medical diagnosis data based on a deep neural network,” *J. Vis. Commun. Image Represent.*, vol. 60, pp. 1–15, 2019.
- [44] P. Rafaeilzadeh, L. Tang, and H. Liu, “Cross-Validation,” 2008.
- [45] S. Raschka, “Model Evaluation, Model Selection, and Algorithm Selection in Machine Learning,” 2018.