

DAFTAR PUSTAKA

- Abe, T., Kojima, K., Kearns, C. F., Yohena, H., & Fukuda, J. (2003). Whole body muscle hypertrophy from resistance training: distribution and total mass. *British journal of sports medicine*, 37(6), 543-545.
- Almatsier, S. 2009. *Prinsip Dasar Ilmu Gizi*. Jakarta : PT Gramedia Pustaka Utama
- Bayuningsih, Siti Nurrochmah. 2015. Hubungan Antara Frekuensi Konsumsi Fast Food dan Aktivitas Fisik dengan Tebal Lemak Bawah Kulit Siswi SMA N 6 Yogyakarta. *Tesis*. Universitas Muhammadiyah Surakarta
- Blomstrand, E., Eliasson, J., Karlsson, H. K., & Kohnke, R. 2006. Branched-Chain Amino Acids Activate Key Enzymes in Protein Synthesis After Physical Exercise. *The Journal of Nutrition*. Vol.136(1):269-273
- Boone, C. H., Stout, J. R., Beyer, K. S., Fukuda, D. H., & Hoffman, J. R. (2015). Muscle strength and hypertrophy occur independently of protein supplementation during short-term resistance training in untrained men. *Applied Physiology, Nutrition, and Metabolism*, 40(8), 797-802.
- Brilla LR1, Haley TF. 1992. Effect of magnesium supplementation on strength training in humans. *J Am Coll Nutr*. Vol 11(3): 326-9.
- Brosnan, J. T., & Brosnan, M. E. 2006. Branched-chain Amino Acids: Enzyme and Substrate Regulation. *The Journal of Nutrition*. Vol.136(1):207-211
- Burke DG. 2001. The Effect of Whey Protein Supplementation With and Without Creatine Monohydrate Combined With Resistance Training on Lean Tissue Mass and Muscle Strength. *Int J Sport Nutr Exerc Metabolism*. Vol.11 : 349-364

- Burt, Dean G., Twist, Craig. 2011. The Effects of Exercise-Induced Muscle Damage on Cycling Time-Trial Performance. *Journal of Strength and Conditioning Research*. Vol 25(8): 2185-2192.
- Caspersen, C. J., Powell, K.E., & Christenson, G. M. 1985. Physical Activity, Exercise, and Physical Fitness: Definitions and Distinctions for Health-Related Research. *Public Health Reports*, Vol.100(2):126
- Cinar V1, Polat Y, Baltaci AK, Mogulkoc R. 2011. Effects of magnesium supplementation on testosterone levels of athletes and sedentary subjects at rest and after exhaustion *Biol Trace Elem Res*. Vol 140(1): 18-23.
- Coombes JS, McNaughton LR. 2000. Effects of branched-chain amino acid supplementation on serum creatine kinase and lactate dehydrogenase after prolonged exercise. *J Sports Med Phys Fitness*. Vol. 40:240–6.
- Dibaba DT, Xun P, He K. Dietary magnesium intake is inversely associated with serum C-reactive protein levels: meta-analysis and systematic review. *Eur J Clin Nutr*. Vol. 68(4):510–6.
- Evandhani, Voila Devi. 2017. Pengaruh Pemberian Bolu KACIDE Tinggi Branched Chain Amino Acids Terhadap Pembentukan Otot Atlet Weight Sport. *Skripsi*. Universitas Gadjah Mada
- Fawcet WJ., Haxby EJ., Male DA. 1999. Magnesium: Physiology and Pharmacology. UK : Royal Surrey County Hospital
- Ferdian, F. (2010). *Latihan Berbeban, Pemberian Whey Protein, dan Pertambahan Area Otot Lengan Atas pada Pria* (Doctoral dissertation, Universitas Sebelas Maret).

Gibson, R.S. 2005. *Principles of Nutritional Assessment. Second Edition.* UK : Elsevier Inc.

Giriwijoyo, S. dan Komariyah, L. 2002. *Olahraga Kesehatan dan Kesegaran Jasmani Pada Lanjut Usia.* Bandung : FPOK Universitas Pendidikan Indonesia

Grober,U. 2012. *Mikronutrien:Penyelarasan Metabolik, Pencegahan dan Terapi.* Alih Bahasa, Amalia H.Hadinata, Nurul Aini: Editor edisi bahasa Indonesia. Jakarta : EGC.

Hardiyanti, Marina. 2015. Pengembangan Produk Olahana Bolu Perbahan tepung KACIDE (Kapri, Kecipir, dan Tempe Kedelai) Tinggi BCAA (Branched Chain Amino Acid) untuk Atlet Weight Sport. *Skripsi.* Universitas Gadjah Mada

Hariono, Awan. 2006. *Metode Melatih Fisik Pencak Silat.* Yogyakarta : FIK UNY

Hernandez, R. J., & Kravitz, L. 2003. The Mystery of Skeletal Muscle Hypertrophy. *ACSM's Health & Fitness Journal*, Vol 7(2):18

Heymsfield, S. B., McManus, C., Smith, J., Stevens, V., & Nixon, D. W. (1982). Anthropometric measurement of muscle mass: revised equations for calculating bone-free arm muscle area. *The American Journal of Clinical Nutrition*, 36(4), 680-690.

Howatson, G., Hoad, M., Goodall, S., Tallent, J., Bell, P. G., & French, D. N. 2012. Exercise-Induced Muscle Damage is Reduced in Resistance-Trained Males by Branched Chain Amino Acids: A Randomized, Double Blind, Placebo Controlled Study. *Int J Soc Sports Nutr.* Vol.9(1):20

Lemeshow, Stanley. 1997. *Besar Sampel dalam Penelitian Kesehatan.* Yogyakarta : Gadjah Mada University

- MacLean DA, Graham TE, Saltin B. 1994. Branched-chain amino acids augment ammonia metabolism while attenuating protein breakdown during exercise. *Am J Physiol*. Vol 267:E1010–22. 26.
- Marzetti E, Landi F, Marini F. 2014. Patterns of circulating inflammatory biomarkers in older persons with varying levels of physical performance: a partial least squares-discriminant analyses approach. *Front Med*. Vol 1(27):1–8.
- Masruri, Adha. 2016. Penyusunan Norma Tes Keterampilan Pencak Silat Terhadap Gerakan Tendangan bagi Atlet Pemula Kategori Remaja di Pusat Pembinaan Latihan Pelajar Jawa Tengah. *Skripsi*. Universitas Negeri Semarang
- Meludu, SC., Nishimuta, M., Yoshitake, Y., Toyooka, F., Kodama, N., Kim, C. S., Maekawa, Y., Fukuoka, H. 2002. Anaerobic Exercise-Induced Changes in Serum Mineral Concentrations. *Africans Journal of Biomedical Research*. Vol 5:13-7
- Miranda, H., Fleck, S. J., Simão, R., Barreto, A. C., Dantas, E. H., & Novaes, J. (2007). Effect of two different rest period lengths on the number of repetitions performed during resistance training. *The Journal of Strength & Conditioning Research*, 21(4), 1032-1036.
- Nenggala, Asep Kurnia. 2006. *Pendidikan Jasmani Olahraga dan Kesehatan*. Jakarta : Grafindo Media Pratama
- Newsholme, E. A., & Blomstrand, E. 2006. Branched Chain Amino Acids and Central Fatigue. *The Journal of Nutrition*. Vol.136(1):274-276
- Nielsen, FH., & Lukaski, H. C. 2006. Update On The Relationship Between Magnesium and Exercise. *Magnes Res*. Vol.19(9):180

- Norton, L. E., & Layman, D. K. (2006). Leucine regulates translation initiation of protein synthesis in skeletal muscle after exercise. *The Journal of nutrition*, 136(2), 533S-537S.
- Nugraha, Hadi., Soetardji, Said Junaidi. 2014. Latihan *Split Jumps* dan *Alternate Leg Bounds* untuk Meningkatkan *Power* Tendangan Jejang pada Pencak Silat. *Journal of Sport Sciences and Fitness*. Vol 3(2). Universitas Negeri Semarang
- Nurhasan. 2005. *Aktivitas Kebugaran*. Jakarta : Depdiknas
- Pauka, Kirstin. 2005. Silat. *Berkshire Encyclopedia of World Sport*. Vol.4 : 1372-1376. Diakses pada Gale Virtual Reference Library, HYPERLINK "http://link.galegroup.com/apps/doc/CX3455200374/GVRL?u=idpnri&sid=GVRL&xid=ac026f02"
- Penggalih, Mirza Hapsari Sakti Titis. 2017. Hubungan Antara Asupan Zat Gizi Makro dan Komposisi Tubuh Terhadap Kecepatan Pada Pemain Sepakbola Unit Kegiatan Mahasiswa (UKM) di Daerah Istimewa Yogyakarta. *Tesis*. Universitas Gadjah Mada.
- Phillips, S. M. (2000). Short-term training: when do repeated bouts of resistance exercise become training?. *Canadian journal of applied physiology*, 25(3), 185-193.
- Rayssiquier Y., Guezennec, C. Y., Durlach, J. 1990. *New Experimental and Clinical Data on The Relationship Between Magnesium and Sport*. Dapat diakses di <http://www.ncbi.nlm.nih.gov/pubmed>
- Rhea, M. R., Alvar, B. A., Burkett, L. N., & Ball, S. D. (2002). A meta-analysis to determine the dose response for strength development. *Medicine and science in sports and exercise*, 35(3), 456-464.

- Riazi, Roya., Linda J. Wykes, Ronald O. Ball, Paul B. Pencharz. 2003. The Total Branched-Chain Amino Acid Requirement in Young Healthy Adult Men Determined by Indicator Amino Acid Oxidation by Use of Phenylalanine. *American Society for Nutritional Science*, pp (1383-1389).r
- Righetti,P., Little, E.P., & Wolf, G. 1971. Reutilization of Amino Acids in Protein Synthesis in Hela Cells. *Journal of Biological Chemistry*.Vol.246(18):5724:5732
- Russell, B., Motlagh, D., & Ashley, W. W. 2000. Form Follows Function : How Muscle Shape is Regulated by Work. *Journal of Applied Physiology*. Vol.88(3):1127-1132.
- Sari, Maria Dina P. 2014. Pengembangan Kapri, Kecapir, dan Tempe Kedelai(KACIDE) Sebagai Suplemen Makanan Cair Tinggi Branched Chain Amino Acid(BCAA) untuk Atlet Weight Sport. *Skripsi*. Universitas Gadjah Mada
- Schiaffino, S., Dyar, K. A., Ciciliot, S., Blaauw, B., & Sandri, M. 2013. Mechanism Regulating Skeletal Muscle Growth and Atrophy. *FEBS Journal*.Vol 280(17): 4294-4314
- Schoenfeld, B. J. 2010. The Mechanisms of Muscle Hypertrophy and Their Application to Resistance Training. *The Journal of Strength and Conditioning Research*. Vol.24(10): 257-2872
- Sediaoetama, Djaeni. 1985. *Ilmu Gizi*. Dian Rakyat. Jakarta
- Setiawan, Afif. 2017. *Pengaruh Latihan Flexibility (Split Samping) Terhadap Kecepatan Tendangan Sabit pada Santri Ekstrakurikuler Pencak Silat Pondok Pesantren Al-Fatah Natar Desa Negara Ratu Kecamatan Natar Lampung Selatan*. Universitas Lampung : Lampung

- Seynnes, O. R., de Boer, M., & Narici, M. V. (2007). Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *Journal of applied physiology*, 102(1), 368-373.
- Shimomura, Y., Yamamoto, Y., Bajotto, G., Sato, J., Murakami, T., Shimomura, N., & Mawatari, K. 2006. Nutraceutical Effects of Branched-Chain Amino Acids on Skeletal Muscle. *The Journal of Nutrition*. Vol.136(2):529-532
- Slamet, D.S dan Purawisastra, S. 1979. *Komposisi Asam Amino dari Berbagai Makanan Indonesia*. Bogor:Puslitbang Gizi Departemen Kesehatan RI
- Smith, Abbie E., Fukuda, David. H., Stout, J. R. 2010. The Effect of A Pre-Workout Supplement Containing Caffeine, Creatine, and Amino Acids During Three Weeks of High-Intensity Exercise on Aerobic and Anaerobic Performance. *Journal of The International Society of Sports Nutrition*. Vol 7:10
- Soedarmo, P dan Sediaoetama, A. J. 1974. *Ilmu Gizi*. Jakarta : Dian Rakyat Tepung
- Stipanuk, Martha H dan Caundill, Marie A. 2013. *Biochemical, Physiological, and Molecular Aspects of Human Nutrition*. Lake St.Louis : Elsevier Health Sciences
- Stoppani, J., Scheett, T. P., Pena, J., Rudolph, C., Charlebois, D., & Charleston, S.C. 2009. Consuming Branched Chain Amino Acid Supplement During A Resistance Training Program Increases Lean Mass, Muscle Strength and Fat Loss. *Journal of the International Society of Sports Nutrition*. Vol,6(1)
- Suatan, Alexander T., Sartika, Ratu Ayu Dewi. 2014. *Efek Suplementasi BCAA (Brached Chain Amino Acid) Terhadap Nilai Vo₂max pada Atlet Dayung Rowing Nasional di Pusat Pelatihan Nasional Atlet Dayung Pengalengan, Jawa Barat, Indonesia Tahun 2014*. Fakultas Kesehatan Masyarakat UI

Sukmajati, Refiana Putri. 2015. Hubungan Asupan Zat Gizi Mikro dan Komposisi Lemak Tubuh dengan Tingkat Kebugaran Mahasiswa di UKM Sepakbola UNY.

Skripsi. Universitas Muhammadiyah Surakarta

Suntoda, Andi. 2010. *Tes, Pengukuran dan Evaluasi dalam Cabang Olahraga*. Bandung : FPOK UPI.

Veronese N, Berton L, Carraro S. 2014. Effect of oral magnesium supplementation on physical performance in healthy elderly women involved in a weekly exercise program: a randomized controlled trial. *Am J Clin Nutrition*. Vol 100(3):974–81.

Widyakarya Nasional Pangan dan Gizi (WNPG). 2004. Jakarta : Lembaga Ilmu Pengetahuan Indonesia

Williams, Melvin H. 2005. *Nutrition For Health, Fitness, and Sport*. New York : McGraw-Hill International Edition.