

## DAFTAR PUSTAKA

- Aliasgharzadeh, A., Khalili, M., Mirtaheri, E., & Gargari, B. P. (2015). A Combination of Prebiotic Inulin and Oligofructose Improve Some of Cardiovascular Disease Risk Factors in Women with Type 2 Diabetes: A Randomized Controlled Clinical Trial. *5*(4), 507–514. <https://doi.org/10.15171/apb.2015.069>
- Amelia, K. R., Mita, N., & Indriyanti, N. (2019). Pengaruh Interaksi Metformin dengan Perasan Jahe pada Kadar Glukosa Darah dan Organ Mencit Diabetes. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 16–17.
- Anderson, J. W., Baird, P., Davis, R. H., Ferreri, S., Knudtson, M., Koraym, A., ... Williams, C. L. (2009). Health benefits of dietary fiber. *Nutrition Reviews*, *67*(4), 188–205. <https://doi.org/10.1111/j.1753-4887.2009.00189.x>
- Apriani, N., Suhartono, E., & Akbar, I. Z. (2011). Korelasi Kadar Glukosa Darah dengan Kadar Advanced Oxidation Protein Products ( AOPP ) Tulang pada Tikus Putih Model Hiperglikemia. *Jurnal Kesehatan Masyarakat*, *11*(1), 48–55.
- Ariantini, R., & Suryaatmadja, M. (2000). Beberapa Aspek LDL Padat Kecil (Small Dense LDL) sebagai Faktor Aterogenik. *Indonesian Journal of Clinical Pathology*, *7*(1).
- Arifin, W. N., & Zahiruddin, W. M. (2017). Sample size calculation in animal studies using resource equation approach. *Malaysian Journal of Medical Sciences*, *24*(5), 101–105. <https://doi.org/10.21315/mjms2017.24.5.11>
- Asemi, Zare, Z., Shakeri, H., Sabihi, S., & Esmailzadeh, A. (2013). Effect of Multispecies Probiotic Supplements on Metabolic Profiles, hs-CRP, and Oxidative Stress in Patients with Type 2 Diabetes. *Annals of Nutrition & Metabolism*, *63 Suppl 1*, 1–9. <https://doi.org/10.1159/000349922>
- Ataie-Jafari, A., Larijani, B., Majd, H. A., & Tahbaz, F. (2009). Cholesterol-Lowering Effect of Probiotic Yogurt in Comparison With Ordinary Yogurt in Mildly to Moderately Hypercholesterolemic Subjects. *Annals of Nutrition and Metabolism*, *54*(1), 22–27.
- Barnett, S., & Anthony. (2002). *The Story of Rats: Their Impact on Us and Our Impact on Them*. Crows Nest NSW: Allen & Unwin.
- Basta, G., Schmidt, A. ., & De Caterina, R. (2004). Advanced Glycation End Products and Vascular Inflammation: Implications for Accelerated Atherosclerosis In Diabetes. *Cardiovascular Research*, *4*(63), 582–592.
- Beneo. (2019a). Orafti® Inulin From Natural Sources. Diambil 13 Juni 2019, dari Beneo Connecting Nutrition and Health website: <https://www.beneo.com/ingredients/human-nutrition/functional-fibres/inulin>
- Beneo. (2019b). Orafti® Oligofructose From Natural Sources. Diambil 13 Juni 2019, dari Beneo Connecting Nutrition and Health website: <https://www.beneo.com/ingredients/human-nutrition/functional-fibres/oligofructose>
- Bernini, L. J., Simão, A. N. C., Alfieri, D. F., Lozovoy, M. A. B., Mari, N. L., de Souza, C. H. B., ... Costa, G. N. (2016). Beneficial Effects of *Bifidobacterium Lactis* on Lipid Profile and Cytokines in Patients with Metabolic Syndrome: A Randomized Trial. Effects of Probiotics on Metabolic Syndrome. *Nutrition*, *32*(6), 716–719.
- Byung-Sung, P. (2011). Effect of Oral Administration of Jerusalem Artichoke Inulin on Reducing Blood Lipid and Glucose in STZ-Induced Diabetic Rats.

- Journal of Animal and Veterinary Advances* 10, 19, 2501–2507.
- CHR Hansen. (2019). *Lactobacillus acidophilus* (LA-5®). Diambil 12 Juni 2019, dari CHR Hansen website: <https://www.chr-hansen.com/en/probiotic-supplements-and-infant-formula/cards/product-cards/lactobacillus-acidophilus-la-5>
- Christwardana, M., Nur, M. M. A., & Hadiyanto. (2013). Spirulina platensis: Potensinya Sebagai Bahan Pangan Fungsional. *Jurnal Aplikasi Teknologi Pangan*, 2(1), 1–4.
- Departemen Kesehatan RI. (2011). *Pedoman Pengendalian Tikus*. Jakarta: Depkes RI.
- Djokomoeljanto, R. (2000). Mengelola Diabetes Dalam Rangka Mencegah Komplikasi Kardiovaskuler. *Simposium Diabetes*.
- Faadlilah, N., & Ardiaria, M. (2016). Efek Pemberian Seduhan Kulit Buah Naga Merah (*Hylocereus polyrhizus*) Terhadap Kadar HDL Tikus Sprague Dawley Dislipidemia. *Journal of Nutrition College*, 5(4), 280–288.
- Fadhilah, A. N., Hafsani, & Nur, F. (2015). Penurunan Kadar Kolesterol Oleh Bakteri Asam Laktat Asal Danke Secara In Vitro. *Prosiding Seminar Nasional Mikrobiologi Kesehatan dan Lingkungan*, 174–180.
- Farid, M., Darwin, E., & Sulastri, D. (2014). Pengaruh Hiperglikemia terhadap Gambaran Histopatologis Pulau Langerhans Mencit. *Jurnal Kesehatan Andalas*, 3(3), 420–428.
- Fatimah, R. N. (2015). Diabete Melitus Tipe 2. *Jurnal Majority*, 4, 93–101.
- Fehlbaum, S., Prudence, K., Kieboom, J., Heerikhuisen, M., van den Broek, T., Schuren, F. H. J., ... Raederstorff, D. (2018). In vitro fermentation of selected prebiotics and their effects on the composition and activity of the adult gut microbiota. *International Journal of Molecular Sciences*, 19(10). <https://doi.org/10.3390/ijms19103097>
- Flesch, A., Poziomyck, A., & Damin, D. (2014). The Therapeutic Use of Symbiotics. *Arq Bras Cir Dig*, 27, 206–209.
- Foster, D. ., & Wilson, J. . (1992). *Textbook of Endocrinology* (8 ed.). USA: WB Saunders Company.
- Furie, K., & Inzucchi, S. E. (2008). Diabetes mellitus, insulin resistance, hyperglycemia, and stroke. *Current neurology and neuroscience reports*, 8(1), 12–19. Diambil dari <http://www.ncbi.nlm.nih.gov/pubmed/18367034>
- Gani, N., Momuat, L. I., & Pitoi, M. M. (2013). Profil Lipida Plasma Tikus Wistar yang Hiperkolesterolemia pada Pemberian Gedi Merah (*Abelmoschus manihot* L.). *Jurnal MIPA*, 2(1), 44. <https://doi.org/10.35799/jm.2.1.2013.765>
- Ghasemi, A., Khalifi, S., & Jedi, S. (2014). Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (review). *Acta Physiologica Hungarica*, 101(4), 408–420. <https://doi.org/10.1556/APhysiol.101.2014.4.2>
- Greany, K. A., Bonorden, M. J. L., Hamilton-reeves, J. M., McMullen, M. H., Wangen, K. E., Phipps, W. R., ... Kurzer, M. S. (2008). Probiotic Capsules Do Not Lower Plasma Lipids in Young Women and Men. *European Journal of Clinical Nutrition*, 62, 232–237. <https://doi.org/10.1038/sj.ejcn.1602719>
- Han, K.-H., Kobayashi, Y., Nakamura, Y., Shimada, K.-I., Aritsuka, T., Ohba, K., ... Fukushima, M. (2014). Comparison of the Effects of Longer Chain Inulins with Different Degrees of Polymerization on Colonic Fermentation in a Mixed Culture of Swine Fecal Bacteria. *J Nutr Sci Vitaminol*, 60, 206–212.
- Han, X., Tao, Y.-L., Deng, Y.-P., Yu, J.-W., Cai, J., Ren, G.-F., ... Jiang, G.-J. (2017). Metformin ameliorates insulinitis in STZ-induced diabetic mice. *PeerJ*,

- 5, e3155. <https://doi.org/10.7717/peerj.3155>
- Hardoko. (2007). Studi Penurunan Glukosa Darah Diabet dengan Konsumsi Rumput Laut *Eucheuma cottonii*. *Journal of Fisheries Sciences*, 9(1), 116–124.
- Harini, M., & Astirin, O. P. (2009). Blood Cholesterol Levels of Hypercholesterolemic Rat (*Rattus norvegicus*) After VCO Treatment. *Nusantara Bioscience*, 1(2), 53–58. <https://doi.org/10.13057/nusbiosci/n010201>
- Hartoyo, A., Dahrulsyah, N., Sripalupi, & Nugroho, P. (2008). Pengaruh Fraksi Karbohidrat Kacang Komak (*Lablab Purpureus* (L) Sweet). *Jurnal Teknologi dan Industri Pangan*, 19, 25–31.
- He, M., & Shi, B. (2017). Gut Microbiota as A Potential Target of Metabolic Syndrome: The Role of Probiotics and Prebiotics. *Cell & Bioscience*, 7(54), 1–14. <https://doi.org/10.1186/s13578-017-0183-1>
- Herwiyarirasanta, & Eduardus, B. (2010). Effect of Black Soybean Extract Supplementation in Low Density Lipoprotein Level of Rats (*Rattus norvegicus*) With High Fat Diet. *Science Article Universitas Airlangga*.
- Hijova, E., & Chmelarova, A. (2007). Review: Short Chain Fatty Acids and Colonic Health. *Bratislavske Lekarske Listy*, 108(8), 354–358.
- Husen, S. A., Winarni, D., Ansori, A. N. M., & Susilo, R. J. K. (2016). Potensi Ekstrak Kasar Kulit Buah Manggis (*Garcinia mangostana* L.) terhadap Kadar Kolesterol dan Kadar Glukosa Darah Puasa Mencit (*Mus musculus*) Diabetik. *Proceeding of Seminar Nasional Biodiversitas VI*, 1, 841–850. Diambil dari [https://www.researchgate.net/publication/307630847\\_Potensi\\_Ekstrak\\_Kasar\\_Kulit\\_Buah\\_Manggis\\_Garcinia\\_mangostana\\_L\\_terhadap\\_Kadar\\_Kolesterol\\_dan\\_Kadar\\_Glukosa\\_Darah\\_Puasa\\_Mencit\\_Mus\\_musculus\\_Diabetik](https://www.researchgate.net/publication/307630847_Potensi_Ekstrak_Kasar_Kulit_Buah_Manggis_Garcinia_mangostana_L_terhadap_Kadar_Kolesterol_dan_Kadar_Glukosa_Darah_Puasa_Mencit_Mus_musculus_Diabetik)
- Husna, F., Suyatna, F. D., Arozal, W., & Purwaningsih, E. H. (2019). Model Hewan Coba pada Penelitian Diabetes. *Pharmaceutical Sciences and Research*, 6(3), 131–141. <https://doi.org/10.7454/psr.v6i3.4531>
- International Diabetes Federation. (2017). *IDF Diabetes Atlas* (8th editio). [https://doi.org/http://dx.doi.org/10.1016/S0140-6736\(16\)31679-8](https://doi.org/http://dx.doi.org/10.1016/S0140-6736(16)31679-8).
- Josten, S., Mutmainnah, & Hardjoeno. (2006). Profil Lipid Penderita Diabetes Mellitus Tipe 2 P. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 13(1), 20–22.
- Kasim, S., Arief, M., Sulaeman, A., & Widodo, J. (2012). Hubungan Obesitas dan Hipertrigliseredemia dengan Risiko Perlemakan Hati pada Pasien di Makassar. *Jurnal Farmasi Klinik Indonesia*, 1(4), 136–146.
- Kayama, Y., Raaz, U., Jagger, A., Adam, M., & Schellinger, I. N. (2015). Diabetic Cardiovascular Disease Induced by Oxidative Stress. *International Journal of Molecular Sciences*, 16, 25234–25263. <https://doi.org/10.3390/ijms161025234>
- Kemenkes RI. (2008). *Riset Kesehatan Dasar (Riskesdas) Laporan Nasional 2007*. Jakarta.
- Kemenkes RI. (2013). *Riset Kesehatan Dasar*. Jakarta.
- Kemenkes RI. (2018). Hasil Utama Riset Kesehatan Dasar 2018. In *Kementrian Kesehatan Republik Indonesia* (Vol. 1). [https://doi.org/10.1016/S0140-6736\(18\)31679-8](https://doi.org/10.1016/S0140-6736(18)31679-8) Desember 2013
- Kim, Y. A., Keogh, J. B., & Clifton, P. M. (2017). Probiotics , Prebiotics , Synbiotics and Insulin Sensitivity. *Nutrition Research Reviews*. <https://doi.org/10.1017/S095442241700018X>

- Kolida, S., & Gibson, G. R. (2007). Prebiotic Capacity of Inulin-Type Fructans. *The Journal of nutrition*, 137(11 Suppl), 2503S-2506S. <https://doi.org/10.1093/jn/137.11.2503S>
- Krauss, R. M., Blanche, P. J., Rawlings, R. S., Fernstrom, H. S., & Williams, P. T. (2006). Separate effects of reduced carbohydrate intake and weight loss on atherogenic dyslipidemia. *American Journal of Clinical Nutrition*, 83(5), 1025–1031. <https://doi.org/10.1093/ajcn/83.5.1025>
- Kresna. (2015). Pakan Ayam Pedaging BR 2 CR. Diambil dari PT. Kresna Multi Pakan website: <https://kresna.co.id/kresnamultipakan/id/produk/ayam/ayam-br2cr/>
- Kumar, M., Nagpal, R., Kumar, R., Hemalatha, R., Verma, V., Kumar, A., ... Yadav, H. (2012). Cholesterol-Lowering Probiotics as Potential Biotherapeutics for Metabolic Diseases. *Experimental Diabetes Research*, 2012, 1–14. <https://doi.org/10.1155/2012/902917>
- Labibah, Z., & Anggraini, D. I. (2016). Diet Mediterania dan Manfaatnya terhadap Kesehatan Jantung dan Kardiovaskular. *Jurnal Majoriity*, 5(September), 1–3.
- Larkin, T. A., Astheimer, L. B., & Price, W. E. (2009). Dietary combination of soy with a probiotic or prebiotic food significantly reduces total and LDL cholesterol in mildly hypercholesterolaemic subjects. *European Journal of Clinical Nutrition*, 63(2), 238–245. <https://doi.org/10.1038/sj.ejcn.1602910>
- Larsen, N., Vogensen, F. ., Van den Berg, F. ., Nielsen, D. ., Andreasen, A. ., Pedersen, B. ., ... Jakobsen, M. (2010). Gut Microbiota in Human Adults with Type 2 Diabetes Differs from Non-Diabetic Adults. *PLoS ONE*, 5(2).
- Lee, D. K., Jang, S., Baek, E. H., Kim, M. J., Lee, K. S., Shin, H. S., ... Ha, N. J. (2009). Lactic acid bacteria affect serum cholesterol levels, harmful fecal enzyme activity, and fecal water content. *Lipids in Health and Disease*, 8, 1–8. <https://doi.org/10.1186/1476-511X-8-21>
- Lingga, I. S., Citraningtyas, G., & Lolo, W. A. (2014). Uji Efek Ekstrak Patikan Kebo (*Euphorbia Hirta* L) Sebagai Diuretik Pada Tikus Putih Jantan Galur Wistar (*Rattus norvegicus* sp.). *Pharmacon Jurnal Ilmiah Farmasi*, 3(3), 287–293.
- Louis, P., & Flint, H. J. (2009). Diversity , metabolism and microbial ecology of butyrate-producing bacteria from the human large intestine. *FEMS Microbiol Lett*. <https://doi.org/10.1111/j.1574-6968.2009.01514.x>
- Mahboobi, S., Rahimi, F., & Jafarnejad, S. (2018). Effects of Prebiotic and Synbiotic Supplementation on Glycaemia and Lipid Profile in Type 2 Diabetes: A Meta-Analysis of Randomized Controlled Trials. *Advanced Pharmaceutical Bulletin*, 8(4), 565–574. <https://doi.org/10.15171/apb.2018.065>
- Mahdiyati, L. (2020). *Efek Variasi Probiotik dan Prebiotik dalam Sinbiotik Shake Terhadap Kadar Glukosa Darah Tikus Hiperglikemia*. Yogyakarta: Universitas Gadjah Mada.
- Martirosyan, D. M., & Singh, J. (2015). A New Definition for Functional Food by FFC: Creating Functional Food Products Using New Definition. In *Introduction to functional food science* (3rd editio, hal. 10–24). San Diego: Functional Food Center Inc.
- Maryanto, S., Fatimah, S., & Marsono, Y. (2013). The Effect of Red Guava Fruits Supplementation on The SCFA and Cholesterol Production in Caecum of Hypercholesterolemic Rats. *AGRITECH*, 33(3), 334–339.

- Maryati, Y., Nuraida, L., & Dewanti-hariyadi, R. (2016). A Study In Vitro of Lactic Acid Bacteria ( LAB ) Isolates on Cholesterol Lowering Ability in The Presence of Oligosaccharides. *Agritech*, 36(2).
- Moroti, C., Francine, L., Magri, S., Costa, M. D. R., & Cavallini, D. C. U. (2012). *Effect of the consumption of a new symbiotic shake on glycemia and cholesterol levels in elderly people with type 2 diabetes mellitus*. 1–8.
- Morris, S. B. (2008). Estimating Effect Sizes From Pretest-Posttest-Control Group Designs. *Organizational Research Methods*, 11(April 2003), 364–386. <https://doi.org/10.1177/1094428106291059>
- Moser, M., & Wouters, R. (2014). Nutritional and Technological Benefits of Inulin-Type Oligosaccharides. *Food Oligosaccharides: Production, Analysis and Bioactivity*, 455–469.
- Murray, R. ., Granner, & Rodwell. (2009). *Biokimia Harper* (27 ed.; B. U. Pendit, Ed.). Jakarta: Penerbit Buku Kedokteran EGC.
- Nahid MH, E., IMT, F., Shadia A, O., & Hala AM, I. (2018). Histopathological Alteration in STZ-Nicotinamide Diabetic Rats, a Complication of Diabetes or a Toxicity of STZ? *International Journal of Diabetes and Clinical Research*, 5(3). <https://doi.org/10.23937/2377-3634/1410091>
- Nawano, M., Oku, A., Ueta, K., Umebayashi, I., Ishirahara, T., Arakawa, K., ... Asano, T. (2000). Hyperglycemia contributes insulin resistance in hepatic and adipose tissue but not skeletal muscle of ZDF rats. *American Journal of Physiology - Endocrinology and Metabolism*, 278(3 41-3), 535–543. <https://doi.org/10.1152/ajpendo.2000.278.3.e535>
- Noor, N. S., Martini, & Setyawan, H. (2018). Pengetahuan, Sikap, Praktik Penderita Diabetes Melitus Tipe II Tentang Indeks Glikemik Makanan Di Wilayah Kerja Puskesmas Tlogosari Wetan. *Jurnal Kesehatan Masyarakat*, 6, 141–150.
- Noviyanti, F., Decroli, E., & Sastri, S. (2011). Perbedaan Kadar LDL-kolesterol pada Pasien Diabetes Melitus Tipe 2 dengan dan tanpa Hipertensi di RS Dr . M . Djamil Padang Tahun 2011. *Jurnal Kesehatan Andalas*, 4(2), 545–550.
- Nurhamidah, & Erawati. (2014). Pengaruh Pemberian Ekstrak Ubi Jalar Ungu ( *Ipomoea Batatas Poiret* ) Terhadap Kadar Glukosa Darah , Kadar Immunoglobulin A ( Iga ) Dan Villi Usus Pada Tikus Putih Jantan ( *Rattus Norvegicus* ) Diabetes Mellitus. *Scientia*, 4(1), 22–28.
- Nurtamin, T. (2014). Potensi Curcumin untuk Mencegah Aterosklerosis. *Continuing Professional Development*, 41(8), 633–635.
- Octavia, Z. F., Djamiatun, K., & Suci, N. (2017). Pengaruh pemberian yogurt sinbiotik tepung pisang tanduk terhadap profil lipid tikus sindrom metabolik. *Jurnal Gizi Klinik Indonesia*, 13(4), 159. <https://doi.org/10.22146/ijcn.19369>
- Ojiako, O. A., Chikezie, P. C., & Ogbuji, A. C. (2016). Journal of Traditional and Complementary Medicine Blood Glucose Level and Lipid Profile of Alloxan-Induced Hyperglycemic Rats Treated with Single and Combinatorial Herbal Formulations. *Journal of Traditional Chinese Medical Sciences*, 6(2), 184–192. <https://doi.org/10.1016/j.jtcme.2014.12.005>
- Ooi, L., & Liong, M. (2010). *Cholesterol-Lowering Effects of Probiotics and Prebiotics: A Review of in Vivo and in Vitro Findings*. 2499–2522. <https://doi.org/10.3390/ijms11062499>
- Ozcan, T., Yilmaz-Ersan, L., Akpınar-Bayizit, A., Sahin, O. ., & Aydinol, P. (2010). Viability of *Lactobacillus acidophilus* LA-5 and *Bifidobacterium bifidum* BB-12 in Rice Pudding. *Mljekarstvo/Dairy*, 60(2).

- Perdinan, A., & Larasati, Y. (2019). Concentration of Short Chain Fatty Acids and potential Hydrogen in Jejunum of Broiler Chickens Supplemented with Porang Glucomannan (*Amorphophallus onchophyllus*). *Jurnal Pengembangan Penyuluhan Peternakan*, 16(29), 62–69.
- PERKENI. (2015). *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*. Jakarta: PB.Perkeni (Pengurus Besar Endokrinologi Indonesia).
- Putri, N. H., & Isfandiari, M. A. (2013). Hubungan Empat Pilar Pengendalian DM Tipe 2 dengan Rerata Kadar Gula Darah. *Jurnal Berkala Epidemiologi*, 1, 234–243.
- Reeves, P. G. (1997). Symposium: Animal Diets for Nutritional and Toxicological Research Components of the AIN-93 Diets as Improvements in the AIN-76A Diet. *American Society for Nutritional Sciences*, 838–841.
- Reeves, P. G., Nielsen, F. H., & Fahey, G. C. (1993). Committee Report AIN-93 Purified Diets for Laboratory Rodents : Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet. *American Institute of Nutrition*, 1939–1951.
- Rendón-Huerta, J. A., Juárez-flores, B., Pinos-Rodríguez, J. M., Aguirre-Rivera, J. R., & Elgado-Portales, R. E. (2012). Effects of Different Sources of Fructans on Body Weight , Blood Metabolites and Fecal Bacteria in Normal and Obese non-diabetic and Diabetic Rats. *Plant Foods Hum Nutr*, 67, 64–70. <https://doi.org/10.1007/s11130-011-0266-9>
- Rezaei, M., Sanagoo, A., Jouybari, L., Behnampoo, N., & Kavosi, A. (2017). The effect of probiotic yogurt on blood glucose and cardiovascular biomarkers in patients with type II diabetes: A randomized controlled trial. *Evidence Based Care Journal*, 6(4), 26–35. <https://doi.org/10.22038/ebcj.2016.7984>
- Rosida, D. (2011). Evaluasi Nilai Gizi Tepung Pra-Masak Pisang Tanduk dan Pisang Raja Nangka. *J.Teknol. dan Industri Pangan*, XXII(2).
- Rossi, M., Pompei, A., Zanoni, S., Nicolini, M., Corradini, C., Matteuzzi, D., & Amaretti, A. (2005). Fermentation of Fructooligosaccharides and Inulin by Bifidobacteria: a Comparative Study of Pure and Fecal Cultures. *Applied and Environmental Microbiology*, 71(10), 6150–6158. <https://doi.org/10.1128/aem.71.10.6150-6158.2005>
- Sanches Lopes, S. M., Francisco, M. G., Higashi, B., de Almeida, R. T. R., Krausová, G., Pilau, E. J., ... Braz de Oliveira, A. J. (2016). Chemical characterization and prebiotic activity of fructo-oligosaccharides from *Stevia rebaudiana* (Bertoni) roots and in vitro adventitious root cultures. *Carbohydrate Polymers*, 152, 718–725. <https://doi.org/10.1016/j.carbpol.2016.07.043>
- Saputra, N. T., Suartha, I. N., & Dharmayudha, A. A. G. O. (2018). Agen Diabetagonik Streptozotocin untuk Membuat Tikus Putih Jantan Diabetes Mellitus. *Buletin Veteriner Udayana*, 10(2), 116. <https://doi.org/10.24843/bulvet.2018.v10.i02.p02>
- Sari, A. K., Adi, S., & Saichudin. (2018). Efek Latihan Aerobik Interval dan Continuous terhadap Kadar SGOT dan SGPT pada Tikus Diabetes Induksi Streptozotocin. *Jurnal Sport Science*, 6.
- Sastroasmoro, S. (2007). *Dasar-Dasar Metodologi Penelitian Klinis* (3 ed.). Jakarta: Sagung Seto.
- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-Dasar Metodologi Penelitian Klinis* (4 ed.). Jakarta: Sagung Seto.

- Schaafsma, G., & Slavin, J. . (2015). Significance of Inulin Fructans in the Human Diet. *Comprehensive Reviews in Food Science and Food Safety*, 14(1), 37–47.
- Schönfeld, P., & Wojtczak, L. (2016). Short- and Medium-Chain Fatty Acids in Energy Metabolism : The Cellular Perspective. *Journal of Lipid Research*, 57, 943–954. <https://doi.org/10.1194/jlr.R067629>
- Setyoadi, Wiji, Y., Yuliatun, L., & Lowita, F. S. (2014). Jus Brokoli Menurunkan Kadar Low Density Lipoprotein Darah pada Tikus Model Diabetes Melitus. *Jurnal Kedokteran Brawijaya*, 28(1), 26–29.
- Shabana, S., & Sasisekhar, T. V. D. (2013). Effect of Gender , Age and Duration Dyslipidemia in Type 2 Diabetes Mellitus. *Int J Cur Res Rev*, 05(06), 104–113.
- Sharma, M., Siddique, M. W., Shamim, A. M., Gyanesh, S., & Pillai, K. K. (2011). Evaluation of antidiabetic and antioxidant effects of seabuckthorn (*hippophae rhamnoides L.*) in streptozotocin-nicotinamide induced diabetic rats. *he Open Conference Proceedings Journal 2*, 53–58.
- Shimizu, M., Hashiguchi, M., Shiga, T., Tamura, H. O., & Mochizuki, M. (2015). Meta-Analysis: Effects of Probiotic Supplementation on Lipid Profiles in Normal to Mildly Hypercholesterolemic Individuals. *PLoS ONE*, 10(10), 1–16. <https://doi.org/10.1371/journal.pone.0139795>
- Sihombing, M., & Tuminah, S. (2011). Perubahan Nilai Hematologi, Biokimia Darah, Bobot Organ dan Bobot Badan Tikus Putih pada Umur Berbeda. *Jurnal Veteriner*, 12(1), 58–64. Diambil dari <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=2ahUKEwiRzcnHjvfAhWSTX0KHIALA5gQFjAAegQIBRAB&url=https%3A%2F%2Fjojs.unud.ac.id%2Findex.php%2Fjvet%2Farticle%2Fview%2F2365&usg=AOvVaw1b2UR38aqvqho0KBLbZTWr>
- Siregar, R. N. I. (2015). The Effect Of *Eugenia polyantha* Extract on LDL Cholesterol. *J Majority*, 4, 85–92.
- Sirois, M. (2005). *Laboratory Animal Medicine : Principles and Procedures*. USA: Mosby Inc.
- Smith, C. M., Marks, A. D., & Lieberman, M. (2005). *Basic Medical Biochemistry: A Clinical Approach*. Lippincott Williams & Wilkins.
- Song, M., Park, S., Lee, H., Min, B., Jung, S., Park, S., ... Oh, S. (2015). Effect of *Lactobacillus acidophilus* NS1 on Plasma Cholesterol Levels in Diet-Induced Obese Mice. *J. Dairy Sci*, 98, 1492–1501. <https://doi.org/10.3168/jds.2014-8586>
- Steemburgo, T., Dall’Alba, V., Almeida, J. C., Zelmanovitz, T., Gross, J. L., & de Azevedo, M. J. (2009). Intake of Soluble Fibers Has a Protective Role for The Presence of Metabolic Syndrome in Patients with Type 2 Diabetes. *European Journal of Clinical Nutrition*, 63(1), 127–133. <https://doi.org/10.1038/sj.ejcn.1602902>
- Stewart, M. L., Timm, D. A., & Slavin, J. L. (2008). Fructooligosaccharides exhibit more rapid fermentation than long-chain inulin in an in vitro fermentation system. *Nutrition Research*, 28(5), 329–334. <https://doi.org/10.1016/j.nutres.2008.02.014>
- Sunaryanto, R., Martius, E., & Marwoto, B. (2014). Uji Kemampuan *Lactobacillus casei* Sebagai Agensia Probiotik. *Jurnal Bioteknologi & Biosains Indonesia (JBBi)*, 1(1), 9. <https://doi.org/10.29122/jbbi.v1i1.546>
- Susanti, N. (2014). Suplementasi Tepung Porang (*Amorphophallus Muelleri*

- Blume) Sebagai Nutraceutical dalam Manajemen Diabetes Mellitus Tipe 2. *El-Hayah*, 5(1), 9–16.
- Susanti, Y. E., & Wirjatmadi, B. (2018). Efek Ekstrak Melon (*Cucumis melo*) dan Gliadin Terhadap Kadar Hb dan HbCO Tikus Wistar Jantan yang Dipapar Asap Rokok. *The Indonesian Journal of Public Health*, 11(1), 78. <https://doi.org/10.20473/ijph.v11i1.2016.78-88>
- Tedjasukmana, P., Kasiman, S., Putranto, J. N., E, E., Rifqi, S., Santoso, A., & Suryawan, R. (2013). Pedoman Tatalaksana Dislipidemia PERKI 2013. *Indonesian Journal of Cardiology*, 34(4), 245–270. <https://doi.org/10.30701/ijc.v34i4.385>
- Tester, R. F., & Al-Ghazzewi, F. H. (2013). Mannans and Health, With A Special Focus on Glucomannans. *Food Research Int*, 50, 384–391.
- Thompson, E. (1990). *Bioscreening of Drug, Evaluation Technique & Pharmacology*. New York: Weinheim Basel Cambridge.
- Umeki, M., Oue, K., Mochizuki, S., Shirai, Y., & Sakai, K. (2004). Effect of *Lactobacillus rhamnosus* KY-3 and Cellobiose as Synbiotic on Lipid Metabolism in Rats. *J Nutr Sci Vitaminol*, 330–334.
- Utami, A. . (2020). *Uji Organoleptik Minuman Susu Sinbiotik Dengan Variasi Fruktooligosakarida dan Inulin Sebagai Prebiotik*. Yogyakarta: Universitas Gadjah Mada.
- Vuksan, V., Sievenpiper, J., Owen, R., Swilley, J., Spadafora, P., Jenkins, D., ... Novokmw, R. (2000). Beneficial Effects of Viscous Dietary Fiber from Konjac-Mannan in Subjects with The Insulin Resistance Syndrome. *Diabetes Care*, 23(1), 9–14.
- Wahyudi, T., Widyastuti, S. K., & Suarsana, N. (2015). Profil Lipoprotein Plasma Tikus dalam Kondisi Hiperglikemia PROFILE LIPOPROTEIN PLASMA RAT IN CONDITIONS OF HYPERGLYCEMIA. *Indonesia Medicus Veterinus*, 4(2), 116–121.
- Wahyuningrum, I., & Zubaidah, E. (2016). Effect Red Mold Rice Adding Rice Bran on Decrease Lipid Profile Male Wistar Rats Hypercholesterolemic. *Jurnal Pangan dan Agroindustri*, 4(1), 127–136.
- Wang, H., Livingston, K. ., Fox, C. ., Meigs, J. ., & Jacques, P. . (2013). Yogurt Consumption is Associated with Better Diet Quality and Metabolic Profile in American Men and Women. *Nutrition Research*, 33(1), 18–26.
- Wang, L., Guo, M., Gao, Q., Yang, J., Yang, L., Pang, X., & Jiang, X. (2018). The Effects of Probiotics on Total Cholesterol A Meta -Analysis of Randomized Controlled Trials. *Medicine*, 97(5). <https://doi.org/10.1097/MD.00000000000009679>
- WHO. (2016). *Global report on diabetes*. Diambil dari <http://www.who.int>.
- Widodo, Tanu, I. ., & Waliyo, E. (2006). Pengaruh Pemberian Diet Tinggi Kalsium Terhadap Penurunan Berat Badan pada Rattus Novergicus Galur Wistar. *Jurnal Kedokteran Brawijaya*, 22(2).
- Widowati, W. (2008). Potensi Antioksidan sebagai Antidiabetes. *Potensi Antioksidan sebagai Antidiabetes*, 7, 1–11.
- Winaktu, G. J. (2011). Peran Serat Makanan dalam Pencegahan Kanker Kolorektal. *Jurnal Kedokteran Meditek*, 17(43), 17–25. Diambil dari <http://ejournal.ukrida.ac.id/ojs/index.php/Ked/article/viewFile/203/199>
- Wolfensohn, S., & Lloyd, M. (2013). *Handbook of Laboratory Animal Management and Welfare* (4th ed.). New Delhi: Wiley-Blackwell.
- Yanita, B., & Kurniawaty, E. (2016). Faktor-Faktor yang Berhubungan dengan

Kejadian Diabetes Melitus Tipe II Risk Factors Related Type 2 Diabetes Mellitus Evidance. *Majority*, 5(April), 27–31.

Yao, K., Zeng, L., He, Q., Wang, W., Lei, J., & Zou, X. (2017). Effect of Probiotics on Glucose and Lipid Metabolism in Type 2 Diabetes Mellitus: A Meta-Analysis of 12 Randomized Controlled Trials. *Medical Science Monitor*, 23, 3044–3053. <https://doi.org/10.12659/msm.902600>

Yerlikaya, O. (2014). Starter cultures used in probiotic dairy product preparation and popular probiotic dairy drinks. *Food Science and Technology (Campinas)*, 34(2), 221–229. <https://doi.org/10.1590/fst.2014.0050>

Yuliana, R., Kusdiyantini, E., & Izzati, M. (2014). Potensi Tepung Umbi Dahlia Dan Ekstrak Inulin Dahlia Sebagai Sumber Karbon Dalam Produksi Fruktooligosakarida (FOS) Oleh Khamir *Kluyveromyces marxianus* DUCY-003. *Bioma : Berkala Ilmiah Biologi*, 16(1), 39. <https://doi.org/10.14710/bioma.16.1.39-49>