UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Abdallah, R.A.B., S. Mokni-Tlili, A. Nefzi, H. Jabnoun-Khiareddine & M. Daami-Remadi. 2016. Biocontrol of *Fusarium* wilt and growth promotion of tomato plants using endophytic bacteria isolated from *Nicotiana glauca* organs. Biol. Control, 97: 80-88.

Acebo-Guerrero, Y. A. Hernandez-Rodriguez, M. Heydrich-Perez, M. El Jaziri & N. Hernandez-Lauzardo. 2012. Management of black pod rot in cacao (*Theobroma cacao* L.): a review. Fruits, 67 (1): 41-48.

Acebo-Guerrero, Y., A. Hernandez-Rodriguez, O. Vandeputte, Y. Miguelez-Sierra, M. Heydrich-Perez, L. Ye, P. Cornelis, P. Bertin & M. El Jaziri. 2015. Characterization of *Pseudomonas chlororaphis* from *Theobroma cacao* L. rhizosphere with antagonistic activity against *Phytophthora palmivora* (Butler). J. Appl. Microbiol., 119: 1112-1126.

Adebola, M.O. & J.E. Amadi. 2010a. Antagonistic activities of *Paecilomyces* and *Rhizopus* species against the cocoa black pod pathogen (*Phytophthora palmivora*). Afr. Sci., 11 (4): 235-239.

Adebola, M.O. & J.E. Amadi. 2010b. Screening three *Aspergillus* species for antagonistic activities against the cocoa black pod organism (*Phytophthora palmivora*). Agric. Biol. J. N. Am., 1 (3): 362-365.

Adebola, M.O. & J.E. Amadi. 2012a. Screening five fungal isolates as potential antagonists to *Phytophthora palmivora* on cocoa pod pericarp. IJABR, 4 (1&2): 78-84.

Adebola, M.O. & J.E. Amadi. 2012b. Studies on *Penicillium digitatum, Botryodiploidia theobromae, Alternaria tenuis* and *Trichoderma harzianum* for biocontrol of *Phytophthora palmivora* cocoa black pod disease pathogen. Am-Euras. J. Agron., 5 (2): 30-34.

Adejumo, T.O. and D.O. Adejoro, 2015. Assessment of bacteria, fungi and protozoa in three *Theobroma cacao* soils in Ondo State, Nigeria. Int. J. Sci., 4 7): 28-33.

Afoakwa, E.O. 2014. Cocoa Production and Processing Technology. CRC Press. Boca Raton. 329 p.

Afrane, G. & A. Ntiamoah. 2011. Use of pesticides in the cocoa industry and their impact on the environment and the food chain. *In*: M. Stoytcheva (Ed.). Pesticides in the Modern World - Risks and Benefits. Intech. Croatia. 51-68.

Agaras, B.C. & C. Valverde 2018. A novel oligonucleotide pair for genotyping members of the *Pseudomonas* genus by single-round PCR amplification of the *gyr*B gene. Methods Protoc., 1: 24.

Agbeniyi, S.O., A.R. Adedeji & D.O. Adeniyi. 2014. On-farm evaluation of *Trichoderma asperellum* on the suppression of *Phytophthora megakarya*

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

causing pod rot of *Theobromae cacao* in Nigeria. Br. J. App. Sci. Technol., 4 (22): 3153-3159.

Agrios, G.N. 2005. Plant Pathology. Fifth Edition. Elsevier Academic Press. United Kingdom. 922 p.

Aguilera-Galvez, C., N. Champouret, H. Rietman, X. Lin, D. Wouters, Z. Chu, J.D.G. Jones, J.H. Vossan, R.G.F. Visser, P.J. Wolters & V.G.A.A. Vleeshouwers. 2018. Two different R gene loci co-evolved with Avr2 of *Phytophthora infestans* and confer distinct resistance specificities in potato. Stud. Mycol., 89: 105-115.

Ahanger, R.A., H.A. Bhat & N.A. Dar. 2014. Biocontrol agents and their mechanism in plant disease management. Sciencia Acta Xaveriana, 5 (1): 47-58.

Aisyah, N., Rahmansyah, Muslimin, & I.N. Suwastika. 2014. Resistance of several cacao clones against pod rot disease infection based on detached pod assay. Online J. Nat. Sci., 3 (2): 50-56.

Akinferon, O.A. 1968. Production of extracellular enzymes by *Phytophthora palmivora* (Butl.) Butl. J. Gen. Microbiol., 51: 67-74.

Akinferon, O.A. 1969. Factors affecting the production of extracellular pectolytic enzymes by *Phytophthora palmivora* (Butl.) Butl. Ann. Bot., 33 (131): 439-450.

Akrofl, A.Y., F. Govers, R.T. Awuah & J.M. Raaljmakers. 2012. Exploiting microbial diversity in cocoa ecosystems in Ghana to control *Phytophthora* pod rot disease. Glo. Adv. Res. J. Agric. Sci., 1 (10): 305-308.

Akrofi, A.Y., J.L. Terlabie, I. Amoako-Attah & E.K. Asare. 2017. Isolation and characterization of bacteria from different cacao progenies and their antagonistic activity against the black pod disease pathogen, *Phytophthora palmivora*. J. Plant Dis. Prot., 124 (2): 143-152

Alconero, R. & A. Santiago. 1972. Characteristics of asexual sporulation in *Phytophthora palmivora* and *Phytophthora parasitica nicotianae*. Phytopathol., 62 (9): 993-997.

Ali, S.S., J. Shao, D.J. Lary, B.A. Kronmiller, D. Shen, M.D. Strem, I. Amoako-Attah, A.Y. Akrofi, B.A.D. Begoude, G.M. ten Hoopen, K. Coulibaly, B.I. Kebe, R.L. Melnick, M.J. Guiltinan, B.M. Tyler, L.W. Meinhardt & B.A. Bailey. 2017. *Phytophthora megakarya* and *Phytophthora palmivora*, closely related causal agents of cacao black pod rot, underwent increases in genome sizes and gene numbers by different mechanisms. Genome Biol. Evol., 9 (3): 536-557.

Alsultan, W., G. Vadamalai, A. Khairulmazmi, H.M. Saud, A.M. Al-Sadi, O. Rashed, A. K. Mohd Jaaffar & A. Nasehi. 2019. Isolation, identification and characterization of endophytic bacteria antagonistic to *Phytophthora palmivora* causing black pod of cocoa in Malaysia. Eur. J. Plant Pathol., 55: 1077-1091.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Amudhan, M.S. & S.E. Apshara. 2012. Health effects of cocoa. *In*: S.E. Aphsara, S. Sujatha, V.N. Hubballi & K.S. Ananda (Eds.). Cocoa towards Sustainability. Central Plantation Crops Research Institute. Kerala. 55-64.

Anderson, R.G., D. Deb, K. Fedkenheuer & J.M. McDowell. 2015. Recent progress in *RXLR* effector research. Mol. Plant-Microbe Interact., 28 (10): 1063-1072.

Andrivon, D., J. Avendano-Corcoles, A.M. Cameron, S.F. Carnegie, L.R. Cooke, R. Corbiere, D. Detourne, L.J. Dowley, D. Evans, K. Forisekova, D.G. Griffin, A. Hannukkala, A.K. Lees, R. Lebecka, F. Niepold, Z. Polgar, D.S. Shaw, J. Thompson, B. Trognitz, H.M.G. van Raaij & E. Zimnoch-Guzowska. 2011. Stability and variability of virulence of *Phytophthora infestans* assessed in a ring test across European laboratories. Plant Pathol., 60 (3): 556-565.

Andrzejuk, A. 2014. The analysis of production and trade patterns in cocoa market worldwide and in Poland. Sci. J. Warsaw University of Life Sciences – SGGW Problems of World Agriculture, 14 (4): 5-14.

Ann, Y.C., A.A. Sallehin, H.A. Roslan, M.M.H. Hussain & S. Lihan. 2015. Antagonistic activity of endophytic *Bacillus* species against *Colletotrichum gloeosporioides* for the control of antrachnose disease in black pepper (*Piper nigrum* L.). Global J. Biol. Agri. Health Sci., 4 (2): 115-123.

Appiah, A.A., I.Y. Opoku & A.Y. Akrofi. 2004a. Natural occurrence and distribution of stem cankers caused by *Phytophthora megakarya* and *Phytophthora palmivora* on cocoa. Eur. J. Plant Pathol., 110 (10): 983-990.

Appiah, A.A., J. Flood, P.D. Bridge & S.A. Archer. 2003. Inter- and intraspecific morphometric variation and characterization of *Phytophthora* isolates from cocoa. Plant Pathol., 52 (2): 168-180.

Appiah, A.A., J. Flood, S.A. Archer & P.D. Bridge. 2004b. Molecular analysis of the major *Phytophthora* species on cocoa. Plant Pathol., 53 (2): 209-219.

Apshara, S.E. 2012. Cocoa varieties and their potential in crop improvement. *In*: S.E. Aphsara, S. Sujatha, V.N. Hubballi & K.S. Ananda (Eds.). Cocoa towards Sustainability. Central Plantation Crops Research Institute. Kerala. 8-23.

Aregbesola, O.Z & P.T. Owombo. 2014. Approaches to disease management in organic crop production systems: a case of cassava mosaic disease and black pod disease of cocoa. IOSR-JAVS, 7 (12): 42-51.

Ashby, S.F. 1922. Oospores in cultures of *Phytophthora faberi*. Bull. Misc. Inform. (Royal Botanic Gardens, Kew), 1922 (9): 257-262.

Asbhy, S.F. 1929. Strains and taxonomy of *Phytophthora palmivora* Butler (*P. faberi* Maubl.). Trans. Br. Mycol. Soc., 14 (1-2): 18-38.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Awuah, R.T. 1994. In vivo use of extracts from *Ocimum gratissimum* and *Cymbopogon citratus* against *Phytophthora palmivora* causing black pod disease of cocoa. Ann. Appl. Biol., 124 (1): 173-178.

Azis, A.I., A. Rosmana & V.S. Dewi. 2013. Control of *Phytophthora* leaf blight disease on cacao seedling using *Trichoderma asperellum.* J. Fitopatol. Indones., 9 (1): 15-20.

Azni, I.N.A.M, S. Sundram, V. Ramachandran & A.S. Idris. 2017. An *in vitro* investigation of Malaysian *Phytophthora palmivora* isolates and pathogenicity study on oil palm. J. Phytopathol., 00: 1-13.

Babu, S.S. 2012. Integrated disease management in cocoa. *In*: S.E. Aphsara, S. Sujatha, V.N. Hubballi & K.S. Ananda (Eds.). Cocoa towards Sustainability. Central Plantation Crops Research Institute. Kerala. 65-72.

Backman, P.A. & R.A. Sikora. 2008. Endophytes: An emerging tool for biological control. Biol. Control, 46 (1): 1-3.

Bae, H., R.C. Sicher, M.S. Kim, S.-H. Kim, M.D. Strem, R.L. Melnick & B.A. Bailey. 2009. The beneficial endophyte *Trichoderma hamatum* isolate DIS 219b promotes growth and delays the onset of the drought response in *Theobroma cacao*. J. Exp. Bot., 60 (11): 3279-3295.

Bahia, R.d.C., C.I. Aguilar-Vildoso, E.D.M.N. Luz, U.V. Lopes, R.C.R. Machado & R.X. Corrêa. 2015. Resistance to black pod disease in a segregating cacao tree population. Trop. Plant Pathol., 40 (1): 13-18.

Bailey, B.A., M.D. Strem, H. Bae, G.A. de Mayolo & M.J. Guiltinan. 2005. Gene expression in leaves of *Theobroma cacao* in response to mechanical wounding, ethylene, and/or methyl jasmonate. Plant Sci., 168 (5): 1247-1258.

Bailey, B.A., H. Bae, M.D. Strem, J. Crozier, S.E. Thomas, G.J. Samuels, B.T. Vinyard & K.A. Holmes. 2008. Antibiosis, mycoparasitism, and colonization success for endophytic *Trichoderma* isolates with biological control potential in *Theobroma cacao*. Biol. Control, 46 (1): 24-35.

Bailey, B.A., M.D. Strem & D. Wood. 2009. *Trichoderma* species form endophytic associations within *Theobroma cacao* trichomes. Mycol. Res., 113 (12): 1365-1376.

Bailey, B.A., J. Crozier, R.C. Sicher, M.D. Strem, R. Melnick, M.F. Carazzolle, G.G.L. Costa, G.A.G. Pereira, D. Zhang, S. Maximova, M. Guiltinan & L. Meinhardt. 2013. Dynamic changes in pod and fungal physiology associated with the shift from biotrophy to necrotrophy during the infection of *Theobroma cacao* by *Moniliophthora roreri*. Physiol. Mol. Plant Pathol., 81: 84-96.

Balasimha, D. 2012. Impact of climate change on cocoa. *In*: S.E. Aphsara, S. Sujatha, V.N. Hubballi & K.S. Ananda (Eds.). Cocoa towards Sustainability. Central Plantation Crops Research Institute. Kerala. 46-54.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Bartley, B.G.D. 2005. The Genetic Diversity of Cacao and Its Utilization. CABI Publishing. United Kingdom. 341 p.

Blair, J.E., M.D. Coffey, S. Park, D.M. Geiser & S. Kang. 2008. A multi-locus phylogeny for *Phytophthora* utilizing markers derived from complete genome sequences. Fungal Genet. Biol., 45: 266-277.

Blein, J.-P., P. Coutos-Thévenot, D. Marion & M. Ponchet. 2002. From elicitins to lipid-transfer proteins: a new insight in cell signalling involved in plant defence mechanisms. Trends Plant Sci., 7(7): 293-296.

Bletter, N. & D.C. Daly. 2006. Cacao and its relatives in South America: An overview of taxonomy, ecology, biogeography, chemistry, and ethnobotany. *In*: C.L. McNeil (Ed.). Chocolate in Mesoamerica: A Cultural History of Cacao. University Press of Florida. Florida. 31-68.

Boccas, B. 1972. Genetics of *Phytophthora palmivora* – some preliminary data. ORSTOM Fonds Documentaire. 1-5.

Bombarely, A., H.G. Rosli, J. Vrebalov, P. Moffett, L.A. Mueller & G.B. Martin. 2012. A draft genome sequence of *Nicotiana benthamiana* to enhance molecular plant-microbe biology research. Mol. Plant-Microbe Interact., 25 (12): 1523-1530.

Bos, J.I.B., T. Kanneganti, C. Young, C. Cakir, E. Huitema, J. Win, M.R. Armstrong, P.R.J. Birch & S. Kamoun. 2006. The C-terminal half of *Phytophthora infestans RXLR* effector *AVR3a* is sufficient to trigger *R3a*-mediated hypersensitivity and suppress *INF1*-induced cell death in *Nicotiana benthamiana*. Plant J., 48: 165-176.

Bouws, H. & M.R. Finckh. 2007. Effects of cropping history and origin of seed potatoes on population structure of *Phytophthora infestans*. Eur. J. Plant Pathol., 117: 313-327.

Bozkurt T.O., S. Schornack, J. Win, T. Shindo, M. Ilyas, R. Oliva, L.M. Cano, A.M. Jones, E. Huitema, R.A.L. van der Hoorn & S. Kamoun. 2011. *Phytophthora infestans* effector *AVRblb2* prevents secretion of a plant immune protease at the haustorial interface. Proc. Natl. Acad. Sci. USA, 108 (51): 20832-20837.

Bozkurt, T.O., S. Schornack, M.J. Banfield & S. Kamoun. 2012. Oomycetes, effectors, and all that jazz. Curr. Opin. Plant Biol., 15: 483-492.

Brasier, C.M. 1969. Formation of oospores in vivo by *Phytophthora palmivora*. Trans. Br. Mycol. Soc., 52 (2): 273-279.

Brasier, C.M. 1972. Observations on the sexual mechanism in *Phytophthora palmivora* and related species. Trans. Br. Mycol. Soc., 58 (2): 237-251.

Brasier, C.M. 1975. Stimulation of sex organ formation in *Phytophthora* by antagonistic species of *Trichoderma*. New Phytol., 74 (2): 183-194.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Brasier, C.M. & M.J. Griffin. 1979. Taxonomy of *Phytophthora palmivora* on cocoa. Trans. Br. Mycol. Soc., 72 (1): 111-143.

Braudeau, J. 1974. The cocoa tree: Agronomic aspects. *In*: P.H. Gregory (Ed.). *Phytophthora* disease of cocoa. The Aberdeen University Press. Great Britain. 1-12.

Brunda, K.S., S. Jahagirdar & D.N. Kambrekar. 2018. Antagonistic activity of bacterial endophytes against major soilborne pathogens of soybean. J. Entomol. Zool. Stud., 6 (6): 43-46.

Burdon, J.J. 1993. Genetic variation in pathogen populations and its implications for adaptation to host resistance. *In*: T.H. Jacobs & J.E. Parlevliet (Eds.). Durability of Disease Resistance. Springer Science Business Media. Wageningan. 41-56.

Callaghan, S. & D. Guest. 2015. Globalisation, the founder effect, hybrid *Phytophthora* species and rapid evolution: new headaches for biosecurity. Australas. Plant Pathol., 44: 255-262.

Carella, P., A. Gogleva, M. Tomaselli, C. Alfs & S. Schornack. 2018. *Phytophthora palmivora* establishes tissue-specific intracellular infection structures in the earliest divergent land plant lineage. PNAS, 115 (16): 3846-3855.

Charan, A.R., V.P. Reddy, P.N. Reddy, S.S. Reddy & S. Sivaramakrishnan. 2011. Assessment of genetic diversity in *Pseudomonas fluorescens* using PCR-based methods. Biorem. Biodiv. Bioavail., 5 (1): 10-16.

Chen, X., Y. Xing, Y. Li, Y. Tong & J. Xu. 2013. RNA-Seq reveals infection-related gene expression changes in *Phytophthora capsici*. PLoS ONE, 8 (9): e74588.

Chen, L., H. Shi, J. Heng, D. Wang & K. Bian. 2019. Antimicrobial, plant growth promoting and genomic properties of the peanut endophyte *Bacillus velezensis* LDO2. Microbiol. Res., 218: 41-48.

Chirapongsatonkul, N., K. U-taynapun, T. Chanwun & N. Churngchow. 2015. Development of multiplex PCR assay for rapid and simultaneous detection of rubber tree pathogens *Phytophthora* spp. and *P. palmivora*. ScienceAsia, 41:170-179.

Chliyeh, M., Y. Rhimini, K. Selmaoui, A.O. Touhami, A. Filali-Maltouf, C. El Modafar, A. Moukhli, A. Oukabli, R. Benkirane & A. Douira. 2014. Geographical distribution of *Phytophthora palmivora* in different olive growing regions in Morocco. Int. J. Plant Anim. Environ. Sci., 4 (1): 297-303.

Chowdappa, P. & R. Chandramohanan. 1997. Occurrence and distribution of mating types of *Phytophthora* species causing black pod disease of cocoa. Indian Phytopathol., 50 (2): 256-260.

Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Cikita, D., S. Khotimah & R. Linda. 2016. Uji antagonis *Trichoderma* spp. terhadap *Phytophthora palmivora* Butl. penyebab penyakit busuk buah kakao (*Theobroma cacao* L.). Protobiont, 5 (3): 59-65.

Crozier, J., S.E. Thomas, M.C. Aime, H.C. Evans & K.A. Holmes. 2006. Molecular characterization of fungal endophytic morphospecies isolated from stems and pods of *Theobroma cacao.* Plant Pathol., 55 (6): 783-791.

Darmono, T.W., I. Jamil & D.A. Santosa, 2006. Pengembangan penanda molekuler untuk deteksi *Phytophthora palmivora* pada tanaman kakao. Menara Perkebunan, 74 (2): 86-95.

Dau, V.T., C.V. Tran, L.T. Pham, H.T. Phan, H.L. Dhang & L.W. Burgess. 2008. Stem and root rot of *Telosma cordata* caused by *Phytophthora palmivora* in Vietnam – a newly recognised disease. Australas. Plant Dis. Notes, 3 (1): 135-137.

de Oliviera, T.A.S., L.E.B. Blum, E.A.A. Duarte, Z.P.M. Moreira & E.D.M.N. Luz. 2016. Variability and aggressiveness and virulence of *Phytophthora palmivora* influencing the severity of papaya fruit rot in postharvest in Bahia, Brazil. Científica, Jaboticabal, 44 (2): 185-195.

de Souza, J.T., A.W.V. Pomella, J.H. Bowers, C.P. Pirovani, L.L. Loguercio & K.P. Hebbar. 2006. Genetic and biological diversity of *Trichoderma stromaticum*, a mycoparasite of the cacao witches'-broom pathogen. Phytopathol., 96 (1): 61-67.

de Souza, J.T., B.A. Bailey, A.W.V. Pomella, E.F. Erbe, C.A. Murphy & P.K. Hebbar. 2008. Colonization of cacao seedlings by *Trichoderma stromaticum*, a mycoparasite of the witches' broom pathogen, and its influence on plant growth and resistance. Biol. Control, 46 (1): 36-45.

Deenamo, N., A. Kuyyogsuy, K. Khompatara, T. Chanwun, K. Ekchaweng & N. Churngchow. 2018. Salicylic acid induces resistance in rubber tree against *Phytophthora palmivora*. Int. J. Mol. Sci., 19 (1883): 1-22.

Derevnina, L., Y.F. Dagdas, J.C. de la Concepcion, A. Bialas, R. Kellner, B. Petre, E. Domazakis, J. Du, C.-H. Wu, X. Lin, C. Aguilera-Galvez, N. Cruz-Mireles, V.G.A.A. Vleeshouwers & S. Kamoun. 2016. Nine things to know about elictins. New Phytol., 212: 888-895.

Dick, M.W. 2000. Straminipilous Fungi: Systematics of the peronosporomycetes including accounts of the marine straminipilous protists, the plasmodiophorids and similar organisms. Kluwer Academic Publishers. London. 575 p.

Dikin, A., K. Sijam, Z.A. Mior Ahmad & I.A. Seman. 2003. Biological Control of seedborne pathogen of oil palm, *Schizopyllum commune* Fr. with antagonistic bacteria. Int. J. Agri. Biol., 5 (4): 507-512.

Dikin, A., K. Sijam, J. Kadir & I.A. Seman. 2006. Antagonistic bacteria against *Schizophyllum commune* Fr. in Peninsular Malaysia. Biotropia, 13 (2): 111-121.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Dinh, T.T.M. & D.L.M. Hien. 2013. Screening *Bacillus* strains for antagonistic activity against *Fusarium* sp. and *Phytophthora palmivora* causing diseases in corn (*Zea mays* L.). Tạp chí KHOA HỌC ĐHSP TPHCM, 51: 29-36.

Dinu, A., A. Kumar, R. Aravind & S.J. Eapen. 2007. An improved method for selection of antagonistic bacteria against *Phytophthora capsici* Leonian infections in black pepper (*Piper nigrum* L.). J. Spice Aromatic Crops, 16 (1): 1-7.

Directorate General of Plantation, 2006. Road Map of Cacao Commodity 2005 – 2025. Ministry of Agriculture, Jakarta. 17 p.

Directorate General of Plantation, 2013. General guidance of national movement for improvement the production and quality of cocoa. Ministry of Agriculture, Jakarta. 63 p.

Dou, D., S.D. Kale, X. Wang, R.H.Y. Jiang, N.A. Bruce, F.D. Arredondo, X. Zhang & B.M. Tyler. 2008. *RXLR*-mediated entry of *Phytophthora sojae* effector *Avr1b* into soybean cells does not require pathogen-encoded machinery. Plant Cell, 20:1930-1947.

Drenth, A., E.M. Janssen & F. Govers. 1995 Formation and survival of oospores of *Phytophthora infestans* under natural conditions. Plant Pathol., 44 (1): 86-94.

Drenth, A. & D.I. Guest. 2004a. *Phytophthora* in the tropics. *In*: A. Drenth, D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 30-41.

Drenth, A. & D.I. Guest. 2004b. Introduction. *In*: A. Drenth, D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 7-9.

Drenth, A. & D.I. Guest. 2004c. Principles of *Phytophthora* disease Management. *In*: A. Drenth, D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 154-160.

Drenth, A. & D.I. Guest. 2016. Fungal and oomycete diseases of tropical tree fruit crops. Annu. Rev. Phytopathol., 54 (4): 373-395.

Drenth, A. & B. Sendall. 2001. Practical Guide to Detection and Identification of *Phytophthora*. Version. 1.0. CRC for Tropical Plant Protection. Brisbane, Australia. 41 p.

Drenth, A. & B. Sendall. 2004. Economic impact of *Phytophthora* diseases in Southeast Asia. *In*: A. Drenth, D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 10-28.

Du, Y., R. Weide, Z. Zhao, P. Msimuko, F. Govers & K. Bouwmeester. 2018. RXLR effector diversity in *Phytophthora infestans* isolates determines recognition by potato resistance proteins; the case study AVR1 and R1. Stud. Mycol., 89: 85-93.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Dwimartina, F., T. Arwiyanto & T. Joko. 2017. Potential of endophytic and rhizobacteria as an effective biocontrol for *Ralstonia syzygii* subsp. *syzygii*. Asian J. Plant Pathol., 11 (4): 191-198.

D'Ovidio, R., B. Mattei, S. Roberti & D. Bellincampi. 2004. Polygalacturonase, polygalacturonase-inhibiting proteins and pectic oligomers in plant-pathogen interactions. Biochim. Biophys. Acta, 1696: 237-244.

Edel V, C. Steinberg, I. Avelange, G. Laguerre & C. Alabouvette. 1995. Comparison of three molecular methods for the characterization of *Fusarium oxysporum* strains. Phytopathol., 85 (5): 579-585.

Engelbrecht, J., T.A. Duong & N.v.d. Berg. 2017. New microsatellite markers for population studies of *Phytophthora cinnamomi*, an important global pathogen. Sci. Rep., 7 (17631): 1-10.

Ekchaweng, K., E. Evangelisti, S. Schornack, M. Tian & N. Churngchow. 2017. The plant defense and pathogen counterdefense mediated by *Hevea brasiliensis* serine protease *HbSPA* and *Phytophthora palmivora* extracellular protease inhibitor *PpEPI10*. PLoS ONE, 12 (5): e0175795.

El-Sayed, W.S., A. Akhkha, M.Y. El-Naggar & M. Elbadry. 2014. *In vitro* antagonistic activity, plant growth promoting traits and phylogenetic affiliation of rhizobacteria associated with wild plants grown in arid soil. Front. Microbiol., 5 (651): 1-11.

EPPO. 2010. Rep-PCR tests for identification of bacteria. EPPO Bulletin, 40: 365-368.

Erwin, D.C. 1983. Variability within and among species of *Phytophthora*. *In*: D.C. Erwin, S. Bartnicki-Garcia & P.H. Tsao (Eds.). *Phytophthora*: Its biology, taxonomy, ecology and pathology. APS. St. Paul, Minnesota. 149-165.

Erwin, D.C. & O.K. Ribero. 1996. *Phytophthora* Diseases Worldwide. APS Press. Minnesota. 592 p.

Evangelisti, E., A. Gogleva, T. Hainaux, M. Doumane, F. Tulin, C. Quan, T. Yunusov, K. Floch & S. Schornack. 2017. Time-resolved dual transcriptomics reveal early induced *Nicotiana benthamiana* root genes and conserved infection-promoting *Phytophthora palmivora* effectors. BMC Biol., 15 (39): 1-24.

Evans, H.C., K.A. Holmes & S.E. Thomas. 2003. Endophytes and mycoparasites associated with an indigenous forest tree, *Theobroma gileri,* in Ecuador and a preliminary assessment of their potential as biocontrol agents of cocoa diseases. Mycol. Prog., 2 (2): 149-160.

Faghobun, E.D. & O.U. Lawal. 2011. A field trial of crude extract from *Phytophthora palmivora*-infected cocoa pods to control black pod disease in a farm in Iworoko Ekiti, Ekiti State. J. Agric. Biotech. Sustain. Dev., 3 (6): 100-104.

Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Fan, Z., C. Miao, X. Qiao, Y. Zheng, H. Chen, Y. Chen, L. Xu, L. Zhao & H. Guan. 2016. Diversity, distribution, and antagonistic activities of rhizobacteria of *Panax notoginseng*. J. Ginseng Res., 40: 97-104.

Falcao, L.L., J.O. Silva-Werneck, B.R. Vilarinho, J.P. da Silva, A.W.V. Pomella & L.H. Marcellino. 2014. Antimicrobial and plant growth-promoting properties of the cacao endophyte *Bacillus subtilis* ALB629. J. App. Microbiol., 116 (6): 1584-1592.

FAO. 2019. FAOSTAT. www.fao.org/faostat. Retrieved at September 18, 2019.

Fegan M, Prior P (2005) How complex is the "*Ralstonia solanacearum* species complex"? *In*: Allen C, Prior P, Hayward AC (Eds.). Bacterial wilt disease and the *Ralstonia solanacearum* species complex. APS Publishing. St. Paul, Minnesota. 449-461.

Fellbrich, G., A. Romanski, A. Varet, B. Blume, F. Brunner, S. Engelhardt, G. Felix, B. Kemmerling, M. Krzymowska & T. Nümberg. 2002. NPP1, a *Phytophthora*-associated trigger of plant defense in parsley and *Arabidopsis*. Plant J., 32:375-390.

Figueiredo, J.E.F., E.A. Gomes, C.T. Guimaraes, U.G.d. Lana, M.A. Teixeira, G.V.C. Lima & W. Bressan. 2009. Molecular analysis of endophytic bacteria from the genus *Bacillus* isolated from tropical maize (*Zea mays* L.). Braz. J. Microbiol., 40 (3): 522-534.

Filani, G.A. 1973. The chemical control of *Phytophthora* pod rot in Nigeria: An evaluation of the present situation. Coh. ORSTOM, sér. Biol. ILO, 20: 91-94.

Foster, H., P. Oudemans & M.D. Coffey. 1990. Mitochondrial and nuclear DNA diversity within six species of *Phytophthora*. Exp. Mycol., 14 (1): 18-31.

Fulton, R.H. 1989. The cacao disease trilogy: black pod, *Monilia* pod rot, and witches'-broom. Plant Dis., 73 (7): 601-603.

Gabaze, G.A.A., Y.O. Bernard, A. Kouabenan, C. Klotioloma, K.B. Ismael, G.J. Robert & T.R. Dayal. 2015. *In vitro* assessment of biopesticide *Bacillus thuringiensis* var. *Kurstaki* HD-1 effectiveness on *Phytophthora palmivora*, agent of cocoa black pod rot in Côte d'Ivoire. Eur. Sci. J., 11 (21): 276-292.

Gagnon, M.-C., N. Feau, A.L. Dale, B. Dhillon, R.C. Hamelin, C.M. Brasier, N.J. Grünwald, S.C. Brière & G.J. Bilodeau. 2017. Development and validation of polymorphic microsatellite loci for the *NA2* lineage of *Phytophthora ramorum* from whole genome sequence data. Plant Dis., 101 (5): 666-673.

Gajbhiye, A., A.R. Ray, S.U. Meshram & A.B. Dongre. 2010. Isolation, evaluation and characterization of *Bacillus subtilis* from cotton rhizospheric soil with biological activity against *Fusarium oxysporum*. World J. Microbiol. Biotechnol., 26 (7): 1187-1194.

Gallegly, M.E. 1970. Genetics of *Phytophthora*. Phytopathol., 60 (7): 1135-1141.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Gallegly, M.E. & C. Hong. 2008. *Phytophthora*: Identifying species by morphology and DNA fingerprints. APS Press. St. Paul, Minnesota. 127 p.

Gappa-Adachi, R., K. Yano, S. Takeuchi, Y. Morita & S. Uematsu. 2012. *Phytophthora* blight of southern star (*Oxypetalum caeruleum*) caused by *Phytophthora palmivora* in Japan. J. Gen. Plant Pathol., 78 (1): 39-42.

Gerrettson-Cornell, L. 1994. A compendium and classification of the species of the genus *Phytophthora* de Bary by the canons of the traditional taxonomy. Technical Paper No. 45. State Forests of New South Wales. Sidney. 87 p.

Gómez-Zeledón, J. & O. Spring. 2018. Up-regulated RxLR effector genes of *Plasmopara viticola* in synchronized host-free stages and infected leaves of hosts with different susceptibility. Fungal Biol., 122 (12): 1125-1133.

Goodin, M.M., D. Zaitlin, R.A. Naidu & S.A. Lommel. 2008. *Nicotiana benthamiana*: its history and future as a model for plant-pathogen interactions. Mol. Plant-Microbe Interact., 21 (8): 1015-1026.

Goodwin, S.B. 1997. The population genetics of *Phytophthora*. Phytopathol., 87 (4): 462-473.

Gopal, M. & A. Gupta. 2016. Microbiome selection could spur next-generation plant breeding strategies. Front. Microbiol., 7 (1971): 1-10.

Grant, B.R., D. Ebert & K.R. Gayler. 1996. Elicitins: proteins in search of a role?. Australas. Plant Pathol., 25: 148-157.

Guest, D.I. 2004. Nursery practices and orchard management. *In*: A. Drenth & D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 160-166.

Guest, D. 2007. Black pod: diverse pathogens with a global impact on cocoa yield. Phytopathol., 97 (12): 1650-1653.

Gumtow, R., D. Wu, J. Uchida & M. Tian. 2018. A *Phytophthora palmivora* extracellular cystatin-like protease inhibitor targets papain to contribute to virulence on papaya. Mol. Plant-Microbe Interact., 31 (3): 363-373.

Ha, T.N. 2010. Using *Trichoderma* species for biological control of plant pathogens in Vietnam. J. ISSAAS, 16 (1):17-21.

Hafsah, S., Zuyasna & Firdaus. 2015. Screening genotypes of cacao to black pod disease (*Phytophthora palmivora*) in Aceh Besar. J. Floratek., 10 (1): 79-86.

Hakkar, A.A., A. Rosmana & M.D. Rahim. 2014. Control of *Phytophthora* pod rot disease on cacao using endophytic fungi *Trichoderma asperellum*. J. Fitopatol. Indones., 10 (5): 139-144.

Hallmann, J., A. Quadt-Hallmann, W.F. Mahaffee & J.W. Kloepper. 1997. Bacterial endophytes in agricultural crops. Can. J. Microbial., 43 (10): 895 -914.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Hamidah. 2009. Biosistematika *Annona muricata* L., *Annona squamosa* L. dan *Annona reticulata* L. dengan pendekatan numerik. Disertasi. Fakultas Biologi, Universitas Gadjah Mada. Yogyakarta.

Hamidah, Santoso & R. Kasiamdari. 2012. Biosistematik species *Annona muricata, Annona squamosa* dan *Annona reticulata* dengan pendekatan alkaloid. Berk. Penel. Hayati, 17 (2): 153-157.

Hamzah, A., I. Zubir, E.E.R. Ross & W.S. Aqma. 2017. Antagonistic effect and plant growth hormone produced by endophyte *Bacillus amyloliquefaciens* LKM-UL isolated from cocoa plant. Int. Biosci. Biochem, Bioinforma., 7 (3): 169-176.

Hanada, R.E., T.d.J. Souza, A.W.V. Pomella, K.P. Hebbar, J.O. Pereira, A. Ismaiel & G.J. Samuels. 2008. *Trichoderma martiale* sp. nov., a new endophyte from sapwood of *Theobroma cacao* with a potential for biological control. Mycol. Res., 112 (11): 1335-1343.

Hanada, R.E., A.W.V. Pomella, W. Soberanis, L.L. Loguercio & J.O. Pereira. 2009. Biocontrol potential of *Trichoderma martiale* against the black-pod disease (*Phytophthora palmivora*) of cacao. Biol. Control, 50 (2): 143-149.

Hanada, R.E., A.W.V. Pomella, H.S. Costa, J.L. Bezerra, L.L. Loguercio & J.O. Pereira. 2010. Endophytic fungal diversity in *Theobroma cacao* (cacao) and *T. grandiflorum* (cupuacu) trees and their potential for growth promotion and biocontrol of black-pod disease. Fungal Biol., 114 (11-12): 901-910.

Hardham, A.R. & D.M. Cahill. 2010. The role of oomycete effectors in plant-pathogen interactions. Funct. Plant Biol., 37: 919-925.

Harni, R. W. Amaria, Khaerati & E. Taufiq. 2016. Isolation and selection of endophytic fungi from cacao as biocontrol agents of *Phytophthora palmivora* Butl. J. TIDP, 3 (3): 141-150.

He, R., G. Wang, X. Liu, C. Zhang & F. Lin. 2009. Antagonistic bioactivity of an endophytic bacterium isolated from *Epimedium brevicornu* Maxim. Afr. J. Biotechnol., 8 (2): 191-195.

Hendra, A. Wibowo & Suryanti. 2019. Fungal pathogens associated with vascular streak dieback (VSD) disease on cacao in Special Region of Yogyakarta Province. Indones. J. Plant Prot., 23 (1): 133-141.

Herlihy, J., N.R. Ludwig, G.v.d. Ackerveken & J.M. McDowell. 2019. Oomycetes used in Arabidopsis research. The Arabidopsis Book, 17: 1-26.

Ho, H.H., Y.Y. Zhuang & W.Z. Liang. 1983. Mating types of heterothallic species of *Phytophthora* in China I. Acta Mycol. Sin., 2 (2): 187-191.

Hung, P.M., P. Wattanachai, K. Soytong & S. Poaim. 2015. Biological control of *Phytophthora palmivora* causing root rot of pomelo using *Chaetomium* spp. Mycobiology, 43 (1): 63-70.

Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

ICCO. 2008. “Optimal” export taxes in cocoa producing countries. https://www.icco.org/about-us/international-cocoa-agreements/cat_view/30-related-documents/32-consultative-board-on-the-world-cocoa-economy.html (accessed 31 Januari 2019).

Inan, K., Y. Bektas, S. Canakci & A.O. Belduz. 2011. Use of *rpoB* sequences and rep-PCR for phylogenetic study of *Anoxybacillus* species. J. Microbiol., 49 (5): 782-790.

Indonesian Agricultural Quarantine Agency, 2018. Data on transportation of cacao seedlings in Indonesia (2013-2017). Ministry of Agriculture, Republic of Indonesia.

Jee, H.J., W.G. Kim & W.D. Cho, 1997. First report of *Phytophthora palmivora* isolated from Areca palm and soil in Korea. Korean J. Plant Pathol., 13 (6): 438-441.

Jiang, R.H.Y., S. Tripathy, F. Govers & B.M. Tyler. 2008. *RXLR* effector reservoir in two *Phytophthora* species is dominated by a single rapidly evolving superfamily with more than 700 members. Proc. Natl. Acad. Sci. USA, 105 (12): 4874-4879.

Jiang, R.H.Y. I. de Bruijn, B.J. Haas, R. Belmonte, L. Löbach, J. Christie, G. van den Ackerveken, A. Bottin, V. Bulone, S.M. Diaz-Moreno, B. Dumas, L. Fan, E. Gaulin, F. Govers, L.J. Grenville-Briggs, N.R. Horner, J.Z. Levin, M. Mammella, H.J.G. Meijer, P. Morris, C. Nusbaum, S. Oome, A.J. Phillips, D. van Rooyen, E. Rzeszutek, M. Saraiva, C.J. Secombes, M.F. Seidl, B. Snel, J.H.M. Stassen, S. Sykes, S. Tripathy, H. van den Berg, J.C. Vega-Arreguin, S. Wawra, S.K. Young, Q. Zeng, J. Dieguez-Uribeondo, C. Russ, B.M. Tyler & P. van West. 2013. Distinctive expansion of potential virulence genes in thegenome of the oomycete fish pathogen *Saprolegnia parasitica*. PLOS Genet., 9 (6): e1003272.

Jin, F., Y. Ding, W. Ding, M.S. Reddy, W.G.D. Fernando & B. Du. 2011. Genetic diversity and phylogeny of antagonistic bacteria against *Phytophthora nicotianae* isolated from tobacco rhizosphere. Int. J. Mol. Sci., 12: 3055-3071.

Joko, T., N. Kusumandari & S. Hartono. 2011. Optimization of PCR method for the detection of *Pectobacterium carotovorum*, a causal agent of soft-rot disease on orchid. Indones. J. Plant Prot., 17 (2): 54-59.

Judelson, H.S. 2007. Genomics of the plant pathogenic oomycete *Phytophthora*: insights into biology and evolution. *In*: J.C. Dunla (Ed.). Fungal Genomics. Advances in Genetics Volume 57. Elsevier Academic Press. Massachusetts, USA. 97-141.

Judelson, H.S. 2012. Dynamics and innovations within oomycete genomes: insights into biology, pathology, and evolution. Eukaryot. Cell, 11 (11): 1304-1312.

Judelson, H.S. & F.A. Blanco. 2005. The spores of *Phytophthora*: Weapons of the plant destroyer. Nat. Rev. Microbiol., 3 (1): 47-58.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Jung, S.J., N.K. Kim, D.-H. Lee, S.I. Hong & J.K. Lee. 2018. Screening and evaluation of *Streptomyces* species as a potential biological control agent against a wood decay fungus, *Gloeophyllum trabeum*. Mycobiology, 46 (2): 138-146.

Kamoun, S. 2006. A catalogue of the effector secretome of plant pathogenic oomycetes. Annu. Rev. Phytopathol., 44: 41-60.

Kashyap, P.L., S. Rai, S. Kumar & A.K. Srivastava. 2016. Genetic diversity, mating types and phylogenetic analysis of Indian races of *Fusarium oxysporum* f.sp. *ciceris* from chickpea. Arch. Phytopathol. Plant Prot., 49 (19-20): 533-553.

Kellam, M.K. & G.A. Zentmeyer. 1986. Morphological, physiological, ecological, and pathological comparisons of *Phytophthora* species isolated from *Theobroma cacao*. Phytopathol., 76 (2): 159-164.

Keller, H., J.-P. Blein, P. Bonnet & P. Ricci. 1996. Physiological and molecular characteristics of elicitin-induced systemic acquired resistance in tobacco. Plant Physiol., 110: 365-376.

Khaeruni, A., T. Wijayanto, Darmansyah, R. Arini & G.A.K. Sutariati. 2019. Antagonistic activity of indigenous endophytic bacteria from cocoa plants against *Phytophthora palmivora* Bult the cause of black pod rot disease in cocoa. Biosci. Res., 16 (1): 272-280.

Khairum, A., O. Poolsawat, P. Pornbungkerd, A. Tharapreuksapong, S. Wongkaew & P.A. Tantasawat. 2018. Effects of culture media on *Phytophthora palmivora* growth, α-elicitin production and toxicity to *Dendrobium*. Not. Bot. Horti. Agrobo., 46 (2): 630-638.

Khan, N.I., D.A. Schisler, M.J. Boehm, P.E. Lipps & P.J. Slininger. 2004. Field testing of antagonists of *Fusarium* head blight incited by *Gibberella zeae*. Biol. Control, 29: 245-255.

Khunjan, U., K. Ekchaweng, T. Panrat, M. Tian & N. Churngchow. 2016. Molecular cloning of *HbPR-1* gene from rubber tree, expression of *HbPR-1* gene in *Nicotiana benthamiana* and its inhibition of *Phytophthora palmivora*. PLoS ONE, 11(6): e0157591.

Ko, W.H. 1978. Heterothallic *Phytophthora*: Evidence for hormonal regulation of sexual reproduction. J. Gen. Microbiol., 107 (1): 15-18.

Ko, W.H. 1980. Hormonal regulation of sexual reproduction in *Phytophthora*. J. Gen. Microbiol., 116 (2): 459-463.

Ko, W.H. 1988. Hormonal heterothallism and homothallism in *Phytophthora*. Annu. Rev. Phytopathol., 26 (1): 57-73.

Ko, W.H. 2007. Hormonal regulation of sexual reproduction in *Phytophthora*. Bot. Stud., 48 (4): 365-375.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Komalasari, I., Suryanti & B. Hadisutrisno. 2018. Identification of causal agent of cocoa pod rot disease from various locations. Indones. J. Plant Prot., 22 (1): 13-19.

Koranteng, S.L. & R.T. Awuah. 2011. Biological suppression of black pod lesion development on detached cocoa pods. Afr. J. Agr. Res., 6 (1): 67-72.

Köhl, J., R. Kolnaar & W.J. Ravensberg. 2019. Mode of action of microbial biological control agents against plant diseases: relevance beyond efficacy. Front. Plant Sci., 10: 845.

Krajaejun, T., R. Khositnithikul, T. Lerksuthirat, T. Lowhnoo, T. Rujirawat, T. Petchthong, W. Yingyong, P. Suriyaphol, N. Smittipat, T. Juthayothin, V. Phuntumart & T.D. Sullivan. 2011. Expressed sequence tags reveal genetic diversity and putative virulence factors of the pathogenic oomycete *Pythium insidiosum*. Fungal Biol., 115 (7): 683-696.

Krajaejun, T., T. Lerksuthirat, G. Garg, T. Lowhnoo, W. Yingyong, R. Khositnithikul, S. Tangphatsornruang, P. Suriyaphol, S. Ranganathan & T.D. Sullivan. 2014. Transcriptome analysis reveals pathogenicity and evolutionary history of the pathogenic oomycete *Pythium insidiosum*. Fungal Biol., 118 (7): 640-653.

Krauss, U. & W. Soberanis. 2001. Rehabilitation of diseased cacao fields in Peru through shade regulation and timing of biocontrol measures. Agroforest. Syst., 53 (2): 179-184.

Krauss, U., G.M. ten Hoopen, E. Hidalgo, A. Martinez, T. Stirrup, C. Arroyo, J. Garcia & M. Palacios. 2006. The effect of cane molasses amendment on biocontrol of frosty pod rot (*Moniliopthora roreri*) and black pod (*Phytophthora* spp.) of cocoa (*Theobroma cacao*) in Panama. Biol. Control, 39 (2): 232-239.

Krauss, U., M. ten Hoopen, R. Rees, T. Stirrup, T. Argyle, A. George, C. Arroyo, E. Corrales & F. Casanoves. 2013. Mycoparasitism by *Clonostachys byssicola* and *Clonostachys rosea* on *Trichoderma* spp. from cocoa (*Theobroma cacao*) and implication for the design of mixed biocontrol agents. Biol. Control, 67 (3): 317-327.

Kroon, L.P.N.M., H. Brouwer, A.W.A.M. de Cock & F. Govers. 2012. The genus *Phytophthora* anno 2012. Phytopathol., 102 (4): 348-364.

Kueh, T.K. & K.L. Khew. 1982. Survival of *Phytophthora palmivora* in the soil and after passing through alimentary canals of snails. Plant Dis., 66 (10): 897-899.

Kumar, S., G. Stecher & K. Tamura. 2016. MEGA7: molecular evolutionary genetic analysis version 7.0 for bigger datasets. Mol. Biol. Evol., 33 (7): 1870-1874.

Kuzdraliński, A, A. Kot, H. Szczerba, M. Nowak & M. Muszyńska. 2017. A review of conventional PCR assay for the detection of selected phytopathogens of wheat. J. Mol. Microbiol. Biotechnol., 27: 175-189.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Lamour, K.H., J. Win & S. Kamoun. 2007. Oomycete genomics: new insights and future directions. FEMS Microbiol. Lett., 274: 1-8.

Lamour, K.H. & M.K. Hausbeck. 2000. Mefenoxam insensitivity and the sexual stage of *Phytophthora capsici* in Michigan cucurbit fields. Phytopathol., 90: 396-400.

Lane, D.J. 1991. 16S/23S rRNA Sequencing. *In*: E. Stackebrandt & M. Goodfellow (Eds.). Nucleic Acid Techniques in Bacterial Systematic. John Wiley and Sons. New York. 115-175.

Lass, R.A. 1985. Maintenance and improvement of mature cocoa farms. *In*: G.A.R. Wood & R.A. Lass (Eds.). Cocoa (Fourth Edition). Blackwell Science. Great Britain. 195-209.

Le Fevre, R., B. O'Boyle, M.J. Moscou & S. Schornack. 2016. Colonization of barley by the broad-host hemibiotrophic pathogen *Phytophthora palmivora* uncovers a leaf development-dependent involvement of *Mlo*. Mol. Plant-Microbe Interact., 29 (5): 385-395.

Lee, B.S. & K.Y. Lum. 2004. *Phytophthora* diseases in Malaysia. *In*: A. Drenth & D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 60-69.

Lehtinen, A. & A. Hannukkala. 2004. Oospores of *Phytophthora infestans* in soil provide an important new source of primary inoculum in Finland. Agr. Food Sci., 13 (4): 399-410.

Leonian, L.H. 1925. Physiological studies on the Genus *Phytophthora*. Am. J. Bot., 12 (7): 444-498.

Legavre, T., M. Ducamp, X. Sabau, X. Agrout, O. Fouet, F. Dedieu, S. Surujdeo-Maharaj, D. Garcia, D. Paulin & C. Lanaud. 2015. Identification of *Theobroma cacao* genes differentially expressed during *Phytophthora megakarya* infection. Physiol. Mol. Plant Pathol., 92: 1-13.

Li, H., R.K. Singh, P. Singh, Q. Song, Y. Xing, L. Yang & Y. Li. 2017. Genetic diversity of nitrogen-fixing and plant growth promoting *Pseudomonas* species isolated from sugarcane rhizosphere. Front. Microbiol., 8 (1268): 1-20.

Lima Junior, M.S.C., D.C.R. Zorzenon, M.E.C. Dorval, E.R.J.C. Pontes, E.T. Oshiro, R. Cunha, R. Andreotti & M.F.C. Matos. 2013. Sensitivity of PCR and real-time PCR for the diagnosis of human visceral leishmaniasis using peripheral blood. Asian Pac. J. Trop. Dis., 3 (1): 10-15.

Liu, L., Y. Zhang, S. Tang, Q. Zhao, Z. Zhang, H. Zhang, L. Dong, H. Guo & Q. Xie. 2010. An efficient system to detect protein ubiquitination by agroinfiltration in *Nicotiana benthamiana.* Plant J., 61: 893-903.

Liu, D., K. Li, J. Hu, W. Wang, X. Liu & Z. Gao. 2019. Biocontrol and action mechanism of *Bacillus amyloliquefaciens* and *Bacillus subtilis* in soybean *Phytophthora* blight. Int. J. Mol. Sci., 20: 2908.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Livak, K.J. & T.D. Schmittgen. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta C}_T$ method. Methods, 25 (4): 402-408.

Loguercio, L.L., A.C. de Carvalho, G.R. Niella, J.T. de Souza & A.W.V. Pomella. 2009. Selection of *Trichoderma stromaticum* isolates for efficient biological control of witches' broom disease in cacao. Biol. Control, 51 (1): 130-139.

Lolong, A.A. 2012. Alternate host of several isolates of *Phytophthora palmivora* causing coconut budrot. Bull. Palma 13 (1): 1-6.

Lu, X., D. Zhou, X. Chen, J. Zhang, H. Huang & L. Wei. 2017. Isolation and characterization of *Bacillus altitudinis* JSCX-1 as a new potential biocontrol agent against *Phytophthora sojae* in soybean [*Glycine max* (L.) Merr.]. Plant Soil, 416: 53-66.

Macagnan, D., R.S. Romeiro, J.T. de Souza & A.W.V. Pomella. 2006. Isolation of actinomycetes and endospore-forming bacteria from the cacao pod surface and their antagonistic activity against the witches' broom and black pod pathogens. Phytoparasitica, 34 (2): 122-132.

Machado, A.P., V.K. Vivi, J.R. Tavares, F.J.G. Filho & O. Fischman. 2010. Antibiosis and dark-pigments secretion by the phytopathogenic and environmental fungal species after interaction *in vitro* with a *Bacillus subtilis* isolate. Braz. Arch. Biol. Technol., 53 (5): 997-1004.

Mafurah, J.J., H. Ma, M. Zhang, J. Xu, F. He, T. Ya, D. Shen, Y. Chen, N.A. Rajput & D. Dou. 2015. A virulence essential CRN effector of *Phytophthora capsici* suppresses host defense and induces cell death in plant nucleus. PLoS ONE,10 (5): e0127965.

Malajczuk, N., H.J. Nesbitt & A.R. Glenn. 1977. A light and electron microscope study of the interaction of soil bacteria with *Phytophthora cinnamomi* Rands. Can. J. Microbiol., 23: 1518-1525.

Maora, J.S., E.C.Y. Liew & D.I. Guest. 2017. Limited morphological, physiological and genetic diversity of *Phytophthora palmivora* from cocoa in Papua New Guinea. Plant Pathol., 66 (1): 124-130.

Marpaung, A.E., F.H. Silalahi & E.I.Y. Purba. 2010. Identifikasi patogen penyebab busuk pangkal batang pada tanaman jeruk di Tanah Karo. J. Hort., 20 (3): 262-273.

Martens, M., P. Dawyndt, R. Coopman, M. Gillis, P. de Vos & A. Willems. 2008. Advantages of multilocus sequence analysis for taxonomic studies: a case study using 10 housekeeping gene in the genus *Ensifer* (including former *Shinorhizobium*). Int. J. Syst. Evol. Microbiol., 58: 200-214.

Martin, F.N. & P.W. Tooley. 2003. Phylogenetic relationships among *Phytophthora* species from inferred sequence analysis of mitochondrially encoded *cytochrome oxidase I* and *II* genes. Mycologia, 95 (2): 269-284.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Martinelli, F., R. Scalenghe, S. Davino, S. Panno, G. Scuderi, P. Ruisi, P. Villa, D. Stroppiana, M. Boschetti, L.R. Goulart, C.E. Davis & A.M. Dandekar. 2015. Advanced methods of plant disease detection: a review. Agron. Sustain. Dev., 35 (1): 1-25.

Martins, G., B. Lauga, C. Miot-Sertier, A. Mercier, A. Lonvaud, M.-L. Soulas, G. Soulas & I. Masneuf-Pomarede. 2013. Characterization of epiphytic bacterial communities from grapes, leaves, bark and soil of grapevine plants grown, and their relations. PLOS One, 8 (8): 1-9.

Matar, S.M., S.A. El-Kazzaz, E.E. Wagih & A.I. El-Diwany. 2009. Antagonistic and inhibitory effect of *Bacillus subtilis* against certain plant pathogenic fungi, I. Biotechnol., 8 (1): 53-61.

McDermott, J.M. & B.A. McDonald. 1993. Gene flow in plant pathosystems. Annu. Rev. Phytopathol., 31 (1): 353-373.

McGregor, A.J. & J.E. Moxon. 1985. Potential for biological control of tent building species of ants associated with *Phytophthora palmivora* pod rot of cocoa in Papua New Guinea. Ann. Appl. Biol., 107 (2): 271-277.

Mchau, G.D.R. & M.D. Coffey. 1994. Isozyme diversity in *Phytophthora palmivora*: evidence for a southeast Asian centre of origin. Mycol. Res., 98 (9): 1035-1043.

McMahon, P.J. & A. Purwantara. 2004. *Phytophthora* on cocoa. *In*: A. Drenth & D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 104-115.

McMahon, P.J., A. Purwantara, A. Wahab, M. Imron, S. Lambert, P.J. Keane. & D.I. Guest. 2010a. Phosphonate applied by trunk injection controls stem canker and decreases *Phytophthora* pod rot (black pod) incidence in cocoa in Sulawesi. Australas. Plant Pathol., 39 (2): 170-175.

McMahon, P.J., A. Purwantara, A.W. Susilo, S. Sukamto and A. Wahab, H. Purung, M. Hidayat, D. Ismail, T. Taproni, S. Lambert, D. Guest & P. Keane. 2010b. On-farm selection for quality and resistance to pest/diseases of cocoa in Sulawesi: (ii) quality and performance of selections against *Phytophthora* pod rot and vascular-streak dieback. Int. J. Pest Manage., 56 (4): 351-361.

McNeil, C.L. 2006. Introduction: The biology, antiquity, and modern uses of the chocolate tree (*Theobroma cacao* L.). In: C.L. McNeil (Ed.). Chocolate in Mesoamerica: A Cultural History of Cacao. University Press of Florida. Florida. 1-30.

Mejia, L.C., E.I. Rojas, Z. Maynard, S. Van Bael, A.E. Arnold, P. Hebbar, G.J. Samuels, N. Robbins & E.A. Herre. 2008. Endophytic fungi as biocontrol agents of *Theobroma cacao* pathogens. Biol. Control, 46 (1): 4-14.

Melnick, R.L., N.K. Zidack, B.A. Bailey, S.N. Maximova, M. Guiltinan & P.A. Backman. 2008. Bacterial endophytes: *Bacillus* spp. from annual crops as

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

potential biological control agents of black pod rot of cacao. Biol. Control, 46 (1): 46-56.

Melnick, R.L., C. Suarez, B.A. Bailey & P.A. Backman. 2011. Isolation of endophytic endospore-forming bacteria from *Theobroma cacao* as potential biological control agents of cacao diseases. Biol. Control, 57: 236-245.

Melnick, R.L., J.-P. Marelli, R.C. Sicher, M.D. Strem & B.A. Bailey. 2012. The interaction of *Theobroma cacao* and *Moniliophthora perniciosa*, the causal agent of witches' broom disease, during parthenocarpy. Tree Genet. Genomes, 8 (6):1261-1279.

Mendez-Bravo, A., E.M. Cortazar-Murillo, E. Guevara-Avendano, O. Ceballos-Luna, B. Rodriguez-Haas, A.L. Kiel-Martinez, O. Hernandez-Cristobal, J.A. Guererro-Analco & F. Reverchon. 2018. Plant growth-promoting rhizobacteria associated with avocado display antagonistic activity against *Phytophthora cinnamomi* through volatile emissions. PloS ONE, 13 (3): 1-18.

Mestre, P., M.-C. Piron & D. Merdinoglu. 2012. Identification of effector genes from the phytopathogenic oomycete *Plasmopara viticola* through the analysis of gene expression in germinated zoospores. Fungal Biol., 116 (7): 825-835.

Metsalu, T. & J. Vilo. 2015. ClustVis: a web tool for visualizing clustering of multivariate data using principal component analysis and heatmap. Nucleic Acids Res., 43: W566-W570.

Meyer, F.E., L.S. Shuey, S. Naidoo, T. Mamni, D.K. Berger, A.A. Myburg, N. van den Berg & S. Naidoo. 2016. Dual RNA-sequencing of *Eucalyptus nitens* during *Phytophthora cinnamomi* challenge reveals pathogen and host factors influencing compatibility. Front. Plant Sci., 7 (191): 1-15.

Milgroom, M.G. & W.E. Fry. 1997. Contributions of population genetics to plant disease epidemiology and management. Adv. Bot. Res., 24: 1-30.

Miliute, I., O. Buzaite, D. Baniulis & V. Stanys. 2015. Bacterial endophytes in agricultural crops and their role in stress tolerance: a review. Zemdirbyste-Agriculture, 102 (4): 465-478.

Minifie, B.W. 1989. Chocolate, Cocoa, and Confectionary: Science and Technology. (Third Edition). Van Nostrand Reinhold. New York. 904 p.

Miyage, N. & H. Nagai. 2019. Pathogenicity of *Phytophthora palmivora* to fig fruits after its long-term storage in water. J. Gen. Plant Pathol., 85 (4): 251-256.

Mohammed, M.S., M. Dickinson & I.A. Seman. 2015. Analysis of genetic variation in *Phytophthora palmivora*, the causal agent of bud rot disease of oil palm. *In*: Proceedings of MPOB oil palm congress and exhibition; Agriculture, biotechnology and Sustainability; Oil palm: powering the world, sustaining the future. Kuala Lumpur, October 6-8, 2015. MPOB. Kuala Lumpur. 156-163.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Mohd Jaaffar, A.K. 2004. Antagonistic activities of epiphytic bacteria on black pod disease of cocoa. Master Thesis. University Putra Malaysia, Selangor Darul Ehsan (Malaysia).

Morgan, W. & S. Kamoun. 2007. *RXLR* effectors of plant pathogenic oomycetes. Curr. Opin. Microbiol., 10: 332-338.

Mota, M.S., C.B. Gomes, I.T.S. Júnior & A.B. Moura. 2017. Bacterial selection for biological control of plant disease: criterion determination and validation. Braz. J. Microbiol., 48 (1): 62-70.

Motulo, H.F.J., M.S. Sinaga, S. Mandang & A. Tjahjoleksono. 2004. Genetic diversity of some *Phytophthora palmivora* isolates causes nut fall disease on coconut plantation based on the random amplified polymorphic DNA (RAPD). J. Littri, 10 (4): 154-158.

Motulo, H.F.J., M.S. Sinaga, A. Hartana, G. Suastika & H. Aswidinnoor, 2007. Karakter morfologi dan molekuler isolat *Phytophthora palmivora* asal kelapa dan kakao. J. Littri, 13 (3): 111-118.

Motulo, H.F.J. 2008. Keragaman genetik dan virulensi isolat *Phytophthora palmivora* asal kelapa dan asal kakao. Disertasi. Institut Pertanian Bogor. Bogor.

Mpika, J. I.B. Kebe, A.E. Issali, F.K. N'Guessan, S. Druzhinina, M. Komon-Zelazowska, C.P. Kubicek & S. Ake. 2009. Antagonist potential of *Trichoderma* indigenous isolates for biological control of *Phytophthora palmivora* the causative agent of black pod disease on cocoa (*Theobroma cacao* L.) in Côte d'Ivoire. Afr. J. Biotechnol., 8 (20): 5280-5293.

Mpika, J., I.B. Kebe & F.K. N'Guessan. 2011. Isolation and identification of indigenous microorganisms of cocoa farms in Côte d'Ivoire and assessment of their antagonistic effect vis-a-vis *Phytophthora palmivora*, the causal agent of the black pod disease. *In*: O. Grillo (Ed.). Biodiversity Loss in a Changing Planet. Intech. Croatia. 303-318.

Muzuni, R. Indradewi & Baharudin. 2015. Resistance of cacao plant to attack *Phytophthora palmivora* and *Oncobasidium theobromae* in Konawe Regency Southeast Sulawesi. Paradigma, 19 (1): 67-82.

Nath, V.S., M. Senthil, V.M. Hegde, M.L. Jeeva, R.S. Misra, S.S. Veena & M. Raj. 2013. Genetic diversity of *Phytophthora colocasiae* isolates in India based on AFLP analysis. Biotech., 3: 297-305.

Nirwanto, H. 2007. Pengantar Epidemi dan Manajemen Penyakit Tanaman. UPN "Veteran" Jawa Timur. Surabaya. 129 p.

Nur Amin, M. Salam, M. Junaid, Asman & M.S. Baco. 2014. Isolation and identification of endophytic fungi from cocoa plant resistante VSD M.05 and cocoa plant susceptible VSD M.01 in South Sulawesi, Indonesia. Int. J. Curr. Microbiol. App. Sci*.,* 3 (2): 459-467.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Nyasse, S., C. Cilas, C. Herail & G. Blaha. 1995. Leaf inoculation as an early screening test for cocoa *(Theobroma cacao* L.) resistance to *Phytophthora* black pod disease. Crop Prot., 14 (8): 657-863.

Oh, S.-K., S. Kamoun & D. Choi. 2010. Oomycetes *RXLR* effectors function as both activator and suppressor of plant immunity. Plant Pathol. J., 26 (3): 209-215.

Oliveira, E.J., J.G. Pádua, M.I. Zucchi, R. Vencovsky & M.L.C. Vieira. 2006. Origin, evolution and genome distribution of microsatellites. Genet. Mol. Biol., 29 (2): 294-307.

Olsson, D., A. Marquez, J.S. Tellechea, P.H. Carvalho, A.N. Pereira & W. Norbis. 2019. Genetic and morphometric analyzes of *Paralichthys* species confirm the presence of *P. brasiliensis* in the Uruguayan waters. Neotrop. Biodivers., 5 (1): 30-35.

Onomo, P.E., J.M. Ndjaga, M.L. Ondobo, J.C.D. Kouam & P.F. Djocgoue. 2017. Virulence test of some *Phytopthora megakarya* isolates on cocoa (*Theobroma cacao* L.) hybrid pods. IOSR J. Biotechnol. Biochem., 3 (1): 73-81.

Othman, A.S., M.S. Samsiah, Z. Ishak & N. Russman. 2008. Endophytic fungi in *Theobroma cacao* L. leaves (clones PBC123 and KKM22). Malays. Cocoa J., 4: 6-12.

O'Gara, E., S. Sangchote, L. Fitzgerald, D. Wood, A.C. Seng & D.I. Guest. 2004. Infection biology of *Phytophthora palmivora* Butl. in *Durio zibethinus* L. (Durian) and responses induced by phosphonate. *In*: A. Drenth, D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 42-52.

Pangestu, E., I. Suswanto & Supriyanto. 2014. The use of coconut shell liquid smoke for controlling *Phytophthora* sp. causing cocoa fruit rot disease *in vitro*. J. Perkebunan & Lahan Tropika, 4 (2): 39-44.

Paul, N.C., S.H. Ji, J.X. Deng & S.H. Yu. 2013. Assembledges of endophytic bacteria in chili pepper (*Capsicum annum* L.) and their antifungal activity against phytopathogens *in vitro*. Plant Omics J., 6 (6): 441-448.

Peter, P.K. & R. Chandramohanan. 2014. Integrated management of black pod disease of cocoa caused by *Phytophthora palmivora.* Int. J. Plant Prot., 7 (1): 107-110.

Phae, C.-G., M. Sasaki, M. Shoda & H. Kubota. 1990. Characteristics of *Bacillus subtilis* isolated from composts suppressing phytopathogenic microorganisms. Soil Sci. Plant Nutr., 36 (4): 575-586.

Ploetz. R.C. 2007. Cacao diseases: Important threats to chocolate production worldwide. Phytopathol., 97 (12): 1634-1639.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Ploetz, R. 2016. The impact of diseases on cacao production: A global overview. *In*: B.A. Bailey & L.W. Meinhardt (Eds.). Cacao Diseases A History of Old Enemies and New Encounters. Springer. Switzerland. 33-62.

Pohlan, H.A.J. & V.D. Perez. 2010. Growth and production of cacao. *In*: W.H. Verheye (Ed.) Soils plant growth and crop production in Encyclopedia of Life Support Systems (EOLSS). Developed under the Auspices of the UNESCO. Eolss Publishers. Oxford. United Kingdom.

Ponchet, M., F. Panabieres, M.-L. Milat, V. Mikes, J.-L. Montillet, L. Suty, C. Triantaphylides, Y. Tirilly & J.-P. Blein. 1999. Are elicitins cryptograms in plant-oomycetes communications? CMLS Cell. Mol. Life Sci., 56: 1020-1047.

Pongpisutta, R. & S. Sangchote. 2004. Morphological and host range variability in *Phytophthora palmivora* from Durian in Thailand. *In*: A. Drenth & D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 53-58.

Pratama, S.W., S. Sukamto, I.N. Asyiah & Y. V. Ervina. 2013. Growth inhibition of cocoa pod rot fungus *Phytophthora palmivora* by *Pseudomonas fluorescence* and *Bacillus subtilis* bacteria. A Coffee and Cocoa Res. J., 29 (2): 120-127.

Pratama, S.W. & N.P. Sari. 2015. Application of lime and urea and its effect on development of *Phytophthora palmivora*. A Coffee and Cocoa Res. J., 31 (1): 41-48.

Prince, D.C., G. Rallapalli, D. Xu, H.-j. Schoonbeek, V. Çevik, S. Asai, E. Kemen, N. Cruz-Mireles, A. Kemen, K. Belhaj, S. Schornack, S. Kamoun, E.B. Holub, B.A. Halkier & J.D.G. Jones. 2017. Albugo-imposed changes to tryptophanderived antimicrobial metabolite biosynthesis may contribute to suppression of non-host resistance to *Phytophthora infestans* in *Arabidopsis thaliana*. BMC Biol., 15: 20.

Purnomo, E., Mukarlina & Rahmawati. 2017. Uji antagonis bakteri *Streptomyces* spp. terhadap jamur *Phytophthora palmivora* BBK01 penyebab busuk buah pada tanaman kakao. Protobiont, 6 (3): 1-7.

Purwantara, A., D. Manohara & J.S. Warokka. 2004. *Phytophthora* diseases in Indonesia. *In*: A. Drenth & D.I. Guest (Eds.). Diversity and Management of *Phytophthora* in Southeast Asia. ACIAR Monograph No. 114. Canberra. 70-76.

Purwantara, A., P. McMahon, A.W. Susilo, S. Sukamto, S. Mulia, Nurlaila, A. Saftar, H. Purung, S. Lambert, P. Keane & D. Guest, 2015. Testing local cocoa selections in Sulawesi: (ii) resistance to stem canker and pod rot (black rot) caused by *Phytophthora palmivora*. Crop Prot., 77: 18-26.

Purwantara, A. & A. Umayah, 2010. Analisis keragaman genetik *Phytophthora palmivora* dari tanaman kakao di Indonesia menggunakan AFLP. Menara Perkebunan, 78 (2): 61-69.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Qutob, D., S. Kamoun & M. Gijzen. 2002. Expression of a *Phytophthora sojae* necrosis-inducing protein occurs during transition from biotrophy to necrotrophy. Plant J., 32:361-373.

Rahma & H.F.J. Motulo. 2014. Pemanfaatan cendawan antagonis untuk pengendalian penyakit gugur buah kelapa. Bull. Palma, 15 (2): 120-127.

Rahman, M.Z., S. Uematsu, M.D. Coffey, S. Uzuhashi, H. Suga & K. Kageyama. 2014. Re-evaluation of Japanese *Phytophthora* isolates based on molecular phylogenetic analyses. Mycoscience, 55 (4): 314-327.

Rahman, M.Z., S. Uematsu, H. Suga & K. Kageyama. 2015. Diversity of *Phytophthora* species newly reported from Japanese horticultural production. Mycoscience, 56 (4): 443-459.

Rameshkumar, N., N. Ayyadurai, N. Kayalvizhi & P. Gunasekaran. 2012. Genotypic and phenotypic diversity of PGPR fluorescent pseudomonads isolated from the rhizosphere of sugarcane (*Saccharum officinarum* L.). J. Microbiol. Biotechnol., 22: 13-24.

Rao, V.G. 1970. Influence of temperature upon growth and sporulation in two species of *Phytophthora*. Mycopathol. Mycol. Appl., 42 (1-2): 39-48.

Ribeiro, O.K. 2013. A historical perspective of *Phytophthora*. In: K. Lamour (Ed.). *Phytophthora*: A Global Perspective. CABI Publishing. United Kingdom. 1-10.

Rifin, A & D. Nauly. 2013. The effect of export tax on Indonesia's cocoa export competitiveness. *In*: 57th AARES Annual Conference, Sydney, New South Wales, 5th-8th February 2013. Australian Agricultural & Resource Economics Society. 1-10.

Rosenblueth, M. & E. Martinez-Romero. 2006. Bacterial endophytes and their interactions with hosts. Mol. Plant Microbe Interact., 19 (8): 827-837.

Rosmana, A., G.J. Samuels, A. Ismaiel, E.S. Ibrahim, P. Chaverri, Y. Herawati & A. Asman. 2015. *Trichoderma asperellum*: a dominant endophyte species in cacao grown in Sulawesi with potential for controlling vascular streak dieback disease. Trop. Plant Pathol., 40 (1): 19-25.

Roy, S.G. & N.J. Grunwald. 2014. The plant destroyer genus *Phytophthora* in the 21st century. Rev. Plant Pathol., 6: 387-412.

Rubini, M.R., R.T. Silva-Ribeiro, A.W.V. Pemella, C.S. Maki, W.A. Araujo, D.R. dos Santos & J.L. Azevedo. 2005. Diversity of endophytic fungal community of cacao (*Theobroma cacao* L.) and biological control of *Crinipellis perniciosa*, causal agents of witches' broom disease. Int. J. Biol. Sci., 1 (1): 24-33.

Rubiyo, A. Purwantara, D. Suhendi, Trikoesoemaningtyas, S. Ilyas & Sudarsono. 2008a. Cacao (*Theobroma cacao* L.) resistance evaluation against black pod disease and effectiveness of inoculation methods. A Coffee and Cocoa Res. J., 24 (2): 95-113.

Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Rubiyo, A. Purwantara, S. Sukamto & Sudarsono. 2008b. Isolation of indigenous *Phytophthora palmivora* from Indonesia, their morphological and pathogenicity characterization. A Coffee and Cocoa Res. J., 24 (1): 35-48.

Rubiyo, A. Purwantara & Sudarsono. 2010. Resistance of 35 cocoa clones against *Phytophthora palmivora* Butl. infection based on detached pod assays. J. Littri, 16 (4): 172-178.

Ryan, R.P., K. Germaine, A. Franks, D.J. Ryan & D.N. Dowling. 2007. Bacterial endophytes: recent developments and applications. FEMS Microbiol. Lett., 278 (1): 1-9.

Rytter, J.L., F.L. Lukezic, R. Craig and G.W. Moorman. 1989. Biological control of geranium rust by *Bacillus subtilis*. Phytopathol., 79 (3): 367-370.

Salehan, N.M., S. Meon & I.S. Ismail. 2013. Antifungal activity of *Cosmos caudatus* extracts against seven economically important plant pathogens. Int. J. Agric. Biol., 15 (5): 864-870.

Samuels, G.J., C. Suarez, K. Solis, K.A. Holmes, S.E. Thomas, A. Ismaiel & H.C. Evans. 2006. *Trichoderma theobromicola* and *T. paucisporum*: two new species isolated from cacao in South America. Mycol. Res., 110 (4): 381-392.

Samuels, G.J., A. Ismaiel, A. Rosmana, M. Junaid, D. Guest, P. McMahon, P. Keane, A. Purwantara, S. Lambert, M. Rodriguez-Carres & M.A. Cubeta. 2012. Vascular streak dieback of cacao in Southeast Asia and Melanesia: *in planta* detection of the pathogen and a new taxonomy. Fungal Biol., 116 (1): 11-23.

Santini, A. & L. Ghelardini. 2015. Plant pathogen evolution and climate change. CAB Rev., 10 (035): 1-8.

Santoso, P.J., I.N.P. Aryantha, A. Pancoro & S. Suhandono. 2015. Identification of *Pythium* and *Phytophthora* associated with durian (*Durio* sp.) in Indonesia: their molecular and morphological characteristics and distribution. Asian J. Plant Pathol., 9 (2): 59-71.

Schena, L., L. Cardle & D.E. Cooke. 2008. Use of genome sequence data in the design and testing of SSR markers for *Phytophthora* species. BMC Genomics, 9 (620): 1-23.

Schlüter, P.M. & S.A. Harris. 2006. Analysis of multilocus fingerprinting data sets containing missing data. Mol. Ecol. Resour., 6 (2): 569-572.

Semagn, K., A. Bjornstad & M.N. Ndjiondjop. 2006. An overview of molecular marker methods for plants. Afr. J. Biotechnol., 5 (25): 2540-2568.

Setyowati, P.L., A. Wibowo & T. Arwiyanto. 2019. Penapisan bakteri antagonis dari buah kakao untuk menekan perkembangan penyakit busuk buah kakao. *In*: Prosiding Seminar Nasional IX Perhimpunan Fitopatologi Indonesia, Yogyakarta, 6 Oktober 2018. PFI Komda Joglosemar. 31-42

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Shaik, S.P. & P. Thomas. 2019. *In vitro* activation of seed-transmitted cultivation-recalcitrant endophytic bacteria in tomato and host-endophyte mutualism. Microorganims, 7: 132.

Shen, D., Q. Li, P. Sun, M. Zhang & D. Dou. 2017. Intrinsic disorder is a common structural characteristic of RxLR effectors in oomycete pathogens. Fungal Biol., 121 (11): 911-919.

Sharma, A., V.D. Diwevidi, S. Singh, K.K Pawar, M. Jerman, L.B. Singh, S. Singh & D. Srivastawa. 2013. Biological control and its Important in agriculture. Int. J. Biotechnol Bioeng. Res., 4 (3): 175-180.

Sharma, N. 1990. Aseptic germination of oospores of *Phytophthora palmivora*. Can. J. Bot., 68 (12): 2548-2552.

Slamet, A.R. 1991. Pathogenicity test of three isolates of *Phytophthora palmivora* on black pepper, coconut, cacao and vanilla. Bul. Littro, 6 (1): 33-38.

Soladoye, M.O., M.A. Sonibare & E.C. Chukwuma. 2010. Morphometric study of the genus *Indigofera* Linn. (Leguminosae-Papilionoideae) in South-Western Nigeria. Int. J. Botany, 6 (3): 343-350.

Somowiyarjo, S., D.P. Sriyanti, Mulyadi, Suryanti, Y.M.S. Maryudani & B. Hadisutrisno. 1999. The use of monoclonal antibodies in indirect enzyme linked immunosorbent assay for detecting the pathogen of coconut bud rot (*Phytophthora palmivora*). Indones. J. Plant Prot., 5 (2): 120-126.

Somowiyarjo, S., S. Sulandari, S. Hartono, Y.B. Paradisa & T.M. Aji. 2014. Etiology of shoot twig malformation on cocoa at Kulon Progo, Special Province of Yogyakarta and Segayung, Central Java. Indones. J. Plant Prot., 18 (2): 95-102.

Song, M., H.Y. Yun & Y.H. Kim. 2014. Antagonistic *Bacillus* species as a biological control of ginseng root rot caused by *Fusarium* cf. *incarnatum*. J. Ginseng Res., 38: 136-145.

Sopheareth, M., S. Chan, K.W. Naing, Y.S. Lee, H.N. Hyun, Y.C. Kim & K.Y. Kim. 2013. Biocontrol of late blight (*Phytophthora capsici*) disease and growth promotion of pepper by *Burkholderia cepacia* MPC-7. Plant Pathol. J., 29 (1): 67-76.

Soytong, K., S. Kanokmedhakul, V. Kukongviriyapa & M. Isobe. 2001. Application of *Chaetomium* species (Ketomium®) as a new broad-spectrum biological fungicide for plant disease control: a review article. Fungal Divers., 7: 1-15.

Spence, J.A. 1961. Black-pod disease of cocoa. II. A study of host-parasite relations. Ann. Appl. Biol., 49: 723-734.

Sriwati, R. & R. Muarif. 2012. Characteristic symptoms of *Phytophthora palmivora* on cocoa leaves. J. Nat., 12 (2): 30-34.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Sriwati, R., R.L. Melnick, R. Muarif, M.D. Strem, G.J. Samuels & B.A. Bailey. 2015. *Trichoderma* from Aceh Sumatra reduce *Phytophthora* lesions on pods and cacao seedlings. Biol. Control, 89: 33-41.

Stam, R., J. Jupe, A.J.M. Howden, J.A. Morris, P.C. Boevink, P.E. Hedley & E. Huitema. 2013. Identification and characterisation *CRN* effectors in *Phytophthora capsici* shows modularity and functional diversity. PLoS ONE, 8 (3): 1-13.

Statistics Indonesia, 2019. Statistics Indonesia. www.bps.go.id. Retrieved at December 17, 2019.

Strange, R.N. 2003. Introduction to Plant Pathology. John Wiley & Sons Ltd. England. 464 p.

Sturz, A.V., B.R. Christie & J. Nowak. 2000. Bacterial endophytes: potential role in developing sustainable systems of crop production. Crit. Rev. Plant Sci., 19 (1): 1-30.

Sudarma, I.M., N.M. Puspawati & I.K. Suada. 2017. The potency of endophytic fungi in cocoa as biological agent to control cocoa pod disease caused by *Phytophthota palmivora* (Butler) Butler. J. Adv. Trop. Biodivers. Environ. Sci., 1 (1): 6-11.

Sudheesh, K.G. & V.B. Sreekumar. 2006. Genetic variability in *Phytophthora palmivora* Butl. using RAPD markers. J. Phytopathol., 154 (9): 542-544.

Sumardiyono, C., N. Pusposendjojo & S. Trisnowati. 1995. Ketahanan beberapa jamur patogen terhadap fungisida. Indones. J. Plant Prot., 1 (1): 51-55.

Sun, W.X., Y.J. Jia, B.Z. Feng, N.R. O'Neill, X.P. Zhu, B.Y. Xie & X.G. Zhang. 2009. Functional analysis of *Pcipg2* from the straminopilous plant pathogen *Phytophthora capsici*. Genesis, 47: 535-544.

Surudjeo-Maharaj, S., T.N. Sreenivasan, L.A. Motilal & P. Umarahan. 2016. Black pod and other *phytophthora* induced diseases of cacao: history, biology, and control. *In*: B.A. Bailey & L.W. Meinhardt (Eds.). Cacao Diseases: A History of Old Enemies and New Encounters. Springer. Switzerland. 213-266.

Susilo, A.W. 2007. Akselerasi program pemuliaan kakao (*Theobroma cacao* L.) melalui pemanfaatan penanda molekuler dalam proses seleksi. Warta Pusat Penelitian Kopi dan Kakao Indonesia, 23 (1): 11-24.

Susilo, A.W., D. Zhang, L.A. Motilal, S. Mischke & L.W. Meinhardt. 2011. Assessing genetic diversity in Java fine-flavor cocoa (*Theobroma cacao* L.) germplasm by using simple sequence repeat (SSR) markers. Trop. Agr. Develop., 55 (2): 84-92.

Tashiro, N., S. Uematsu, Y. Ide & M. Matsuzaki, 2012. First report of *Phytophthora palmivora* a causal pathogen of citrus brown rot in Japan. J. Gen. Plant Pathol., 78 (3): 233-236.

Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

ten Hoopen, G.M., R. Rees, P. Aisa, T. Stirrup & U. Krauss. 2003. Population dynamics of epiphytic mycoparasites of the genera *Clonostachys* and *Fusarium* for the biocontrol of black pod (*Phytophthora palmivora*) and moniliasis (*Moniliophthora roreri*) on cocoa (*Theobroma cacao*). Mycol. Res., 107 (5): 587-596.

Tchinda, R.A.M., T. Boudjeko, A.-M. Simao-Beaunoir, S. Lerat, É. Tsala, E. Monga & C. Beaulieu. 2016. Morphological, physiological, and taxonomic characterization of actinobacterial isolates living as endophytes of cacao pods and cacao seeds. Microbes Environ., 31 (1): 56-62.

Thomas, L., A. Gupta, M. Gopal & R. Chandramohanan. 2011. Evaluation of rhizospheric and endophytic *Bacillus* spp. and fluorescent *Pseudomonas* spp. isolated from *Theobroma cacao* L. for antagonistic reaction to *Phytophthora palmivora,* the causal organism of black pod disease of cocoa. J. Plantation Crops, 39 (3): 370-376.

Thomas, S.E., J. Crozier, M.C. Aime, H.C. Evans & K.A. Holmes. 2008. Molecular characterisation of fungal endophytic morphospecies associated with the indigenous forest tree, *Theobroma gileri*, in Ecuador. Mycol. Res., 112 (7): 852-860.

Thorold, C.A. 1952. Airborne dispersal of *Phytophthora palmivora*, causing black-pod disease of *Theobroma cacao*. Nature, 170 (4330): 718-719.

Timmusk, S., P. van West, N.A.R. Gow & R.P. Huffstutler. 2009. *Paenibacillus polymyxa* antagonizes oomycete plant pathogens *Phytophthora palmivora* and *Pythium aphanidermatum*. J. App. Microbiol., 106 (5): 1473-1481.

Tondje, P.R., K.P. Hebbar, G. Samuels, J.H. Bowers, S. Weise, E. Nyemb, D. Begoude, J. Foko & D. Fontem. 2006. Bioassay of *Geniculosporium* species for *Phytophthora megakarya* biological control on cacao pod husk pieces. Afr. J. Biotechnol., 5 (8): 648-652.

Tondje, P.R., D.P. Roberts, M.C. Bon, T. Widmer, G.J. Samuels, A. Ismaiel, A.D. Begoude, T. Tchana, E. Nyemb-Tshomb, M. Ndoumbe-Nkeng, R. Bateman, D. Fontem & K.P. Hebbar. 2007. Isolation and identification of mycoparasitic isolates of *Trichoderma asperellum* with potential for suppression of black pod disease of cacao in Cameroon. Biol. Control, 43 (2): 202-212.

Torto, T.A., S. Li, A. Styer, E. Huitema, A. Testa, N.A.R. Gow, P. van West & S. Kamoun. 2003. EST mining and functional expression assays identify extracellular proteins from the plant pathogen *Phytophthora*. Genome Res., 13: 1675-1685.

Torres-Londono, G.A. 2016. Morphological characterization, virulence and fungicide sensitivity evaluation of *Phytophthora palmivora*. Doctoral Dissertation. Michigan State University. USA.

Torres, M.J., C.P. Brandan, G. Petroselli, R. Erra-Balsells & M.C. Audisio. 2016. Antagonistic effects of *Bacillus subtilis* subsp. *subtilis* and *B. amyloliquefaciens* against *Macrophomina phaseolina*: SEM study of fungal

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

changes and UV-MALDI-TOF MS analysis of their bioactive compounds. Microbiol. Res., 182: 31-39.

Toxopeus, H. 1985. Botany, types and populations. *In*: G.A.R. Wood & R.A. Lass (Eds.). Cocoa (Fourth Edition). Blackwell Science. Great Britain. 11-37.

Turkensteen, L.J., W.G. Flier, R. Wanningen & A. Mulder. 2000. Production, survival and infectivity of oospores of *Phytophthora infestans*. Plant Pathol., 49 (6): 688-696.

Turner, G.J. 1973. Pathogenic variation in isolates of *Phytophthora palmivora* from *Piper nigrum*. Trans. Br. Mycol. Soc., 60 (3): 583-585.

Truong, N.V., E.C.Y. Liew & L.W. Burgess. 2010. Characterisation of *Phytophthora capsici* isolates from black pepper in Vietnam. Fungal Biol., 114 (2-3): 160-170.

Tyler, B.M., S. Tripathy, X. Zhang, P. Dehal, R.H.Y. Jiang, A. Aerts, F.D. Arredondo, L. Baxter, D. Bensasson, J.L. Beynon, J. Chapman, C.M.B. Damasceno, A.E. Dorrance, D. Dou, A.W. Dickerman, I.L. Dubchak, M. Garbelotto, M. Gijzen, S.G. Gordon, F. Govers, N.J. Grunwald, W. Huang, K.L. Ivors, R.W. Jones, S. Kamoun, K. Krampis, K.H. Lamour, M.-K. Lee, W.H. McDonald, M. Medina, H.J.G. Meijer, E.K. Nordberg, D.J. Maclean, M.D. Ospina-Giraldo, P.F. Morris, V. Phuntumart, N.H. Putnam, S. Rash, J.K.C. Rose, Y. Sakihama, A.A. Salamov, A. Savidor, C.F. Scheuring, B.M. Smith, B.W.S. Sobral, A. Terry, T.A. Torto-Alalibo, J. Win, Z. Xu, H. Zhang, I.V. Grigoriev, D.S. Rokshar & J.L. Boore. 2006. *Phytophthora* genom sequences uncover evolutionary origins and mechanisms of pathogenesis. Sci., 313 (5791): 1261-1266.

Umayah, A. & A. Purwantara. 2006. Identifikasi isolat *Phytophthora* asal kakao. Menara Perkebunan, 74 (2): 76-85.

Umayah, A., M.S. Sinaga, S. Sastrosumarjo, S.M. Sumaraw & A. Purwantara, 2007. Keragaman genetik isolat *Phytophthora palmivora* dari tanaman kakao di Indonesia. Pelita Perkebunan, 23 (2): 129-138.

Umrah, T. Anggraeni, R.R. Esyanti & I.N.P. Aryantha. 2009. The antagonisticity and effectiveness of *Trichoderma* sp. in controlling *Phytophthora palmivora* on cocoa pod. J. Agroland, 16 (1): 9-16.

Urbanelli, S., V.R. Rosa, C. Fanelli, A.A. Fabbri & M. Reverberri. 2003. Genetic diversity and population structure of the Italian fungi belonging to the taxa *Pleurotus eryngii* (DC.:Fr.) Quel and *P. ferulae* (DC.:Fr.) Quel). Heredity, 90 (3): 253-259.

Vanegtern, B. M. Rogers & S. Nelson. 2015. Black pod rot of cacao caused by *Phytophthora palmivora*. Plant Dis., 108: 1-5.

van Hall, C. J. J. 1932. Cacao (2nd edition). Macmillan and Co. Limited. London. 514 p.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Verna, R. 2013. The history and science of chocolate. Malays. J. Pathol., 35 (2): 111-121.

Versalovic, J., T. Koeuth & J.R. Lupski. 1991. Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. Nucleic Acids Res., 19 (24): 6823-6831.

Versalovic, J., V. Kapur, Jr. E.O. Mason, U. Shah, T. Koeuth, J.R. Lupski & J.M. Musser. 1993. Penicillin-resistant *Streptococcus pneumonia* strains recovered in Houston: identification and molecular characterization of multiple clones. J. Infect. Dis., 167 (4): 850-856.

Versalovic, J, M. Schneider, F.J. de Bruijn & J.R. Lupski. 1994. Genomic fingerprinting of bacteria using repetitive sequence-based polymerase chain reaction. Methods Mol. Cell. Biol., 5 (1): 25-40.

Vieira, M.L.C., L. Santini, A.L. Diniz & C.F. Munhoz. 2016. Microsatellite markers: what they mean and why they are so useful. Genet. Mol. Biol., 39 (3): 312-328.

Wahyudi, T. & Misnawi. 2008. The world scenario of cocoa production and consumption. *In*: Proceeding of the 2nd international plantation industry conference and exhibition (IPiCEX). Shah Alam, November 18-21, 2008. UiTM. Selangor. 1-39.

Wahyudi, T. & Misnawi. 2015. Sejarah, perkembangan penelitian, dan prospek kakao. *In*: T. Wahyudi, Pujiyanto & Misnawi (Eds.). Kakao: Sejarah, Botani, Proses Produksi, Pengolahan, dan Perdagangan. Gadjah Mada University Press. Yogyakarta. 1-18.

Wahyuni, S. 2006. Kekerabatan plasma nutfah jambu mete berdasar sifat morfologi. J. Littri, 12 (2): 58-66.

Wahyuno, D., D. Manohara & D.N. Susilowati. 2007. Variasi morfologi dan virulensi *Phytophthora capsici* asal lada. Bull. Plasma Nutfah, 13 (2): 70-81.

Wang, Z., D.B. Langston, A.S. Csinos, R.D. Gitaitis, R.R. Walcott & P. Ji. 2009. Development of an improved isolation approach and simple sequence repeat markers to characterize *Phytophthora capsici* populations in irrigation ponds in Southern Georgia. App. Environ. Microbiol., 75 (17): 5467-5473.

Wang, Q., C. Han, A.O. Ferreira, X. Yu, W. Ye, S. Tripathy, S.D. Kale, B. Gu, Y. Sheng, Y. Sui, X. Wang, Z. Zhang, B. Cheng, S. Dong, W. Shan, X. Zheng, D. Dou, B.M. Tyler & Y. Wang. 2011. Transcriptional programming and functional interactions within the *Phytophthora sojae RXLR* effector repertoire. Plant Cell, 23: 2064-2086.

Wang, H., Y. Ren, J. Zhou, J. Du, J. Hou, R. Jiang, H. Wang, Z. Tian & C. Xie. 2017. The cell death triggered by the nuclear localized *RXLR* effector *PITG_22798* from *Phytophthora infestans* is suppressed by the effector *AVR3b*. Int. J. Mol. Sci., 18 (409): 1-14.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Waterhouse, G. M. 1963. Key to the species of *Phytophthora* de Bary. Mycological Papers, no. 92. Commonwealth Mycological Institute. Kew, England. 22 p.

Whisson, S.C., P.C. Boevink, L. Moleleki, A.O. Avrova, J.G. Morales, E.M. Gilroy, M.R. Armstrong, S. Grouffaud, P. van West, S. Chapman, I. Hein, I.K. Toth, L. Pritchard & P.R.J. Birch. 2007. A translocation signal for delivery of oomycete effector proteins into host plant cells. Nature, 450:115-118.

Wibowo, O.A., I.M. Sudarma & N.M. Puspawati. 2017. *In vitro* inhibition test of exophytic fungi against *Phytophthora palmivora* (Butler) Butler the cause black pod disease on cocoa. E-Jurnal Agroekoteknologi Tropika, 6 (3): 279-289.

Widiastuti, A., A. Wibowo, A.B. Prakoso & Hendra. 2018. Current status of emerging vascular-streak dieback (VSD) disease on cacao in Yogyakarta, Indonesia. *In*: A.C. Sukartiko, T.R. Nuringtyas, S.N. Marliana & A. Isnansetyo (Eds.). Proceeding of the 2nd international conference on tropical agriculture. Yogyakarta, October 26-27, 2017. Springer Nature. Switzerland. 133-139.

Widmer, T.L. & N. Laurent. 2006. Plant extracts containing caffeic acid and rosmarinic acid inhibit zoospore germination of *Phytophthora* spp. pathogenic to *Theobroma cacao*. Eur. J. Plant Pathol., 115 (4): 377-388.

Wood, G.A.R. 1985. History and development. *In*: G.A.R. Wood & R.A. Lass (Eds.). Cocoa (Fourth Edition). Blackwell Science. Great Britain. 1-10.

Wydro, M., E. Kozubek & P. Lehmann. 2006. Optimization of transient Agrobacterium-mediated gene expression system in leaves of *Nicotiana benthamiana*. Acta Biochim.Pol., 53 (2): 289-298.

Xia, Z., M.L. Johansson, Y. Gao, L. Zhang, G.D. Haffner, H.J. MacIsaac & A. Zhan. 2018. Conventional versus real-time quantitative PCR for rare species detection. Ecol. Evol., 8: 11799-11807.

Yamamoto, S. & S. Harayama. 1995. PCR amplification and direct sequencing of *gyrB* genes with universal primers and their application to the detection and taxonomic analysis of *Pseudomonas putida* strains. Appl. Environ. Microbiol., 61 (3): 1104-1109.

Yang, R., X. Fan, X. Cai & F. Hu. 2015. The inhibitory mechanisms by mixtures of two endophytic bacterial strains isolated from *Ginkgo biloba* against pepper *Phytophthora* blight. Biol. Control, 85: 59-67.

Yin, H., H. Cao, M. Xie, Q. Chen, G. Qiu, J. Zhou, L. Wu, D. Wang & W. Liu. 2008. Bacterial diversity based on 16S rRNA and *gyr*B genes at Yishan mine, China. Syst. Appl. Microbiol., 31: 302-311.

Yu, L.M. 1995. Elicitins from *Phytophthora* and basic resistance in tobacco. Proc. Natl. Acad. Sci. USA, 92: 4088-4094.

UNIVERSITAS
GADJAH MADA
**Study on morphometric and genetic variations of Phytophthora palmivora for development of biological
control of black pod rot disease on cacao using antagonistic bacteria**
MASANTO, Dr. Ir. Arif Wibowo, M.Agr.Sc; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc; Prof. Koji Kageyama
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Yuliar, Suciatmih, D. Supriyati & M. Rahmansyah. 2013. Biodiversity of endophytic bacteria and their antagonistic activity to *Rhizoctonia solani* and *Fusarium oxysporum*. Global J. Biol. Agri. Health Sci., 2 (4): 111-118

Zaccardelli, M., F. Campanile, C. Moretti & R. Buonaurio. 2008. Characterization of Italian populations of *Xanthomonas campestris* pv. *campestris* using primers based on DNA repetitive sequences. J. Plant Pathol., 90 (2): 375-381.

Zadoks, J.C. & R.D. Schein. 1980. Epidemiology and plant disease management, the known and the needed. *In*: J. Palti & J. Kranz (Eds.). Comparative Epidemiology, A Tool for Better Disease Management. PUDOC. Wageningen, The Netherlands. 1-17.

Zemtsova, G.E., M. Montgomery & L.M. Levin. 2015. Relative sensitivity of conventional and real time PCR assays for detection of SFG *Rickettsia* in blood and tissue samples from laboratory animals. PLoS One, 10: e0116658.

Zentmyer, G.A., D.J. Mitchell, L. Jefferson, J. Roheim & D. Carnes. 1973. Distribution of mating types of *Phytophthora palmivora*. Phytopathol., 63 (6): 663-667.

Zhang, D. & L. Motilal. 2016. Origin, dispersal, and current global distribution of cacao genetic diversity. *In*: B.A. Bailey & L.W. Meinhardt (Eds.). Cacao Diseases: A History of Old Enemies and New Encounters. Springer. Switzerland. 3-32.

Zhang, H., M. Ali, X. Feng, J. Jin, L. Huang, A. Khan, J. Lv, S. Gao, D. Lou & Z. Gong. 2019. A novel transcription factor *CaSBP12* gene negatively regulates the defense response against *Phytophthora capsici* in pepper (*Capsicum annuum* L.). Int. J. Mol. Sci., 20 (48): 1-20.

Zhao, Z.J., J.F. Cao, M.Y. Yang, D.W. Sun, X.P. Li & W.L. Yang. 2008. Genetic diversity of *Phytophthora infestans* of potato in Yunnan based on two microsatellite (SSR) markers. Sci. Agric. Sin., 11: 3610-3617.

Zhao, Y., J.N. Selvaraj, F. Xing, L. Zhou, Y. Wang, H. Song, X. Tan, L. Sun, L. Sangare, Y.M.E. Folly & Y. Liu. 2014. Antagonistic action of *Bacillus subtilis* strain SG6 on *Fusarium graminearum*. PLoS ONE, 9 (3): e92486.

Zhou, X., Z. Lu, F. Lv, H. Zhao, Y. Wang & X. Bie. 2011. Antagonistic action of *Bacillus subtilis* strain fmbj on the postharvest pathogen *Rhizopus stolonifer*. J. Food Sci., 76 (5): 254-259.

Zuluaga, A.P., J.C. Vega-Arreguin, Z. Fei, L. Ponnala, S.J. Lee, A.J. Matas, S. Patev, W.E. Fry & J.K.C. Rose. 2016. Transcriptional dynamics of *Phytophthora infestans* during sequential stages of hemibiotrophic infection of tomato. Mol. Plant Pathol., 17 (1): 29-41.