

DAFTAR PUSTAKA

- Aboul-gheit, A. K., Gad, F. K., Abdel-aleem, G. M., dan El-desouki, D. S., 2014, Pt, Re, and Pt – Re Incorporation in Sulfated Zirconia as Catalysts for n-pentane Isomerization, *Egypt. J. Pet.*, 23, 303–314.
- Amin, A. K., Wijaya, K., dan Trisunaryanti, W., 2018, Prepared from Commercial ZrO₂ in Hydrocracking of LDPE Plastic Waste into Liquid Fuels, *Orient. J. Chem.*, 34, 3070-3078.
- Amin, A. K., Wijaya, K., dan Trisunaryanti, W., 2019, Effect of Promoters and Calcination Temperature on Surface and Acidity of Modified Zirconia, *J. Nano R.*, 57, 31-39.
- Anggoro, D. D., Istadi, dan Kasmui, 2008, Pengaruh Sifat Keasaman Katalis Zeolit Y pada Proses Konversi Limbah Plastik Menjadi Bahan Bakar Cair, *Seminar Teknik Kimia Soehadi Reksowardojo*, 3-4 November, Institut Teknologi Bandung.
- Anonim, 2009, Converting Waste Plastics into a Resources, *Assess. Guidel.*, UNEP (United Nations Environment Programme) Division of Technology, Industry, and Economics, International Environmental Technology Centre, Osaka.
- Asensio, R. C., San, M., Moya, A., Manuel, J., Roja, D., dan Gómez, M., 2009, Analytical Characterization of Polymers Used in Conservation and Restoration by ATR-FTIR Spectroscopy, *Anal. Bioanal. Chem.*, 395, 2081–2096.
- Babou, F., Coudurier, G., dan Vedrine, J. C., 1995, Acidic Properties of Sulfated Zirconia: An Infrared Spectroscopic Study, *J. Catal.*, 152, 341–349.
- Bajus, M. dan Hájeková, E., 2010, Thermal Cracking of The Model Seven Components Mixed Plastics into Oils/Waxes, *Pet. Coal*, 52, 164–172.
- Barnes, D. K. A., Galgani, F., Thompson, R. C., dan Barlaz, M., 2009, Accumulation and Fragmentation of Plastics Debris in Global Environments, *Phil. Trans. R. Soc. B.*, 364, 1985-1998.
- Barthos, R., Lo, F., Onyestyá, G., dan Valyon, J., 2000, An IR, FR, and TPD Study on The Acidity of H-ZSM-5, Sulfated Zirconia and Sulfated Zirconia - Titania Using Ammonia as The Probe Molecule, *J. Phys. Chem.*, 104, 7311–7319.
- Bi, M., Li, H., Pan, W., Lloyd, W. G., dan Davis, B. H., 1996, Thermal Studies of Metal Promoted Sulfated Zirconia, *Spring national meeting of the American Chemical Society (ACS) Conference*, March 24-28 1996, New Orleans, LA (United States).

- Borsodi, N., Miskolczi, N., Angyal, A., Bartha, L., Kohan, J., dan Lengyel, A., 2011, Hydrocarbons Obtained by Pyrolysis of Contaminated Waste Plastics, *In, 45th International Petroleum Conference*, June 13 2011, Bratislava, Slovak Republic Hydroca.
- Buekens, A. dan Huang, H., 1998, Catalytic Plastics Cracking for Recovery of Gasoline-Range Hydrocarbons from Municipal Plastic Wastes, *Resour. Conserv. Recycl.*, 23, 163–181.
- Davies, L. E., Bonini, N. A., dan Gonzo, E. E., 2015, Transesterification of Vinyl Acetate with i-amyl Alcohol Catalyzed by Nanostructured Sulfated Zirconia, *Procedia Mater. Sci.*, 8, 592–598.
- Ejtemaei, M., Tavakoli, A., Charchi, N., Bayati, B., Babaluo, A. A., dan Bayat, Y., 2014, Synthesis of Sulfated Zirconia Nanopowders Via Polyacrylamide Gel Method, *Adv. Powder Technol.*, 25, 840–846.
- Ermawati, R., 2011, Konversi Limbah Plastik Sebagai Sumber Energi Alternatif, *J. Ris. Ind.*, 5, 257–263.
- Fessenden, R. J. dan Fessenden, J. S., 1986, *Kimia Organik Jilid I*, Erlangga, Jakarta.
- Girgis, M. J. dan Tsao, Y. P., 1996, Impact of Catalyst Metal–Acid Balance in *n*-hexadecane Hydroisomerization and Hydrocracking, *Ind. Eng. Chem. Res.*, 35, 386–396.
- Hasanudin, Said, M., Faizal, M., Dahlan, M. H., dan Wijaya, K., 2012, Hydrocracking of Oil Residue from Palm Oil Mill Effluent to Biofuel, *Sustain. Environ. Res.*, 22, 395–400.
- Hauli, L., Wijaya, K., dan Armunanto, R., 2018, Preparation and Characterization of Sulfated Zirconia from a Commercial Zirconia Nanopowder, *Orient. J. Chem.*, 34, 1559-1564
- Hazrat, M., Rasul, M., dan Khan, M. M., 2015, A Study on Thermo-Catalytic for Production of Clean Transport Fuel and Reducing Plastics Wastes, *Procedia Eng.*, 105, 865–876.
- Heshmatpour, F. dan Aghakhanpour, R. B., 2012, Synthesis and Characterization of Superfine Pure Tetragonal Nanocrystalline Sulfated Zirconia Powder by a Non-alkoxide Sol – Gel Route, *Adv. Powder Technol.*, 23, 80–87.
- Jumah, A. B., Anbumuthu, V., Tedstone, A. A., dan Garforth, A. A., 2019, Catalysing The Hydrocracking of Low Density Polyethylene, *Ind. Eng. Chem.*

Res., 58, 20601-20609.

- Jung, M. R., Horgen, F. D., Orski, S. V., Rodriguez, V. C., Beers, K. L., Balazs, G. H., Jones, T. T., Work, T. M., Brignac, K. C., Royer, S-J., Hyrenbach, K. D., Jensen, B. A., dan Lynch, J. M., 2018, Validation of ATR FT-IR to Identify Polymers of Plastic Marine Debris, Including Those Ingested by Marine Organisms, *Mar. Pollut. Bull.*, 127, 704–716.
- Karna, W., Anshori, M., Setyopratiwi, A., Syoufian, A., dan Mara, A., 2018, Chrom Impregnated on Zeolite as Catalyst for Hydrocracking of LDPE-Plastic Waste into Liquid Fuel, *Proceedings of 186th The IIER International Conference*, August 26th-27th 2018, Taiwan.
- Katada, N., Endo, J., Notsu, K., Notsu, K., Yasunobu, N., Naito, N., dan Niwa, M., 2000, Superacidity and Catalytic Activity of Sulfated Zirconia, *J. Phys. Chem.*, 104, 10321–10328.
- Khowatimy, F. A., Priastomo, Y., Febriyanti, E., Riyantoko, H., dan Trisunaryanti, W., 2014, Study of Waste Lubricant Hydrocracking into Fuel Fraction over The Combination of Y-Zeolite and ZnO Catalyst, *Procedia Environ. Sci.*, 20, 225–234.
- Kumar, S., Panda, A.K., dan Singh, R.K., 2011, A Review on Tertiary Recycling of High-Density Polyethylene to Fuel, *Resour. Conserv. Recycl.*, 55, 893–910.
- Kumar, S., Srivastava, V.C., dan Badoni, R. P., 2012, Oxidative Desulfurization by Chromium Promoted Sulfated Zirconia, *Fuel Proces. Technol.*, 93, 18-25.
- Kunwar, B., Cheng, H. N., Chandrashekar, S. R., dan Sharma, B. K., 2016, Plastics to Fuel: a Review, *Renew. Sustain. Energy Rev.*, 54, 421–428.
- Kustov, L. M., Kazansky, V. B., Figueras, F., dan Tichit, D., 1994, Investigation of The Acidic Properties of ZrO₂ Modified by SO₄²⁻ Anions, *J. Catal.*, 150, 143-149.
- Li, B. dan Gonzalez, R. D., 1996, Sol - Gel Synthesis and Catalytic Properties of Sulfated Zirconia Catalysts, *Ind. Eng. Chem. Res.*, 35, 3141–3148.
- Mossayebi, Z., Parnian, M. J. dan Rowshanzamir, S., 2018, Effect of The Sulfated Zirconia Nanostructure Characteristics on Physicochemical and Electrochemical Properties of SPEEK Nanocomposite Membranes for PEM Fuel Cell Applications, *Macromol. Mater. Eng.*, 1700570, 1-12.
- Manicone, P. F., Iommetti, P. R., dan Raffaelli, L., 2007, An Overview of Zirconia Ceramics : Basic Properties and Clinical Applications, *J. Dentist.*, 35, 819–826.

- Marikutsa, A., Sukhanova, A., Rummyantseva, M., dan Gaskov, A., 2017, Acidic and Catalytic Co-functionalization for Tuning The Sensivity of Sulfated Tin Oxide Modified by Ruthenium Oxide to Ammonia Gas, *Sensors and Actuators*, 255, 3523-3532.
- McCullough, J. D. dan Trueblood, K. N., 1959, The Crystal Structure of Baddeleyite (Monoclinic ZrO_2), *Acta Cryst.*, 12, 507–511.
- Morid, R. C., Fields, R., dan Owyer, J., 1994, Thermolysis of Low Density Polyethylene Catalysed by Zeolites. *J. Anal. Appl. Pyrolysis*, 29, 45–55.
- Munir, D., Abdullah, Piepenbreier, F., dan Usman, M. R., 2017, Hydrocracking of a Plastic Mixture over Various Micro-Mesoporous Composite Zeolites, *Powder Technol.*, 316, 542-550.
- Munir, D., Irfan, M. F., dan Usman, M. R., 2018, Hydrocracking of Virgin and Waste Plastics: A Detailed Review, *Renew. Sust. Energ. Rev.*, 90, 490-515.
- Navarra, M. A., Abbati, C., dan Scrosati, B., 2008, Properties and Fuel Cell Performance of a Nafion-based, Sulfated Zirconia-added, Composite Membrane, *J. Power Sources*, 183, 109–113.
- Omar, W. N. N. W. dan Amin, N. A. S., 2011, Optimization of Heterogeneous Biodiesel Production from Waste Cooking Palm oil Via Response Surface Methodology, *Biomass Bioenerg.*, 35, 1329–1338.
- Pereira, A. L. C., Marchetti, S., Albornoz, A., Reyes, P., Oportus, M., dan Rangel, M. C., 2008, Effect of Iron on The Properties of Sulfated Zirconia, *Appl. Catal.*, 334, 187–198.
- Piconi, C. and Maccauro, G., 1999, Zirconia as a Ceramic Biomaterial, *Biomaterials*, 20, 1-25.
- Pongsendana, M., Trisunaryanti, W., Artanti, F. W., dan Falah, I. I., 2017, Hydrocracking of Waste Lubricant into Gasoline Fraction over CoMo Catalyst Supported on Mesoporous Carbon from Bovine Bone Gelatin, *Ind. Eng. Chem. Res.*, 34, 2591–2596.
- Rachmat, A., Trisunaryanti, W., Sutarno, dan Wijaya, K., 2017, Synthesis and Characterization of Sulfated Zirconia Mesopore and Its Application on Lauric Acid Esterification, *Mater. Renew. Sustain. Energy*, 6, 1-9.
- Raissi, S., Kamoun, N., Younes, M. K., dan Ghorbel, A., 2016, Effect of Drying Conditions on Textural, Structural and Catalytic Properties of Cr/ZrO₂- SO₄: n-hexane Conversion, *Reac. Kinet. Mech. Cat.*, 115, 499-512.
- Reddy, B. M. dan Patil, M. K., 2009, Organic Syntheses and Transformations

Catalyzed by Sulfated Zirconia, *Chem. Rev.*, 109, 2185-2208.

- Said, A. E. A., El-wahab, M. M. A., dan El-aal, M. A., 2014, Journal of Molecular Catalysis A : Chemical The Catalytic Performance of Sulfated Zirconia in The Dehydration of Methanol to Dimethyl Ether, *Journal Mol. Catal. A, Chem.*, 394, 40–47.
- Saravanan, K., Tyagi, B., dan Bajaj, H. C., 2016, Applied Catalysis B: Environmental Nano-crystalline , Mesoporous Aerogel Sulfated Zirconia as an Efficient Catalyst for Esterification of Stearic Acid with Methanol, *Applied Catal. B, Environ.*, 192, 161–170.
- Sarker, M., Rashid, M. M., Rahman, M. S., dan Molla, M., 2012, Environmentally Harmful Low Density Waste Plastic Conversion into Kerosene Grade Fuel, *J. Environ. Prot. (Irvine,. Calif.)*, 03, 700–708.
- Serrano, D. P., Escola, J. M., Briones, L., dan Arroyo, M., 2017, Hydroprocessing of The LDPE Thermal Cracking Oil into Transportation Fuels over Pd Supported on Hierarchical ZSM-5 Catalyst, *Fuel*, 206, 190-198.
- Sie, S. T., 1992, Acid-catalyzed Cracking of Paraffinic Hydrocarbons. 1. Discussion of Existing Mechanisms and Proposal of a New Mechanism, *Ind.Eng.Chem.Res*, 31, 1881–1889.
- Sing, K. S. W., Everett, D. H., Haul, R. A. W., Moscou, L., Pierotti, R. A., Rouquerol, J., dan Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to The Determination of Surface Area and Porosity, *J. Pure Appl. Chem.*, 57, 603–619.
- Sivasamy, A., Cheah, Y., Fornasiero, P., Kemausuor, F., Zinoviev, S., dan Mierteus, S., 2009, Catalytic Applications in The Production of Biodiesel from Vegetable Oils, *Chem. Sus. Chem.*, 2, 278–300.
- Sorrentino, R., Navarra, C. O., Lenarda, R. Di, Breschi, L., Zarone, F., Cadenaro, M., dan Spagnuolo, G. 2019, Effects of Finish Line Design and Fatigue Cyclic Loading on Phase Transformation of Zirconia Dental Spectroscopic Analysis, *J. Mater.*, 12, 1–11.
- Sriningsih, W., Saerodji, M. G., Trisunaryanti, W., Armunanto, R., and Falah, I. I., 2014, Fuel Production from LDPE Plastic Waste over Natural Zeolite Supported Ni , Ni-Mo , Co and Co-Mo Metals, *Procedia Environ. Sci.*, 20, 215–224.
- Subbarao, E. C., Maiti, H. S., and Srivastava, K., 1974, Martensitic Transformation in Zirconia, *Phys. Status Solidi*, 9, 9–40.

- Surono, U. B., 2013, Berbagai Metode Konversi Sampah Plastik, *J. Tek.*, 3, 32–40.
- Syamsiro, M., Saptoadi, H., Norsujianto, T., Noviasri, P., Cheng, S., Alimuddin, Z., dan Yoshikawa, K., 2014, Fuel Oil Production from Municipal Plastic Wastes in Sequential Pyrolysis and Catalytic Reforming Reactors, *Energy Procedia*, 47, 180–188.
- Trisunaryanti, W., 2002, Optimation of Time and Catalyst/Feed Ratio in Catalytic Cracking of Waste Plastics Fraction to Gasoline Fraction Using Cr/Natural Zeolite Catalyst, *Indones. J. Chem.*, 2, 30-40.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakternya*, UGM Press, Yogyakarta.
- Trisunaryanti, W., Armunanto, R., Hastuti, L. P., Ristiana, D. D., and Ginting, R. V., 2018, Hydrocracking of α -Cellulose Using Co, Ni, and Pd Supported on Mordenite Catalysts, *Indones. J. Chem.*, 18, 166–172.
- Utami, M., Wijaya, K., dan Trisunaryanti, W., 2017, Effect of Sulfuric Acid Treatment and Calcination on Commercial Zirconia Nanopowder, *Key Eng. Mater.*, 757, 131–137.
- Utami, M., Wijaya, K., dan Trisunaryanti, W., 2018, Pt-Promoted Sulfated Zirconia as Catalyst for Hydrocracking of LDPE Plastic Waste into Liquid Fuels, *Mater. Chem. Phys.*, 213, 548–555.
- Utami, M., Trisunaryanti, W., Shida, K., Tsushida, M., Kawakita, H., Otho, K., Wijaya, K., dan Tominaga, M., 2019, Hydrothermal Preparation of a Platinum-Loaded Sulphated Nanozirconia Catalyst for The Effective Conversion of Waste Low Density Polyethylene into Gasoline-Range Hydrocarbons, *RSC adv.*, 9, 41392-41401.
- Vasile, C., Onn, P., Barboiu, V., Sabliovschi, M., dan Moroi, G., 1988, Catalytic Decomposition of Polyolefins. III. Decomposition over The ZSM-5 Catalyst. *Acta Polym.*, 39, 306–10.
- Wang, J. dan Mou, C., 2008, Catalytic Behavior of Nanostructured Sulfated Zirconia Promoted by Alumina : Butane Isomerization, *Catal. Today*, 131, 162–172.
- Wong, S. L., Ngadi, N., Abdullah, T. A. T., dan Inuwa, I. M., 2017, Conversion of Low Density Polyethylene over ZSM-5 Zeolite to Liquid Fuel, *Fuel*, 192, 71–82.
- Yadav, G. D. dan Nair, J. J., 1999, Sulfated Zirconia and Its Modified Versions as Promising Catalysts for Industrial Processes, *J. Micropor Mesopor Mat.*, 33,

1–48.

Yao, J., Liu, N., Shi, L., dan Wang, X., 2015, Sulfated Zirconia as a Novel and Recyclable Catalyst for Removal of Olefins and Aromatics, *Catal. Commun.*, 66, 126-129.

Yu, S., Jiang, P., Dong, Y., Zhang, P., Zhang, Y., dan Zhang, W., 2012, Hydrothermal Synthesis of Nanosized Sulfated Zirconia as an Efficient and Reusable Catalyst for Esterification of Acetic Acid With N -Butanol, *Bull. Korean Chem. Soc.*, 33, 524–528.

Zhai, Y., Zhang, H., Hu, J., dan Yi, B., 2006, Preparation and Characterization of Sulfated Zirconia ($\text{SO}_4^{2-}/\text{ZrO}_2$)/Nafion Composite Membranes For PEMFC Operation at High Temperature/Low Humidity, *J. Memb. Sci.*, 280, 148–155 .