

DAFTAR PUSTAKA

- ADA. (2010). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 33(1), s62-s69.
- ADA. (2018). Standars of Medical Care in Diabetes. *The Journal of Clinical and Applied Research and Education*, 41(1).
- Arfin, W. N., & Zahiruddin, W. M. (2017). Sample Size Calculation in Animal Studies Using Resource Equation Approach. *Malaysia Journal of Medical Science*, 24(5), 101-105.
- Aritrina, P., Marzuki, A., & Mangarengi, F. (2016). Analisis Kadar Kolesterol Low Density Lipoprotein sebagai Faktor Risiko Komplikasi pada Pasien Diabetes Melitus Tipe 2. *Jurnal Ilmiah Fakultas Kedokteran Universitas Halu Oleo*, 4(1), 291-295.
- Armitage, D. (2004). "*Rattus norvegicus*" *Animal Diversity Web*. Retrieved January 24, 2020, from https://animaldiversity.org/accounts/Rattus_norvegicus/
- Aw, W., & Fukuda, S. (2018). Understanding the Role of The Gut Ecosystem in Diabetes Mellitus. *Journal of Diabetes Investigation*, 9, 5-12.
- Betaubun, A. M., Nurhami, Baharun, U., & Pakasi, R. (2015). Indeks Aterogenik Plasma di Penyakit Diabetes Melitus Tipe 2. *Clinical Pathology and Medical Laboratory*, 22(1), 82-86.
- Bhuyar, B. K. (2017). Lipid Profile in Diabetes Mellitus. *International Journal of Biotechnology and Biochemistry*, 13(2), 123-131.
- Bo, M. S., Cheah, W. L., Lwin, S., Nwe, T. M., Win, T. T., & Aung, M. (2018). Understanding the Relationship between Atherogenic Index of Plasma and Cardiovascular Disease Risk Factors among Staff of an University in Malaysia. *Journal of Nutrition and Metabolism*, 2018.
- Bubnov, R. V., Babenko, L. P., Lazarenko, L. M., Mokrozub, V. V., Demchenko, O. A., Nechypurenko, O. V., & Spivak, M. Y. (2017). Comparative Study of Probiotic Effects of Lactobacillus and Bifidobacteria Strains on Cholesterol Levels, Liver Morphology and the Gut Microbiota in Obese Mice. *European Association for Predictive, Preventive and Personalised Medicine*, 8, 357-376.
- Cho, S. S., & Finocchiaro, E. T. (2010). *Handbook of Prebiotics and Probiotics Ingredients*. New York: CRC Press.
- Dehghan, P., Gargari, B. P., & Asgharijafarabadi, M. (2013). Effects of High Performance Inulin Supplementation on Glycemic Status and Lipid Profile in Women with Type 2 Diabetes: A Randomized, Placebo-Controlled Clinical Trial. *Health Promotion Perspectives*, 55-63.
- Delzenne, N. M., & Kok, N. (1998). Effect of Non-Digestible Fermentable Carbohydrate on Hepatic Fatty Acid Metabolism. *Biochemical Society Transaction*, 26(2), 228-230.

- Fatimah, R. N. (2015). Diabetes Melitus Tipe 2. *Jurnal Majority*, 4(5), 93-101.
- Feingold, K. R., & Grunfeld, C. (2019). Diabetes and Dyslipidemia. In B. Anawalt, A. Boyce, G. Chrousos, K. Dungan, A. Grossman, J. M. Hershman, . . . R. Rebar (Eds.), *ENDOTEXT*. South Dartmouth: MDText.com, Inc.
- Fuller, R. (1989). Probiotics in Man and Animals. *Journal of Applied Bacteriology*, 66, 356-378.
- Gani, N., Momuat, L. I., & Pitoi, M. M. (2013). Profil Lipida Plasma Tikus Wistar yang Hiperkolesterolemia pada Pemberian Gedi Merah (*Abelmoschus manihot* L.). *Jurnal MIPA Unsrat Online*, 2(1), 44-49.
- Gibson, G. R., & Roberfroid, M. B. (1995). Dietary Modulation of the Human Colonic Microbiota: Introducing the Concept of Prebiotics. *The Journal of Nutrition*, 125(6), 1401-1412.
- Harini, M., & Astirin, O. P. (2009). Kadar Kolesterol Darah Tikus Putih (*Rattus norvegicus*) Hiperkolesterolemik Setelah Perlakuan VCO. *Nusantara Bioscience*, 1, 53-58.
- Hiel, S., Neyrinck, A. M., Rodriguez, J., Pachikian, B. D., Bouzin, C., Thissen, J.-P., Delzenne, N. M. (2018). Inulin Improves Postprandial Hypertriglyceridemia by Modulating Gene Expression in the Small Intestine. *Nutrients*, 1-13.
- Husna, F., Suyatna, F. D., Arozal, W., & Purwaningsih, E. H. (2019). Model Hewan Coba pada Penelitian Diabetes. *Pharmaceutical Sciences and Research*, 6(3), 131-141.
- Husyanti, R. L. (2016). *Efektivitas Taurin terhadap Penurunan Kadar Glukosa Darah Mencit Jantan (Mus Musculus) yang Diinsuksi Aloksan*. Lampung: Universitas Lampung.
- Ihedioha, J. I., Noel-Uneke, O. A., & Ihedioha, T. E. (2013). Reference Values for the Serum Lipid Profile of Albino Rats. *Comparative Clinical Pathology*, 93-99.
- Jackson, K. G., Taylor, G. R., Clohessy, A. M., & Williams, C. M. (1999). The Effect of the Daily Intake of Inulin on Fasting Lipid, Insulin and Glucose Concentrations in Middle-Aged Men and Women. *British Journal of Nutrition*, 23-30.
- Jain, N., & Sheth, M. (2014). FOS Intake Improves Atherogenic Profile and Body Weight in Young Obese Adults of Urban Vadodara. *World Journal of Pharmaceutical Research*, 4(1), 1094-1109.
- Jungersen, M., Wind, A., Johansen, E., Christensen, J. E., Stuer-Lauridsen, B., & Eskesen, D. (2014). The Science behind the Probiotic Strain *Bifidobacterium animalis* subsp. *lactis* BB-12®. *Microorganism*, 2, 92-110.
- Kaur, I. P., Chopra, K., & Saini, A. (2002). Probiotics: Potential Pharmaceutical Applications. *Pharmaceutical Science*, 15, 1-9.

- King, A. J. (2012). The Use of Animal Models in Diabetes Research. *British Journal of Pharmacology*, 166, 877-894.
- Kneifel, W., Sandholm, T., & Wright, A. (1999). *Probiotic Bacteria dalam*. London: Academic Press.
- Kumar, M., Nagpal, R., Kumar, R., Hemalatha, R., Verma, V., Kumar, A., . . . Yadav, H. (2012). Cholesterol-Lowering Probiotics as Potential Biotherapeutics. *Experimental Diabetes Research*, 2012, 1-14.
- Kurniati, N. F., Nurfatwa, M., & Antarini, A. A. (2018). Aktivitas Makrofag Meningkatkan pada Aorta Tikus Hiperkolesterolemia. *Majalah Kedokteran Bandung*.
- Lestari, L. A., & Helmiyati, S. (2018). *Peran Probiotik di Bidang Gizi & Kesehatan* (1st ed.). Yogyakarta: Gajah Mada University Press.
- Lewis, F. F., & Rader, D. J. (2005). New Insights Into the Regulation of HDL Metabolism and Reverse Cholesterol Transport. *American Heart Association*, 96, 1221-1232.
- Liong, M.-T., Dunshea, F. R., & Shah, N. P. (2007). Effects of a Synbiotic Containing Lactobacillus acidophilus ATCC 4962 on Plasma Lipid Profiles and Morphology of Erythrocytes in Hypercholesterolaemic Pigs on High- and Low-Fat Diets. *British Journal of Nutrition*, 98, 736–744.
- Mahan, L. K., & Raymond, J. L. (2016). *Krause's Food & the Nutrition Care Process* (14th ed.). Canada: Elsevier Health Science.
- Mahboobi, S., Rahimi, F., & Jafarnejad, S. (2018). Effects of Prebiotic and Synbiotic Supplementation on Glycaemia and Lipid Profile in Type 2 Diabetes: A Meta-Analysis of Randomized Controlled Trials. *Advanced Pharmaceutical Bulletin*, 8(4), 565-574.
- Malik, J. K., Ahmad, A. H., Kalpana, S., Prakash, A., & Gupta, R. C. (2016). Synbiotics: Safety and Toxicity Considerations. *Nutraceuticals*(57), 811-822.
- Manzoni, M. S., Rossi, E. A., Carlos, I. Z., Vendramini, R. C., Duarte, A. C., Tenório, N. M., & Amorim, D. B. (2008). Fermented Soy Product Supplemented with Isoflavones Affects Adipose Tissue in a Regional-Specific Manner and Improves HDL-Cholesterol in Rats Fed on a Cholesterol-Enriched Diet. *European Food Research and Technology*, 227, 1591-1597.
- Marcovecchio, M. L. (2011). Complications of Acute and Chronic Hyperglycemia. *Diabetes Technology and Therapeutics*, 13(3), 389-394.
- Martirosyan, D. M., & Singh, J. (2015). A New Definition of Functional Food by FFC: What Makes a New Definition Unique? *Functional Foods in Health and Disease*, 209-223.
- Maryati, Y., Nuraida, L., & Dewanti-Hariyadi, R. (2016). Kajian Isolat Bakteri Asam Laktat dalam Menurunkan Kolesterol Secara In Vitro dengan Keberadaan Oligosakarida. *Agritech*, 36(2), 196-205.

- Moharib, S. A., Shehata, M. M., Salama, A. F., & Hegazi, M. A. (2014). Effect of Fructooligosaccharides in *Cynara Scolymus* and *Allium Cepa* on Carbohydrate and Lipid Metabolism in Rat. *Journal of Polish Agricultural Universities*, 02.
- Moroti, C., Magri, L. F., Costa, M. d., Cavallin, D. C., & Sivieri, K. (2012). Effect of The Consumption of a New Symbiotic Shake on Glycemia and Cholesterol Levels in Elderly People with Type 2 Diabetes Mellitus. *Lipids in Health and Disease*, 11(29), 1-8.
- Murray, R. K., Bender, D. A., Botham, K. M., Kennelly, P. J., Rodwell, V. W., & Weil, P. A. (2012). *Biokimia Harper* (29 ed.). Indonesia: Buku Kedokteran EGC.
- Nabhani, Z., Hezaveh, S. J., Razmpoosh, E., Asghari-Jafarabadi, M., & Gargari, B. P. (2018). The Effects of Synbiotic Supplementation on Insulin Resistance/Sensitivity, Lipid Profile and Total Antioxidant Capacity in Women with Gestational Diabetes Mellitus: a Randomized Double Blind Placebo Controlled Clinical Trial. *Diabetes Research and Clinical Practice*, 138, P149-157.
- Niness, K. R. (1999). Inulin and Oligofructose: What Are They? *American Society for Nutritional Science*, 1402S-1406S.
- Niroumand, S., Khajedaluae, M., Khadem-Rezaiyan, M., Abrishami, M., Juya, M., Khodae, G., & Dadgarmoghaddam, M. (2015). Atherogenic Index of Plasma (AIP): A marker of cardiovascular disease. *Medical Journal of the Islamic Republic of Iran*, 240, 29.
- Octavia, Z. F., Djamiatun, K., & Suc, N. (2017). Pengaruh Pemberian Yogurt Sinbiotik Tepung Pisang Tanduk terhadap Profil Lipid Tikus Sindrom Metabolik. *Jurnal Gizi Klinik Indonesia*, 159-169.
- Ojiako, O. A., Chikezie, P. C., & Ogbuji, A. C. (2016). Blood Glucose Level and Lipid Profile of Alloxan-induced Hyperglycemic Rats Treated with Single and Combinatorial Herbal Formulations. *Journal of Traditional and Complementary Medicine*, 6, 184-192.
- Ooi, L.-G., & Liang, M.-T. (2010). Cholesterol-Lowering Effects of Probiotics and Prebiotics: A Review of in Vivo dan in Vitro Findings. *International Journal of Molecular Science*, 11, 2499-2522.
- Permana, H. (2013). *Komplikasi Kronik dan Penyakit Penyerta pada Diabetesi*. Bandung: Hasan Sadikin Hospital.
- Pistrosch, F., Natali, A., & Hanefeld, M. (2011). Is Hyperglycemia a Cardiovascular Risk Factor? *Diabetes Care*, 34(2), S128-S131.
- Rahmawati, F. C., Djamiatun, K., & Suci, N. (2017). Pengaruh Yogurt Sinbiotik Pisang terhadap Kadar Glukosa dan Insulin Tikus Sindroma Metabolik. *Jurnal Gizi Klinik Indonesia*, 10-18.
- Rajab, T. M. (2012). Comparative Study for Atherogenic Index of Plasma (AIP) in Patients With Type 1 Diabetes Mellitus, Type 2 Diabetes Mellitus, Beta

Thalassemia, and Hypothyroidism. *International Journal of Chemistry Research*, 2, 1-9.

Rajagopal, G., Suresh, V., & Sachan, A. (2012). High-Density Lipoprotein Cholesterol: How High. *Indian Journal of Endocrinology and Metabolism*, 16(2), S236-S238.

Rees, D. A., & Alcolado, J. C. (2005). Animal Models of Diabetes Mellitus. *Diabetic Medicine*, 22(4), 359-370.

RI, K. (2018). *Hasil Utama RISKESDAS 2018*. Jakarta: Kementerian Kesehatan Badan Penelitian dan Pengembangan Kesehatan.

Rias, Y. A., & Sutikno, E. (2017). Hubungan Antara Berat Badan dengan Kadar Gula Darah Acak pada Tikus Diabetes Mellitus. *Jurnal Wiyata*, 4(1), 72-77.

Roberfroid, M. B. (2005). Introducing Inulin-Type Fructans. *British Journal of Nutrition*, 93(1), S13-S25.

Rodrigues, D., A.P.Rocha-Santos, T., M.Gomes, A., J.Goodfellow, B., & C.Freitas, A. (2012). Lipolysis in probiotic and synbiotic cheese: The influence of Probiotic Bacteria, Prebiotic Compounds and Ripening Time on Free Fatty Acid Profiles. *Food Chemistry*, 131(4), 1414-1421.

Roselino, M. N., Pauly-Silveira, N. D., Cavallini, D. C., Celiberto, L. S., Pinto, R. A., Vendramini, R. C., & Rossi, E. A. (2012). A Potential Synbiotic Product Improves the Lipid Profile of Diabetic Rats. *Lipids in Health and Disease*, 111-114.

Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S., & Matteuzzi, D. (2005). Fermentation of Fructooligosaccharides and Inulin by Bifidobacteria: a Comparative Study of Pure and Fecal Cultures. *Applied and Environmental Microbiology*, 71(10), 6150-6158.

Samimi, M., Dadkhah, A., Kashani, H. H., Ebrahimi, M. T., Hosseini, E. S., & Asemi, Z. (2018). The Effect of Synbiotic Supplementation on Metabolic Status in Women With Polycystic Ovary Syndrome: a Randomized Double-Blind Clinical Trial. *Probiotics and Antimicrobial Proteins*.

Schrezenmeir, J., & Vrese, M. d. (2001). Probiotics, Prebiotics, and Syniotics - Approaching a Definition. *American Journal of Clinical Nutrition*, 73, 361S-364S.

Setiarto, R. H., Jenie, B. S., Faridah, D. N., & Saskiawan, I. (2015). Kajian Peningkatan Pati Resisten yang Terkandung dalam Bahan Pangan sebagai Sumber Prebiotik. *Jurnal Ilmu Pertanian Indonesia*, 20(3), 191-200.

Shah, N. P. (2001). Functional Foods from Probiotics and Prebiotics. *Food Technology*, 46.

Shakeri, H., Hadaegh, H., Abedi, F., Tajabadi-Ebrahimi, M., Mazroii, N., Ghandi, Y., & Asemi, Z. (2014). Consumption of Synbiotic Bread Decreases

Triacylglycerol and VLDL Levels While Increasing HDL Levels in Serum from Patients with Type-2 Diabetes. *Lipids*, 49(7), 695-701.

Silalahi, J. (2006). *Makanan Fungsional*. Yogyakarta: Kanisius.

Sirois, M. (2004). *Laboratory Animal Medicine: Principles and Procedures* (1st ed.). London: Mosby.

Soelistijo, S. A., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., . . . Saraswati, M. R. (2015). *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe2 di Indonesia*. Jakarta: PB. PERKENI.

Syvanne, M., & Taskinen, M.-R. (1997). Lipids and Lipoproteins as Coronary Risk in Non-Insulin Dependent Diabetes Mellitus. *The Lancet*, 1(350), 20-23.

Szkudelski, T. (2012). Streptozotocin–Nicotinamide-Induced Diabetes in The Rat. Characteristics of The Experimental Model. *Experimental Biology and Medicine*, 237(5), 481-490.

Taghizadeh, M., Hashemi, T., Shakeri, H., Abedi, F., Sabihi, S.-S., Alizadeh, S.-A., & Asemi, Z. (2014). Synbiotic Food Consumption Reduce Levels of Triacylglycerols and VLDL, but not Cholesterol, LDL, or HDL, in Plasma from Pregnant Women. *Lipids*, 49, 155-161.

Tjokropawiro, A. (2007). *Buku Ajar Ilmu Penyakit Dalam* (2nd ed.). Jakarta: FKUI.

Yerlikaya, O. (2014). Starter Cultures Used in Probiotic Dairy Product Preparation and Popular Probiotic Dairy Drinks. *Food Science and Technology*, 34(2), 221-229.