

- Adetokun, A.A., Uba, S., Garba, Z.N., 2018. Optimization of adsorption of metal ions from a ternary aqueous solution with activated carbon from *Acacia senegal* (L.) Willd pods using Central Composite Design. *J. King Saud Univ.- Sci.* 1–11. doi:10.1016/j.jksus.2018.12.007
- Azalea Z., Sanagi M.M., Karim K.J., Naim A., W.A., Ibrahim. 2018. Chitosan-Based Adsorbents For the Removal Of Metal Ions From Aqueous Solutions, *Malaysian Journal of Analytical Sciences*, Vol 22 No 5 (2018): 839 – 850, DOI: <https://doi.org/10.17576/mjas-2018-2205-11>
- Banerjee, S., Chattopadhyaya, M.C., 2017. Adsorption characteristics for the removal of a toxic dye , tartrazine from aqueous solutions by a low cost agricultural by-product. *Arab. J. Chem.* 10: 1629–1638. doi:10.1016/j.arabjc.2013.06.005
- Basir, I.F., Mahatmanti, F.W., Haryani, S., 2017. Science Sintesis Komposit Beads Kitosan / Arang Aktif Tempurung Kelapa untuk Adsorpsi Ion Cu (II). *Indones. J. Chem.* 6: 182–188.
- Belova, T.P., 2019. Adsorption of Heavy Metal Ions (Cu^{2+} , Ni^{2+} , CO^{2+} and Fe^{2+}) from Aqueous Solutions by Natural Zeolite. *Heliyon* 5:e02320. doi:10.1016/j.heliyon.2019.e02320
- Ramírez, K., Martínez-Hernández, A.L., Martínez-Barrera, G., de Icaza, M., Castaño, V.M., Velasco-Santos, C., 2013. Covalently bonded chitosan on graphene oxide via redox reaction. *Materials (Basel)*. 6: 911–926. doi:10.3390/ma6030911
- Chaturvedi, S., Dave, P.N., 2012. Removal of iron for safe drinking water. *Desalination* 303: 1–11. doi:10.1016/j.desal.2012.07.003
- Eduard Musin, 2013. Adsorption Modeling. Mikelli.
- Fatombi, J.K., Idohou, E.A., Osseni, S.A., Agani, I., Neumeyer, D., Verelst, M., Mauricot, R., Aminou, T., 2019. Adsorption of Indigo Carmine from Aqueous Solution by Chitosan and Chitosan / Activated Carbon Composite : Kinetics , Isotherms and Thermodynamics Studies. *Fibers Polym.* 20: 1820–1832. doi:10.1007/s12221-019-1107-y
- Gedam, A.H., Narnaware, P.K., Kinhikar, V., 2018. Blended Composites of Chitosan: Adsorption Profile for Mitigation of Toxic Pb (II) Ions from Water. *Chitin-Chitosan - Myriad Funct. Sci. Technol.* 6: 99–118. doi:10.5772/intechopen.74790
- Gerente, V. K. C. Lee , P. Le Cloirec & G. McKay, 2007. Application of Chitosan for the Removal of Metals From Wastewaters by Adsorption Mechanisms and Models Review, *Critical Reviews in Environmental Science and Technology*, 37:1, 41-127, DOI: 10.1080/10643380600729089
- Gupa. 2006. Nano Particles Technology for Drug Delivery.

- Gupta, V.K., Agarwal, S., Sadegh, H., Ali, G.A.M., Bharti, A.K., Hamdy, A.S., 2017. Facile route synthesis of novel graphene oxide-β-cyclodextrin nanocomposite and its application as adsorbent for removal of toxic bisphenol A from the aqueous phase. *J. Mol. Liq.* doi:10.1016/j.molliq.2017.04.113
- Habiba, U., Afifi, A.M., Salleh, A., Ang, B.C., 2017. Chitosan / (polyvinyl alcohol) / zeolite electrospun composite nanofibrous membrane for adsorption of Cr⁶⁺, Fe³⁺ and Ni²⁺. *J. Hazard. Mater.* 322: 182–194. doi:10.1016/j.jhazmat.2016.06.028
- Ho, Y.S., McKay, G., 1999. A kinetic study of dye sorption by biosorbent waste product pith. *Resour. Conserv. Recycl.* doi:10.1016/S0921-3449(98)00053-6
- Hung, W.S., Chang, S.M., Lecaros, R.L.G., Ji, Y.L., An, Q.F., Hu, C.C., Lee, K.R., Lai, J.Y., 2017. Fabrication of hydrothermally reduced graphene oxide/chitosan composite membranes with a lamellar structure on methanol dehydration. *Carbon N. Y.* 117: 112–119. doi:10.1016/j.carbon.2017.02.088
- Hydari, S., Sharififard, H., Nabavinia, M., Parvizi, M. reza, 2012. A comparative investigation on removal performances of commercial activated carbon, chitosan biosorbent and chitosan/activated carbon composite for cadmium. *Chem. Eng. J.* 193–194: 276–282. doi:10.1016/j.cej.2012.04.057
- Inglezakis, V.J., Zorpas, A.A., 2012. Desalination and Water Treatment Heat of adsorption , adsorption energy and activation energy in adsorption and ion exchange systems. *Desalin. Water Treat.* 37–41. doi:10.1080/19443994.2012.669169
- Jayakumar, R., Prabakaran, M., Muzzarelli, R.A.A., 2016. Chitosan for biomaterials II, II. ed. Springe, London.
- Krause, S., 2000. Polymer Chemistry: An Introduction, 3rd Edition (Stevens, Malcolm P.). *J. Chem. Educ.* doi:10.1021/ed077p35
- Kurniawan A., Oedijjono, Tamad, & U., Sulaeman. 2019. The Pattern of Heavy Metals Distribution in Time Chronosequence of Ex-Tin Mining Ponds in Bangka Regency. *Indones. J. Chem.*, 2019, 19 (1), 254 – 261. DOI: 10.22146/ijc.33613
- Lu, Y., He, J., Luo, G., 2013. An improved synthesis of chitosan bead for Pb(II) adsorption. *Chem. Eng. J.* 271–278. doi:10.1016/j.cej.2013.04.078
- Liu, Q., Yang, B., Zhang, L., R., Huang. 2014. Simultaneous adsorption of phenol and Cu²⁺ from aqueous solution by activated carbon / chitosan composite. *Korean J. Chem. Eng* 31: 1608–1609. doi:10.1007/s11814-014-0080-9
- Ma, H., Pu, S., Ma, J., Yan, C., Zinchenko, A., Pei, X., Chu, W., 2018. Formation of multi-layered chitosan honeycomb spheres via breath-figure-like approach in combination with co-precipitation processing. *Mater. Lett.* 211: 91–95. doi:10.1016/j.matlet.2017.09.091
- Masih, M., Anthony, P., Siddiqui, S.H., 2018. Removal of Cu(II) ion from aqueous solutions by Rice Husk Carbon-Chitosan Composite gel (CCRH) using response

- Ngah, W.S.W., Ghani, S.A., Kamari, A., 2005. Adsorption behaviour of Fe (II) and Fe (III) ions in aqueous solution on chitosan and cross-linked chitosan beads. *Bioresour. Technol.* 96: 443–450. doi:10.1016/j.biortech.2004.05.022
- Nieto, L.M., Ben, S., Alami, D., Hodaifa, G., Faur, C., Rodríguez, S., Giménez, J.A., Ochando, J., 2010. Adsorption of iron on crude olive stones. *Ind. Crops Prod.* 32: 467–471. doi:10.1016/j.indcrop.2010.06.017
- Nitayaphat, W., Jintakosol, T., 2015. Removal of silver(I) from aqueous solutions by chitosan/bamboo charcoal composite beads. *J. Clean. Prod.* 87: 850–855. doi:10.1016/j.jclepro.2014.10.003
- Paktunc A.D., 1999. Characterization of Mine Wastes for Prediction of Acid Mine Drainage. In: Azcue J.M. (eds) *Environmental Impacts of Mining Activities*. Environmental Science. Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-642-59891-3_3
- Pal, P., Pal, A., 2019. Dye removal using waste beads: Efficient utilization of surface-modified chitosan beads generated after lead adsorption process. *J. Water Process Eng.* 31. doi:10.1016/j.jwpe.2019.100882
- Rashid, S., Shen, C., Chen, X., Li, S., Chen, Y., Wen, Y., Liu, J., 2015. Enhanced catalytic ability of chitosan-Cu-Fe bimetal complex for the removal of dyes in aqueous solution. *RSC Adv.* 5: 90731–90741. doi:10.1039/c5ra14711e
- Salahudeen, N., Ajinomoh, C., Omega, S., Akpaka, C., 2014. Production of Activated Carbon from Cassava. *J. Appl. Phytotechnology Environ. Sanit.* 3: 75–80.
- Salehi, E., Farahani, A., 2017. Macroporous chitosan/polyvinyl alcohol composite adsorbents based on activated carbon substrate. *J. Porous Mater.* 24: 1197–1207. doi:10.1007/s10934-016-0359-9
- Sharififard, H., Nabavinia, M., Soleimani, M., 2017. Evaluation of adsorption efficiency of activated carbon/chitosan composite for removal of Cr (VI) and Cd (II) from single and bi-solute dilute solution. *Biol. Environ.* 4: 215–227. doi:10.22104/aet.2017.484
- Shen, M., Yu, Y., Fan, G., Chen, G., Jin, Y. min, Tang, W., Jia, W., 2014. The synthesis and characterization of monodispersed chitosan-coated Fe₃O₄ nanoparticles via a facile one-step solvothermal process for adsorption of bovine serum albumin. *Nanoscale Res. Lett.* 9: 1–8. doi:10.1186/1556-276X-9-296
- Shofa, 2012. Pembuatan Karbon Aktif Berbahan Baku Ampas Tebu Dengan Aktivasi Kalium Hidroksida. *Tesis*. Universitas Indonesia.
- Soni, U., Bajpai, J., Bajpai, A.K., 2015. Chitosan-Activated Carbon Nanocomposites as Potential Biosorbent for Removal of Nitrophenol from Aqueous Solutions. *Int. J.*

- Sweetman, M.J., May, S., Mebberson, N., Pendleton, P., Vasilev, K., Plush, S.E., Hayball, J.D., 2017. Activated Carbon, Carbon Nanotubes and Graphene: Materials and Composites for Advanced Water Purification. *J. Carbon Res.* 3: 18. doi:10.3390/c3020018
- Thilagam, G., Mani, N., Arivoi, S., Hema, M., 2016. Adsorption behavior of Fe (II) ion from aqueous solution onto nano carbon. *Int. J. Chem. Stud.* 2016; 4: 96–102.
- Tran, H.N., You, S.J., Chao, H.P., 2016. Thermodynamic parameters of cadmium adsorption onto orange peel calculated from various methods: A comparison study. *J. Environ. Chem. Eng.* 4: 2671–2682. doi:10.1016/j.jece.2016.05.009
- Vakili, M., Deng, S., Liu, D., Li, T., Yu, G., 2019. Preparation of aminated cross-linked chitosan beads for efficient adsorption of hexavalent chromium. *Int. J. Biol. Macromol.* doi:10.1016/j.ijbiomac.2019.07.207
- Venault, A., Vachoud, L., Pochat, C., Bouyer, D., Faur, C., 2008. Elaboration of chitosan/activated carbon composites for the removal of organic micropollutants from waters. *Environ. Technol.* 29: 1285–1296. doi:10.1080/09593330802296256
- Verink, 2000. Uhlig's Corrosion Hand book Second Edition. John Wiley & Sons Inc.
- Wang, Y., Li, B., Zhou, Y., Jia, D., 2009. In situ mineralization of magnetite nanoparticles in chitosan hydrogel. *Nanoscale Res. Lett.* 4: 1041–1046. doi:10.1007/s11671-009-9355-1
- Zhu, Y., Hu, J., Wang, J., 2012. Competitive adsorption of Pb (II), Cu (II) and Zn(II) onto xanthate-modified magnetic chitosan. *J. Hazard. Mater.* 221–222: 155–161. doi:10.1016/j.jhazmat.2012.04.026
- Yusrizal. 2018. Kajian Kinetika dan Termodinamika Adsorpsi Besi(II) phenantrolin menggunakan Adsorben Limbah Padat Industri Rumput Laut (*Gracillaria sp.*) Departement Kimia FMIPA IPB Bogor.