

## DAFTAR PUSTAKA

- Atieli, F. K., Munga, S. O., Ofulla, A. V. dan Vulule, J. M. (2010) 'The effect of repeated washing of long-lasting insecticide-treated nets (LLINs) on the feeding success and survival rates of *Anopheles gambiae*', *Malaria Journal*, 9(304), pp. 1–9. doi: 10.1186/1475-2875-9-304.
- Center for Disease Control and Prevention (2018) *Biology, Malaria*. Available at: <https://www.cdc.gov/malaria/about/biology/index.html>.
- Dinas Kesehatan Kabupaten Purworejo (2015) *Profil Kesehatan Dinas Kesehatan Kabupaten Purworejo*. Purworejo.
- Ezire, O., Adebayo, S. B., Idogho, O., Bamgboye, E. A. dan Nwokolo, E. (2015) 'Determinants of use of insecticide-treated nets among pregnant women in Nigeria', *International Journal of Women's Health*, 7, pp. 655–661. doi: <https://dx.doi.org/10.2147/IJWH.S77807>.
- Global Malaria Programme (2007) *Long-lasting insecticidal nets for malaria prevention: A manual for malaria programme managers*. World Health Organization. Available at: <https://www.who.int/management/programme/LongLastingInsecticidalNetsMalaria.pdf>.
- Global Malaria Programme (2017) 'Achieving and maintaining universal coverage with long-lasting insecticidal nets for malaria control'. World Health Organization.
- Humas (2017) *Purworejo Ditarget Eliminasi Malaria*. Available at: <http://purworejokab.go.id/weblama/news/seputar-kesehatan/4022--purworejo-ditarget-eliminasi-malaria-> (Accessed: 11 January 2019).
- Ikawati, B., Yunianto, B. dan D, R. A. P. (2010) 'Efektivitas Pemakaian Kelambu Berinsektisida di Desa Endemis Malaria di Kabupaten Wonosobo', *Balaba*, 6(2), pp. 1–6.
- Kementerian Kesehatan RI (2009) *Keputusan Menteri Kesehatan Republik Indonesia Nomor 293/MENKES/SK/IV/2009 Tentang Eliminasi Malaria di Indonesia*.
- Kementerian Kesehatan RI (2017) *Profil Kesehatan Indonesia Tahun 2016*. Jakarta.
- Levitz, L., Janko, M., Mwandagalirwa, K., Thwai, K. L., Likwela, J. L., Tshetu, A. K., Emch, M. dan Meshnick, S. R. (2018) 'Effect of individual and community - level bed net usage on malaria prevalence among under-fives in the Democratic Republic of Congo', *Malaria Journal*. BioMed Central, 17(39), pp. 1–8. doi: 10.1186/s12936-018-2183-y.
- Marwoto, H. A. dan Sulaksono, S. T. E. (2004) 'Malaria di Purworejo', *Media Litbang Kesehatan*, XIV(1), pp. 28–36.

- Mustafa, Saleh, F. M. dan Djawa, R. (2018) 'Penggunaan Kelambu Berinsektisida dan Kawat Kasa Dengan Kejadian Malaria di Kelurahan Sangaji', *Media Publikasi Promosi Kesehatan Indonesia*, 1(3), pp. 93–98.
- Nuwamanya, S., Kansime, N., Aheebwe, E., Akatukwasa, C., Nabulo, H., Turyakira, E. dan Bajunirwe, F. (2018) 'Utilization of Long-Lasting Insecticide Treated Nets and Parasitemia at 6 Months after a Mass Distribution Exercise among Household in Mbarara Municipality, Uganda: A Cross-Sectional Community Based Study', *Malaria Research and Treatment*, 2018.
- Pinchoff, J., Hamapumbu, H., Kobayashi, T., Simubali, L., Stevenson, J. C., Norris, D. E., Colantuoni, E., Thuma, P. E. dan Moss, W. J. (2015) 'Factors Associated with Sustained Use of Long-Lasting Insecticide-Treated Nets Following a Reduction in Malaria Transmission in Southern Zambia', *American Journal of Tropical Medicine and Hygiene*, 93(5), pp. 954–960. doi: 10.4269/ajtmh.15-0093.
- Polec, L. A., Petkovic, J., Welch, V., Ueffing, E., Tanjong Ghogomu, E., Pardo Pardo, J., Grabowsky, M., Attaran, A., Wells, G. A. dan Tugwell, P. (2015) 'Strategies to increase the ownership and use of insecticide- treated bednets to prevent malaria ( Review )', *Cochrane Database of Systematic Reviews 2015*, (3). doi: 10.1002/14651858.CD009186.pub2. [www.cochranelibrary.com](http://www.cochranelibrary.com).
- Prasetyaningrum, M., Chomariyah, Z. dan Wibowo, T. A. (2017) *Evaluasi program kelambunisasi berinsektisida dalam pengendalian malaria di Kabupaten Purworejo Tahun 2017*, *Universitas Gadjah Mada Conferences, 2nd UGM Public Health Symposium*. Available at: <https://conference.ugm.ac.id/index.php/ikmfkugm/PHS2/paper/view/320>.
- Primadi, O. (2017) Cegah Malaria dengan Kelambu Berinsektisida, Sehat Negeriku Kementerian Kesehatan. Available at: <http://sehatnegeriku.kemkes.go.id/baca/rilismedia/20170426/1320645/cegah-malaria-kelambu-berinsektisida>.
- Pryce, J., Richardson, M. dan Lengeler, C. (2018) 'Insecticide-treated nets for preventing malaria', *Cochrane Database of Systematic Reviews 2018*, (11). doi: 10.1002/14651858.CD000363.pub3.
- Raghavendra, K., Chourasia, M.K., Swain, D. K., Bhatt, R. M., Urabayala, S., Dutta, G. D. P. dan Kleinschmidt, I. (2017) 'Monitoring of long lasting insecticidal nets ( LLINs) coverage versus utilization: a community-based survey in malaria endemic villages of Central India', *Malaria Journal*, 16(467), pp. 1–8. doi: 10.1186/s12936-017-2117-0.
- Raharjo, M., Yusniar dan Praba (2018) 'The Effectiveness of Integrated Vector Management ( IVM ) in Eliminating Malaria in Indonesia : A Case Study in the Purworejo District , Central Java Province , Indonesia', in *The 2nd International Meeting of Public Health 2016 with theme "Public Health Perspective of Sustainable Development Goals: The Challenges and Opportunities in Asia-Pacific Region"*. KnE Life Sciences, pp. 1–8. doi:

10.18502/kl.v4i4.2257.

- Saleh, J. E. A., Saddiq, A. dan Uchenna, A. A. (2018) 'LLIN Ownership , Utilization , and Malaria Prevalence : An Outlook at the 2015 Nigeria Malaria Indicator Survey', *Open Access Library Journal*, 5(e4280). doi: 10.4236/oalib.1104280.
- Setiati, S., Alwi, A., Sudoyo, A. W., K, M. S., Setyohadi, B. dan Syam, A. F. (2014) *Buku Ajar Ilmu Penyakit Dalam*. 6th edn. Jakarta: Interna Publishing.
- Singh, M., Brown, G. dan Rogerson, S. J. (2013) 'Ownership and use of insecticide-treated nets during pregnancy in sub-Saharan Africa : a review', *Malaria Journal*, 12(268), pp. 1–10.
- Sinka, M. E., Bangs, M. J., Manguin, S., Chareonviriyaphap, T., Patil, A. P., Temperley, W. H., Gething, P. W., Elyazar, I. R. F., Kabaria, C. W., Harbach, R. E. dan Hay, S. I. (2011) 'The dominant Anopheles vectors of human malaria in the Asia-Pacific region : occurrence data , distribution maps and bionomic précis', *Parasites & Vectors*, 4(89). Available at: <http://www.parasitesandvectors.com/content/4/1/89>.
- Soderlund, D. M. (2012) 'Molecular Mechanisms of Pyrethroid Insecticide Neurotoxicity: Recent Advances', *Arch Toxicol*, 86(2), pp. 165–181. doi: 10.1007/s00204-011-0726-x.
- Takken, W., Snellen, W. B., Verhave, J. P., Knols, B. G. J. dan Atmosoedjono, S. (1990) *Environmental measures for malaria control in Indonesia -an historical review on species sanitation*. Wageningen: Agricultural University Wageningen. Available at: <http://www.parasitesandvectors.com/content/4/1/89>.
- Tassew, A., Hopkins, R. dan Deressa, W. (2017) 'Factors influencing the ownership and utilization of long - lasting insecticidal nets for malaria prevention in Ethiopia', *Malaria Journal*. BioMed Central, 16(262), pp. 1–9. doi: 10.1186/s12936-017-1907-8.
- World Health Organization (2013) 'Vector Control Technical Expert Group Report to MPAC September 2013', in *Malaria Policy Advisory Committee Meeting*. Geneva, pp. 1–27.
- World Health Organization (2015a) 'Global technical strategy for malaria 2016–2030'. Geneva.
- World Health Organization (2015b) *Guidelines for The Treatment of Malaria*. 3rd ed. Geneva: World Health Organization.
- World Health Organization (2017a) *World Malaria Report 2017*. Geneva.
- World Health Organization (2017b) *World Health Statistics 2017: Monitoring Health for the SDGs, Sustainable Development Goals*. Geneva.
- Yahya dan Asturi, E. P. (2013) 'Tingkat Kematian Anopheles vagus yang Terpapar Insektisida Permethrin 2% (W/W) di Dalam Serat Benang Kelambu', *Aspirator*, 5(1), pp. 1–8.