

DAFTAR PUSTAKA

- Absor, M. A. U., 2015, Density-functional Theory Based Calculation of Spin-Orbit Interaction in ZnO, *Disertasi*, Universitas Kanazawa, Japan, Diunduh pada tanggal 12 Desember 2019.
- Absor, M. A. U., Ishii, F., Kotaka, H. dan Saito, M., 2015, Persistent Spin Helix on a Wurtzite ZnO (10-10) Surface: First-Principles Density-Functional Study, *Applied Physics Express*, 8(7), 073006.
- Absor, M. A.U. dan Ishii, F., 2019(1), Doping-induced Persistent Spin Helix with a Large Spin Splitting in Monolayer SnSe, *Physical Review B*, 99(7).
- Absor, M. A. U. dan Ishii, F., 2019(2), Intrinsic Persistent Spin Helix State in Two-Dimensional Group-IV Monochalcogenide MX Monolayers (M=Sn or Ge and X=S, Se, or Te), *Physical Review B*, 100(11).
- Ai, H., Ma, X., Shao, X., Li, W. dan Zhao, M., 2019, Reversible Out-of-plane Spin Texture in a Two-Dimensional Ferroelectric Material for Persistent Spin Helix, *Physical Review Materials*, 3(5).
- Awschalom, D. dan Samarth, N., 2009, Spintronics without Magnetism, *Physics*, 2,50.
- Baibich, M. N., Broto, J. M., Fert, A., Dau, F. N. V., Petroff, F., Etienne, P. dan Chazelas, J., 1988, Giant Magnetoresistance of (001)Fe/(001)Cr Magnetic Superlattices, *Physical Review Letters*, 61(21), 2472-2475.
- Banerjee, A., Adams, N., Simons, J. dan Shepard, R., 1985), Search for Stationary Points on Surfaces, *The Journal of Physical Chemistry*, 89(1), pp. 52-57.
- Barraza-Lopez, S., Kaloni, T. P., Poudel, S. P. dan Kumar, P., 2018, Tuning the Ferroelectric-to-Paraelectric Transition Temperature and Dipole Orientation of Group-IV Monochalcogenide Monolayers, *Physical Review B*, 97(2).
- Bernevig, B. A., Orenstein, J. dan Zhang, S., 2006, Exact SU(2) Symmetry and Persistent Spin Helix in a Spin-Orbit Coupled System, *Physical Review Letters*, 97(23).

- Bicer, M., dan Sisman, I., 2011, Electrodeposition and growth mechanism of SnSe thin films, *Applied Surface Science*, 257(7), 2944-2949.
- Binasch, G., Grunberg, P., Saurenbach, F., dan Zinn, W., 1989, Enhanced magnetoresistance in layered magnetic structures with antiferromagnetic interlayer exchange, *Physical Review B*, 39(7), 4828-4830.
- Bychkov, Y. A. dan Rashba, E. I., 1984, Properties of a 2D Electron Gas with Lifted Spectral Degeneracy, *JETP Letters*, pp. 78-81.
- Cui, C., Xue, F., Hu, W. dan Li, L., 2018, Two-Dimensional Materials with Piezoelectric and Ferroelectric Functionalities, *npj 2D Materials and Applications*, 2(1).
- Datta, S. dan Das, B., 1990, Electronic Analog of The Electro-Optic modulator, *Applied Physics Letters*, 56(7), pp. 665-667.
- Dresselhaus, G., 1955, Spin-Orbit Coupling Effects in Zinc Blende Structures, *Physical Review*, 100(2), 580-586.
- Dresselhaus, M.S., G. Dresselhaus, dan A. Jorio, 2008, *Group Theory*, Springer, Berlin, Jerman.
- Dyakonov, M. I. dan Perel, V. I., 1972, Spin Relaxation of Conduction Electrons in Noncentrosymmetric Semiconductors, *Sov. Phys. Solid State*, 13, 3023-3026.
- Fabian, J. dan Sarma, S.D., 1999, Spin Relaxation of Conduction Electrons, *Journal of Vacuum Science and Technology B*, (17), 1708.
- Fei, R., Kang, W. dan Yang, L., 2016, Ferroelectricity and Phase Transitions in Monolayer Group-IV Monochalcogenides, *Physical Review Letters*, 117(9).
- Fei, R., Li, W., Li, J. dan Yang, L., 2015, Giant Piezoelectricity of Monolayer Group IV Monochalcogenides: SnSe, SnS, GeSe, and GeS, *Applied Physics Letters*, 107(17), 173104.
- Galeriu, C., 2005, k·p Theory of Semiconductor Nanostructures, *Disertasi*, Worcester Polytechnic Institute, USA, Diunduh pada tanggal 12 Desember 2019.

- Gomes, L. C. dan Carvalho, A., 2015, Phosphorene Analogues: Isoelectronic Two-Dimensional Group-IV Monochalcogenides with Orthorhombic Structure, *Physical Review B*, 92(8).
- Griesbeck, M., 2012, Spin Dynamics in High-Mobility Two-Dimensional Electron Systems Embedded in GaAs/AlGaAs Quantum Wells, *Disertasi*, Universitas Regensburg, Jerman, Diunduh pada tanggal 12 Desember 2019.
- Griffiths, D., 2005, *Introduction to Quantum Mechanics*, Second edition. Prentice Hall pp.183-4
- Hanakata, P. Z., Carvalho, A., Campbell, D. K. dan Park, H. S., 2016, Polarization and Valley Switching in Monolayer Group-IV Monochalcogenides, *Physical Review B*, 94(3).
- Huang, L., Wu, F. dan Li, J., 2016, Structural Anisotropy Results in Strain-Tunable Electronic and Optical Properties in Monolayer GeX and SnX (X = S, Se, Te), *The Journal of Chemical Physics*, 144(11), 114708.
- Julliere, M., 1975, Tunneling between ferromagnetic films, *Physics Letters A*, 54(3), 225-226.
- Kohda, M., Lechner, V., Kunihashi, Y., Dollinger, T., Olbrich, P., Schönhuber, C., Caspers, I., Belkov, V. V., Golub, L. E., Weiss, D., Richter, K., Nitta, J. dan Ganichev, S. D., 2012, Gate-Controlled Persistent Spin Helix State in (In,Ga)As Quantum Wells, *Physical Review B*, 86(8).
- Koralek, J. D., Weber, C. P., Orenstein, J., Bernevig, B. A., Zhang, S., Mack, S. dan Awschalom, D. D., 2009, Emergence of The Persistent Spin Helix in Semiconductor Quantum Wells, *Nature*, 458(7238), 610-613.
- Kammermeier, M., Wenk, P. dan Schliemann, J., 2016, Control of Spin Helix Symmetry in Semiconductor Quantum Wells by Crystal Orientation, *Physical Review Letters*, 117(23).
- Lee, H., Im, J., dan Jin, H., 2020, Emergence of the giant out-of-plane Rashba effect and tunable nanoscale persistent spin helix in ferroelectric SnTe thin films, *Applied Physics Letters*, 116(2), 022411.

- Li, L., Chen, Z., Hu, Y., Wang, X., Zhang, T., Chen, W. dan Wang, Q., 2013, Single-Layer Single-Crystalline SnSe Nanosheets, *Journal of the American Chemical Society*, 135(4), 1213-1216.
- Moodera, J. S., Kinder, L. R., Wong, T. M. dan Meservey, R., 1995, Large magnetoresistance at room temperature in ferromagnetic thin film tunnel junctions, *Physical Review Letters*, 74(16), 3273-3276.
- Moore, G. E., 2006, Progress in digital integrated electronics [Technical literature, Copyright 1975 IEEE. Reprinted, with permission. Technical Digest. International Electron Devices Meeting, IEEE, 1975, pp. 11-13.], *IEEE Solid-State Circuits Society Newsletter*, 11(3), 36-37.
- Nitta, J., Akazaki, T., Takayanagi, H. dan Enoki, T., 1997, Gate Control of Spin-Orbit Interaction in an Inverted $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{In}_{0.52}\text{Al}_{0.48}\text{As}$ Heterostructure, *Phys. Rev. Lett.*, 78, 1335-1338.
- Novoselov, K. S., Geim, A. K., Morozov, S. V., Jiang, D., Zhang, Y., Dubonos, S. V. dan Firsov, A. A., 2004, Electric Field in Atomically Thin Carbon Films, *Science*, 306(5696), 666-669.
- Ovchinnikov, I. V. dan Wang, K. L., 2008, Variability of Electronics and Spintronics Nanoscale Device, *Appl. Phys. Lett.*, 92(9), 093503
- Ozaki, T., 2003, Variationally Optimized Atomic Orbitals for Large-Scale Electronic Structures, *Physical Review B*, 67(15), pp. 1-5.
- Ozaki, T. dan Kino, H., 2004, Numerical Atomic Basis Orbitals From H to Kr, *Physical Review B*, 69(19), pp. 1-19.
- Ozaki, T., Kino, H., Yu, J., Han, M. J., Ohfuchi, M., Ishii, F., Sawada, K., Kubota, Y., Ohwaki, T., Weng, H., Toyoda, M., Okuno, Y., Perez, R., Bell, P. P., Duy, T. V. T., Xiao, Y., Ito, A. M. dan Terakura, K., 2016, *User's manual of OpenMX Ver. 3.8*, Tersedia di: <http://www.openmx-square.org/>.
- Perdew, J. P., Burke, K. dan Ernzerhof, M., 1996, Erratum: Generalized Gradient Approximation Made Simple, *Physical Review Letters*, 77(8), p. 3865.

- Phantom, 2019, 24 Jenis Prosesor Intel dari Masa ke Masa (Sejak 1971), <https://www.bagitekno.net/hardware/jenis-prosesor-intel.html>, 8 Januari 2019, diakses 21 April 2020.
- Rashba, E. I., 1960, Properties of Semiconductors With an Extremum Loop. 1. Cyclotron and Combinational Resonance in Amagnetic Field Perpendicular to the Plane of the Loop, *Fiz.Tverd. Tela*2, 1109, *Sov. Phys. Solid State*2, 1224-1238(1960).
- Sasaki, A., Nonaka, S., Kunihashi, Y., Kohda, M., Bauernfeind, T., Dollinger, T. dan Nitta, J., 2014, Direct Determination of Spin-Orbit Interaction Coefficients and Realization of the Persistent Spin Helix Symmetry, *Nature Nanotechnology*, 9(9), 703-709.
- Schliemann, J., 2017, Colloquium: Persistent spin textures in semiconductor nanostructures, *Reviews of Modern Physics*, 89(1).
- Schliemann, J., Egues, J. C. dan Loss, D., 2003, Nonballistic Spin-Field-Effect Transistor, *Physical Review Letters*, 90(14).
- Schonhuber, C., Walser, M. P., Salis, G., Reichl, C., Wegscheider, W., Korn, T. dan Schuller, C., 2014, Inelastic Light-Scattering From Spin-Density Excitations in The Regime of The Persistent Spin Helix in a GaAs-AlGaAs Quantum Well, *Physical Review B*, 89(8).
- Shi, G. dan Kioupakis, E., 2015, Anisotropic Spin Transport and Strong Visible-Light Absorbance in Few-Layer SnSe and GeSe, *Nano Letters*, 15(10), 6926-6931.
- Szolnoki, L., Kiss, A., Dora, B. dan Simon, F., 2017, Spin-Relaxation Time in Materials with Broken Inversion Symmetry and Large Spin-Orbit Coupling, *Scientific Reports*, 7(1).
- Tao, L. L. dan Tsymbal, E. Y., 2018, Persistent Spin Texture Enforced by Symmetry, *Nature Communications*, 9(1).
- Thomas, L. H., 1926, Motion of The Spinning Electron, *Nature*, 117(2945), p. 514.

- Vu, T. V., Tong, H. D., Nguyen, T. K., Nguyen, C. V., Lavrentyev, A., Khyzhun, O., Gabrelian, B., Luong, H. L., Pham, K. D., Dang, P. T., dan Vo, D. D., 2019, Enhancement of monolayer SnSe light absorption by strain engineering: A DFT calculation, *Chemical Physics*, 521, 5-13.
- Walser, M., 2013, Spin-Orbit Interaction and The Persistent Spin Helix in Two-Dimensional Electron Gases, *Disertasi*, ETH Zurich.
- Wang, F. Q., Zhang, S., Yu, J., dan Wang, Q., 2015, Thermoelectric properties of single-layered SnSe sheet, *Nanoscale*, 7(38), 15962-15970.
- Xu, L., Yang, M., Wang, S. J. dan Feng, Y. P., 2017, Electronic and Optical Properties of The Monolayer Group-IV Monochalcogenides MX (M=Ge,Sn; X=S,Se,Te), *Physical Review B*, 95(23).
- Yaji, K., Ohtsubo, Y., Hatta, S., Okuyama, H., Miyamoto, K., Okuda, T., Kimura, A., Namatame, H., Taniguchi, M. dan Aruga, T., 2010, Large Rashba Spin Splitting of a Metallic Surface-State Band on a Semiconductor Surface, *Nature Communications*, Nature Publishing Group, 1(2), pp. 1-5.
- Yamaguchi, N. dan Ishii, F., 2017, Strain-Induced Large Spin Splitting and Persistent Spin Helix at LaAlO₃/SrTiO₃ Interface, *Applied Physics Express*, 10(12), 123003.
- Zhang, Y., Zhao, W., Klein, J.O., Kang, W., Querlioz, D., Zhang, Y., Ravelosona, D. dan Chappert, C., 2014, Spintronics for Low-Power Computing, in Des.Autom. Test Eur. Conf. Exhib. (DATE), 2014, *IEEE Conference Publications*, New Jersey, pp. 1-5.
- Zhang, C., Yin, H., Han, M., Dai, Z., Pang, H., Zheng, Y. dan Zhu, J., 2014, Two-Dimensional Tin Selenide Nanostructures for Flexible All-Solid-State Supercapacitors, *ACS Nano*, 8(4), 3761-3770.
- Zhu, Z. Y., Cheng, Y. C. dan Schwingenschlogl, U., 2011, Giant Spin-Orbit-Induced Spin Splitting in Two-Dimensional Transition-Metal Dichalcogenide Semiconductors, *Physical Review B*, 84(15).
- Zou, X. dan Yakobson, B. I., 2015, An Open Canvas-2D materials with Defects, Disorder, and Functionality, *Accounts of Chemical Research*, 48(1), pp. 73-80.