

## DAFTAR PUSTAKA

- Adam, T..B., Cohen, S.M, Doull, J., Feron, V.J., Goodman, J.I, Marnett, L.J, Munro, I.C, Portoghese, P.S, Smith, R.L, Waddell, W.J, Wagner, B.M., 2005, The FEMA GRAS assessment of benzyl derivatives used as flavor ingredients, *Food Chem. Toxicol.*, 43(8): 1207–1240.
- Agustini, N.W.S., Kusmiati., Handayani, D., 2017, Aktivitas antibakteri dan identifikasi senyawa kimia asam lemak dari mikroalga *Lyngbya sp.*, *Biopropal Industri*, 8 (2): 99-107.
- Ahmad, M., Gilani, A.H., Aftab, K., Ahmad, V.U., 1993, Effects of Kaempferol-3-O-rutinoside on Rat Blood Pressure, *Phytother Res.*, 7: 314-316.
- Ali F., Rahul, Naz, F., Jyoti, S., Siddique, Y. H., 2017, Health functionality of apigenin : A review, *Int. J. Food Prop.*, 20 (6): 1197–1238.
- Andersen and Alan., 2006, Final report on the safety assessment of benzaldehyde, *Int. J. Toxicol.*, 25(1): 11–27.
- Arigoni, D., Eisenreich, W.,Latzel, C., Sagner, S., Radykewicz, T., Zenk, M. H., Bachner, A., 1999, Dimethylallyl pyrophosphate is not the committed precursor isopentenyl pyrophosphate during terpenoid biosynthesis from 1-deoxyxylulose in higher plants, *Proc. Natl. Acad. Sci. USA*, 96: 1309 – 1314.
- Asawamahasakda, W., Ittarat, I., Pu, Y. M., Ziffer, H., Meshnick, S. R., 1994, Reaction of antimalarial endoperoxides with specific parasite proteins. *Antimicrob. Agents Chemother.*, 38(2): 1854-1858.
- Banerjee, R., Goldberg, D. E., 2001, The *Plasmodium* food vacuole. In: Rosenthal, P.J., antimalarial chemotherapy: Mechanisms of action, resistance, and new directions in drug discovery, pp: 43-63, NJ: Humana Press, Totawa.
- Banerjee, R., Liu, J., Beatty, W., Pelosof, L., Klemba, M. and Goldberg, D. E., 2002, Four plasmepsins are active in the *Plasmodium falciparum* food vacuole, including a protease with an active-site histidine, *Proc. Natl. Acad. Sci, USA*, 99: 990-995.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P and Taramelli, D., 1998, A microtitre based method for measuring the haem polimerization inhibitory activity (HPIA) of antimalarial drugs, *J. Antimicrob Chemother.* 42: 55-60.

- Bhisutthibhan, J., Pan, X. Q., Hossler, P. A., Walker, D. J., Yowell, C. A., Carlton, J., Dame, J. B. and Meshnick, S. R. 1998, The *Plasmodium falciparum* translationally controlled tumor protein homolog and its reaction with the antimalarial drug artemisinin, *J. Biol. Chem*, 273(26): 16192-16198.
- Böhler, P., Stuhldreier, F., Anand, R., Kondadi, A.K., Schlütermann, D., Berleth, N., Deitersen, J., Wallot-Hieke, N., Wu, W., Frank, M., Niemann, H., Wesbuer, E., Barbian, A., Luyten, T., Parys, J. B., Weidtkamp-Peters, S., Borchardt, A., Reichert, A. S., Peña-Blanco, A., García-Sáez, A.J., Itskanov, S., van der Bliet, A. M., Proksch, P., Wesselborg, S., Stork, B., 2018, The mycotoxin phomoxanthone A disturbs the form and function of the inner mitochondrial membrane, *Cell Death and Disease*, 9:286.
- Borstnik, K., Paik, I. H. and Posner, G. H, 2002, Malaria: new chemotherapeutic peroxide drugs, *Mini Rev. Med. Chem*, 2(6): 573-583.
- Böttcher, C., Chapman, A., Fellermeier, F., Choudhary, M., Scheel, D., Glawischmig, E., The Biosynthetic Pathway of Indole-3-Carbaldehyde and Indole-3-Carboxylic Acid Derivatives in Arabidopsis, *Plant Physiol*, 165: 841–853.
- Bunyarataphan, S., Leartsakulpanich, U., Taweechai, S., Tarnchompoo, B., Kamchonwongpaisan, S., Yuthavong, Y., 2006, Evaluation of the activities of pyrimethamine analogs against *Plasmodium vivax* and *Plasmodium falciparum* dihydrofolate reductase-thymidylate synthase using in vitro enzyme inhibition and bacterial complementation assays, *J. Antimicrob Agents Chemother*, 50(11): 3631-3637.
- Calas, M., Ancelin, M. L., Cordina, G., Portefaix, P., Piquet, G., Vidal-Sailhan, V. and Vial, H., 2000, Antimalarial activity of compounds interfering with *Plasmodium falciparum* phospholipid metabolism: comparison between mono- and bisquaternary ammonium salts, *J. Med. Chem.* 43(3): 505-516.
- Carballeira, N.M., 2008, New advances in fatty acids as antimalarial, antimycobacterial and antifungal agents, *Prog Lipid Res*, 47(1): 50–61.
- CDC., 2010, Malaria, Center for Disease Control and Prevention, Available from: <http://www.cdc.gov/malaria/html>. [diakses 31 Mei 2010].
- Chowdhury, R. R., Ghosh, S. K., 2012, Phytol-derived novel isoprenoid immunostimulants, *Front Immunol.*, 3 (49): 1-11.
- Chusacultanachai, S.P., Thiensathut, B., Tarnchompoo, W., Sirawarapora, Yuthavong, Y., 2002, Novel antifolate resistant mutations of *Plasmodium*

*falciparum* dihydrofolate reductase selected in *Escherichia coli*, *Mol. Biochem. Parasitol*, 120(1): 61-72.

- Clough, B. and Wilson, R. J. M., 2001, Antibiotics and the plasmodial plastid organelle. In: Rosenthal, P. J., *Antimalarial chemotherapy: Mechanisms of action, resistance, and new directions in drug discovery*, pp: 265-286, NJ: Humana Press, Totawa.
- Contrier, F.N., Tirta, Y.K., Cotter, C., Zarlinda, I., González, I. J., Schwartz, A., Maneh, C., Marfurt., J., Murphy, M., Herdiana, H., Anstey, N. M., Greenhouse, B., Hsiang, M. S., Noviyanti, R., 2018, Laboratory challenges of Plasmodium species identification in Aceh Province, Indonesia, a malaria elimination setting with newly discovered *P. knowlesi*, *PLoS.Negl Trop Dis.*, 12(11): 1-11.
- Cui, L., Mharakurwa, S., Ndiaye, D., Rathod, P.K., Rosenthal, P.J., 2015, Antimalarial drug resistance: Literature review and activities and findings of the ICEMR network, *Am. J. Trop. Med. Hyg*, 93(suppl 3): 57-68.
- Cuttler, H.G., Crumley, F.G., Cox, R.H., Wells, J.M., Cole, R.J., 1984, The biological properties of cyclophenin and cyclophenol, *Plant & CellPhysiol*. 25(2): 257-26.
- Darlina., Ariyanti., Tejak., Aziza., 2016, Aktivitas Antimalaria Ekstrak n-Hexana Daun Artemisia Cina Galur Iradiasi terhadap *Plasmodium berghei* ANKA, *Jurnal Ilmu Kefarmasian Indonesia*, 14 (2): 226-232.
- Das, J. Jha, D.K. Policegoudra, R.S. Mazumder, A.H. Das, M. Chattopadhyay, P. Singh, L. 2012, Isolation and characterization of antidermatophytic bioactive molecules from *Piper longum* L. Leaves, *Indian J Microbiol.*, 52(4): 624–629.
- De, D., Krogstad, F. M., Byers, L. D. and Krogstad, D. J., 1998, Structure–activity relationships for antiplasmodial activity among 7-substituted 4-aminoquinolines, *J. Med. Chem*, 41(25): 4918-4926.
- De Moraes, J. de Oliveira, R.N. Costa, D.P. Junior, A.L.G. de Sousa, D.P. Freitas, R.M. Allegretti, S.M. Pinto, P.L.S., 2014, Phytol, a diterpene alcohol from chlorophyll, as a drug against neglected tropical disease *Schistosomiasis mansoni*, *PLoS Negl. Tropic. Dis.*, 8 (Iss.1): 1-12.
- Deck, L. M., Royer, R. E., Chamblee, B. B., Hernandez, V. M., Malone, R. R., Torres, J. E., Hunsaker, L. A., Piper, R. C., Makler, M. T. and Vander Jagt, D. L., 1998, Selective inhibitors of human lactate dehydrogenases and lactate dehydrogenase from the malarial parasite *Plasmodium falciparum*, *J. Med. Chem.*, 41(20): 3879-3887.

- Dunn, C. R., Banfield, M. J., Barker, J. J., Higham, C. W., Moreton, K. M., Turgut-Balik, D., Brady, R. L. and Holbrook, J. J., 1996, The structure of lactate dehydrogenase from *Plasmodium falciparum* reveals a new target for anti-malarial design, *Nat. Struct. Biol.*, 3(11): 912-915.
- Eggleston, K. K., Duffin, K. L. and Goldberg, D. E, 1999, Identification and characterization of falcilysin, a metallopeptidase involved in hemoglobin catabolism within the malaria parasite *Plasmodium falciparum*, *J. Biol. Chem.*, 274(45): 32411-32417.
- Elsasser, B; Krohn, K; Florke, U; Root, N; Aust, HJ; Draeger, S; Schulz, B; Antus, S; Kurtan, T., 2005, X-ray structure determination, absolute configuration and biological activity of phomoxanthone A, *European J. of Org Chem*, 21: 4563-4570.
- Fairhurst, R.M., 2015, Understanding artemisinin-resistant malaria: what a difference a year makes, *Curr Opin Infect Dis*, 28(5):417-425.
- Fairhurst, R.M., Dondorp, A.M., 2016, Artemisinin-resistant *Plasmodium falciparum* malaria, *Microbiol. Spectr.*, 4(3): 1-25.
- Foth, B. J., Ralph, S. A., Tonkin, C. J., Struck, N. S., Fraunholz, M., Roos, D. S., Cowman, A. F. and McFadden, G. I., 2003, Dissecting apicoplast targeting in the malaria parasite *Plasmodium falciparum*, *Science*, 299(5607): 705-708.
- Freshney, 2000, Animal cell culture, a basic manual techniques, IRL Press, Oxford-Washington DC,5,6.
- Friebolin, H. 1993. Basic One and Two-dimensional NMR Spectroscopy, 2<sup>nd</sup> Edition. VHC. Germany.
- Friedrich, B. Elaine, W., 2007, Benzaldehyde, Ullmann's Encyclopedia of Industrial Chemistry (7th ed.), p. 11, Wiley.
- Gavigan, C. S., Dalton, J. P. and Bell, A., 2001, The role of aminopeptidases in haemoglobin degradation in *Plasmodium falciparum*-infected erythrocytes, *Mol. Biochem. Parasitol*, 117(1): 37-48.
- Gritter, R.J., Bobbit, J.M., Schwarting, A.E., 2001, Pengantar Kromatografi, Edisi kedua, ITB, Bandung.
- Groweiss, A., Cardelina, J. H., Boyd, M. R., 2000, HIV-inhibitory prenylated xanthenes and flavones from *Maclura tinctoria*, *J. Nat. Prod*, 63: 1537-1539.

- Guo, P., Li, G., Liu, Y., Lu, A., Wang, Z., Wang, Q., 2018, Naamines and Naamidines as Novel Agents against a Plant Virus and Phytopathogenic Fungi. *Mar. Drugs*, 16(9): 1-19.
- Haldar, K., Akompong, T, 2001, Transport and trafficking in *Plasmodium*-infected red cells. In: Rosenthal, P. J., Antimalarial chemotherapy: Mechanisms of action, resistance, and new directions in drug discovery, pp. 27-41, NJ: Humana Press, Totowa.
- Harborne, J.B, 1984, Phytochemical methods: A guide to modern techniques of plant analysis. Second Edition. diterjemahkan oleh Kosasih, P., 1987, Edisi Kedua, Hal: 41-109, ITB, Bandung.
- Hogh, B., Clarke, P. D., Camus, D., Nothdurft, H. D., Overbosch, D., Gunther, M., Joubert, I., Kain, K. C., Shaw, D., Roskell, N. S, 2000, Atovaquone-proguanil versus chloroquine-proguanil for malaria prophylaxis in non-immune travellers: a randomised, double-blind study, Malarone International Study Team, *Lancet* , 356(9245): 1888-1894.
- Hostettman, K., Hostettman, M., Marston, A, 1986, Preparative chromatography Techniques. diterjemahkan oleh Kosasih, P, 1995, Hal: 9-11, 27-37, ITB, Bandung.
- Harijanto, P.N., 2000, Malaria. Epidemiologi, patogenesis, manifestasi klinik, & penanganan, Hal: 36, 152, 153. EGC, Jakarta.
- Heyningen W., Mellanby, J., 1968, The effect of cerebroside and other lipids on the fixation of tetanus toxin by gangliosides, *J. Gen. Microbiol*, 52: 447–454.
- Ignatushchenko, M. V, Winter, R. W., & Riscoe, M., 2000, Xanthones as antimalarial agents: stage specificity, *Am. J. Trop. Med. Hyg*, 62(1): 77–81.
- Inoue, Y. Hada, T. Shiraishi, A. Hirose, K. Hamashima, H. Kobayashi, S., 2005. Biphasic Effects of Geranylgeraniol, Teprenone, and Phytol on the Growth of *Staphylococcus aureus*, *Antimicrob. Agents Chemother*, 49(5): 1770–1774.
- Isaka, M., Jaturapat, A., Rukseree, K., Danwisetkanjana, K., Tanticharoen, M., Thebtaranonth, Y., 2001, Phomoxanthones A and B, novel xanthone dimers from the endophytic fungus *Phomopsis* species, *J. Nat. Prod.*, 64(8), 1015–1018.

- Jagetia, G.C., Venkatesha, V.A., 2005, Mangiferin, a glucosylxanthone, protects against the radiation-induced micronuclei formation in the cultured human peripheral blood lymphocytes, *ICS*, 1276: 195-196.
- Jennie, R.I., 2007, Aplikasi ko-kemoterapi doxorubicin-fraksi etil asetat daun sambung nyawa (*Gynura procumbens* (Lour) Merr.) terhadap sel kanker payudara MCF-7 dan T47D, Tesis: Universitas Gadjah Mada, Yogyakarta.
- Jomaa, H., Wiesner, J., Sanderbrand, S., Altincicek, B., Weidemeyer, C., Hintz, M., Turbachova, I., Eberl, M., Zeidler, J., Lichtenthaler, H. K., 1999, Inhibitors of the nonmevalonate pathway of isoprenoid biosynthesis as antimalarial drugs, *Science*, 285 (Iss. 5433): 1573-1576.
- Jumina. Nurmala, A., Fitria A., Pranowo, D., Sholikhah, E.N., Kurniawan, Y. S., Kuswandi, B., 2018., Monomyristin and monopalmitin derivatives: synthesis and evaluation as potential antibacterial and antifungal agents. *Molecules*, 23(3141): 1-10.
- Jonville, M.C., Kodja, H., Foumel, J., De Mol, P., Cao, M., Angenot, L., Frederich, M, 2008, Screening of medicinal plants from reunion island for antimalarial and cytotoxic activity, *J. Ethnopharmacol*, 120(3):382-386.
- Junedi , S., 2008, Uji Sitotoksik Metode MTT. diakses dari <http://ccrcfarmasiugm.files.wordpress.com/2008/06/10-sop-uji-sitotoksik-metode-mtt.pdf>, diakses pada tanggal 20 Mei 2012.
- Kaupp, M., Malkina, O.L. Malkin, V.G., Pyyko, P., 1999, How do spin-orbit-induced heavy-atom effects on NMR chemical shifts function? Validation of a simple analogy to spin-spin coupling by density functional theory (DFT) calculations on some Iodo compounds, *Chem. Eur. J*, 4(1): 118-126.
- Keough, D.T., Ng, A.L., Winzor, D.J., Emmerson, B.T. and de Jersey, J, 1999, Purification and characterization of *Plasmodium falciparum* hypoxanthine-guanine-xanthine phosphoribosyltransferase and comparison with the human enzyme, *Mol. Biochem. Parasitol*, 98: 29-41.
- Khopkar, S.M., 2007, Konsep dasar kimia analitik. Terjemahan dari Basic concepts of analytics chemistry, Penerjemah : Saptorahardjo, A. UI Press, Jakarta.
- Kinyanjui, S.M., Mberu, E.K., Winstanley, P.A., Jacobus, D.P. and Watkins, W. M, 1999, The antimalarial triazine WR99210 and the prodrug PS-15: folate reversal of in vitro activity against *Plasmodium falciparum* and a non- antifolate mode of action of the prodrug, *Am. J. Trop. Med. Hyg*, 60(6): 943-947.

- Kirk, K., 2001, Membrane transport in the malaria-infected erythrocyte, *Physiol. Rev*, 81(2): 495-537.
- Kohler, S., Delwiche, C. F., Denny, P. W., Tilney, L. G., Webster, P., Wilson, R. J., Palmer, J. D. and Roos, D. S, 1997, A plastid of probable green algal origin in apicomplexan parasites, *Science*, 275(5305): 1485-1489.
- Kumaratilake, L.M. Robinson, B.S. Ferrante, A. Poulos, A., 1992, Antimalarial Properties of n-3 and n-6 Polyunsaturated Fatty Acids: In Vitro Effects on *Plasmodium falciparum* and In Vivo Effects on *P. berghei*, *J. Clin. Invest*, 89: 961-967.
- Labwork, 2000, Study Guide and Lecture Notes: Henrieta Lacks, [www.micro.msb.le.ac.uk/Labwork/Lack.1.htm](http://www.micro.msb.le.ac.uk/Labwork/Lack.1.htm).
- Leartsakulpanich, U., Imwong, M., Pukrittayakamee, N., White, N.J., Snounou, G., Sirawaraporn, W., Yuthavong, Y., 2002, Molecular characterization of dihydrofolate reductase in relation to antifolate resistance in *Plasmodium vivax*, *Mol. Bio-chem.Parasitol*, 119(1): 63-73.
- Lee, J-H., Lee, J., 2010, Indole as an intercellular signal in microbial communities, *FEMS Microbiol Rev*, 34: 426-444.
- Lell, B., Ruangweerayut, R., Wiesner, J., Missinou, M. A., Schindler, A., Baranek, T., Hintz, M., Hutchinson, D., Jomaa, H. and Kremsner, P. G., 2003, Fosmidomycin, a novel chemotherapeutic agent for malaria, *J. Antimicrob Agents Chemother*, 47(2): 735-738.
- Li, H., Miyahara, T., Tezuka, Y., Namba, T., Zuzuki, T., Dowaki, R., Watanabe, M., Nemoto, N., Tonami, S., Seto, H., Kadota, S., 1999, The effect of kampo formulae on bone resorption *in vitro* and *in vivo* II. Detailed study of berberin, *Biol. Pharm. Bull*, 22(4): 391-396.
- Lim, S., Meyer, M., Kjoonas, R.A., Ghosh, S.K., 2006, Phytol-based novel adjuvants in vaccine formulation: 1. Assessment of safety and efficacy during stimulation of humoral and cell-mediated immune responses, *J. Immune Based Therap Vacc*, 4(6): 1-11.
- Linnakoski, A., Linnakoski, R., Reshamwala, D., Veteli, P., Cortina-escribano, M., Vanhanen, H. Marjomäki, V., 2018, Antiviral agents from fungi: diversity, mechanisms and potential applications, *Front. Microbiol*, 9(2325): 1-18.
- López-lázaro, M., 2009, Distribution and biological activities of the flavonoid luteolin, *Mini-Review Med. Chem*, 9(1): 31-59.

- Lyles, J. T., Negrin, A., Khan, S. I., He, K., & Kennely, E. J., 2014, In vitro antiplasmodial activity of benzophenones and xanthenes from edible fruits of *Garcinia* species. *Planta Med.*, 80(8-9): 676–681.
- Markham, K.R., 1982, Techniques of flavanoid identification, Academic Press Inc. (London) LTD, London.
- Medrano-Macias, J. Leija-Martinez, P.Benavides-Mendoza, A. 2016. Use Iodine to biofortify and promote growth and stress tolerance in crops, *Front. Plant Sci.* 7(1146): 1-20.
- Meshnick, S. R, 2001, Artemisinin and its derivatives. In: Rosenthal, P.J., Antimalarial chemotherapy: Mechanisms of action, resistance, and new directions in drug discovery, Hal: 191-201, NJ: Humana Press, Totowa.
- Messina, J.P., Taylor, S.M., Meshnick, S.R., Linke, A.M., Tshefu, A.K., Atua, B., Mwandagalirwa, K., Emch, M., 2011, Population, behavioural and environmental drivers of malaria prevalence in the democratic Republic of Congo, *Malar. J.* 10(161): 1–11.
- Memvangga, P.B., Tona, G.L., Mesia, G.K., Lusakibanza, M.M., Cimanga, R.K., 2015, Antimalarial activity of medicinal plants from the democratic republic of Congo: A review. *J. Ethnopharmacol.*, 169: 76-98.
- Mosmann, T., 1983, Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assay, *J. Immunol Methods*, 65(1-2): 55-63.
- Munoz, V., M. Sauvain, G. Boudy, J. Callapa and S. Bergeron et al., 1999. A search for natural bioactive compound in bolivia through a multidisciplinary approach part I: Evaluation of antimalarial activity of plants used by the Chacobo Indians, *J. Ethnopharmacol.*, 2: 121-125.
- Mustofa. Sholikah, E.N., Wahyuono, S., 2007, In vitro and in vivo antiplasmodial activity and cytotoxicity of extracts of *Phyllanthus niruri* L. herbs traditionally used to treat malaria in Indonesia. *Southeast Asian J Trop Med Public Health*, 38(4):609-15.
- Mutabingwa, T., Nzila, A., Mberu, E., Nduati, E., Winstanley, P., Hills, E. and Watkins, W., 2001, Chlorproguanil-dapsone for treatment of drug-resistant *falciparum* malaria in Tanzania, *Lancet*, 358(9289): 1218-1223.
- Negi, J.S., Bisht, V.K., Singh, P., Rawat, M.S.M., Joshi, G.P., 2013, Naturally occurring Xanthenes : Chemistry and biology. *J. Appl. Chem*, 621459: 1-9.

- Nondo, R.S.O., Moshi, M.J., Erasto, P., Masimba, P.J., Machumi, F., Kidukuli, A.w., Heydenreich, M., Zofou, D., 2017, Anti-plasmodial activity of *Norcaesalpin* Dand extracts of four medicinal plants used Traditionally for treatment of malaria, *BMC Compl. Alter. Med*, 17(167): 1-8.
- Noteberg, D., Hamelink, E., Hulten, J., Wahlgren, M., Vrang, L., Samuelsson, B. and Hallberg, A., 2003, Design and synthesis of plasmepsin I and plasmepsin II inhibitors with activity in *Plasmodium falciparum*-infected cultured human erythrocytes, *J. Med. Chem*, 46(5): 734-746.
- Nover, L., Luckner, M., 1969, On the biosynthesis of cyclophenin and cyclophenol, benzodiazepine alkaloids from penicillium cyclopiurn westling, *European J. Biochem*, 10(2): 268-273.
- Nzila, A.M., Nduati, E., Mberu, E.K., Hopkins S.C., Monks, S.A., Winstanley, P.A., and Watkins, W. M., 2000, Molecular evidence of greater selective pressure for drug resistance exerted by the long-acting antifolate Pyrimethamine/Sulfadoxine compared with the shorter-acting chlorproguanil/dapsone on Kenyan *Plasmodium falciparum*, *J. Infect. Dis*, 181(6): 2023-2028.
- Pan. L., Chai, H.B., Kinghorn, A.D., 2013, Discovery of new anticancer agents from higher plants, *Front Biosci* (Schol Ed), 4: 142–156.
- Patel, J.C., Taylor, S.M., Juliao, P.C., Parobek, C.M., Janko, M., Gonzalez, L.D., Ortiz, L., Padilla, N., Tshetu, A.K., Emch, M., Udhayakumar, V., Lindblade, K., Meshnick, S. R., 2014. Genetic evidence of drug-resistant malarial strain from the Democratic Republic of the Congo imported to Guatemala, *Emerg. Infect. Dis*, 20(6): 932–940.
- Pavia, D.L, Lampman, G. M. Kriz, G.S. Vyvyan, J.A., 2009, Introduction to spectroscopy (4<sup>th</sup> Edition), Brooks/Cole, Cengage Learning, USA, 750 p.
- Perruci, S., Fichi, G., Buggiani, C., Rossi, G., Flamini, G., 2006, Efficacy of mangiferin against *Cryptosporidium parvum* in a neonatal mouse model, *Parasitol. Res.*, 99: 184–188.
- Philippe, G., Angenot, L., De Mol, P., Goffin, E., Hayette, M.P., Tits, M., Frederich, M, 2005, In vitro screening of some *Strychnos* species for antiplasmodial activity, *J. Ethnopharmacol*, 97(3): 535-539.
- Pinto, M.M.M., Sousa, M.E., Nascimento, M.S.J., 2005, Xanthone Derivatives: New Insights in Biological Activities, *Curr. Med. Chem.*, 12: 2517-2538.

- Plazonic, A., Bucar, F., Males, Z. Mornar, A. Nigove, B. Kujundzic, N., 2009, Identification and quantification of flavonoids and phenolic acids in Burr Parsley, *Molecules*, 14(7): 2466–2490.
- PNLP, 2005, Echecs therapeutiques a artesunate-amodiaquine (ASAQ) et a l artemether-lumefantrine (Coartem) chez les enfants de moins de 5 ans avec paludisme a *Plasmodium falciparum* en Republique Democratique du Congo Programme National de Lutte Contre le Paludisme, Ministry of Health, Kinshasa, DR. Congo.
- Quan, G-H., Oh, S-R., Kim, J-H., Lee, H-Y, Kinghorn, A. D., Chin, Y-W., 2010, Xanthone Constituents of the Fruits of *Garcinia mangostana* with Anticomplement Activity, *Phytother. Res.*, 24: 1575–1577.
- Prayong, P., Barusrux, S., and Weerapreeyakul, N., 2008, Cytotoxic activity screening of some indigenous Thai plants, *Fitoterapia*, 79(7–8): 598–601.
- Radloff, P.D., Philipps, J., Nkeyi, M., Hutchinson, D., and Kremsner, P.G, 1996, Atovaquone and proguanil for *Plasmodium falciparum* malaria, *Lancet* 347(9014): 1511-1514.
- Rajab, M.S., Cantrell, C.L., Franzblau, S.G., Fischer, N.H., 1998, Antimycobacterial activity of (E)-phytol and derivatives: A preliminary structure-activity study, *Planta Med.*, 64(1): 2-4.
- Ralph, S.A., D’Ombain, M.C., and McFadden, G.I., 2001, The apicoplast as an antimalarial drug target, *Drug Resist. Updat*, 4(3): 145-151.
- Raman J., Mauff, K., Muinga, P., Mussa, A., Maharaj, R., Barnes, K.I., 2011, Five years of antimalarial resistance marker surveillance in Gaza Province, Mozambique, following artemisinin-based combination therapy, roll out, *PloS One*, 6(10): 1-8.
- Rathod, P.K., Leffers, N.P., Young, R.D, 1992, Molecular targets of 5-fluororotate in the human malaria parasite. *Plasmodium falciparum*, *Antimicrob. Agents. Chem*, 36(4): 704-711.
- Razakantoanina, V., Nguyen Kim, P.P. and Jaureguiberry, G, 2000, Antimalarial activity of new gossypol derivatives, *Parasitol. Res*, 86(8): 665-668.
- Ritter, E.J. Scott, W.J. Randall, J.L. Ritter, J. M., 1987, Teratogenicity of di(2-ethyl hexyl) phthalate, 2-ethyl hexanol, 2-ethylhexanoic acid, and valproic acid, and potentiation by caffeine, *Teratology*, 35(1):41-46.
- Rosenthal, P.J., 2001, Protease inhibitors. In: Rosenthal, P.J., Antimalarial chemotherapy: Mechanisms of action, resistance, and new directions in drug discovery, pp. 325-345, NJ: Humana Press, Totawa.

- Rosenthal, P.J., 2003, Antimalarial drug discovery : Old and new approaches, *J. Exp.Biol*, 206(Pt 21): :3735-3744.
- Roos, D.S., Crawford, M.J., Donald, R.G., Fraunholz, M., Harb, O.S., He, C.Y., Kissinger, J.C., Shaw, M.K. and Striepen, B., 2002, Mining the *Plasmodium* genome database to define organellar function: what does the apicoplast do? *Philos. Trans. R. Soc. Lond. B. Biol. Sci*, 357(1417): 35-46.
- Ryu, H.W., Curtis-Long, M. J., Jung, S., Jin, Y.M., Cho, J.K., Ryu, Y.B., Lee, W.S., Park, K. H., 2010, Xanthonones with neuraminidase inhibitory activity from the seedcases of *Garcinia mangostana*, *Biorg. Med. Chem.*, 18: 6258–6264.
- Ryu, K-R., Choi, J-Y., Chung, S., Kim, D-H., 2011, Anti-scratching behavioral effect of the essential oil and phytol isolated from *Artemisia princeps* pamp. in mice, *Planta Med.*, 77(1): 22–26.
- Sá, C., Oliveira, A. R., Machado, C., Azevedo, M. and Pereira-wilson, C., 2015, Effects on liver lipid metabolism of the naturally occurring dietary flavone luteolin-7-glucoside, *Evidence-Based Compl. Alter. Med.*, 2015(647832): 1-10.
- Sacramento, C. Q. Marretorelli, A., Fintelman-Rodrigues, N., de Freitas, C. S., de Melo, G. R., Rocha, M. E. N., Kaiser, C. R., Rodrigues, K. F., da Costa, G. L., Alves, C. M., Santos-Filho, O., Barbosa, J. P., Souza, T. M. L, 2015, Aureonitol, a fungi-derived tetrahydrofuran, inhibits influenza replication by targeting its surface glycoprotein hemagglutinin, *PLOS ONE*, 10(10): 1-17.
- Saikia, D., Parihar, S., Chanda, D., Ojha, S., Kumar, J.K., Chanotiya, C.S., Shanker, K., 2010, Antitubercular potential of some semisynthetic analogues of phytol, *Bioorg. Med. Chem. Lett.*, 20 (2): 508–512.
- Salas-Sarduy, E., Munoz, A.C., Cauerhff, A., Gonzalez, Y.G., Trejo, S.A., Chidichimo, A., Planes M.dI.A., Cazzulo, J.J, 2013, Antiparasitic effect of a fraction enriched in tight-binding protease inhibitors isolated from the Caribbean coral plexaura homomalla, *Exp.Parasitol.*, 135(3): 611-622.
- Salituro, G.M., and Dufresne, 1998, Isolation by Low Pressure Column Chromatography, in: Carnell, R.J.P. (Ed). *Methods in Biotechnology Natural Product Isolation*, pp: 111 – 140, Human Press, New Jersey.
- Santos, C.C.de M., Salvadori, M. S., Mota, V.G., Costa, L.M., de Almeida, A.A.C., de Oliveira, G.A.L., Costa, J.P., de Sousa, D.P., de Freitas, R.M., de Almeida, R. N., 2013, Antinociceptive and antioxidant activities of

phytol in vivo and in vitro models, *Neurosci. J.*, 2013(949452): 1- 9.

- Sarker, S.D., Latif, Z., Gray, A.I, 2006, Method in Biotechnology Natural Product Isolation, Second Edition. Humana Press. Totowa. New Jersey. Organisms. In: Attaway, D. H and Zaborsky, O.R., (Eds), Marine Biotechnology, pp: 237-260, Plenum Press, New York and London.
- Schmitz F.J., Bowden B.F., Toth S.I., 1993, Antitumor and cytotoxic compounds from marine organism, Marine technology Vol 1. In: Attaway D. H. and Zaborsky O.R (Eds.), Pharmaceutical and bioactive natural products, pp. 197-308, Plenum Press, New York.
- Shan, T., Ma, Q., Guo, K., Liu, J., Li, W., Wang, F., Wu, E., 2011, Xanthones from Mangosteen Extracts as Natural Chemopreventive Agents: Potential Anticancer Drugs, *Curr. Molec. Med.* 11: 666-677.
- Shenai, B.R., Sijwali, P.S., Singh, A., and Rosenthal, P.J, 2000, Characterization of native and recombinant falcipain-2, a principal trophozoite cysteine protease and essential hemoglobinase of *Plasmodium falciparum*, *J. Biol. Chem.*, 275(37): 29000-29010.
- Shenai, B.R., Lee, B.J., Alvarez-Hernandez, A., Chong, P.Y., Emal, C.D., Neitz, R.J., Roush, W.R., and Rosenthal, P.J., 2003, Structure–activity relationships for inhibition of cysteine protease activity and development of *Plasmodium falciparum* by peptidyl vinyl sulfones. *Antimicrob. Agents Chemother.*, 47(1): 154-160.
- Shimizu, K., Geng, X., Hashiguchi, M., Suhara, H., Fukunaga, S., Yasutake, S., Kondo, R., Tsutsui, M., Sato, I., 2003, Indole-3-carbaldehyde: a tyrosinase inhibitor from fungus YL185, *J Wood Sci*, 49:349–354.
- Sholikhah, E.N., Wijayanti, M.A., Nurani, L.H., dan Mustofa, 2018, Aktivitas antiplasmodium dan sitotoksisitas isolat akar pasak bumi (*Eurycoma longifolia* Jack ) secara in vitro. *Majalah Farmaseutik*, 14(2): 54–62.
- Siciliano and Alano, 2015, Enlightening the malaria parasite life cycle: bioluminescent Plasmodium in fundamental and applied research, *Front Microbiol.*, 6(391); 1-8.
- Sijwali, P.S., Shenai, B.R., Gut, J., Singh, A. and Rosenthal, P.J., 2001, Expression and characterization of the *Plasmodium falciparum* haemoglobinase falcipain-3, *Biochem. J.*, 360(Pt 2): 481-489.
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., 2005, Spectrometric Identification of Organic Compounds, John Wiley & Sons, Inc. USA, pp.1-382.

- Stahl, E, 1985, Analisis obat secara kromatografi dan mikroskopi. Drug analysis by chromatography and microscopy, Penerbit ITB, Bandung.
- Stocks, P.A., Raynes, K.J. and Ward, S. A, 2001, Novel quinoline antimalarials. In: Rosenthal, P. J., Antimalarial chemotherapy: Mechanisms of action, resistance, and new directions in drug discovery, pp. 235-253, NJ: Humana Press, Totowa.
- Suksamrarn, A., Buaprom, M., Udtip, S., Haritakun, R., Kanokmedakul, S., 2005, Antimycobacterial and antiplasmodial unsaturated carboxylic acid from the twigs of *Scleropyrum wallichianum*, *Chem. Pharm. Bull.*, 53(10): 1327—1329.
- Sudjadi, 1988, Metode Pemisahan Kimia, Yayasan Kanisius, Yogyakarta.
- Suharti, T., 2017, Dasar-dasar spektrofotometri Uv-Vis dan spektrometri massa untuk penentuan struktur senyawa organik, Hal: 11-37, AURA CV. Anugrah Utama Raharja, Bandar Lampung.
- Sullivan, D.J., 2002, Theories on malarial pigment formation and quinoline action, *Int. J. Parasitol*, 32(13): 1645-1653.
- Supratman, 2010, Elusidasi Struktur Senyawa Organik, widya, Padjajaran, Bandung.
- Tada, H., Shibo, O., Kuroshima, K., Koyama, M and K., 1986, *J. Immunol. Methods*, 93(2): 157-165.
- Tala, M.F., Krohn, K., Hussain, H., Kouam, S.F., Wabo, H.K., Tane, P., Schuls, B., Hu, Q., 2007, Laurentixanthone C: A new antifungal and algicidal xanthone from stem bark of *Vismia laurentii*, *Z. Naturforsch*, 62b: 565 – 568.
- Tang, W.Z., Yang, Z.Z., Sun, F., Wang, S.P., Yang, F., Lin, H.W., 2017, Leucanone A and naamine J, glycerol ether lipid and imidazole alkaloid from the marine sponge *Leucandra* sp., *J. Asian Nat. Prod. Res.*, 19(7):. 691–696.
- Taylor, S.M., Messina, J.P., Hand, C.C., Juliano, J.J., Muwonga, J., Tshefu, A.K., Atua, B., Emch, M., Meshnick, S.R., 2011, Molecular malaria burden estimates for the Democratic Republic of the Congo, *PLoS One*, 6(1): 1-9.
- Trager, W., Jensen, J.B, 1976, Human malaria parasite in continuous culture, *Science*, 193(4254): 673-675.

- Tringali, C., 2001, Bioactive compound from natural sources, pp: 693, Taylor & Francis, London and New York.
- Turalely, R., Susidarti, R.A., Wijayanti, M.A., 2011, *In Vivo* antiplasmodial of the most active fraction and its compound of Kapur leaves (*Harmsioplanax aculeatus* Harms) extract against *Plasmodium berghei*, *Trop. Med. J.*, 1(2): 131-140.
- Turalely, R., Hadanu, R., Mahulette, F., 2012, Uji aktivitas antiplasmodium dan uji sitotoksik ekstrak daun Kapur (*Harmsioplanax aculeatus*, Harms) dan fraksi dari ekstrak daun Kapur paling aktif, Prosiding Seminar Insentif Riset SiNas 2012, ISBN: 978-602-18926-2-6, Asdep Relevansi Program Riptek, Deputi Bidang Relevansi & Produktivitas Iptek, Kementerian Riset dan Teknologi, Bandung.
- Turalely, R., Hadanu, R., Mahulette, F., 2013, Uji aktivitas antiplasmodium dan uji sitotoksik ekstrak daun Kapur (*Harmsioplanax aculeatus*, Harms) dan fraksi dari ekstrak daun Kapur paling aktif. Laporan Penelitian, Universitas Pattimura Ambon.
- Turalely, R., Mahulette, F., 2014., Uji aktivitas antiplasmodium fraksi 5 (FG5) ekstrak metanol daun Kapur (*Harmsioplanax aculeatus*, Harms), Prosiding Seminar Insentif Riset SiNas 2014, ISBN: 978-602-18926-8-8, Asdep Relevansi Program Riptek, Deputi Bidang Relevansi & Produktivitas Iptek, Kementerian Riset dan Teknologi, Bandung.
- Turalely, R., 2014, Uji aktivitas antiplasmodium fraksi 1 (FG1) ekstrak metanol daun Kapur (*Harmsioplanax aculeatus*, Harms), *Molluca J. Chem. Edu*, 2(2): 8-13.
- Turalely, R., 2015, Uji Aktivitas antiplasmodium fraksi 12 (FG12) ekstrak metanol daun Kapur (*Harmsioplanax aculeatus*, Harms), *Molluca J. Chem Edu*, 2(1): 1-5.
- Turalely, R., Mustofa, Wijayanti, M.A., & Hertiani, T., 2018, Activity of antiplasmodial and cytotoxicity of Kapur leaves (*Harmsioplanax aculeatus*, Harms) potential fraction (FG2, FG3 and FG4) traditionally used to treat malaria in Maluku, Indonesia. *JKPK*, 3(2): 46-52.
- Uzor, P. F., 2020, Alkaloids from Plants with Antimalarial Activity: A Review of Recent Studies, *Evidence-Based Comple Alter Med.*, 8749083: 1-17.
- Vaidya, A.B, 2001, Atovaquone-proguanil combination. In: Rosenthal, P.J., Antimalarial hemotherapy: Mechanisms of action, resistance, and new directions in drug discovery, pp. 203-218, NJ: Humana Press, Totowa.

- Vial, H.J. and Calas, M., 2001, Inhibitors of phospholipid metabolism. In: Rosenthal, P.J., Antimalarial chemotherapy: Mechanisms of action, resistance, and new directions in drug discovery, pp. 347-365, NJ: Humana Press, Totowa.
- Viesser, R.V., Ducati, L.C., Tormena, C.F., Autschbach, J., 2018., The halogen effect on the  $^{13}\text{C}$  NMR chemical shift in substituted benzenes. *PCPP*, 16: 1-26.
- Wang, Y., Tang, C., and Zhang, H., 2014, Hepatoprotective effects of kaempferol 3- O -rutinoside and kaempferol 3- O -glucoside from *Carthamus tinctorius* L on CCl<sub>4</sub> -induced oxidative liver injury in mice," *J. Food Drug Anal.*, 23(2): 310–317.
- Waller, R.F., Keeling, P.J., Donald, R.G., Striepen, B., Handman, E., Lang-Unnasch, N., Cowman, A.F., Besra, G.S., Roos, D.S. and McFadden, G.I., 1998, Nuclear-encoded proteins target to the plastid in *Toxoplasma gondii* and *Plasmodium falciparum*, *Proc. Natl. Acad. Sci. USA*, 95(21): 12352-12357.
- WHO. 2019, World malaria report 2019, WHO Press, Geneva.
- Wells, T.N.C, 2011, Natural products as starting points for future anti-malarial therapies: going back to our roots?, *Mal. J*, 10(Suppl 1)53: 1-12.
- Wells, T.N.C., Van Huijsduijnen, R.H., Van Voorhis, W.C., 2015, Malaria medicines: a glass half full? *Nat. Rev. Drug Disc*, 14(6): 424-442.
- Wiert, C., 2012, Lead Compounds from Medical Plants the Treatment of Cancer, Handbook, ISBN: 0123983827. pp: 214, Academic Press, Elsevier Inc.
- Wiert, C., 2013., Lead Compounds from Medical Plants the Treatment of Neurodegeneratif, Handbook, ISBN: 0123983835. pp: 313, Academic Press, Elsevier Inc.
- Wijaya, J., Salenussa, J., Marantika, J., 2013. Potensi ekstrak metanol daun Kapur (*Harmsioplanax aculeatus*, Harms), Prosiding Elektronik PIMNAS Program Kreatifitas Mahasiswa, Ditjen Dikti Kemendikbud RI.
- Wikipedia. 2019. <http://www.hmdb.ca/metabolites/HMDB0030775>, diakses 6 Desember 2019.
- Woodrow, C.J., White, N.J., 2017, The clinical impact of artemisinin resistance in Southeast Asia and the potential for future spread. *FEMS Microb Rev.*, 41(1): 34-48.

Yuanita, E., Pranowo, H.D., Jumina, Mustofa, 2016, Design of hydroxy xanthenes derivatives as anticancer using quantitative Structure-activity relationship, *Asian J Pharm Clin Res*, 9(Issue 2): 2016, 180-185.