

DAFTAR PUSTAKA

- Abrar, M. 2013. Pengembangan model untuk memprediksi pengaruh suhu penyimpanan terhadap laju pertumbuhan bakteri pada susu segar. *Jurnal Medika Veterinaria*. 7:109-112.
- Alen, Y., Agresa, F. L., Yuliandra, Y. 2017. Analisis Kromatografi Lapis Tipis (KLT) dan Aktivitas Antihiperurisemia Ekstrak Rebung *Schizotachyum brachycladum* Kurz pada Mencit Putih Jantan. *Jurnal Sains Farmasi & Kimia*. 3:146-152.
- Antoine, F. R., Wei, C. I., Little, R. C., dan Marshall, M. R. 1999. HPLC method for analysis of free amino acids in fish using o-phthalaldehyde precolumn derivatization. *J. of Agriculture and Food Chemistry*. 47:5100–5107.
- Apituley, D., Noor, Z., Darmadji, P., dan Suparmo. 2006. Dampak oksidasi protein oleh sistem oksidasi 2,2-azobis (2 am idi propane) hidroklorida (aaph) dan sistem katalis logam CuSO₄ terhadap komposisi asam amino protein daging merah dan putih ikan tongkol putih (*Thunnus* sp.). *Majalah Ilmu Teknologi Pertanian*. 26:171-178.
- Ardiwidjaja, B.Y. 2019. Pengaruh Suhu dan Penanganan terhadap Kualitas Cakalang Segar dari Pelabuhan Perikanan Pantai Sadeng, Gunungkidul. Universitas Gadjah Mada. Skripsi.
- Atmadjaja, J.S. 1994. Isolasi dan Identifikasi *Morganella morganii* JD-37 sebagai Bakteri Pembentuk Histamin dari Tongkol (*Euthynnus* sp). Universitas Gadjah Mada. Master Thesis.
- Bajc, Z., and Gačnik K.S. 2009. Densitometric KLT Analysis of Histamine In Fish And Fishery Products. *Journal of Planar Chromatography*. 22:15–17
- Baranyi, J. & T.A. Roberts. 1995. Mathematics of predictive food microbiology. *Int Journal of Microbiology*. 26:199-218
- Behling, A. R. And Taylor, S. L., 1982. Bacterial histamin production as a function of temperature and time of incubation. *J. Food Science*. 47:1311-1317.
- Bennour, M., Marrakchi, A.E., Bouchriti, N., Hamama., and Ouadaa, M.E. 1991. Chemical and microbiological assessment of mackerel (*Scomber scombrus*) stored in ice. *Journal Food Prot*. 54:789-792.
- BSN (Badan Standarisasi Nasional). 2015. Cara Pengujian Bakteri TPC. (SNI 01-2332.3-2015). Badan Standarisasi Nasional, Jakarta.
- Butler, B. K., G.E. Bolton, L.A. Jaykus, P.D. McClellan-Green and D.P. Green. 2010. Development of Molecular-Based Methods for Determination of High Histamine Producing Bacteria in Fish. *International Journal of Food Microbiology*. 139:161-167.
- Chen, R., Deng, Y., Yang, L., Wang, J., dan Xu, F. 2016. Determination of Histamine by High-Performance Liquid Chromatography After Precolumn Derivatization with o-Phthalaldehyde-Sulfite. *Journal of Chromatographic Science*. 54:547-553
- Dalgaard, P., J. Emborg, A. Kjølbj, N.D. Sørensen & N.Z. Ballin. 2009. Improving seafood product for the customer. England: Woodhead Publishing Limited.
- Djarismawati., Nunik, S., Supraptini dan Mitri, R. 2002. Peningkatan kadar histamin pada ikan laut yang sudah diolah. *Jurnal Ekologi Kesehatan*. 1:44-48.

- Drancourt, M., C. Bollet., A. Carta, and P. Rousselier. 2001. Phylogenetic analyses of *Klebsiella* species delineate *Klebsiella* and *Raoultella gen. nov.*, with description of *R. ornithinolytica* comb. Nov., *Raoultella terrigena* comb. Nov. and *Raoultella planticola* comb. nov. *International Journal of Systematic and Evolutionary Microbiology*. 51:925-932.
- Dwidjoseputro, D. 1994. *Dasar-Dasar Mikrobiologi*. Cet ke-12. Djambatan, Jakarta.
- Emborg, J., P. Ahrens, and P. Dalgaard. 2007. *Morganella psychrotolerans* - Identification, histamin formation and importance for histamin fish poisoning. Denmark: Danish Institute for Fisheries Research. Doctoral Dissertation.
- Fadly, N. 2009. Asesmen Risiko Histamin Ikan Tuna (*Thunnus* Sp.) Segar Berbagai Mutu Ekspor pada Proses Pembongkaran (Transit). Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor. Skripsi.
- Fardiaz, S. 1987. *Mikrobiologi Pangan 1*. Institute Pertanian Bogor. Bogor
- Food and Drug Administration. 2011. *Fish and fishery product hazard and control guidance Chapter 7 Scrombotoxin Formation* 4th Edition. FDA, Washington DC.
- Fishbase. 2010. Yellowfin Tuna (*Thunnus albacares*). <http://www.fishbase.org/summary/Thunnus-albacares.html>. [9 November 2019].
- Gagic, M., Ewelina, J., Sona, K., Vedran, M., Pavel, K, and Vojtech, A. 2019. Current trends in detection of histamine in food and beverages. *Journal of Agricultural and Food Chemistry*. 67:773-783.
- Gaman, P.M., dan Sherrington. 1994. *Ilmu Pangan Pengantar Ilmu Pangan : Nutrisi dan Mikrobiologi*. UGM Press. Yogyakarta.
- Garbutt, J. 1997. *Essentials of Food Microbiology*. Arnold, London.
- Gonowiak, Z, R. Gajewska, and E. Lipka. 1990. Histidine decarboxylase activity and free histidine and histamine levels in fish meat. *Pantstw Zokl Hiq*. 41:50-57.
- Griffiths, M.W., and Phillips. 1999. The relation between growth and storage temperature in pasteurized milks of varying hygienic quality. *Journal Dairy Sei*. 45:159-165.
- Hajjar, R., Frank, S., Shih, H.S., Marie, C., and Herwaty, S. 2018. Community acquired infection to *Raoultella ornithinolytica* presenting as appendicitis and shock in a healthy individual. *Journal of Surgical Case Reports*. 5:1-3.
- Hall, A., Melinda, A., Numan, O., Anthony, H, and James, V. 2019. CIC transporter activity modulates histidine catabolism in *Lactobacillus reuteri* by altering intracellular pH and membrane potential. *Microbial Cell Factories*. 18:2-18.
- Harper, J.J., and G.H.G Davis. 1979. Two-Dimensional Thin-Layer Chromatography for Amino Acid Analysis of Bacterial Cell Walls. *International Journal of Systematic Bacteriology*. 29:56-58.
- Hattu, N., Telussa, I dan Paiss, S. 2014. Kandungan histamin dalam olahan ikan Komu (*Auxis thazard*) yang direbus dengan variasi konsentrasi NaCl. *Jurnal Chemical*. 2:147-154.
- Hoare, D.S., and Elizabeth, W. The stereoisomers of alpha- diaminopimelic acid : their distribution in nature and behavior towards certain enzyme preparations. 61:562-568.
- Holecek, M. 2020. Histidine in health and disease : metabolism, physiological importance and use as a supplement. *Nutrients*. 12:2-20.

- Huang, Y., K.J. Liu., H.S. Hsieh., D.F. Hwang and Y.H. Tsai. 2010. Histamin level and histamin forming bacteria in dried fish product sold in Penghu Islands of Taiwan. *Food Control*. 21:234-1239.
- Humaid, S.A., and Jamal, M.T. 2014. Effect of storage temperature on histamine formation and bacterial growth in whole three fish species (*Rastrelligara kunugurta*, *Sardinella gibbosa* and *Lethrinus lentjan*). *Life Science Journal*. 11:927-937.
- Infofish. 2002. *Handling and Processing of Tuna for Sashimi and Fresh or Chilled Product*. Infofish Technical Handbook 1. Kuala Lumpur: Infofish.
- Irawati, H., Feri, K dan Harsi, D. 2019. Analisis penyebab penolakan produk perikanan Indonesia oleh Uni Eropa periode 2007-2017 dengan pendekatan Root Cause Analysis. *Jurnal Standardisasi*. 21:149-160
- Kanki, M., Yoda, T., Tsukamoto, T., & Shibata, T. 2002. *Klebsiella pneumoniae* produces no histamin: *Raoultella planticola* and *Raoultella ornithinolytica* strains are histamin producers. *Applied and Environmental Microbiology*. 68:3462-3466.
- Keer M, Paul L, Sylvia A, Carl R. 2002. *Effect of storage condition on histamin formation in fresh and canned tuna*. Victoria: Commissioned by Food Safety Unit.
- Kim, S.H., B.B. Gigirey., J.B. Velaquez., R.J. Price, and H.An. 2000. Histamin and biogenic amine production by *Morganella morganii* isolated from temperature-abused albacore. *Journal of Food Protection*. 63:244-251.
- [KKP] Kementerian Kelautan dan Perikanan. 2018. Analisis data pokok Kementerian Kelautan dan Perikanan 2017. Pusat Data Statistik dan Informasi KKP. Jakarta.
- Ko, IS. 2006. Factor Affecting Histamine Level in Indonesian Canned Albacore Tuna (*Thunnus alalunga*). Univ. of Tromso. Thesis
- Koessler, K.K., M.T. Hanke, and M. S. Sheppard. 1928. Production of histamine, tyramine, bronchospastic and arteriospastic substances in blood broth by pure cultures of microorganisms. *J. Infect. Dis*. 43:363-377.
- Kung, H.F., Wang, T.Y., Huang., Lin, C.S., Wu, W.S., Lin, C.M., and Tsai, T.H. 2009. Isolation and identification of histamine-forming bacteria in tuna sandwiches. *Food Control*. 20:1013-1019.
- Lee, Y., Yi-Chen., Ya-Ling., Hsien, F.K., Tai, Y.C dan Yubg, H.T. 2016. Hygienic quality, adulteration of pork and histamine producing by *Raoultella ornithinolytica* in milkfish dumpling. *Journal of Food Drug Analysis*. 24:762-770.
- Li, P., Mai, K., Trushenski, J., and Wu, G. 2008. New development in fish amino acid nutrition: Towards functional and environmentally oriented aquafeeds. Springer, 11p.
- Lin, C.M., Kung, H.F., Huang, Y., Huang, C.Y., Su, Y.C., and Tsai, Y.H. Histamine production by *Raoultella ornithinolytica* in canned tuna meat at various storage temperature. *Food Control*. 25:723-733.
- Lin, C.S., Kung, H.F., Lin, C.M., Tsai, H.C and Tsai, Y.H. 2016. Histamin production by *Raoultella ornithinolytica* in mahi-mahi meat at various storage temperature. *Journal of Food and Drug Analysis*. 24:305-310.
- Ma, H., Shieh, K.J, and Lee, S.L. 2006. Application of ELISA Technique. *Nature and Science*. 42:45-47.
- Mackin, K.M. 2018. <https://www.foodsafetynews.com/2018/02/fda-sends-warning-letters-to-six-seafood-importers-in-indonesia/>. Diakses tanggal 15 November 2019.

- Madigan, M.T. 2009. *Book Biology of Microorganisms Twelfth Edition*. Pearson Benjamin Cummings.
- Mahusain, N., Fernandes, B., Nurul. U., M. Khairi., and Muhd, D. Changes of histamine levels and bacterial growth in longtail tuna, *Thunnus tonggol* stored at different temperature. *Journal of Sustainability Science and Management Special Issue*. 17: 38-46.
- Mangunwardoyo, W., Sophia, R.A., & Heruwati, E.S. 2007. Seleksi dan pengujian aktivitas enzim L-Histidine Decarboxylase dari bakteri pembentuk histamine. *Makara Sains*, 11:104-109.
- Margareta, G. 2019. Pertumbuhan dan Produksi Histamin oleh *Citrobacter freundii* CK01 pada Berbagai Suhu. Universitas Gadjah Mada. Skripsi.
- Molenaar, D., J.S. Bosscher, B.T. Brink, A.J. Driessen, and W.N. Konings. 1993. Generation of a proton motive force by histidine decarboxylation and electrogenic histidine/histamine antiport in *Lactobacillus buchneri*. *J. Bacteriol.* 175:2864-2870.
- Munasinghe, D.M.S., T. Ohkubo., and T. Sakai. 2005. The lipids peroxidation induced changes of protein in refrigerated yellowtail minced meat. *Fisheries Science*. 71: 462-466.
- Murray, C.K., Hoobs, G., and Gilbert, R. 1982. Scombrototoxin and scombrototoxin like poisoning from canned fish. *Journal of Hygiene Cambridge*. 88:215-220.
- Nedwell, D.B. 1999. Effect of low temperature on microbial growth : lowered affinity for substrates limits growth at low temperature. *FEMS Microbiology Ecology*. 30:101-111.
- Nurhajati, T., Soepranionondo, K., dan Lokapirnasari, W.P. 2016. Uji Aktivitas Pertumbuhan *Enterobacter cloacae* Selulolitik Aerob Rumen-1 Isolat Asal Limbah Cairan Rumen Sapi Peranakan Ongole. *Jurnal Veteriner*. 17:383-388.
- Nurjannah, I. 2019. Pengaruh Suhu terhadap Pertumbuhan dan Pembentukan Histamin oleh Bakteri *Morganella morganii* TK07. Universitas Gadjah Mada. Skripsi.
- O'Connell, K., Kelly, J., and Niriain, U. 2010. A rare case of soft tissue infection caused by *Raoultella planticola*. *Case Reports in Medicine*. 1:1-2.
- Pelczar, M.J. dan E. C. S. Chan. 1986. *Dasar-Dasar Mikrobiologi*. UI Press, Jakarta.
- Popovic, N and Joseph, S. 2014. Comparative study of the quantification of thin-layer chromatography of a model dye using three types of commercial densitometers and image analysis with ImageJ. *Trend in Chromatography*. 9:21-28.
- Raihana, S. 2019. Pengaruh Suhu terhadap Pertumbuhan *Enterobacter cloacae* CK03 dan Pembentukan Histamin. Universitas Gadjah Mada. Skripsi.
- Rani, P., Vijay, K., and Shameem. 2016. Seasonal variation of proximate composite of tuna fishes from Visakhapatnam fishing harbor, East coast of India. *International Journal of Fisheries and Aquatic Studies*. 4:303-313.
- Ray, B. 2001. *Fundamental Food Microbiology*. Ed-2. CRC Press, New York.
- Ratkowsky, D.A., R.K. Lowry, T.A. McMeekin, A.N. Stokes and R.E. Chandler. 1983. Model for Bacterial Culture Growth Rate Throughout The Entire Biokinetic Temperature Range. *Journal of Bacteriology*. 154:1222-1226.
- Saanin, T. 1984. *Taksonomi dan kunci identifikasi ikan: bagian I*. Bina Cipta, Bandung.

- Sales, J. 2010. Quantification of the differences in flesh fatty acid components between farmed and wild fish. *Journal of Aquatic and Food Product Technology*. 19:298-309.
- Sandal, G., and Ozen, M. 2014. Fatal *Raoultella ornithinolytica* sepsis and purpura fluminans in a preterm newborn. *Indian Journal of Paediatric Dermatology*. 15:24-26.
- Seng, P., Boushab, B.M., Romain., Gouriet., Bruder., and Martin. 2016. Emerging role of *Raoultella ornithinolytica* in human infections a series of cases and review of the literature. *International Journal Infect Dis*. 45:65-71.
- Setyati, W., Erni, M., Triyanto., Sugiyono dan Muhammad, Z. 2015. Kinetika pertumbuhan dan aktivitas protease isolat 36k dari sedimen ekosistem mangrove, Karimunjawa, Jepara. *Ilmu Kelautan*. 20:163-169.
- Shalaby, A.R. 1996. Significance of biogenic amines to food safety and human health. *Food Research International*. 29:675-690.
- Shi, P., Gadi, V.P., Lei, C., and Feng, G. 2016. Comparison of thermal performance equation in describing temperature – dependent developmental rates of insects : (1) empirical models. *Annals of Entomological Society of America*. 100:211-215.
- Sinhababu, A. 2013. Modified ninhydrin reagent for the detection of amino acids on TLC plates. *Journal of Applied and Natural Science*. 5:125-127.
- Sudjadi. 1988. *Metode Pemisahan*. Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Suvitha, S., A. Eswar., R. Anbarasu., K. Ramamoorthy and G. Sankar. 2014. Proximate, amino acid and fatty acid profile of selected two marine fish from Parangipettai Coast. *Asian Journal of Biomedical and Pharmaceutical Science*. 4: 38-42.
- Takahashi, H., M. Ogai, S. Miya, T. Kuda & B. Kimura. 2015. Effects of environmental factors on histamine production in the psychrotrophic histamine-producing bacterium *Photobacterium iliopiscarium*. *Food Control*. 52:39-442
- Tantasuttikul, A and Warapa, M. 2019. Growth parameters and sanitizer resistance of *Raoultella ornithinolytica* and *Raoultella terrigena* isolated from seafood processing plant. *Jurnal Food Science and Technology*. 5:1-14.
- Velasco, S.G., Edith, P.A., Amelia, F., and Isabel, G. 2004. Histamine production by two Enterobacteriaceae strains isolated from Tuna (*Thunnus thynnus*) and jack mackerel (*Trachurus murphyi*). *International Journal of Food Properties*. 7:91-103.
- Veys, O., Susana, O., Imca, S., and Eduardo. 2016. Modelling the growth of *Salmonella* spp. and *Escherichia coli* O157 on lettuce. *Procedia Food Science*. 7:168-172.
- Yanuardi, A. 2011. Pendugaan pertumbuhan dan ketahanan *Salmonella typhimurium* pada udang dengan penyimpanan suhu dingin dan penambahan sodium metabisulfit. Institut Pertanian Bogor. Skripsi.

- Yoshinaga, D.H., and H.A. Frank. 1982. Histamine-Producing Bacteria in Decomposing Skipjack Tuna (*Katsuwonus pelamis*). *Applied Environment and Microbiology*. 44: 447-452.
- Whiting, R.C & R.L. Buchanan. 1993. A classification of models for predictive microbiology. *Food Microbiol.* 10:175-1777.
- Williams, W.P. 1990. Cold Induced Lipid Phase Transitions. *Phil. Trans. R.Soc. London*
- Winarno, F.G. 1993. *Pangan Gizi, Teknologi dan Konsumen*. Gramedia Pustaka Utama, Jakarta.
- Wodi, S., Wini, T, dan Mala, N. 2018. Histamin dan identifikasi bakteri pembentuk histamin pada tuna mata besar (*Thunnus obesus*) *Jurnal Teknologi Perikanan dan Kelautan*. 9:185-192.