

DAFTAR PUSTAKA

- AABB, 2017. Circular of information for the use of human blood and blood components. Available from: URL: www.aabb.org/tm/coi/Documents/coi1017.pdf (Diakses tanggal 30 Januari 2018)
- Abe, H., Ikebuchi, K., Shimbo, M. and Seklguchi, S., 1998. Hypotensive reactions with a white cell-reduction filter: activation of kalikrenin-kinin cascade in a patient. *Transfusion*, 38(4), pp.411-412.
- Addas-Carvalho, M., Salles, T.S.I., & Saad, S.T.O., 2006. The association of cytokine gene polymorphisms with febrile non-hemolytic transfusion reaction in multitransfused patients. *Transfusion medicine*, 16(3), 184-191.
- Alamsyah, A., Widyaningrum, D., & Edward, K. S. L. 2019. Hubungan masa simpan packed red cell dengan kejadian febrile non haemolytic transfusion reactions (FNHTRs). *Media Medika Muda*, 3(1).
- Apriastini, N. K. T., dan Ariawati, K., 2017. Risk factors of acute blood transfusion reactions in pediatric patients in Sanglah General Hospital, Bali-Indonesia. *Bali Med J*, 6(3), pp 534-538
- Arnold, D.M., Molinaro, G., Warkentin, T.E., DiTomasso, J., Webert, K.E., Davis, I., Lesiuk, L., Dunn, G., Heddle, N.M., Adam, A. and Blajchman, M.A., 2004. Hypotensive transfusion reactions can occur with blood products that are leukoreduced before storage. *Transfusion*, 44(9), pp.1361-1366.
- Arshanti, P.L., Kurnianda, J., Riyanto, B.S., 2011. Paracetamol dan difenhidramin sebagai medikasi pretransfusi kejadian febrile non-haemolytic reaction transfusion resipien trombosit. Tesis. Program Pascasarjana Universitas Gadjah Mada, Yogyakarta.
- Bassuni, W.Y., Blajchman, M.A. and Al-Moshary, M.A., 2008. Why implement universal leukoreduction?. *Hematology/oncology and stem cell therapy*, 1(2), pp.106-123.
- Bianchi, M., Vaglio, S., Pupella, S., Marano, G., Facco, G., Liembruno, G.M. and Grazzini, G., 2016. Leucoreduction of blood components: an effective way to increase blood safety?. *Blood Transfusion*, 14(3), p.214.
- Bilgin, Y.M., Van de Watering, L.M. and Brand, A., 2011. Clinical effects of leucoreduction of blood transfusions. *Neth J Med*, 69(10), pp.441-5
- Blajchman, M.A., 2006. The clinical benefits of the leukoreduction of blood

products. *Journal of Trauma and Acute Care Surgery*, 60(6), pp.S83-S90.

Carson, J.L., Grossman, B.J., Kleinman, S., Timmouth, A.T., Marques, M.B., Fung, M.K., Holcomb, J.B., Illoh, O., Kaplan, L.J., Katz, L.M. and Rao, S.V., 2012. Red blood cell transfusion: a clinical practice guideline from the AABB. *Annals of internal medicine*, 157(1), pp.49-58.

Centers for Disease Control and Prevention (CDC), 1998. Adverse ocular reactions following transfusions--United States, 1997-1998. *MMWR. Morbidity and mortality weekly report*, 47(3), p.49.

Centers for Disease Control and Prevention (CDC), 2018. National Healthcare Safety Network biovigilance component hemovigilance module surveillance protocol v 2.5.2. *Centers for Disease Control and Prevention*, Atlanta GA

Chang, C.C., Lee, T.C., Su, M.J., Lin, H.C., Cheng, F.Y., Chen, Y.T., Yen, T.H. and Chu, F.Y., 2018. Transfusion-associated adverse reactions (TAARs) and cytokine accumulations in the stored blood components: the impact of prestorage versus poststorage leukoreduction. *Oncotarget*, 9(4), p.4385.

Chen, D.P., Wen, Y.H., Lu, J.J., Tseng, C.P., Chen, W.L. and Chang, S.W., 2017. Human platelet antigens are associated with febrile non-hemolytic transfusion reactions. *Clinica Chimica Acta*, 474, pp.120-123.

Dahlan, M.S. 2016. Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan. Seri 3 ed. 4.Sagung Seto, Jakarta.

Davenport, D.V., Bluth, M.H. 2016. Hemolytic transfusion reaction. In : Simon, T.L., McCulough, J., Snyder E.L, Solheim, D.G., Strauss, R.G (Ed.). *Rossi's Principles of Transfusion Medicine*, pp.642-51. Willey Blackwell, Hoboken

Delaney, M., Wendel, S., Bercovitz, R.S., Cid, J., Cohn, C., Dunbar, N.M., Apelseth, T.O., Popovsky, M., Stanworth, S.J., Timmouth, A. and Van De Watering, L., 2016. Transfusion reactions: prevention, diagnosis, and treatment. *The Lancet*, 388(10061), pp.2825-2836.

Dinarello, C.A., Porat, R., 2015. Fever. In : Kasper, D.L., Hauser, S.L., Jameson, J.L., Fauci, A.s., Longo, D.L., Loscalzo, J.L.(Ed.), *Harrison's principles of internal medicine 19th edition*, pp 123-26. McGraw Hill Education, New York

Dumont, L.J., Papari, M., Aronson, C.A., Dumont, D.F., Whole-blood collection and component processing. 2014. In: Fung, M.K., Grossman, B.J., Hillyer, C.D. and Westhoff, C.M. (Ed): *Technical manual. 18th edition*, pp: 135-65.: American Association of Blood Banks (AABB), Bethesda, Maryland

- Dunbar, N.M., 2014. Hospital storage, monitoring, pretransfusion processing, distribution, and inventory managements of blood components. In : Fung, M.K., Grossman, B.J., Hillyer, C.D. and Westhoff, C.M. (Ed): *Technical manual. 18th edition*, pp: 213-29.: American Association of Blood Banks (AABB), Bethesda, Maryland
- Duran, J., Siddique, S. and Cleary, M., 2014. Effects of leukoreduction and premedication with acetaminophen and diphenhydramine in minimizing febrile nonhemolytic transfusion reactions and allergic transfusion reactions during and after blood product administration: a literature review with recommendations for practice. *Journal of Pediatric Oncology Nursing*, 31(4), pp.223-229
- Dzik, W.H., 2001. Leukoreduced products. In: Hillyer, C.D, Hillyer, K.L., Strobl, F., Jefferies, L. and Silberstein, L. (Ed.). *Handbook of transfusion medicine*. pp 125-8. Academic press. San Diego
- Dzik, W.H., Anderson, J.K., O'neill, E.M., Assmann, S.F., Kalish, L.A. and Stowell, C.P., 2002. A prospective, randomized clinical trial of universal WBC reduction. *Transfusion*, 42(9), pp.1114-1122.
- Dzik, W.H., Szczepiorkowski, Z.M., 2007. Leukocyte-reduced products. In: Hillyer, C.D., Silberstein, L.E., Ness P.M., Anderson, K.C., Roback, J.D., (Ed.) : *Blood Banking and Transfusion Medicine Basic Principles & Practice*. pp 359-82 . Churchill Livingstone Elsevier, Philadelphia.
- Eder, A.F., 2001. Febrile nonhemolytic transfusion reaction. In: Hillyer, C.D, Hillyer, K.L., Strobl, F., Jefferies, L. and Silberstein, L. (ed). *Handbook of transfusion medicine*. pp 253-7. Academic press. San Diego.
- Ezidiegwu, C.N., Lauenstein, K.J., Rosales, L.G., Kelly, K.C. and Bernard Henry, J., 2004. Febrile nonhemolytic transfusion reactions: management by premedication and cost implications in adult patients. *Archives of pathology & laboratory medicine*, 128(9), pp.991-995.
- Fadeyi, E.A. and Pomper, G.J., 2016. Febrile, allergic, and nonimmune transfusion reactions. In: Simon, T.L., McCulough, J., Snyder E.L, Solheim, D.G., Strauss, R.G (Ed.). *Rossi's Principles of Transfusion Medicine*, pp.652-66. Willey Blackwell, Hoboken
- Fridey, J.L, Marcus L. (Ed.), 2017, A compendium of transfusion practice guidelines third edition 2017. American Red Cross
- Fung, M.K., and Heddle, N.M., 2017. Febrile and allergic transfusion reactions. In: Murphy, F.M., Roberts, D.J., Yazer, M.H., (Ed.): *Practical Transfusion Medicine 5th edition* , pp.97-106. Wiley Blackwell, Hoboken

- Geiger, T.L. and Howard, S.C., 2007. Acetaminophen and diphenhydramine premedication for allergic and febrile nonhemolytic transfusion reactions: good prophylaxis or bad practice?. *Transfusion medicine reviews*, 21(1), pp.1-12.
- Goodnough, L.T., Levy, J.H. and Murphy, M.F., 2013. Concepts of blood transfusion in adults. *The Lancet*, 381(9880), pp.1845-1854.
- Heddle, N., Webert, K.E., 2007. Febrile, Allergic and other noninfectious transfusion reaction. In: Hillyer, C.D., Silberstein, L.E., Ness P.M., Anderson, K.C., Roback, J.D. (Ed.) : *Blood Banking and Transfusion Medicine Basic Principles & Practice*. pp 677-90 . Churchill Livingstone Elsevier, Philadelphia.
- Hervig, R., Seghatchian J., 2016. Leukocyte-reduced blood components: laboratory and clinical aspect. In: Simon, T.L., McCulough, J., Snyder E.L., Solheim, D.G., Strauss, R.G (Ed.). *Rossi's Principles of Transfusion Medicine*, pp.278-86. Willey Blackwell, Hoboken
- ISBT Working Party on Haemovigilance, 2011. Proposed standard definitions for surveillance of non infectious adverse transfusion reactions. International Haemovigilance Network.
- Kelley, D.L., Mangini, J., Lopez-Plaza, I. and Triulzi, D.J., 2000. The utility of \leq 3-day-old whole-blood platelets in reducing the incidence of febrile nonhemolytic transfusion reactions. *Transfusion*, 40(4), pp.439-442.
- King, K.E., Shirey, R.S., Thoman, S.K., Bensen-Kennedy, D., Tanz, W.S. and Ness, P.M., 2004. Universal leukoreduction decreases the incidence of febrile nonhemolytic transfusion reactions to RBCs. *Transfusion*, 44(1), pp.25-29.
- Klein, H.G., Spahn, D.R. and Carson, J.L., 2007. Red blood cell transfusion in clinical practice. *The Lancet*, 370(9585), pp.415-426.
- Kleinman S.H., Kor, D.J. 2017. Lung injury and pulmonary oedema after transfusion. In : Murphy, F.M., Roberts, D.J., Yazer, M.H., (Ed.): *Practical Transfusion Medicine 5th edition* , pp.108-16. Wiley Blackwell, Hoboken
- Massey, E.J., Davenport, R.D., Kaufman, R.M. 2017. In: Haemolytic transfusion reactions. In: Murphy, F.M., Roberts, D.J., Yazer, M.H., (Ed.): *Practical Transfusion Medicine 5th edition* , pp.81-96. Wiley Blackwell, Hoboken
- Maynard, K., 2014. Administration of blood components. In: Fung, M.K., Grossman, B.J., Hillyer, C.D. and Westhoff, C.M. (Ed): *Technical manual. 18th edition*, pp: 135-65.: American Association of Blood Banks (AABB),

Bethesda, Maryland.

- Mazzei, C.A., Popovsky, M.A., and Kopko, P.M., 2014. Noninfectious complications of blood transfusion. In: Fung, M.K., Grossman, B.J., Hillyer, C.D. and Westhoff, C.M. (Ed): *Technical manual. 18th edition*, pp: 665-96.: American Association of Blood Banks (AABB), Bethesda, Maryland
- Menis, M., Forshee, R. A., Anderson, S. A., McKean, S., Gondalia, R., Warnock, R., *et al.*, 2015, Febrile non-haemolytic transfusion reaction occurrence and potential risk factors among the US elderly transfused in the inpatient setting, as recorded in Medicare databases during 2011–2012. *Vox sanguinis*, 108(3), 251-261.
- Menitove, J. E., McElligott, M. C., & Aster, R. H. 1982. Febrile transfusion reaction: what blood component should be given next?. *Vox sanguinis*, 42(6), 318-321
- Morrison, S.F., 2017, Regulation of body temperature. In: Boron, W.F., Boulpaep, E.L. (Ed). *Medical physiology 3rd edition*. Elsevier. Philadelphia pp 1193-203.
- Müller, M.M., Geisen, C., Zacharowski, K., Tonn, T. and Seifried, E., 2015. Transfusion of packed red cells: indications, triggers and adverse events. *Deutsches Ärzteblatt International*, 112(29-30), p.507.
- National Blood Authority Haemovigilance Advisory Committee. 2015. Australian Haemovigilance Report: A Report by the National Blood Authority Haemovigilance Advisory Committee: Data for 2012-13.
- Navarette, C.V, Brown, C.J.,, 2017. Human Leucocyte Antigen. In : Murphy, F.M., Roberts, D.J., Yazer, M.H., (Ed.): *Practical Transfusion Medicine 5th edition* , pp.97-106. Wiley Blackwell, Hoboken.
- Paglino, J.C., Pomper, G.J., Fisch, G.S., Champion, M.H. and Snyder, E.L., 2004. Reduction of febrile but not allergic reactions to RBCs and platelets after conversion to universal prestorage leukoreduction. *Transfusion*, 44(1), pp.16-24.
- Ramirez-Arcos, S.M., Goldman, M., Blajchman, M.A., 2007. Bacterial infections: bacterial contamination, testing and post-transfusion complications. In: Hillyer, Silbertein, Ness, Anderson, Roback (Ed.) : *Blood Banking and Transfusion Medicine Basic Principles & Practice*. pp 639-51 . Churchill Livingstone Elsevier, Philadelphia.
- Rogers, M. A. M., Rohde, J. M., and Blumberg, N. 2016. Haemovigilance of reactions associated with red blood cell transfusion: comparison across 17 Countries. *Vox sanguinis*, 110(3), 266-277.

- Sachs, U.J., Wallis, J.P. 2016. Transfusion-related lung injury. In: n : Simon, T.L., McCulough, J., Snyder E.L, Solheim, D.G., Strauss, R.G (Ed.). *Rossi's Principles of Transfusion Medicine*, pp.667-79. Willey Blackwell, Hoboken.
- Savage, W.J., 2016. Transfusion reactions. *Hematology/Oncology Clinics*, 30(3), pp.619-634.
- Shapiro, M.J., 2004. To filter blood or universal leukoreduction: what is the answer?. *Critical care*, 8(2), p.S27.
- Sharma, D.C., Rai, S., Gupta, S. and Jain, B., 2014. Universal Leukoreduction Decreases the Incidence of Febrile Nonhemolytic Transfusion Reactions to Cellular Blood Components: A 5 Year Study. *International Blood Research & Reviews* 2(6):279-288
- Sharma, R.R. and Marwaha, N., 2010. Leukoreduced blood components: Advantages and strategies for its implementation in developing countries. *Asian journal of transfusion science*, 4(1), p.3.
- Sharma, S., Sharma, P., Tyler, L.N., 2011, 'Transfusion of blood and blood products: Indications and complications. *American Family Physician*, vol. 83, no. 6, pp. 719-724.
- Smith, J.W, 2014. Blood component collection by apheresis. In: Fung, M.K., Grossman, B.J., Hillyer, C.D. and Westhoff, C.M. (Ed): Technical manual. 18th edition, pp: 167-78.: *American Association of Blood Banks (AABB)*, Bethesda, Maryland.
- Sweeney, J.D., 2001. Universal leukoreduction of cellular blood components in 2001? Yes. *American journal of clinical pathology*, 115(5), pp.666-673.
- Tobian, A.A., King, K.E. and Ness, P.M., 2007. Transfusion premedications: a growing practice not based on evidence. *Transfusion*, 47(6), pp.1089-1096
- Uhlmann, E.J., Isgriggs, E., Wallhermfechtel, M. and Goodnough, L.T., 2001. Prestorage universal WBC reduction of RBC units does not affect the incidence of transfusion reactions. *Transfusion*, 41(8), pp.997-1000.
- Wang, R.R., Triulzi, D.J. and Qu, L., 2012. Effects of prestorage vs poststorage leukoreduction on the rate of febrile nonhemolytic transfusion reactions to platelets. *American journal of clinical pathology*, 138(2), pp.255-259.
- Wang, S.E., Lara Jr, P.N., Lee-Ow, A., Reed, J., Wang, L.R., Palmer, P., Tuscano, J.M., Richman, C.M., Beckett, L. and Wun, T., 2002. Acetaminophen and diphenhydramine as premedication for platelet transfusions: a prospective randomized double-blind placebo-controlled trial. *American journal of*

hematology, 70(3), pp.191-194.

World Health Organization, 2001. The clinical use of blood in Medicine, Obstetrics Pediatrics, Surgery and Anesthesia, Trauma and Burns. Geneva: World Health Organization, Geneva.

World Health Organization, 2016. Guidelines on management of blood and blood components as essential medicines. World Health Organization, Geneva.

World Health Organization, 2017. Global Status Report on Blood Safety and Availability 2016. World Health Organization, Geneva.

Yanagisawa, R., Shimodaira, S., Sakashita, K., Hidaka, Y., Kojima, S., Nishijima, F., *et al.*, 2016. Factors related to allergic transfusion reactions and febrile non-haemolytic transfusion reactions in children. *Vox sanguinis*, 110(4), 376-384.

Yazer, M.H., Podlosky, L., Clarke, G. and Nahirniak, S.M., 2004. The effect of prestorage WBC reduction on the rates of febrile nonhemolytic transfusion reactions to platelet concentrates and RBC. *Transfusion*, 44(1), pp.10-15.