

## DAFTAR PUSTAKA

- Agus, S. B., Subarno, T., Sunuddin, A., Aziizah, N. N., & Takwir, A. (2018). Pemanfaatan Citra Spot-7 untuk Pemetaan Distribusi Lamun pada Zona Intertidal dan Pendugaan Kedalaman Perairan Pulau Wawonii. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 10 (1)(04), 197–207.
- Arief, M. (2013). Pengembangan Metode Lyzenga untuk Deteksi Terumbu Karang di Kepulauan Seribu dengan Menggunakan Data Satelit AVNIR-2. *Jurnal Penginderaan Jauh*, 13(2), 55–64.
- Armstrong, R. A. (1993). Remote sensing of submerged vegetation canopies for biomass estimation. *International Journal of Remote Sensing*, 14:3(03), 621–627.
- Aziizah, N. N. (2016). *Analisis Reflektansi Spektral Lamun dari Hasil Pengukuran In-situ Menggunakan Spektrometer dan Citra Satelit WorldView-2 di Pulau Tunda Serang, Banten*. Sekolah Pascasarjana Institut Pertanian Bogor. Institut Pertanian Bogor.
- Azkab, M. H. (2006). Ada Apa dengan Lamun. *Oseana*, 31, 45–55. Retrieved from [www.oseanografi.lipi.go.id](http://www.oseanografi.lipi.go.id)
- Bengen, D. G. (2004). *Ekosistem dan Sumberdaya Alam Pesisir dan Laut serta Prinsip Pengelolaannya*. Pusat Kajian Sumberdaya Pesisir dan Lautan. IPB. Bogor.
- Breiman, L. (2001). *Random Forests*. (Robert E. Schapire, Ed.) (Vol. 45). Berkeley: Kluwer Academic Publishers.
- Budhiman, S. (2012). Perbandingan Karakteristik Spektral (Spectral Signature) Parameter Kualitas Perairan pada Kanal Landsat ETM+ dan ENVISAT MERIS. *Jurnal Penginderaan Jauh*, 9(12), 76–89.
- Candra, I. D., Siregar, V. P., & Agus, S. B. (2017). Pemetaan Zona Geomorfologi dan Habitat Bentik di Pulau Kotok. *Jurnal Teknologi Perikanan Dan Kelautan*, 8 (2)(11), 209–219.
- Carrère, V. (2003). Mapping microphytobenthos in the intertidal zone of Northern France using high spectral resolution field and airborne data Université du

- Littoral Côte d ' Opale, (May), 13–16.
- Danoedoro, P. (2012). Pengantar Penginderaan Jauh Digital. Yogyakarta: Penerbit ANDI.
- Dekker, A., Brando, V., Anstee, J., Fyfe, S., Malthus, T., & Karpouzli, E. (2006). *Remote Sensing of Seagrass Ecosystems: Use of Spaceborne and Airborne Sensors* (A. W. D. L).
- Dekker, A. G., Brando, V. E., & Anstee, J. M. (2005). Retrospective Seagrass Change Detection in a Shallow Coastal Tidal Australian Lake. *Remote Sensing of Environment*, 97(02), 415–433.
- Dhewani, N. M. S., Hernawan, U. E., Prayudha, B., Supriyadi, I. H., Rahmat, Iswari, M. Y., Suyarso. (2018). Status Padang Lamun Indonesia 2018 Ver.02. Jakarta: Pusat Penelitian-Lembaga Ilmu Pengetahuan Indonesia.
- Dimara, L., Ayer, P. I. L., & Wanimo, E. (2018). Fotodegradasi, Uji pH dan Kandungan in Vivo Pigmen Klorofil Lamun *Thalasia hemprichii*. *Ilmu Kelautan Dan Perikanan Papua*, 1:2(12), 76–83.
- Dorenbosch, M., Grol, M. G. G., Christianen, M. J. A., Nagelkerken, I., & Velde, G. Van Der. (2005). Indo-Pacific Seagrass Beds and Mangroves Contribute to Fish Density and Diversity on Adjacent Coral Reefs. *Marine Ecology Progress Series*, 302(11), 63–76.
- Durako, M. J. (2007). Leaf Optical properties and Photosynthetic Leaf Absorptances in Several Australian Seagrasses. *Aquatic Botany*, 87(03), 83–89.
- Edris, I & Soeseno. (1987). *Silvika*. Yayasan Pembinaan Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- ENVI. (2009). Atmospheric Correction Module:QUAC and FLAASH User's Guide. USA: ITT Visual Information Solutions.
- Fyfe, S. K. (2004). Hyperspectral Studies of New South Wales Seagrasses with Particular Emphasis on The Detection of Light Stress in Eelgrass *Zostera capricorni*. Wollongong.
- Fyfe, S. K., & Dekker, A. G. (2001). Seagrass Species - Are They Spectrally Distinct?. *IEEE International Geoscience and Remote Sensing Symposium*,

6(07), 2740–2742.

- Garcia, R. A., Hedley, J. D., Tin, H. C., & Fearn, P. R. C. S. (2015). A Method to Analyze the Potential of Optical Remote Sensing for Benthic Habitat Mapping. *Remote Sensing*, 07(08), 13157–13189.
- Gislason, P. O., Benediktsson, J. A., & Sveinsson, J. R. (2006). Random Forests for Land Cover Classification. *Pattern Recognition Letters*, 27(10), 294–300.
- Goodman, J. A., Purkis, S. J., & Phinn, S. R. (2013). *Coral Reef Remote Sensing*. (J. A. Goodman, S. J. Purkis, & S. R. Phinn, Eds.).
- Green, E. P., Mumby, P. J., Edwards, A. J., & Clark, C. D. (2000). *Remote Sensing Handbook for Tropical Coastal Management*. (A. J. Edwards, Ed.) (Coastal Ma). Cambridge: United Nations Educational.
- Green, E. P., & Short, F. T. (2003). *World Atlas of Seagrasses*. Berkeley: University of California Press.
- Hartini, H., & Lestari, Y. (2019). Pemetaan Padang Lamun Sebagai Penunjang Ekowisata di Kabupaten Lombok Timur. *Jurnal Biologi Tropis*, 19(01), 1–7.
- Hartog, C. Den. (1967). *The Structural Aspect in The Ecology of Seagrass Communities*. *Helgoland Marine Research* (Vol. 15 (1)). Rijksherbarium, Leyden, Netherlands.
- Hedley, J. D., & Mumby, P. J. (2003). A Remote Sensing Method for Resolving Depth and Subpixel Composition of Aquatic Benthos. *Limnology and Oceanography*, 48(02), 480–488.
- Helmi, M., Hartoko, A., S, H., & Wouthuyzen, M. S. (2011). Analisis Respons Spektral dan Ekstraksi Nilai Spektral Terumbu Karang pada Citra Digital Multispektral Satelit ALOS-AVNIR di Perairan Gugus Pulau Pari, Kepulauan Seribu, Jakarta. *Buletin Oseanografi Marina*, 1(12), 120–136.
- Hommersom, A., Kratzer, S., Laanen, M., Ansko, I., Ligi, M., Bresciani, M., Peters, S. (2012). Intercomparison in The Field Between The New WISP-3 and Other Radiometers (TriOS Ramses, ASD FieldSpec, and TACCS). *Applied Remote Sensing*, 6(December), 23.
- Jaelani, L. M., Laili, N., & Marini, Y. (2015). Pengaruh Algoritma Lyzenga dalam Pemetaan Terumbu Karang Menggunakan WorldView-2, Studi Kasus:

- Perairan PLTU Paiton Probolinggo. *Jurnal Penginderaan Jauh*, 12 (2)(12), 123–132.
- Jensen, J. R. (2005). *Introductory Digital Image Processing: A Remote Sensing Perspective* (3<sup>rd</sup> Ed). USA: Pearson Prentice Hall.
- Kamal, M., & Phinn, S. (2011). Hyperspectral Data for Mangrove Species Mapping: A Comparison of Pixel-Based and Object-Based Approach Muhammad. *Remote Sensing*, 3(05), 2222–2242.
- Kawaroe, M. (2009). Perspektif Lamun Sebagai Blue Carbon Sink di Laut. *Lokakarya Lamun*. Departemen Ilmu dan Teknologi Kelautan Fakultas Perikanan dan Ilmu Kelautan. IPB.
- Kumara, I. S. W. (2018). Pemetaan Spesies Lamun Melalui Integrasi Citra Multispektral dan Pola Respons Spektral Di Nusa Lembongan, Bali. Yogyakarta: Fakultas Geografi UGM.
- Kuriandewa, T. E. (2003). The Seagrasses of Indonesia. In E.P. Green and F.T. Short, eds. *World Atlas of Seagrasses*. UNEP World Conservation Monitoring Centre. Berkeley: University of California Press.
- Kuo, J. (2007). New Monoecious Seagrass of *Halophila* sulawesii (Hydrocharitaceae) from Indonesia. *Aquatic Botany*, 87(04), 171–175.
- Kurniasih. (2013). *Karakteristik Reflektansi Spektral Lamun di Pulau Panggang, Kepulauan Seribu*. Institut Pertanian Bogor.
- Kutser, T., Dekker, A. G., & Skirving, W. (2003). Modeling Spectral Discrimination Of Great Barrier Reef Benthic Communities By Remote Sensing Instruments. *Limnology and Oceanography*, 48 (1, par), 497–510).
- Legleiter, C. J. & Fosness, R. L. (2019). Defining the Limits of Spectrally Based Bathymetric Mapping on a Large River. *Remote Sensing*, 11(03), pp. 1–29.
- Lillesand, T., Kiefer, R., & Chipman, J. (2004). *Remote Sensing and Image Interpretation* Fifth Edition. New York: John Wiley & Sons, Inc.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation*. (R. Flahive, K. Hancox, C. Volpe, J. Nollen, B. S. Prakash, & J. Russiello, Eds.) (Seventh ed). United States of America: Petra Recter.

- Lyons, M., Phinn, S., & Roelfsema, C. (2011). Integrating Quickbird Multi-Spectral Satellite and Field Data: Mapping Bathymetry, Seagrass Cover, Seagrass Species and Change in Moreton Bay, Australia in 2004 and 2007. *Remote Sensing*, 3, 42–64.
- Lyzenga, D.R. (1978). Passive Remote Sensing Techniques for Mapping Water Depth and Bottom Features. *Applied Optics*. 17:379-383.
- Mather, P.M. (2004). Computer Processing of Remotely Sensed Data: An Introduction (3<sup>rd</sup> Ed). Brisbane: John Wiley & Sons.
- Mayr, E. (1963). Animal Species and Evolution. Harvard University Press, Cambridge, MA.
- McKenzie, L. (2008). Seagrass Educators Handbook. In *Seagrass-Watch* (pp. 1–20). Retrieved from [www.seagrasswatch.org](http://www.seagrasswatch.org)
- Minerva, A., Purwanti, F., & Suryanto, A. (2014). Analisis Hubungan Keberadaan dan Kelimpahan Lamun dengan Kualitas Air di Pulau Karimunjawa, Jepara. *Diponegoro Journal of Maquares*, 3, 88–94.
- Mobley, C. D. (1994) Optical Properties of Water, Light and waters: Radiative Transfer in Natural Waters, hal. 60–144.
- Mobley, C. D. (1999). Estimation of The Remote-Sensing Reflectance from Above-Surface Measurements. *Applied Optics*, 38(12), 7442–7455.
- Mountrakis, G., Im, J., & Ogole, C. (2011). Support Vector Machines in Remote Sensing. *ISPRS Journal of Photogrammetry and Remote Sensing* 66(3): 247-259.
- Mumby, P. J., Clark, C. D., Green, E. P., & Edwards, A. J. (1998). Benefits of Water Column Correction and Contextual Editing for Mapping Coral Reefs. *International Journal of Remote Sensing*, 19 (1)(06), 203–210.
- Nagelkerken, I., Roberts, C. M., Velde, G. Van Der, Dorenbosch, M., Riel, M. C. Van, Moriniere, E. C. D. La, & Nienhuis, P. H. (2002). How Important are Mangroves and Seagrass Beds for Coral-Reef Fish? The Nursery Hypothesis Tested on an Island Scale. *Marine Ecology Progress Series*, 244(11), 299-305.
- Nagelkerken, I., Velde, G. Van Der, Gorissen, M. W., Meijer, G. J., Hof, T. Van, & Hartog, C. Den. (2000). Importance of Mangroves, Seagrass Beds and The

- Shallow Coral Reef as a Nursery for Important Coral Reef Fishes, Using a Visual Census Technique. *Estuarine, Coastal and Shelf Science*, 51(02), 31–44.
- Nontji, A. (2005). Laut Nusantara. Jakarta: Penerbit Djambatan. 372 hal.
- Phinn, S., Roelfsema, C., Dekker, A., Brando, V., & Anstee, J. (2008). Mapping Seagrass Species, Cover and Biomass in Shallow Waters: An Assessment of Satellite Multi-spectral and Airborne Hyper-spectral Imaging Systems in Moreton Bay (Australia). *Remote Sensing of Environment*, 112(09), 3413–3425.
- Pinnel, N., Heege, T., & Zimmermann, S. (2003). Spectral Discrimination of Submerged Macrophytes in Lakes Using Hyperspectral Remote Sensing Data. In *SPIE Proceedings on Ocean Optics XVII* (pp. 1–16).
- Prasetyo, B. A. (2017). Pengukuran In-situ Koefisien Atenuasi Difuse dan Hubungannya dengan Pendugaan Kedalaman Perairan Laut Dangkal dengan Penginderaan Jauh Optik. Institut Pertanian Bogor.
- Prasetyo, B. A., Siregar, V. P., Agus, S. B., Asriningrum, W., & Sensing, R. (2017). In-Situ Measurement of Diffuse Attenuation Coefficient and Its Relationship with Water Constituent and Depth Estimation of Shallow Waters by Remote Sensing Technique. *International Journal of Remote Sensing and Earth Sciences*, 14 (1)(06), 47–60.
- Ridley, B. K. (1984). *Time, Space and Things* (2nd editio). Cambridge: Cambridge University Press.
- Roelfsema, C. M., Lyons, M., Kovacs, E. M., Maxwell, P., Saunders, M. I., Samper-villarreal, J., & Phinn, S. R. (2014). Multi-temporal Mapping of Seagrass Cover, Species and Biomass: A Semi-automated Object Based Image Analysis Approach. *Remote Sensing of Environment*, 150(06), 172–187.
- Sagawa, T., Boisnier, E., Komatsu, T., Mustapha, K. Ben, Hattour, A., Kosaka, N., & Miyazaki, S. (2010). Using Bottom Surface Reflectance to Map Coastal Marine Areas: a New Application Method for Lyzenga's Model. *International Journal of Remote Sensing*, 31:12(06), 3051–3064.

- Selamat, M. B., Jaya, I., Siregar, V. P., & Hestirianoto, T. (2012). Akurasi Tematik Peta Substrat Dasar dari Citra Quickbird (Studi Kasus Gusung Karang Lebar, Kepulauan Seribu, Jakarta). *Indonesian Journal of Marine Sciences*, 17(09), 132–140.
- Silva, T. S. F., Costa, M. P. F., Melack, J. M., & Novo, E. M. L. M. (2008). Remote sensing of aquatic vegetation : theory and applications. *SPIE Proceedings on Ocean Optics XVII*, 131–145.
- Sisodia, P. S., Tiwari, V., & Kumar, A. (2014). Analysis of Supervised Maximum Likelihood Classification for Remote Sensing Image. *IEEE International Conference on Recent Advances and Innovations in Engineering*, (05), 9–12.
- Sowmya, P., & Giridhar, M. V. S. S. (2017). Analysis of Continuum Removed Hyperspectral Reflectance Data of Capsicum Annum of Ground Truth Data. *Computational Sciences and Technology*, 10(8), 2233–2241.
- SPOT 6 & SPOT 7 Imagery User Guide. (2013). Astrium An Eads Company. SI/DC/13034-v1.0
- Stearns, S. Hoekstra, R. (2003). Evolution an Introduction. New York: Oxford.
- Tamondong, A. M., Blanco, A. C., Fortes, M. D., & Nadaoka, K. (2013). Mapping of Seagrass and other Benthic Habitats in Bolinao, Pangasinan Using WorldView-2 Satellite Image. *IEEE International Geoscience and Remote Sensing Symposium - IGARSS*, 1579–1582.
- Thorhaug, A., Richardson, A. D., & Berlyn, G. P. (2007). Spectral Reflectance of The Seagrasses: *Thalassia testudinum*, *Halodule wrightii*, *Syringodium filiforme* and Five Marine Algae. *International Journal of Remote Sensing*, 28(7)(04), 1487–1501.
- Traganos, D., & Reinartz, P. (2017). Mapping Mediterranean Seagrasses with Sentinel-2 Imagery. *Marine Pollution Bulletin*.
- Traganos, D., & Reinartz, P. (2018). Mapping Mediterranean Seagrasses with Sentinel-2 Imagery. *Marine Pollution Bulletin*, 134(07), 197–209.
- Wahidin, N., Siregar, V. P., Nababan, B., & Jaya, I. (2015). Object-based image analysis for coral reef benthic habitat mapping with several classification algorithms. *Procedia Environmental Sciences*, 24, 222–227.

- Wicaksono, P. (2015). Remote Sensing Model Development for Seagrasses and Mangroves Carbon Stock Mapping. *Yogyakarta: Fakultas Geografi UGM*.
- Wicaksono, P. (2016). Improving the accuracy of multispectral-based benthic habitats mapping using image rotations: The application of principle component analysis and independent component analysis. *European Journal of Remote Sensing*, 49, 433–463.
- Wicaksono, P. (2017a). Karakterisasi Respons Spektral Spesies Lamun *Enhalus acoroides* dan *Cymodocea rotundata* di Pulau Karimunjawa. *Majalah Ilmiah Globe*, 19(03), 1–10.
- Wicaksono, P. (2017b). Karakterisasi Respons Spektral Spesies Lamun *Enhalus* di Pulau Karimunjawa, 1–10.
- Wicaksono, P., & Hafizt, M. (2013). Mapping Seagrass from Space: Addressing The Complexity of Seagrass LAI Mapping. *European Journal of Remote Sensing*, 46 (1)(02), 18–39.
- Wicaksono, P., & Kamal, M. (2017). Spectral Response of Healthy and Damaged Leaves of Tropical Seagrass *Enhalus acoroides*, *Thalassia hemprichii*, and *Cymodocea rotundata*. *Remote Sensing for Agriculture, Ecosystems, and Hydrology XIX*, 10421, 7.
- Wicaksono, P., Salivian Wisnu Kumara, I., Kamal, M., Afif Fauzan, M., Zhafarina, Z., Agus Nurswantoro, D., & Noviaris Yogyantoro, R. (2017). Multispectral Resampling of Seagrass Species Spectra: WorldView-2, Quickbird, Sentinel-2A, ASTER VNIR, and Landsat 8 OLI. *IOP Conference Series: Earth and Environmental Science*, 98(1), 0–11.
- Zoffoli, M. L., Frouin, R., & Kampel, M. (2014). Water Column Correction for Coral Reef Studies by Remote Sensing. *Sensors*, 14(09), 16881–16931.