

DAFTAR PUSTAKA

- Alian, A. A., & Kirk, H.S., 2014, Photoplethysmography: analysys of the pulse oximetry waveform. *ResearchGate. Chapter January*.
- Alian, A. A., & Kirk, H.S., 2012, Respiratory Physiology and the Impact of Different Modes of Ventilation on the Photoplethysmographic Waveform. *Journal of Sensors*, 12, 2236-2254.
- Arkunto, S., 2010, Prosedur Penelitian: Suatu Pendekatan Praktik. Jakarta. Percetakan Rineka Cipta.
- Biais, M., Cottenceau, V., Petit L., Masson, F., Cochard, J.F., & Sztark, F., 2011, Impact of noradrenaline on the relationship between pleth variability index and pulse pressure variations in ICU adult patients. *Crit Care*; 15: R168.
- Biais, M, Ouattara A., & Sztark F., 2012., Respiratory Physiology and the Impact of Different Modes of Ventilation on the Photoplethysmographic Waveform. *Journal of Sensors* 2012, 12, 2236-2254.
- Bernardini, A., 2006, Arterial versus plethysmographic dynamic indices to test responsiveness for testing fluid administration in hypotensive patients: a clinical trial. *Anesth Analg*; 103: 1478–84.
- Broch, O., 2011, Accuracy of the pleth variability index to predict fluid responsiveness depends on the perfusion index. *Acta Anaesthesiology Scandinavia*: hal. 1–8.
- Cannesson, M., Attouf, Y., & Rosamel, P., 2007, Respiratory variations in pulse oximetry plethysmographic waveform amplitude to predict fluid responsiveness in the operating room. *Anesthesiology* 2007; 106: 10–11.
- Cannesson, M., Besnard, C., Durand, P.G., Bohe, J., Jacques, D., 2005, Relation between respiratory variations in pulse oximetry plethysmographic waveform amplitude and arterial pulse pressure in ventilated patients. *Crit Care*; 9: R562–8.
- Carlson, M. D. A. & Morrison, R. S., 2009 “Study Design, Precision, and Validity in Observational Studies,” *Journal of Palliative Medicine*, 12(1), pp. 77–82. doi: 10.1089/jpm.2008.9690.

Chen, Y., Fu, Q., & Mi, W.D., 2015. Effects of stroke volume variation, pulse pressure variation, and pleth variability index in predicting fluid responsiveness during different positive end expiratory pressure in prone position. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao*. Apr;37(2):179-84. doi: 10.3881/j.issn.1000-503X.2015.02.008.

Dahlan, S., 2011, *Statistik untuk Kedokteran dan Kesehatan*. Jakarta. Salamba Medika.

De Backer, D., Heenen S., Piagnerelli M., Koch M., & Vincent J.L., 2005, Pulse pressure variations to predict fluid responsiveness: influence of tidal volume. *Intensive Care Med*; 31: 517–23.

Dorlas J.C., & Nijboer J.A., 1985, Photo-electric plethysmography as a monitoring device in anaesthesia. Application and interpretation. *British Journal Anaesthesia*; 57: 524–30.

Duggappa, D. et al., 2017, “Perfusion index as a predictor of hypotension following spinal anaesthesia in lower segment caesarean section,” *Indian Journal of Anaesthesia*, 61(8), p. 649. doi: 10.4103/ija.IJA_429_16.

Feissel, M., Kalakhy, R., Badie, J., Robles, G., Faller, J., & Teboul, J.L., 2009, Plethysmography variability index: a new fluid responsiveness parameter. *Crit Care*. 2009; 13:P205.

Guinet, P., Daviet, L., Wodey, E., Laviolle, B., & Ecoffey, C., 2011, Plethysmography variability index: Comparison with pulse pressure variation in vascular surgery: 3AP4-5. *European Journal of Anaesthesiology*. Juni, volume 28: 36.

Gregson, W., Black, M. A., Jones, H., Milson, J., Morton, J., Dawson, B., Atkinson, G., & Green, D. J. (2011). Influence of Cold Water Immersion on Limb and Cutaneous Blood Flow at Rest. *The American Journal of Sports Medicine*, 39(6), 1316–1323. <https://doi.org/10.1177/0363546510395497>

Jang Y.Y., Kwon H.Y., Bae K.S., & Hongjin S., 2017, General principles in hemodynamic monitoring. *Researchgate Journal*. April.

Jeffrey, 2018., Calculate SpO₂ value from raw fingertip plethysmography. *Signal processing journal. Technical Medicine*.

Karadayi, S., Kramanlioglu, B., Memis, D., Inal, M.T., & Turan, N., 2017, Comparing pulse pressure variation and pleth variability index in the semi-

recumbent and trendelenburg position in critically ill septic patients. *Signavita journal* 13;2p: 91-96.

Khan, M., Pretty, C. G., Amies, A. C., Elliott, R., Shaw, G. M., & Chase, J. G. (2015). Investigating the effects of temperature on photoplethysmography. *IFAC-PapersOnLine*, 28(20), 360–365. <https://doi.org/10.1016/j.ifacol.2015.10.166>

Kim, D.H., Shin, S., Kim, J.Y., Kim, S.H., Jo, M., & Choi, Y.S., 2018, Pulse pressure variation and pleth variability index as predictors of fluid responsiveness in patients undergoing spinal surgery in the prone position. *Ther Clin Risk Manag.* Jul 6;14:1175-1183.

Landsverk, S.A., Hoiseth, L.O., Kvandal, P., Hisdal, J., Skare, O., & Kirkeboen, K.A., 2008., Poor agreement between respiratory variations in pulse oximetry photoplethysmographic waveform amplitude and pulse pressure in intensive care unit patients. *Anesthesiology*. p: 109: 849–55.

Linares-Perdomo, O. et al., 2015, “Standardizing predicted body weight equations for mechanical ventilation tidal volume settings,” *Chest*. American College of Chest Physicians, 148(1), pp. 73–78. doi: 10.1378/chest.14-2843.

Liu, T. et al., 2019, “Reliability of pleth variability index in predicting preload responsiveness of mechanically ventilated patients under various conditions: a systematic review and meta-analysis,” *BMC Anesthesiology*, 19(1), p. 67. doi: 10.1186/s12871-019-0744-4.

Liu, Y. et al., 2015, “Pulse pressure variation shows a direct linear correlation with tidal volume in anesthetized healthy patients,” *BMC Anesthesiology*, 16(1), p. 75. doi: 10.1186/s12871-016-0233-y.

Loupec, T., Nanadoumgar, H., Frasca, D., Petitpas, F., Laksiri, L., Baudouin, D., Debaene, B., Dahyot-Fizelier, C., & Mimoz, O., 2011, Pleth variability index predicts fluid responsiveness in critically ill patients. *Critical Care Medicine*. 294-299. 39(2).

Monnet X., Bleibtreu A., & Ferre´ A., 2012, Passive leg raising and end-expiratory occlusion tests perform better than pulse pressure variation in patients with low respiratory system compliance. *Crit Care Med*; 40: 152–7.

Monnet, L., Gue´rin, Jozwiak M., Bataille A., Julien F., Richardand, J., & Teboul L., 2012, Pleth variability index is a weak predictor of fluid responsiveness in patients receiving norepinephrine X. *France British Journal of Anaesthesia* 110 (2): 207–13.

- McDermott W., 2011, *Haemodynamic Monitoring Learning Package* Hornsby. Ku-ring-gai Hospital. Hornsby. Australia.
- Marik, P.E., Baram, M., & Vahid, B., 2018, Does central venous pressure predict fluid responsiveness? A systematic review of the literature and the tale of seven mares. *Chest*;134(1):172-8.
- Natalini, G., Rosano, A., Taranto, M., Faggian, B., Vittorielli, E., & Bernardini, A., 2006, Arterial versus plethysmographic dynamic indices to test responsiveness for testing fluid administration in hypotensive patients: a clinical trial. *Anesth Analg*; 103: 1478–84.
- Nilsson, L., Johansson, A., & Kalman, S., 2003, Respiratory variations in the reflection mode photoplethysmographic signal. Relationships to peripheral venous pressure. *Med Biol Eng Comput*; 41: 249–54.
- Nilsson L, Johansson A, & Kalman S., 2003, Macrocirculation is not the sole determinant of respiratory induced variations in the reflection mode photoplethysmographic signal. *Physiol Meas*; 24: p 925–37.
- Patino, C. M. & Ferreira, J. C., 2018, “Inclusion and exclusion criteria in research studies: definitions and why they matter,” *Jornal Brasileiro de Pneumologia*, 44(2), pp. 84–84. doi: 10.1590/s1806-37562018000000088.
- Vincent, J.-L. et al., 2015, “Perioperative cardiovascular monitoring of high-risk patients: a consensus of 12,” *Critical Care*, 19(1), p. 224. doi: 10.1186/s13054-015-0932-7.
- Sastroasmoro, Sudigdo, & Ismael S., 2010, *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta. Sagung Seto, p: 78-100.
- Solus-Biguenet, H., Fleyfel, M., & Tavernier, B., 2006, Non-invasive prediction of fluid responsiveness during major hepatic surgery. *British Journal Anaesthesia*; 97: 808–16.
- Sugiyono, 2017, *Metode Penelitian Kombinasi* . Bandung: Alfabeta. Hal. 119-121.
- Wyffels ,P.A., Durnez, P.J., Helderweirt J, Stockman WM, & De Kegel D., 2007, Ventilation-induced plethysmographic variations predict fluid responsiveness in ventilated postoperative cardiac surgery patients. *Anesth Analg*. p : 448–52.
- Yin, J. Y. & Ho, K. M., 2012, “Use of plethysmographic variability index derived from the Massimo ® pulse oximeter to predict fluid or preload

responsiveness: a systematic review and meta-analysis,” *Anaesthesia*, 67(7),
pp. 777–783. doi: 10.1111/j.1365-2044.2012.07117.x.