

DAFTAR PUSTAKA

- Anonim. 2020. Kelor Indonesia tembus pasar dunia. <https://www.kompasiana.com/imamwiguna/5a5d76d25e137366877d0de3/kelor-indonesia-tembus-pasar-dunia?page=2> diakses 2 april 2020.
- Aas, T.S., B.F. Terjesen, M. Sorensen, M. Oehme, T. Sigholt, M. Hillestad, J. Holm & T. Asgard. 2009. Nutritional value of feeds with different physical qualities. *Nofima Marine*. 1-21
- Abd El – Rahman, H.H., H.A. Abo-State, A.S.M. El-Nadi, H. Abozaid, M.I. Mohamed & A. A. El-Fetoh. 2017. Growth performance, feed utilization and body composition of nile tilapia (*Oreochromis niloticus*) fingerlings fed Moringa (*Moringa oleifera* Lam.) seed meal. *Journal Fisheries and Aquatic Science*. 12 (1): 36-41.
- Abdel – Tawwab, M., M.H. Ahmad & Y.A.E. Khattab. 2010. Effect of dietary protein level, initial body weight, and their interaction on the growth, feed utilization, and physiological alterations of Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture*. 298: 267-274.
- Abo-State, H., Y. Hammouda, A. El-Nadi & H. AboZaid. 2014. Evaluation of feeding raw Moringa (*Moringa oleifera* Lam.) leaves meal in nile tilapia fingerlings (*Oreochromis niloticus*) diets. *Global Veterinaria*. 13 (1): 105–111.
- Achi, O.K. & E.G. Okereke. 1999. Proximate composition and functional properties of *Prosopis africana* seed flour. *J. Manage Technol*. 1: 1-17.
- Adeparusi E.O. & J.A. Famurewa. 2011. Water temperature and surface coating effect on floatability, water absorption and thickness swelling of feed. *Journal of Agricultural Sciences*. 3 (4): 254-260.
- Afuang W., P. Siddhuraju & K. Becker. 2003. Comparative nutritional evaluation of raw, methanol extracted residues and methanol extracts of moringa (*Moringa oleifera* Lam.) leaves on growth performance and feed utilization in Nile tilapia (*Oreochromis niloticus* L.). *Aquac Res*. 34 (13): 1147-1159.
- Al – Arif, M.A & M. Lamid. 2014. Kualitas pakan ruminansia yang difermentasi bakteri selulolitik *Actinobacillus* sp. *Acta Veterinaria Indonesiana*. 2 (1): 12-16.
- Alamanda, I. E, N. S. Handajani & A. Budiharjo. 2007. Penggunaan metode hematologi dan pengamatan endoparasit darah untuk penetapan kesehatan ikan lele dumbo (*Clarias gariepinus*) di kolam budidaya Desa Mangkubumen Boyolali. *Biodiversitas*. 8 (1): 34-38.
- Alemayehu, T. Abate, A. Geremew & A. Getahun. 2018. The role of functional feed additives in tilapia nutrition. *Fish Aqua J*. 9:2.
- Ali, A., N.A. Al-Asghar, S.M. Al-Ogaily & S. Ali. 2003. Effect of feeding different levels of alfalfa meal on growth performance and body composition of nile tilapia (*Oreochromis niloticus*) fingerlings. *Asian Fisheries Science* 16: 59–67.

- Anderson, D.P. & A.K. Siwicki. 1994. Simplified assays for measuring non-specific defense mechanism in fish. Fish Health Section/American Fisheries Meeting, Seattle.
- Anderson, D.P. 1992. Immunostimulants, adjuvants, and vaccine carriers in fish: applications to aquaculture. *Annu. Rev. Fish Dis.* 2: 281-307.
- Andriani, Y., M. Setiawati & M.T.D. Sunarno. 2018. Kecernaan pakan dan kinerja pertumbuhan yuwana ikan gurami, *Osphronemus goramy* Lacepede, 1801 yang diberi pakan dengan penambahan glutamin. *Jurnal Iktiologi Indonesia*, 19 (1): 1-11.
- Animashahun R. A., S.O. Omoikhoje & A.M. Bamgbose. 2006 Haematological and biochemical indices of weaner rabbits fed concentrates and *Syndrella nodiflora* forage supplement. Proceedings of the 11th Annual Conference of Animal Science Association of Nigeria. Institute of Agricultural Research and Training, Ibadan, Nigeria 29-32.
- Anjorin, T. S., P. Ikokoh & S Okolo. 2010. Mineral composition of *Moringa oleifera* leaves, pods and seeds from two regions in Abuja, Nigeria. *Int. J.Agric. Biol.* 12: 431-434.
- Antache A., V. Cristea, I. Grecu, L Dediu, M. Cretu, E. Bocico & S.M. Petrea. 2014. Effects of dietary supplementation at Nile tilapia with *Thymus vulgaris*, *Trigonella foenum graecum* and *Azadirachta indica* on Welfare Status. *Bulletin UASVM Animal Science and Biotechnologies* 71 (2): 115-122.
- Anwar, F., S. Latif, M. Ashraf & A.H. Gilani. 2007. *Moringa oleifera*: a food plant with multiple bio-chemical and medicinal uses- a review. *Phytother. Res.*, 21: 17-25.
- AOAC (Association of Analytical Chemist). 2005. Official methods of analysis. W. Horowitz, (eds). Official methods of analysis 18th eds. AOAC. Gaithersburg MD.
- Arief, M., N Fitriani & S. Subekti. 2014. Pengaruh pemberian probiotik berbeda pada pakan komersial terhadap pertumbuhan dan efisiensi pakan ikan Lele Sangkuriang (*Clarias sp.*). *Jurnal Ilmiah Perikanan dan Kelautan*. 6 (1): 49-53.
- Aslaksen, M.A., O.F. Kraugerud, M. Penn, B. Svihus, V. Denstadli, H.Y. Jorgensen, M. Hillestad, A. Kroghdahl & A. Storebakken. 2007. Screening of nutrient digestibilities and intestinal pathologies in Atlantic salmon, *Salmo salar*, fed diets with legumes, oilseeds or cereals. *Aquaculture*. 272: 541-555.
- Awad, E. & Awaad, A. 2017. Role of medicinal plants on growth performance and immune status in fish. *Fish & Shellfish Immunology*. 67: 40-54.
- Ayotunde E. O., F.B. Ada & G.N. Udeh. 2016. Effect of partial replacement of fishmeal with *Moringa oleifera* leaf meal on the haematology, carcass composition and growth performance of *Clarias gariepinus* (Burchell 1822) fingerlings. *International Journal of Fisheries and Aquatic Studies*. 4 (4): 307-311.

- Ayssiwede S.B., A. Dieng, H. Bello, C.C.A.M. Chrysostome & M.B. Hane. 2011. Effects of *Moringa oleifera* (Lam.) leaf meal incorporation in diets on growth performance, carcass and economic characteristics of growing indigenous Senegal chickens. *Pakistan Journal Nutrition*. 10: 1132–45.
- Azaza, M.S., M.N. Dhraief, Kraiem, & E. Baras. 2010. Influence of food particle size on growth, size heterogeneity, food intake and gastric evacuation in juvenile Nile tilapia, *Oreochromis niloticus*, L., 1758. *Aquaculture* 309 :193-202.
- Badan Standarisasi Nasional. 1999. SNI 01-6140-1999 tentang Produksi Benih Ikan Nila Hitam (*Oreochromis niloticus* Bleeker) Kelas Benih Sebar. Badan Standarisasi Nasional. Jakarta.
- Balarin, J.D. 1979. Tilapia, a guide to their biology and culture in Africa. University of Stirling. Scotland.
- Bamidele, N.A., S.O. Obasa, N.B Ikeiwenwe, I. Abdulraheem, A.A. Adeoye & O.C. Odebiyi. 2015. Effect of dried moringa (*Moringa oleifera*) seed meal based diets on the growth, hematological, biochemical parameters and histopathology of the African catfish, *Clarias gariepinus* fingerlings. *International Journal of Fisheries and Aquatic Studies*. 2 (4): 27–34.
- Baratawidjaja, K.G. 2004. *Imunologi dasar*. Edisi 6. Jakarta: Balai Penerbit FKUI.
- Barrows, F.T., D. Bellis, A. Krogdahl, J.T. Silverstein, E.M. Herman, W.M. Sealey, M.B. Rust & D.M. Gatlin III. 2008. Report of plant product in aquafeed strategic planning workshop: An integrated, interdisciplinary research roadmap for increasing utilization of plant feedstuffs in diets for carnivorous fish. *Reviews in Fisheries Science*. 16 (4): 449-455.
- Bbole, Ian, M. Chanda, M. Nephter & K. A. Shula. 2016. Analysis on growth performance and hematological parameters of *Oreochromis niloticus* fed on a varying diet of *Moringa oleifera* Lam. leaf meal as an additive protein source. *International Journal of Fisheries and Aquaculture*. 8 (11): 105-111.
- Bedasso, G. T. 2017. A study of immune response in nile tilapia (*Oreochromis niloticus*) fed levamisole incorporated diet. *J Immunol Infect Dis*. 4 (1): 103.
- Behnke, K.C. 2001. Factors affecting pellet quality. Maryland Nutrition Conference, Department of Poultry Science and Animal Science, University of Maryland. Feed Tech.cbna.com.br.
- Ben, S.H. & H.P.S. Makkar. 2009. Defatted *Moringa oleifera* seed meal as a feed additive for sheep. *Anim Feed Sci Tech*. 150: 27–33.
- Bertsch A. & N. Coello. 2005. A biotechnological process for treatment and recycling poultry feathers as a feed ingredient. *Bioresource Technology*. 96:1703-1708.
- Bey, H. 2010. All Things Moringa: The story of an amazing tree of life. www.allthingsmoringa.com. Diakses 20 Juli 2017. 40 p.

- Bhat. M.K. 2000. Cellulase and related enzymes in biotechnology. *Biotechnology Advances*. 18: 355–383.
- Bhatnagar D. 2004. Amylase and protease production by solid state fermentation using *Aspergillus niger* from mangrove swamp, M. F. Sc. (Mariculture) Dissertation, Central Institute of Fisheries Education, Mumbai, India, 63pp.
- Bhatnagar, D., I. Joseph & R. Paul Raj. 2010. Amylase and acid protease production by solid state fermentation using *A. niger* from mangrove swamp. *Indian J. Fish.* 57: 45-51.
- Biel W., J. Anna & L. Ewelina. 2017. Nutritional quality and safety of moringa (*Moringa oleifera* Lam. 1785) leaves as an alternative source of protein and minerals. *Journal of Elementology*. 22 (2): 569–579.
- Biller-Takahashi, J. D & E. C. Urbinati. 2014. Fish immunology. The modification and manipulation of the innate immune system: Brazilian studies. *Scientific Electronic Library Online*. 86 (3): 1483-1495.
- Bittencourt, N.L.R., L.M. Molinari, D.O. Scoaris, R.B. Pedrosa, C.V. Nakamura, T.U. Nakamura, B.A.A. Filho, B.P.D. Filho. 2003. Haematological and biochemical values for Nile tilapia *Oreochromis niloticus* cultured in semi-intensive system. *Biol Sci*. 25: 385–389.
- Boyd, C.E. 1979. Water quality in warmwater fish ponds. Craftmaster Printer Inc. Opelika, Alabama. 86–89 p.
- Bradford M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem*. 72 (1-2): 248-254.
- Brett, J.R. & T.D.R Groves. 1979. Physiological energetic. In: *Bioenergetics and growth*. (eds.) Hoar W.S., D.J. Randal and J.R. Brett. New York Academic Press. 8: 279–352.
- Buwono, I.D. 2000. Kebutuhan asam amino esensial dalam ransum ikan. Kanisius. Yogyakarta. 56 hal.
- Cavalheiro, J.M.O., E.O. de Souza & P.S. Bora. 2006. Utilization of shrimp industry waste in the formulation of tilapia (*Oreochromis niloticus* Linnaeus) feed. Departamento de Tecnologia Química e de Alimentos. Universidade Federal da Paraíba. Brazil. 602–606.
- Chapman, F.A. 1992. Culture of hybrid tilapia: A reference profile. IFAS Extension. University of Florida. Gainesville.
- Chesson, A. 1978. The maceration of linen flax under anaerobic conditions. *Journal of Applied Bacteriology*. 45 (2): 219-230.
- Chevanan N., K.A. Rosentrater & K. Muthumukarappan. 2010. Effect of processing conditions on single screw extrusion of feed ingredients containing distillers dried grains with solubles (DDGS). *Food Bioprocess Technol*. 3: 111-120.

- Chou, B.S. & S.Y. Shiau. 1996. Optimal dietary lipid level of growth of juvenile hybrid tilapia, *Oreochromis niloticus* x *Oreochromis aureus*. Department of Marine Food Science. National Taiwan Ocean University. Taiwan. Aquaculture 143: 185–195.
- Craig S. & L.A. Helfrich. 2009. Understanding Fish Nutrition, Feeds and Feeding. Virginia Cooperative Extension, Virginia State Univeristy, 420-256.
- Cruz-Velásquez, Y., C. Kijora, V. Agudelo-Martínez & C. Schulz. 2014. Inclusion of fermented aquatic plants as feed resource for Cachama blanca, *Piaractus brachypomus*, fed low-fish meal diets. Villavicencio, Meta. Colombia Vol. 18 - No 2.
- Datta, Rathin. 1981. Acidogenic fermentation of lignocellulose—acid yield and conversion of components. Biotechnology and Bioengineering. 23 (9): 2167-2170.
- David-Oku, E., E.E. Anani, O.E. Ntaji, R.O. Edide, J.I. Obiajunwa & H.N. Ene-Obong. 2018. Growth performance and nutritional impacts of *Moringa oleifera* leaf and shrimp melas supplemented diets on *Clarias gariepinus* (African catfish). International Journal of Fisheries and Aquatic Studies. 6 (5): 23-30.
- De Pedro, N., A.I. Guijarro, M. A. López-Patiño, R. Martínez-Álvarez & M. J. Delgado. 2005. Daily and seasonal variations in haematological and blood biochemical parameters in the tench, *Tinca tinca* Linnaeus, 1758. Aquaculture Research. 36 (12): 1185-1196.
- Dewi, C., T. Purwoko & A. Pangastuti. 2005. Produksi gula reduksi oleh *Rhizopus oryzae* dari substrat bekatul. Bioteknologi. 2 (1): 21–26.
- Dienye, H.E. & O.K. Olumuji. 2014. Growth performance and haematological responses of African mud catfish *Clarias gariepinus* fed dietary levels of *Moringa oleifera* leaf meal. Net Journal of Agricultural Science. 2 (2): 79-88.
- Direktorat Jenderal Perikanan Budidaya. 2015. Rancangan Renstra Direktorat Jenderal Perikanan Budidaya (DJPB). Kementerian Kelautan dan Perikanan Tahun 2015-2019.
- Djonu, A., S. Andayani & H. Nursyam. 2018. Identification of *Moringa oleifera* leaves content fermented by *Rhizopus oligosporus*. International Journal of Scientific & Technology Research. 7 (4): 102-104.
- Dong, F.M., R.W. Hardy & D.A. Higgs. 2017. Antinutritional factor. 45-50.
- Dongmeza, E.B., G. Francis, S. Streinbronn, U. Focken & K. Becker. 2010. Investigations on the digestibility and metabolizability of the major nutrients and energy of maize leaves and barnyard grass in grass carp (*Ctenopharyngodon idella*). Aquacult. Nutr. 16: 313-326.
- Dorothy, M.S., S. Raman, V. Nautiyal, K. Singh, T. Yogananda & M. Kamei. 2018. Use potential plant leaves as ingredient in fish feed – A review. Int.J. Curr. Microbiol. App. Sci. 7 (7): 112-125.

- Dotta, G., J.L.P. Maurino, A. Jatoba, R. Ernesto, B. Moran, C. Pilati & M.L. Martins. 2011. Acute inflammatory response in nile tilapia fed probiotic *Lactobacillus plantarum* in the diet. *Acta Scientiarum-Biological Sciences* 33 (3): 239-246.
- Effendie, I. 1997. *Biologi Perikanan*. Yayasan Pustaka Nusantara. Yogyakarta.
- Egwui, P.C., B.O. Mgbenka & C.D. Ezeonyejiaku. 2013. Moringa plant and it use as feed in aquaculture development: A review. *Animal Research International*. 10 (1): 1672-1680.
- El Massry, H.M. M.E.M. Fatma, Mossa & S.M. Youssef. 2013. *Moringa oleifera* plant "value and utilization in food processing". *Egypt J. Agric. Res.* 91 (4): 1597–1609.
- El-Batal A. I. & H. Abdel Kareem. 2001. Phytase production and phytic acid reduction in rapeseed meal by *Aspergillus niger* during solid state fermentation. *Food Research International*. 34: 715-720.
- Elkamel, A.A & G.M. Mosaad. 2012. Immunomodulation of nile tilapia, *Oreochromis niloticus*, by *Nigella sativa* and *Bacillus subtilis*. *J. Aquac. Res. Dev.* 3 :6.
- El-Sayed, A. F. M., 2006. *Tilapia culture*. CABI Publishing Series.
- El-Sayed, A.M. & D.L. Garling Jr. 1985. Carbohydrate-to-lipid ratio in diets to Tilapia zillii fingerlings. *Aquaculture*. 73: 157–163.
- Eusebio, P.S., R.M. Coloso & E.P. Mamuag. 2004. Apparent digestibility of selected ingredients in diets for juvenile grouper, *Epinephelus coioides* (Hamilton). *Aquaculture Research*. 35: 1261-1269.
- Fahey, J.W., 2005. *Moringa oleifera*: A review of the medical evidence or its nutritional, therapeutic and prophylactic properties. Part 1. *Trees Life J.*, Vol. 1.
- Falayi B.A. & O.E. Sadiku. 2013. Biotechnology of Floating Feed Development. *International Journal of Innovative Research and Development*. 2 (5): 387-407.
- FAO. 2014. *Global aquaculture production 1950-2012*. Food and Agriculture Organization. Rome. Italy.
- FAO. 2016. *The state of world fisheries and aquaculture 2016*. Food and Agriculture Organization of United Nation. Rome. 200 p.
- FAO. 2018. *The state of food security and nutrition in the world: Building climate resilience for food security and nutrition*. Rome. 202 p.
- Fardiaz, S. 1998. *Fisiologi fermentasi*. Pusat Antar Universitas Lembaga Sumberdaya Informasi IPB. Bogor.
- Felix, E. & E.V. Oscar. 2018. Floating and stability effect on fish feed pellets using different concentration of Baobab Leaf Meal (*Adansonia digitata*). *Asian Journal of Fisheries and Aquatic Research*. 1 (4): 1-6.

- Ferreira, P.M.P., D.F. Farias, J.T. Oleifera & A.F.U. Carvalho. 2008. *Moringa oleifera*: bioactive compounds and nutritional potential. *Rev. Nutr. Campinas*. 21 (4): 431–437.
- Foidl, N. & R. Paull. 2008. *Moringa oleifera*. In: The Encyclopedia of Fruit and Nuts, Janick, J. and R.E. Paull, (Eds.). CABI, Oxfordshire, UK pp: 509-512.
- Foidl, N., H.P.S. Makkar & K. Becker. 2001. The potential of *Moringa oleifera* for agricultural and industrial uses. Lowell J. Fuglie (Ed.), The Miracle Tree: The Multiple Uses of Moringa, CTA, Wageningen, The Netherlands. 45–76.
- Fontain, C.T. & D.V. Lightner. 1974. Observations on the phagocytosis and elimination of carmine particles injected into the abdominal musculature of the white shrimp, *Penaeus setiferus*. *J. Invertebr. Pathol.* 24.(2): 141-8.
- Francis G., H.P.S. Makkar & K. Becker. 2001. Antinutritional factors present in plant – derived alternate fish feed ingredient and their effects in fish. *Aquaculture*. 199 (3-4): 197–227.
- Gandjar, I. 1983. Perkembangan mikrobiologi dan bioteknologi di Indonesia. Mikrobiologi di Indonesia. PRHIMI. 422–424 hal.
- Ganzon - Naret E.S. 2014. Utilization of *Moringa oleifera* leaf meals as plant protein sources at different inclusion levels in fish meal based diets fed to *Lates calcarifer*. *ABAH Bioflux*. 6 (2): 158-167.
- Giner-Chaves, B.I. 1996. Condensed tannin in tropical forages. Ph.D thesis. Cornell University, Ithaca, NY. USA.
- Glencross, B., N. Rutherford & N. Bourne. 2012. The influence of various starch and nonstarch polysaccharides on the digestibility of diets fed to rainbow trout (*Oncorhynchus mykiss*). *Aquaculture*. 356–357 : 141–146.
- Glencross, B.D., M. Booth & G.L. Allan. 2007. A feed is only as good as its ingredient – a review of ingredient evaluation strategies for aquaculture feeds. *Aquaculture Nutrition*. 13: 17–34.
- Gopalakrishnan, L., K. Doriya & D. S. Kumar. 2016. *Moringa oleifera*: A review on nutritive importance and its medicinal application. *Food Science and Human Wellnes*. 5: 49-56.
- Haetami, K., Junianto, Iskandar & R. Rostika. 2017. Durability and water stability of pellet fish supplementation results pairing coconut oils and hazelnut oil. *International Journal of Enviroment, Agriculture and Biotechnology*. 2 (3): 1336-1340.
- Halliwell, B. 2006. Reactive species and antioxidants: Redox biology is a fundamental theme of aerobic life. *Plant Physiology* 141: 312–322.
- Halver, J.E. and Hardy, R.W. 2002. *Fish Nutrition*, third ed. Academic Press, New York, NY. USA.
- Handajani, H & W. Widodo. 2010. *Nutrisi Ikan*. UMM Press. Malang.

- Handajani, H. 2006. Pemanfaatan tepung Azolla sebagai penyusun pakan ikan terhadap pertumbuhan dan daya cerna ikan nila gift (*Oreochromis sp.*). Gamma. 1 (2): 162-170.
- Hanif, S., T. Yuniati & Suroso. 2007. Uji performan benih nila merah asal Jawa Tengah dan Daerah Istimewa Yogyakarta. Jurnal Budidaya Air Tawar. 4 (1): 32–38.
- Hardy H., J. Harris, E. Lyon, J. Beal & A.D. Foey. 2013. Probiotics, prebiotics and immunomodulation of gut mucosal defenses: homeostasis and immunopathology. Nutrients 5: 1869-1912.
- Hardy, R.W., 2010. Utilization of plant proteins in fish diets: effects of global demand and supplies of fishmeal. Aquac. Res. 41.
- Harikrishnan, R., J.S. Kim, M.C. Kim, C. Balasundaram & M.S. Heo. 2011. *Prunella vulgaris* enhances the non-specific immune response and disease resistance of *Paralichthys olivaceus* against *Uronema marinum*. Aquaculture. 318: 61-66.
- Hassaan, M.S., M.A. Soltan & A.M. Abdel-Moez. 2015. Nutritive value of soybean meal after solid state fermentation with *Saccharomyces cerevisiae* for Nile tilapia, *Oreochromis niloticus*. Animal Feed Science and Technology. 201: 89–98.
- Hastuti, S.D. 2012. Suplementasi β -glucan dari ragi roti (*Saccharomyces cerevisiae*) dalam pakan terhadap aktivitas fagositosis, aktivitas NBT, total protein plasma dan aktivitas aglutinasi darah ikan nila (*Oreochromis niloticus*). Depik 1 (3): 149-155.
- Hlophe, S. N. & N.A.G. Moyo. 2014. A comparative study on the use of *Pennisetum clandestinum* and *Moringa oleifera* as protein sources in the diet of the herbivorous *Tilapia rendalli*. Aquacult Int. 22: 1245–1262.
- Hrubec, T.C., J.L. Cardinale & S.A. Smith. 2000. Hematology and plasma chemistry reference intervals for cultured tilapia (*Oreochromis hybrid*). Vet. Clin. Pathol. 29 (1): 7-12.
- Hussain S.M., A. M. Zubair ul Hassan, A. Javid, A.I. Hussain., N. Aslam, Q. Ali, M. Hussain, R. M. Masoom ul Hassan, M.M. Shahzad, A. Khalid & D. Riaz. 2018. Replacement of fish meal with *Moringa oleifera* leaf meal (MOLM) and its effect on growth performance and nutrient digestibility in *Labeo rohita* fingerlings. Pakistan J. Zool. 50 (5): 1815-1823.
- Ighwela, K.A., Aziz bin Ahmad & A.B. Abol-Munafi. 2013. Water stability and nutrient leaching of different levels of maltose formulated fish pellets. Global Veterinaria. 10 (6): 638-642.
- Ihedioha J. N. & C.O.B Okoye. 2011. Nutritional evaluation of *Mucuna flagillipes* leaves: an underutilized legume in Eastern Nigeria. American Journal of Plant Nutrition and Fertilization Technology. 1 (1): 55-63.

- Ijarotimi O. S., O.A. Adeoti & A. Ariyo. 2013. Comparative study on nutrient compositions. phytochemical. and functional characteristic of raw. germinated. and fermented *Moringa oleifera* seed flour. Food Science & Nutrition.1 (6): 452–463.
- Imelda J., P. Raj & D. Bhatnagar. 2008. Effect of solid-state fermentation on nutrient composition of selected feed ingredients. *Indian J. Fish.* 55 (4):3 27-332.
- Irianto, A. 2005. Patologi ikan teleostei. Yogyakarta: Gajah Mada Universitas Press. 256 hlm.
- Isnani, W. & M. Nurhaedah. 2017. Ragam manfaat tanaman kelor (*Moringa oleifera* Lamk.) bagi masyarakat. Info Teknis EBONI. 14 (1): 63–75.
- Isnansetyo, A., A. Fikriyah, N. Kasanah & Murwantoko. 2016. Non-specific immune potentiating activity of fucoidan from tropical brown algae (Phaeophyceae) *Sargassum cristaefolium* in tilapia (*Oreochromis niloticus*). Aquaculture International. 24 (2): 465–477.
- Isnansetyo, A., H.M. Irpani, T.A. Wulansari & N. Kasanah. 2014. Oral administration of alginate from a tropical brown seaweed, *Sargassum* sp. to enhance non-specific defence in walking catfish (*Clarias* sp.). Aquacultura Indonesiana. 2: 49–55.
- Jauncey, K., P.L. Sorensen & F. Areola. 2007. A short handbook-catfish feed for Nigeria(material storage, handling, stock and quality control, ingredients, feed formulation, feed use/husbandry and technical aspects of feed manufacture). The CDE, Brussel.
- Karina, S., M. Akbar, A. Supriatna & Z.A. Muchlisin. 2015. Replacement of soybean meal with *Moringa oleifera* leaf meal in the formulated diets of tilapia (*Oreochromis niloticus*) fingerlings. AACL Bioflux. 8 (5): 790-795.
- Kavitha, C., M. Ramesh, S.S. Kumaran & S.A. Lakshmi. 2012. Toxicity of *Moringa oleifera* seed extract on some hematological and biochemical profiles in a freshwater fish, *Cyprinus carpio*. Exp. Toxicol. Pathol., 64 (7-8): 681-687.
- Kefi A.S., J. Kang'ombe, D. Kassam & C. Katongo. 2013. Effect of 17 a-methyl testosterone on haematology and histology of liver and heart of *Oreochromis andersonii* (Castelnau, 1861). J Marine Sci Res Dev 2013, 3:3.
- Kementerian Kelautan dan Perikanan (KKP). 2018. Produktivitas Perikanan Indonesia, pada Forum Merdeka Barat. Kementerian Komunikasi dan Informatika. Jakarta. 19 Januari 2018.
- Kementerian Kelautan dan Perikanan. 2012. Kep. No 47/MEN/2012. Pelepasan Ikan Nila Merah Nilasa.
- Khalaffa M., M. Abdellatef E., H.M. Dafalla., A.A. Nassrallah, K.M. Aboul-Enein, D.A. Lightfoot, F.E. El-Deeb & H.A. Elo-Shemy. 2010. Active principle from *Moringa oleifera* Lam. leaves effective against two leukemias and a hepatocarcinoma. Afr. J. Biotechnol. 9 (49): 8467–8471.

- Khater, E. G., A.H. Bahnasawy & S.A. Ali. 2014. Physical and mechanical properties of fish feed pellets. *J. Food Process Technol.* 5: 378.
- Kokou, F & E. Fountoulaki. 2018. Aquaculture waste production associate with antinutrient presence in common fish feed plant ingredients. *Aquaculture.* 495: 295-310.
- Kop, A. & A.Y. Korkut. 2017. The influence of expansion control device used during production of different extruded sea bass feeds on pellet quality. *Journal of Animal and Feed Science.* 26: 165-171.
- Kraugerud, O.F., H.Y. Jorgensen & B. Svihus. 2011. Physical properties of extruded fish feed with inclusion of different plant (legumes, oilseeds, or cereals) meals. *Animal Feed Science and Technology.* 163: 244-254.
- Krogdahl, Å., M. Penn, J. Thorsen, S. Refstie & A.M. Bakke. 2010. Important anti-nutrients in plant feedstuffs for aquaculture: an update on recent findings regarding responses in salmonids. *Aquac. Res.* 41: 333-344.
- Kucharska, K., P. Rybarczyk, I. Holowacz, R. Lukajtis, M. Glinka & M. Kaminski. 2018. Pretreatment of lignocellulosic materials as substrates for fermentation processes. *Molecules.* 23: 2937.
- Kumar V., A.K. Sinha & H.P.S. Makkar, G. De Boeck & K. Becker. 2012. Phytate and phytase in fish nutrition. *Animal Physiology and Animal Nutrition.* 96: 335-364.
- Kurniawati, A.D., T.C. Huang & J. Kusnadi. 2016. Effect of fermentation on compositional changes of *Cinnamomum osmophloeum* Kaneh leaves. *IOP Conf. Series: Materials Science and Engineering.* 193: 012013.
- Lim C. & G. Cuzon. 1994. Water stability of shrimp pellet : A Review. *Asian Fisheries Science.* 7: 115-127.
- Linggarjati, K. F., A. Djunaedi & Subagiyo. 2013. Uji penggunaan *Bacillus* sp. sebagai kandidat probiotik untuk pemeliharaan rajungan (*Portunus* sp.). *Journal of Marine Research.* 2 (1): 1-6.
- Lochmann, R., C. Engle, T. Kasiga, S.W. Chenyambuga, H. Shighulu, N. Madalla, B.V. Mnembuka & K. Quagraine. 2011. Develop feeding strategies for *Moringa oleifera* and *Leucaena leucocephala* as protein sources in tilapia diets.
- Lovell, T. 1989. Nutrition and Feeding of Fish. An AVI Book. Van Nostrand Reinhold. New York.
- Lunger A N, E. McLean & S.R. Craig. 2007. The effects of organic protein supplementation upon growth, feed conversion and texture quality parameters of juvenile cobia (*Rachycentron canadum*). *Aquaculture.* 264: 342–352.
- Mac Faddin, J.F. 1980. Biochemical Tests for Identification of Medical Bacteria. Second Edition. Williams dan Wilkins, Baltimore.

- Madalla, N., N.W. Agbo & K. Jauncey. 2013. Evaluation of aqueous extracted moringa leaf meal as a protein source for Nile tilapia juveniles. *Tanzania Journal of Agricultural Sciences*. 12 (1): 53–64.
- Makkar, H.P.S & K. Becker. 1996. Nutritional value and antinutritional component of whole and ethanol extracted *Moringa oleifera* leaves. *Animal Feed Science and Technology*. 63 (1-4): 211–228.
- Manh, L.U. N. X. D, Nguyen & P. N. Tran. 2005. Introduction and evaluation of *Moringa oleifera* for biomass production and as feed for goats in the Mekong Delta. *Livestock Research for Rural Development*. 17: 9.
- Mansour A.T.M., L. Miao, C. Espinosa, J. M. García-Beltrán, D.C. C. Francisco & M.Á. Esteban. 2018. Effects of dietary inclusion of *Moringa oleifera* leaves on growth and some systemic and mucosal immune parameters of seabream. *Fish Physiol Biochem*. 44: 1223–1240.
- Mathia, W.M. & R. Fotedar. 2012. Evaluation of boiled taro leaves, *Colocasia esculenta* (L.) Schott, as a freshwater shrimp, *Caridina nilotica* Roux protein replacement, in diet of Nile tilapia, *Oreochromis niloticus* (Linnaeus). *Aquaculture*. 356–357: 302–309.
- Mathius, I.W. & A.P. Sinurat. 2001. Pemanfaatan bahan pakan konvensional untuk ternak. Balai Penelitian Ternak Bogor. Bogor.
- Mazrouh, M.M., E.M. Amin, M.A. Hegazi, K.A. Hussien & Z.I. Attia. 2015. Some haematological parameters and blood picture of *Oreochromis niloticus* in Manzalah Lake, Egypt. *Journal of Environmental Science, Toxicology and Food Technology* 9 (5): 11-19.
- Mbailao M., M. Tarkodjiel & A. Ngakou. 2014. Proximal and elemental composition of *Moringa oleifera* (Lam) leaves from three regions in Chad. *Journal of Food Resource Science*. 3 (1): 12–20.
- Mohammed Nour, A. A. & M.A.E.M. Ibrahim. 2013. Effect of supplementation with *Moringa* leaves powder (MLP) and fermentation on chemical composition, total minerals content and sensory characteristics of sorghum flour. *International Journal of Science and Research*. 5 (3): 672-677.
- Momoh, A.T., M.Y. Abubakar & J.K. Ipinjolu. 2016. Effect of ingredients substitution on binding, water stability and floatation of farm-made fish feed. *International Journal of Fisheries and Aquatic Studies*. 4 (3): 92-97.
- Moyo B., P.J. Masika, A. Hugo & V. Muchenje. 2011. Nutritional characterization of moringa (*Moringa oleifera* Lam.) leaves. *African Journal of Biotechnology*. 10 (60): 12925–12933.
- Mulyasari, Widanarni, M.A. Suprayudi, M.Z. Junior & M.T.D. Sunarno. 2015. Seleksi dan identifikasi bakteri selulolitik pendegradasi daun singkong (*Manihot esculenta*) yang diisolasi dari saluran pencernaan ikan gurame (*Ospromenus gouramy*). *JPB Kelautan dan Perikanan*. 10 (2): 111–121.

- Murro, J.K., V.R. Muhikambe & S.V. Sarwatt. 2003. *Moringa oleifera* leaf meal can replace cottonseed cake in the concentrate mix fed with Rhodes grass (*Chloris gayana*) hay for growing sheep. *Livestock Research for Rural Development*. 15: 11.
- Mutayoba S. K., E. Dierenfeld, V.A. Mercedes, Y. Frances & C.D. Knight. 2011. Determination of chemical composition and ant-nutritive components for Tanzanian locally available poultry feed ingredients. *International Journal of Poultry Science*. 10 (5): 350-357.
- National Research Council (NRC) .1983. *Nutrient Requirement of Fish*. National Academy Press. Washington DC, USA. 114 p.
- National Research Council (NRC). 1993. *Nutrient Requirement of Fish*. National Academy Press. Washington DC, USA.
- National Research Council (NRC). 2011. *Nutrient requirements of fish and shrimp*. National Academies Press, Washington D. C., USA.
- Nayak, S.K. 2010. Probiotics and immunity: a fish perspective. *Fish & Shellfish Immunology* 29: 2-14.
- Nepolean, P., J. Anitha & R. E. Renitta. 2009. Isolation, analysis and identification of phytochemicals of antimicrobial activity of *Moringa oleifera* Lam.. *Current Biotica*. 3 (1): 33–39.
- Nkafamiya I. I., S.A. Osemeahon, U.U. Modibbo & A. Aminu. 2011. Nutritional status of non-conventional leafy vegetables, *Ficus asperfolia* and *Ficus sycomorus*. *Afr. J. Food Sci*. 4 (3): 104-108.
- Nussey, G., J.H.J. Vanvuren & H.H. Dupreez. 1995. Effect of copper on the differential white blood cell counts of the Mozambique tilapia (*Oreochromis mossambicus*). *Comparative Biochemistry and Physiology C* 111: 381–388.
- Nwachi, O.F. 2013. An overview of the importance of probiotics in aquaculture. *Journal of Fisheries and Aquatic Science*. 8 (1): 30-32.
- Nweze, N. Onyekwere & F.I. Nwafor. 2014. Phytochemical, proximate and mineral composition of leaf extract of *Moringa oleifera* Lam. From Nsukka, South-Eastern Nigeria. *IOSR Journal of Pharmacy and Biological Science*. 9 (1): 99-103.
- Obakanurhe, O & O. Oghenesuvwe. 2016. Performance and haematological characteristic of broiler finisher fed *Moringa oleifera* leaf meal diet. *Journal of Northeast Agricultural University (English Edition)*. 23 (1): 28–34.
- Odoro, I., W.O. Ellis & D. Owusu. 2008. Nutritional potential of two leafy vegetables: *Moringa oleifera* and *Ipomea batatas* leaves. *Scientific Research and Essay*. 3 (2): 057–060.
- Ogunji, J.O., M. Wirth & B. Renneet. 2002. Assessing of dietary amino acid requirement of tilapia, *Oreochromis niloticus* fingerlings. Department of Applied Biology Ebonyi State University. Abakaliki. Nigeria.

- Olaniyi, C. N. Ajani & M. Adetomi. 2013. Growth performance and nutrient utilization of *Clarias gariepinus* fed *Moringa oleifera* leaf meal. *Journal of Natural Science Research*. 3 (8): 99–104.
- Olsen, R.L. & M.R. Hasan. 2012. A limited supply of fishmeal: impact on future increases in global aquaculture production. *Trends Food Sci. Technol.* 27 (2): 120-128.
- Omnes Marie-Hélène, J. Le Goasduff, H. Le Delliou, N. Le Bayon, P. Quazuguel & J. H. Robin. 2017. Effects of dietary tannin on growth, feed utilization and digestibility and carcass composition in juvenile European seabass (*Dicentrarchus labrax* L.). *Aquaculture Reports*. 6: 21–27.
- Onofri, A & E. Pannacci. 2014. Spreadsheet tools for biometry classes in crop science programmes. *Commun. Biometry Crop. Sci.* 9: 3-13.
- Oseni, O.A. & A.A. Akindahunsi. 2011. Some phytochemical properties and effect of fermentation on the seed of *Jatropha curcas* L. *American Journal of Food Technology*. 6 (2): 158-165.
- Oyawoye, E.O. & M. Ogunkunle. 1998. Physiological and biochemical effects of raw jack beans on broilers. *Proceedings of annual Conference of Nigerian Society of Animal production*; 23: 141-142.
- Pamungkas, W. 2011. Teknologi fermentasi, alternatif solusi dalam upaya pemanfaatan bahan pakan lokal. *Media Akuakultur*. 6 (1): 43–48.
- Pangestu, K.H., W.P. Agustono & Lokapirnasari. 2015. Kandungan protein kasar dan serat kasar pada daun kacang tanah (*Arachis hypogaea*) yang difermentasi dengan bakteri *Enterobacter cloacae* WPL 111 sebagai bahan pakan alternatif ikan. *Jurnal Ilmiah Perikanan dan Kelautan*. 7 (2): 165– 68.
- Pasha, H. 2016. A review - Effect of fish feed can bring changes in growth and development of fishes (Aquaculture Production). *Research and Reviews Journal of Zoological Sciences*. Special Issue-S2. 115-120.
- Pinandoyo, J. Hutabarat, Darmanto, O.K. Radjasa & V.E. Herawati. 2019. Growth nutrient value of tilapia (*Oreochromis niloticus*) fed with *Lemna minor* meal based on different fermentation time. *AACL Bioflux*. 12 (1): 191-200.
- Popova, A. & D. Mihaylova. 2019. Antinutrients in plant-based foods: a review. *The Open Biotechnology Journal*. 13: 68-76.
- Purbomartono C., A. Isnansetyo, Murwantoko & Triyanto. 2019. Dietary Fucoidan from *Padina boergesenii* to Enhance Non-specific Immune of Catfish (*Clarias sp.*). *J. Biol. Sci.*, 19 (2): 173-180.
- Putra, A. N., C.W. Ningsih, F.S. Nurani, Mustahal & F.R. Indaryanto. 2018. Evaluasi Fermentasi Daun Kelor (*Moringa oleifera*) sebagai Bahan Baku Pakan Ikan Nila (*Oreochromis niloticus*). *Jurnal Perikanan dan Kelautan*. 8 (2): 104–113.

- Putri, F. S, Z. Hasan & K. Haetami. 2012. Pengaruh pemberian bakteri probiotik pada pelet yang mengandung *Kaliandra* (*Calliandra calothyrsus*) terhadap pertumbuhan benih Nila (*Oreochromis niloticus*). Jurnal Perikanan dan Kelautan. 3 (4): 283-291.
- Puycha K, B. Yuangsoi, S. Charoenwattanasak, S. Wongmaneeprateep, P. Niamphithak & P. Wiriapattanasub. 2017. Effect of moringa (*Moringa oleifera*) leaf supplementation on growth performance and feed utilization of Bocourti's catfish (*Pangasius bocourti*). Agriculture and Natural Resources. 51: 286-291.
- Qazi J. I., M. Sara & A.S. Hafiz. 2011. Improving fish feed by yeast solid state fermentation. Punjab Univ. J. Zool. 26 (1): 21-29.
- Rainza-Paiva, M.J.T., C.M. Ishikawa, A.A. Das Eiras & N.N. Felizardo. 2000. Haematological analysis of Chara, *Pseudoplatystoma fasciatum* in captivity. Aqua 2000. Responsible aquaculture in the new millennium. May 2-6 2000. European Aquaculture Soc. Special Pub. Nice, France, 590 pp.
- Rehulka J. 2003. Haematological and biochemical analysis in rainbow trout, *Oncorhynchus mykiss* affected by Viral Haemorrhagic Septicemia (VHS). Dis. Aquat. Org. 56: 186-193.
- Richardson, N.L., D.A. Higgs, R.M. Beames & J.R. McBride. 1985. Influence of dietary calcium, phosphorous, zinc and sodium phytate level on cataract incidence, growth and histopathology in juvenile chinook salmon (*Oncorhynchus tshawytscha*). J. Nutr. 115: 553-567.
- Richter N., P. Siddhuraju & K. Becker. 2003. Evaluation of nutritional quality of moringa (*Moringa oleifera* Lam.) leaves as an alternative protein source for Nile tilapia (*Oreochromis niloticus* L.). Aquaculture. 217: 599-611.
- Rohman, A. F. 2018. Penapisan dan identifikasi bakteri proteolitik dari saluran pencernaan ikan laut. Skripsi. Fakultas Pertanian Universitas Gadjah Mada. 39 hal.
- Rokey, G. J. & S.B. Plattner. 2006. Density control and process optimization for extruded aquatic feeds: The effect of formulation and process variables on finished product density. Feed Technology Update. 1 (6): 5-10
- Rollof, H, U. Lang & B. Stimm. 2009. Enzyklopadie der Holzgewachse. Handbuchund Atlas der Dendrologie. 1-8.
- Rosidah, I.B. Buwono, W. Lili, I.B. Suryadi & A.R. Triandika. 2018. Ketahanan ikan lele sangkuriang, *Clarias gariepinus* Burchell 1822 terhadap *Aeromonas hydrophila* pasca pemberian ekstrak daun kelor (*Moringa oleifera* L.) melalui pakan. Jurnal Iktiologi Indonesia. 19 (1): 97-113.
- Rustadi, S.B. Priyono, H.S. Hermawan & Susilo. 2012. Pengembangan Seleksi Individu untuk Menghasilkan Induk/Benih Nila Merah (*Oreochromis sp.*) Unggul di Balai Benih Ikan Cangkringan. Laporan Akhir Penelitian Unggulan Perguruan Tinggi, Penelitian Kerjasama Institusi, Universitas Gadjah Mada. Yogyakarta.

- Saalah, S., R. Shapawi, N.A. Othman & A. Bono. 2010. Effect of formula variation in the properties of fish feed pellet. *Journal of Applied Sciences*. 10 (21): 2537-2543.
- Sarathi, M., I. Ahmed, C. Venkatesan, G. Balasubramanian, J. Prabavathy & A.S.S. Hameed. 2007. Comparative study on immune response of *Fenneropenaeus indicus* to *Vibrio alginolyticus* and white spot syndrome virus. *Aquaculture*. 271: 8–20.
- Sebastiao, F.A., D. Nomura, R. Sakabe & F. Pilarski. 2011. Hematology and productive performance of Nile tilapia (*Oreochromis niloticus*) naturally infected with *Flavobacterium columnare*. *Brazilian Journal of Microbiology* 42: 282-289.
- Secombes, C. & T. Wang. 2012. The innate and adaptive immune system in fish. *Infect. Dis. Aquac. Prev. control*. 231: 3-68.
- Seong M., L. Seunghyung, L. Seunghan, S. Yujin, B. Jinho, C. Kyunghoon & S. C. Bai. 2018. The effects of different levels of dietary fermented plant-based protein concentrate on growth, hematology and non-specific immune responses in juvenile olive flounder, *Paralichthys olivaceus*. *Aquaculture*. 483:196–202.
- Setiadi, E., Y.R. Widyastuti & T.H. Prihadi. 2018. Water quality, survival, and growth of red tilapia, *Oreochromis niloticus* cultured in aquaponics system. *E3S Web of Conferences* 47, 02006.
- Setiawati, M. & M. A. Suprayudi. 2003. Pertumbuhan dan efisiensi pakan ikan nila merah (*Oreochromis sp.*) yang dipelihara pada media bersalinitas. *Jurnal Akuakultur Indonesia*. 2 (1): 27–30.
- Setyawan, A.A., Sukanto & E. Widyastuti. 2014. Populasi bakteri asam laktat pada budidaya ikan nila yang diberi pakan fermentasi limbah pertanian dengan suplemen enceng gondok dan probiotik. *Scripta Biologica*. 1 (1): 91-95.
- Sherif, A.H., Adel, M. El-Gamal and Adel, E. Tolan. 2014. Incorporation of *Moringa oleifera* leaf in Nile tilapia *Oreochromis niloticus* diet and its effect on growth performance and immune status. *J. Vet. Sci., Nov.* (1), 1, 8.6-814.
- Shih, M.C., K.T. Yang & S.T. Kuo. 2006. The Physicochemical Properties Change during Black Soybean Natto Fermented. *Taiwanese Journal of Agricultural Chemistry and Food Science*. 44: 382-389.
- Shofura, H., Suminto & D. Chilmawati. 2017. Pengaruh penambahan “Probio-7” pada pakan buatan terhadap efisiensi pemanfaatan pakan, pertumbuhan dan kelulushidupan benih ikan nila gift (*Oreochromis niloticus*). *Jurnal Sains Akuakultur Tropis*: 1 (1): 10-20.
- Siddhuraju P., K. Becker & H.P.S. Makkar. 2000. Studies on the nutritional composition and antinutritional factors of three different germplasm seed materials of an under-utilised tropical legume, *Mucuna pruriens var. utilis*. *J. Agric. Food Chem.* 48: 6048-6060.

- Singh K., C.J. Linden, E.J. Johnson & P.R. Tengerdy. 1990. Bioconversion of wheat straw to animal feed by solid substrate fermentation or ensiling. *Indian J. Microbiol.* 30 (2): 201-208.
- Sirimongkolvorakul, S., W. Jiraungkoorskul, P. Kosai & T. Inwisai. 2015. Effect of feeding different levels of *Moringa oleifera* on growth performance and potential role in muscle protein in fish *Puntius altus*. *Walailak J. Sci. & Tech.* 12 (6): 565–571.
- Siwicki, A.K., M. Studnicka, M. Morand, F. Pozet & E. Terech-Majewska. 1998. Comparative immunotoxicology - a new direction. *Acta Vet. Brno* 67: 295–301.
- Soliva, C.R., M. Kreuzer, N. Foidl, G. Foidl, A. Machmuller & H.D. Hess. 2005. Feeding value of whole and extracted *Moringa oleifera* leaves for ruminant and their effects on ruminal fermentation in vitro. *Animal Feed Science and Technology*. 118 (1-2): 47–62.
- Solomon, S.G., G.A. Ataguba & A. Abeje. 2011. Water stability and floatation test if fish pellets using local starch sources an yeast (*Saccharomyces cerevisiae*). *Int. J. Latest Trends Agr. Food Sci.* 1 (1): 1-5.
- Soltan, M.A., A.H. Eid & K.A. Mohamed. 2010. Effect of protein ratio on growth performance and body composition of red tilapia reared in freshwater. <http://en.engormix.com/M.A-aquaculture/articles/effect-protein-energy-ratio.htm>. Diakses Desember 2016.
- Steel, R. G. D. & J. H. Torrie. 1960. Principles and Procedures of Statistics. (With special Reference to the Biological Sciences.) McGraw-Hill Book Company, New York, Toronto, London. 481 p.
- Steinkraus, K.H. 1995. Indigenous fermented food involving alkaline. *Fermented Food Res. Int.* 54: 234-237.
- Steven C. G., F.D. Ugehe, G.T. Otituju & K.P. Baiyeri. 2015. Proximate and anti-nutritional composition of leaves and seeds of *Moringa oleifera* in Nigeria: a comparative study. *Agro Science. Journal of Tropical Agriculture Food, Environment and Extension.* 14 (2): 9-17.
- Storebakken, T.S. & R.B Refstie. 2000. Soy product as fat and protein sources in fish feeds for intensive aquaculture. Page in J.K. Drackley, editor. *Soy in animal nutrition*. Federation Animal Science Societies. Savoy, Illinois. 127–170.
- Streiner, D.L. 2012. Dunnett Test. In: *Encyclopedia of Research Design*. Publishing Company: SAGE Publications, Inc. Thousand Oaks. 396-398. Access Date: December 4, 2019
- Subasinghe, S. & T. Singh. 2001. Tilapia: Production, marketing and technological development. *Proceeding of the Tilapia 2001. International Technical and Trade Conference on Tilapia*. Kuala Lumpur. Malaysia.
- Suhartatik N, M. Karyantina, Y. Marsuno, E.S. Rahayu & K.R. Kuswanto. 2011. Kombucha as Hypercholesterolemic agent (in vitro study using SD rats).

"Proceeding of the 3rd International Conference of Indonesian Society for Lactic Acid Bacteria (3rd IC-ISLAB): Better Life with Lactic Acid Bacteria: Exploring Novel Function of Lactic Acid Bacteria. Yogyakarta, Indonesia.

- Susandi, F., Mulyana & Rosmawati. 2017. Peningkatan imunitas benih ikan gurami (*Osphronemus gouramy* Lac.) terhadap bakteri *Aeromonas hydrophila* menggunakan Rosella (*Hibiscus sabdariffa* L.). Jurnal Mina Sains. 3 (2): 2407-9030.
- Tacon, A. G. J., M. R. Hasan & M. Metian. 2011. Demand and supply of feed ingredients for farmed fish and crustaceans: trends and prospects. FAO Fisheries and Aquaculture Technical Paper No. 564. Rome, FAO. 87 pp.
- Takeuchi, T. 1988. Laboratory work chemical evaluation of dietary nutrients. In T. Watanabe (Ed.) Fish Nutrition and Mariculture. JICA Textbook The General Aquaculture Course. Department of Aquatic Biosciences. Tokyo University of Fisheries. 179–225.
- Teixeira E.M.B., M.R.B. Carvalho, V.A. Neves, M.A. Silva & L. Arantes-Pereira. 2014. Chemical characteristics and fractionation of proteins from *Moringa oleifera* Lam. leaves. Food Chemistry. 147:51–54.
- Thierry, N.N., T.N. Leopold, M. Didier & F.M.C. Moses. 2013. Effect of pure culture fermentation on biochemical composition of *Moringa oleifera* Lam. leaves powders. Food and Nutrition Sciences. 4: 851-859.
- Titrawani, Windarti & R. Hidayat. 2010. Studi hematologi ikan Lele Dumbo (*Clarias gariepinus*) hasil budidaya Prosiding Seminar dan Rapat Tahunan BKS-PTN Wilayah Jawa Barat ke-23. 849-858.
- Tran-Duy, A., Ben Smit, A. A. van Dam & J. W. Sakrama. 2008. Effect of dietary starch and energy levels on maximum feed intake, growth and metabolism of Nile tilapia, *Oreochromis niloticus*. Aquaculture. 227: 213–219.
- Treberg, J.R., S.S. Killen, T.J. MacCormack, S.G. Lamarre & E.C. Enders. 2016. Estimates of metabolic rate and major constituents of metabolic demand in fishes under field: Methods, proxies, and new perspectives. Comparative Biochemistry and Physiology, Part A. 10-22.
- Umar, S., M.S. Kamarudin & E. Ramezani-Fard. 2013. Physical properties of extruded aquafeed with a combination of sago and tapioca starches at different moisture contents. Anim Feed Sci Technol. 183: 51-55.
- Uribe, C., H. Folch, R. Enriquez & G. Moran. 2011. Innate and adaptive immunity in teleost fish: a review. Veterinari Med. 56: 486-503.
- Valdez – Solana M. A., Y.M.G. Veronica, T.V. Alfredo, G.A. Guadalupe, S.P. Jose, J.A.R. Jose & S.C. Erick. 2015. Nutritional content and elemental and phytochemical analyses of *Moringa oleifera* grown in Mexico. Journal of Chemistry. Volume 2015, Article ID 860381. Hindawi Publishing Corporation.

- Vijayakumar M. 2003. Solid state fermentation of oil cakes and wheat flour and evaluation of the products in shrimp feed. M.F.Sc. (Mariculture) Dissertation, Central Institute of Fisheries Education, Mumbai, India, 85pp.
- Virnanto, L. A., D. Rachmawati & I. Samidjan. 2016. Pemanfaatan tepung hasil fermentasi *Azolla (Azolla microphylla)* sebagai campuran pakan buatan untuk meningkatkan pertumbuhan dan kelulushidupan ikan gurami (*Osphronemus gouramy*). *Journal of Aquaculture Management and Technology*. 5 (1): 1-7.
- Wakatuni, H., G. Chakraborty, H. Korenaga, T. Kono, R.B. Shivappa & M. Sakai. 2009. Immunostimulatory effects of natural human interferon-alpha (hIFN- α) on carps *Cyprinus carpio* L.. *Veterinary Immunology and Immunopathology*. 131: 273–277.
- Weng T.M. & M.T. Chen. 2010. Changes of protein in natto (a fermented soybean food) affected by fermenting time. *Food. Sci Technol. Res*. 16 (6): 537-542.
- Wheeler E.L. & R.E. Ferrel, 1971. A method for phytic acid determination in wheat and wheat fractions. *Cereal Chemistry* 48:312-320.
- Wille K., E. McLean, J.S. Goddard & J.C. Byatt. 2002. Dietary lipid level and growth hormone alter growth and body conformation of blue tilapia, *Oreochromis niloticus*. *Aquaculture*. 209: 219–232.
- Yamamoto T., Y. Iwashita, H. Matsunari, T. Sugita, H. Furuita, A. Akimoto, K. Okamatsu & N. Suzuki. 2010. Influence of fermentation conditions for soybean meal in a non-fish meal diet on the growth performance and physiological condition of rainbow trout *Oncorhynchus mykiss*. *Aquaculture*. 309: 173-180.
- Yu, J, Y. Song, Y. Ren, Y. Qing, W. Liu & Z. Sun. 2017. Genome-level comparisons provide insight into the phylogeny and metabolic diversity of species within the genus *Lactococcus*. *BMC Microbiology*. 17: 213.
- Yuangsoi, B. & T. Masumoto. 2012. Replacing Moringa Leaf (*Moringa oleifera*) Partially by Protein Replacement in Soybean Meal of Fancy Carp (*Cyprinus carpio*). *Songklanakarin Journal of Science and Technology* 34 (5): 479–485.
- Yulianti, P., T. Kadarini, Rusmaedi & S. Subandiyah. 2003. Pengaruh padat penebaran terhadap penebaran dan pertumbuhan dan sintasan dederan ikan nila GIFT (*Oreochromis niloticus*) di kolam. *Jurnal Iktiologi Indonesia*. 3 (2): 63-66.
- Zettl, S., D. Cree, M. Soleimani & L. Tabil. 2019. Mechanical properties of aquaculture feed pellets using plant-based proteins. *Cogent Food & Agriculture*. 5:1656917.
- Zhang M., Y. Huang, H. Zhao, T. Wang, C. Xie, D. Zhang, X. Wanga & J. Shenga. 2017. Solid-state fermentation of *Moringa oleifera* leaf meal using *Bacillus pumilus* CICC 10440. *Journal of Chemical Technology & Biotechnology*. 92: 2083–2089.

- Zhang, X.Z. & Y.H.P. Zhang. 2013. Cellulases: characteristics, sources, production and applications bioprocessing technology. In Yang, S.T., El-Enshasy, H.A. and Thongcul, N. (eds.) Biorefinery for sustainable production of fuels, chemicals, and polymers first edition. John Wiley and Sons, Inc. New York. 131–146 p.
- Zhou X., Z. Tian, Y. Wang & W. Li. 2010. Effect of treatment with probiotics as water additives on tilapia (*Oreochromis niloticus*) growth performance and immune response. *Fish Physiol. Biochem.* 36: 501-509.
- Zonneveld, E., E.A. Huisman & J.H. Boon. 1991. Prinsip-prinsip Budidaya Ikan. Gramedia Pustaka Utama. Jakarta.