

## DAFTAR PUSTAKA

- Aswani, R., Lochow, A., Dementieva, Y., Lund, V.A., Elitsur, Y. 2011. Acanthosis nigricans as a clinical marker to detect insulin resistance in Caucasian children from West Virginia. *Clin Pediatr (Phila)*, 50(11): 1057–1061.
- Barseem, N.F., Helwa, M.A. 2015. Homeostatic model assessment of insulin resistance as a predictor of metabolic syndrome: Consequences of obesity in children and adolescents. *Egypt Pediatr Assoc Gaz*, 63(1): 19–24.
- Batubara, J.R. 2010. Acanthosis nigricans dan hubungannya dengan resistensi insulin pada anak dan remaja. *Sari Pediatr*, 12(2): 67–73.
- Bhagyanathan, M., Dhayanithy, D., Parambath, V., Bijayraj, R. 2017. Acanthosis nigricans: A screening test for insulin resistance – An important risk factor for diabetes mellitus type-2. *J Fam Med Prim Care*, 6(1): 43.
- Brown, C.L., Halvorson, E.E., Cohen, G.M., Lazorick, S., Skelton, J.A. 2015. Addressing Childhood Obesity. Opportunities for Prevention. *Pediatr Clin North Am*, 62(5): 1241–1261.
- Burke, J.P., Duggirala, R., Hale, D.E., Blangero, J., Stern, M.P. 2000. Genetic basis of acanthosis nigricans in Mexican Americans and its association with phenotypes related to type 2 diabetes. *Hum Genet*, 106(5): 467–472.
- Chandrasekhar, T., Suchitra, M.M., Sachan, A., Bitla, A.R., Rao, P.V.L.N.S. 2014. Indices of insulin resistance in paediatric obesity. *J Clin Sci Res*, 3: 7–13.
- Chiarelli, F., Marcovecchio, M.L. 2008. Insulin resistance and obesity in childhood. *Eur J Endocrinol*, 159(SUPPL. 1): 67–74.
- Curth, H.O., Aschner, B.M. 1959. Genetic Studies on Acanthosis Nigricans. *A M A Arch Dermatology*, 79.
- Decroo, T., Henríquez-Trujillo, A.R., De Weggheleire, A., Lynen, L. 2017. Rational use of Xpert testing in patients with presumptive TB: Clinicians should be encouraged to use the test-treat threshold. *BMC Infect Dis*, 17(1): 1–6.
- Esteghamati, A., Ashraf, H., Khalilzadeh, O., Zandieh, A., Nakhjavani, M., Rashidi, A., Haghazali, M., Asgari, F. 2010. Optimal cut-off of homeostasis model assessment of insulin resistance (HOMA-IR) for the diagnosis of metabolic syndrome: third national surveillance of risk factors of non-communicable diseases in Iran (SuRFNCD-2007). *Nutr Metab (Lond)*, 7: 26.
- Eyzaguirre, F., Mericq, V. 2009. Insulin resistance markers in children. *Horm Res*, 71(2): 65–74.
- Freedman, D.S., Khan, L.K., Dietz, W.H., Srinivasan, S.R., Berenson, G.S., Background, A. 2001. Relationship of Childhood Obesity to Coronary Heart Disease Risk Factors in Adulthood: The Bogalusa Heart Study. *Pediatrics*, 108(3): 712–718.
- Gunadi, A., Pateda, V., Umboh, A., Tirtamulia, K. 2013. Correlation between acanthosis nigricans and insulin resistance in obese children in Manado. *Int J Pediatr Endocrinol*, 2013(Suppl 1): P95.
- Guran, T., Turan, S., Akcay, T., Bereket, A. 2008. Significance of acanthosis nigricans in childhood obesity. *J Paediatr Child Health*, 44(6): 338–341.

- Herni, As'ad, S., Taslim, N.A. 2013. *Korelasi antara hsCRP dengan Resistensi Insulin pada Remaja Obes*.
- Ip, E.H., Marshall, S.A., Saldana, S., Skelton, J.A., Suerken, C.K., Arcury, T.A., Quandt, S.A. 2017. Determinants of Adiposity Rebound Timing in Children. *J Pediatr*, 184: 151-156.e2. <http://dx.doi.org/10.1016/j.jpeds.2017.01.051>.
- Julia, M., Van Weissenbruch, M.M., Prawirohartono, E.P., Surjono, A., Delemarrevan De Waal, H.A. 2008. Tracking for underweight, overweight and obesity from childhood to adolescence: A 5-year follow-up study in urban Indonesian children. *Horm Res*, 69(5): 301–306.
- Kluczynik, C.E.N., Souza, L.C.F., Albuquerque, F.C. de L., Mariz, L.S., Solano, G.B., Medeiros, C.C.M. 2012. Acanthosis nigricans and insulin resistance in overweight children and adolescents. *An Bras Dermatol*, 87(4): 531–537.
- Kobaissi, H.A., Weigensberg, M.J., Ball, G.D.C., Cruz, M.L., Shaibi, G.Q., Goran, M.I. 2004. Relation between acanthosis nigricans and insulin sensitivity in overweight Hispanic children at risk for type 2 diabetes. *Diabetes Care*, 27(6): 1412–1416.
- Koh, Y.K., Lee, J.H., Kim, E.Y., Moon, K.R. 2016. Acanthosis nigricans as a clinical predictor of insulin resistance in obese children. *Pediatr Gastroenterol Hepatol Nutr*, 19(4): 251–258.
- Kong, A.S., Williams, R.L., Rhyne, R., Urias-Sandoval, V., Cardinali, G., Weller, N.F., Skipper, B., Volk, R., Daniels, E., Parner, B., McPherson, L. 2010. Acanthosis nigricans: high prevalence and association with diabetes in a practice-based research network consortium - a PRImary care Multi-Ethnic Network (PRIME Net) study. *J Am Board Fam Med*, 4(23): 476–485.
- Kurdanti, W., Suryani, I., Syamsiatun, N.H., Siwi, L.P., Adityanti, M.M., Mustikaningsih, D., Sholihah, K.I. 2015. Risk Factors For Obesity In Adolescent. *J Gizi Klin Indones*, 11(4): 179–190.
- Kurtoglu, S., Hatipoglu, N., Mazcoglu, M., Kendirci, M., Keskin, M., Kondolot, M. 2010. Insulin resistance in obese children and adolescents: HOMA-IR cut-off levels in the prepubertal and pubertal periods. *JCRPE J Clin Res Pediatr Endocrinol*, 2(3): 100–106.
- Lentferink, Y.E., Elst, M.A.J., Knibbe, C.A.J., van der Vorst, M.M.J. 2017. Predictors of Insulin Resistance in Children versus Adolescents with Obesity. *J Obes*, 2017: 1–7.
- Levy-Marchal, C., Arslanian, S., Cutfield, W., Sinaiko, A., Druet, C., Marcovecchio, M.L., Chiarelli, F., Amemiya, S., Berenson, G., Caprio, S., Charles, M.A., Cook, S., Davis, E., Dolan, L., Dunger, D., Fagot-Campagna, A., Flodmark, C.E., Ford, E., Gautier, J.F., Goodman, E., Goran, M., Haymond, M., Hofman, P., Hokken-Koelega, A., Ibanez, L., Lee, S.J., Maffeis, C., Mericq, V., Metzger, B., Norgren, S., Ong, K., Pettitt, D., Rudolf, M., Schwimmer, J., Steinberger, J., Weiss, R., Yajnik, C. 2010. Insulin resistance in children: Consensus, perspective, and future directions. *J Clin Endocrinol Metab*, 95(12): 5189–5198.
- Momin, A., Bankar, M., Bhoite, G. 2014. Determination of HOMA IR cut off value, and efficiency of lipids and lipoprotein ratios as discriminator of insulin resistance in type 2 Diabetes Mellitus patients. *IOSR J Pharm*, 4(6): 09–14.

- Must A, S.R. 1999. Risks and consequences of childhood and adolescent obesity. *Int J Obes*: 2–11.
- Ng, H.Y. 2016. Acanthosis nigricans in obese adolescents: prevalence, impact, and management challenges. *Adolesc Health Med Ther*, Volume 8: 1–10.
- Pateda, V., Tirtamulia, K.S. 2011. Hubungan Indeks Massa Tubuh dan Resistensi Insulin pada Anak Obes. *Sari Pediatr*, 12(5): 315–318.
- Phiske, M.M. 2014. An approach to acanthosis nigricans. *Indian Dermatol Online J*, 5(3): 239–49.
- Popa, M.L., Popa, A.C., Tanase, C., Gheorghisan-Galateanu, A.A. 2019. Acanthosis nigricans: To be or not to be afraid (Review). *Oncol Lett*, 17(5): 4133–4138.
- Praditasari, J.A., Sumarmik, S. 2018. Asupan Lemak, Aktivitas Fisik Dan Kegemukan Pada Remaja Putri Di Smp Bina Insani Surabaya. *Media Gizi Indones*, 13(2): 117.
- Pulungan, A.B., Puspitadewi, A., Sekartini, R. 2016. Prevalence of insulin resistance in obese adolescents. *Paediatr Indones*, 53(3): 167.
- Puri, N. 2011. A Study of Pathogenesis of Acanthosis Nigricans and Its Clinical Implications. *Indian J Dermatol*, 56(6): 678–683.
- Rachmi, C.N., Li, M., Alison Baur, L. 2017. Overweight and obesity in Indonesia: prevalence and risk factors—a literature review. *Public Health*, 147: 20–29.
- Reilly, J.J., Kelly, J. 2011. Long-term impact of overweight and obesity in childhood and adolescence on morbidity and premature mortality in adulthood: systematic review. *Int J Obes*, 35(October 2010): 891–898.
- Riskesdas. 2018. *Laporan Nasional Riskesdas 2018*. Jakarta.
- Rolland-Cachera, M.F., Deheeger, M., Mailliot, M., Bellisle, F. 2006. Early adiposity rebound: Causes and consequences for obesity in children and adults. *Int J Obes*, 30: S11–S17.
- Romualdo, M.C.D.S., De Nóbrega, F.J., Escrivão, M.A.M.S. 2014. Insulin resistance in obese children and adolescents. *J Pediatr (Rio J)*, 90(6): 600–607. <http://dx.doi.org/10.1016/j.jped.2014.03.005>.
- Sartika, R.A.D. 2011. Faktor Risiko Obesitas Pada Anak 5-15 Tahun Di Indonesia. *Inst Pertan Bogor*, 15(1): 37–43.
- Shaikh, A.A. Al. 2005. Type 2 Diabetes Mellitus in Overweight and Obese Children. *J King Abdul Aziz Univ*, 12(February 2004): 97–106.
- Sjarif, D.R., Gultom, L.C., Hendarto, A., Lestari, E.D., Sidiartha, I.G.L., Mexitalia, M. 2014. Diagnosis, Tata Laksana dan Pencegahan Obesitas. *Ikat Dr Anak Indones*: 2014.
- Soebroto, C. 2011. Manifestasi dermatologis pada pasien diabetes melitus. *Damianus J Med*, 10(3): 171–176.
- Steinberger, J., Daniels, S.R. 2003. Obesity, Insulin Resistance, Diabetes, and Cardiovascular Risk in Children. *Circulation*, 107(10): 1448–1453.
- Susanti, T., Astiti, D., Paratmanitya, Y. 2016. *Hubungan Pola Konsumsi Fast Food dengan Kejadian Obesitas pada Remaja di SMA Muhammadiyah 3 Yogyakarta*.
- Ten, S., Maclaren, N. 2004. Insulin resistance syndrome in children. *J Clin Endocrinol Metab*, 89(6): 2526–2539.

- Venkatswami, S., Anandan, S. 2014. Acanthosis nigricans: a flag for insulin resistance. *J Endocrinol Metab Diabetes South Africa*, 19(2): 68–74.
- Weiss, R., Kaufman, F.R. 2008. Metabolic Complications of Childhood Obesity. *Diabetes Care*, 31(2): 310–316.
- Yin, J., Li, M., Xu, L., Wang, Y., Cheng, H., Zhao, X., Mi, J. 2013. Insulin resistance determined by Homeostasis Model Assessment (HOMA) and associations with metabolic syndrome among Chinese children and teenagers. *Diabetol Metab Syndr*, 5: 71.