



DAFTAR PUSTAKA

- Abumandour, M. M. A. (2014) ‘Morphological Comparison of the Filiform Papillae of New Zealand White Rabbits (*Oryctolagus cuniculus*) as Domestic Mammals and Egyptian Fruit Bat (*Rousettus aegyptiacus*) as Wild Mammals Using Scanning lectron Microscopic Specimens’, *Int. J. Morphol.*, 32(4), pp. 1407–1417.
- Abumandour, M. M. A. and El-Bakary, R. M. A. (2013) ‘Morphological andscanning electron microscopic studies of the tongue of the Egyptian fruit bat (*Rousettus aegyptiacus*) and their lingual adaptation for its feedinghabits’, *Vet. Res. Commun.*, 37(3), pp. 229–238.
- Agungpriyono, S., Yamada, J., Kitamura, N., Nisa, C., Sigit, K., Yamamoto, Y. (1995) ‘Morphology of the dorsal lingual papillae in the lesser mouse deer, (*Tragulus javanicus*). *J Anat.*, 187(3) pp. 635-40.
- Agungpriyono, S., Kusindarta, D.L., Nisa, C., Hondo, E., Kurohmaru, M., Yamada, J. (2000) ‘Morphological Study of The Intestine of The Javan Threeshrew (*Tupaia javanica*)’, *Media Veteriner*, 6(3), pp. 15-21.
- Agungpriyono, S., Kusindarta, D.L., Yamada, J., Akmal, M., Nisa, C. (1999) ‘Morphological Study of the Stomach of the Javan Threeshrew (*Tupaia javanica*)’, *Media Veteriner*, 6(2), pp. 23-28.
- Alex., Anwari, S., Tavita, G. E. (2017) ‘Identifikasi Jenis Tupai (*Tupaia Sp*) Di Kawasan Hutan Adat BukitSagu Desa Sungai Kena Kecamatan Silat Hilir Kabupaten Kapuas Hulu’. *Jurnal Hutan Lestari*, 5 (1), pp. 34 - 41
- Becker, P., M. Leighton, dan J. Payne. (1985) ‘Mengapa Tropical Tupai Carry Benih Dari Sumber Crowns’. *Jurnal Ekologi Tropis*, 1(2),pp. 183-186
- Bozzola, J.J and Jones, L. D. R. (1999) *Electron Microscopy Principles and Techniquesfor Biologist Second Edition*. Massachussets: Jones and Barlett Publishers.
- Burity, C. H. F. dkk. (2009) ‘Scanning electron microscopic study of the tongue in golden-headed lion tamarins, *Leontopithecus chrysomelas* (*Callithrichidae*: Primates)’, *Zoologia (Curitiba Impresso)* 26(2) DOI: 10.1590/S1984-46702009005000002
- Cassola, F. (2016) ‘*Tupaia javanica. The IUCN Red List of Threatened Species 2016: e.T41496A22280464*’, <http://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T41496A22280464.en>
- Cizek, P., Hamouzova, P., Jekl, V., Kvapil, P., Tichy, F. (2016) ‘Light and scanning electron microscopy of the tongue of a degu (*Octodon degus*)’, *Anat Sci Int* DOI 10.1007/s12565-016-0346-x
- Catur, O., Said, S., Ardian, H. (2015) ‘Keanekaragaman Jenis Tupai (*Tupaiidae*) Di Dalam Kawasan Hutan Tembawang Desa Sompak Kecamatan Sompak Kabupaten Landak’. *Jurnal Hutan Lestari*, 4 (2), pp. 258 – 262



- Chunhabundit, P., Thongpila, S and Somana, R. (1992) 'SEM study on the dorsalingual surface of the common tree shrew, *tupaia glis*'. *Cells Tissues Organs*, 143(3), pp. 253 – 257.
- Cieni, A. P; Santos, A.C.D; Vasconcelos, B.G; Rici, R.E.G; Neto, A.C.D.A; Almeida, S.R.Y.D; Miglino, M.A; Watanabe, I. (2017) 'Morphological characteristics of the papillae and lingual epithelium of guinea pig (*Cavia porcellus*)', *Acta Zoologica*, 100(1), pp. 53–60.
- Cunningham, D.J., Robinson, A and Romanes G.J. (1981) *Cunningham's Textbook of Anatomy twelfth edition*. London: Oxford University Press.
- Elliot, O. (1971) 'Bibliography of the Tree Shrews 1780 – 1969', *Primates* 12, pp.323 – 414.
- Emura, S. dkk. (1999) 'SEM study on the dorsal lingual surface of the flying squirrel, *Petaurista leucogenys*', *Annals of Anatomy*, 181(5), pp. 495–498.
- Emura, S., Hayakawa, D., Chen, H., Shoumura, S., Atoji, Y., and Wijayanto, H. (2002) 'SEM Study on the Dorsal Lingual Surface of the Large Flying Fox (*Pteropus vampyrus*)', *Okajimas Folia Anat Japonica*, 79, pp. 113-120.
- Eurell, A. J. and Frappier, B. L. (2006) *Dellmann's Textbook of Veterinary Histology*. Sixth. USA: Blackwell Publishing.
- Fehrenbach, M.J and Popowics, T. (2016) *Illustrated Dental Embryology, Histology, and Anatomy Fourth Edition*. Missouri: Elsevier Saunders.
- Fischer, E.R., Hansen, B.T., Nair, V., Hoyt, F.H and Dorward, D.W. 2012. 'Scanning Electron Microscopy', *Current Protocols in Microbiology*, 2 (2), pp. 1 - 47.
- Fusch, E., Corbach-Sohle, S. (2010) *The UFAW Handbook on the Care and Management of Laboratory and Other Research Animals*. The Universities Federation fo Animal Welfare: Wiley and Blackwell.
- Gayus, A., Nurdjali, B and Iskandar, A.M. (2017) 'Identifikasi Jenis Tupai (*Tupaia Sp.*) Di Hutan Tembawang Desa Mensiku Bersatu Kecamatan Binjai Hulu Kabupaten Siantang', *Jurnal Hutan Lestari*, Vol. 5 (1), pp. 12–18.
- Grzimek, B. (2003) *Mammals II Vol. 13*. Firmington Hills: Gale Groups.
- Gunawan, G. dkk. (2019) 'Morphological study of the lingual papillae in the fruit bat (*Rousettus amplexicaudatus*) by scanning electron microscopy and light microscopy', *Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia*, (June), pp. 1–11. doi: 10.1111/ahe.12509.
- Haligur, A. C., Özkadif, S., Alan, A. (2018) 'Light and scanning electron microscopic study of lingual papillae in the wolf (*Canis lupus*)', *Microscopy Research and Technique*, 82(5), pp. 1-6.
- Hofer, H.O., Castenholz, A., Zoltzer, H. (1993) 'The Sublingua and Tongue of *Tupaia* (Scandentia, Mammalia): A Scanning Electron Microscope Study',



Folia Primatol, 60, pp. 185-194

- Iwasaki, S. I., Miyata, K. and Kobayashi, K. (1987) ‘Scanning Electron Microscopic Studies of the Surface of the Dorsal Tongue of the Cat’, *Japanese journal of oral biology*, 29(1), pp. 94-101
- Iwasaki, S. I., Miyata, K. and Kobayashi, K. (1987) ‘Scanning Electron Microscopic Study of the Dorsal Lingual Surface of the Squirrel Monkey’, *Acta Anatomica*, 132(3), pp. 225-9
- Jackowiak, H., Godynicki, S. (2007) ‘Light and Scanning Electron Microscopic Study on the Structure of the Lingual Papilla of the Feathertail Glider (*Acrobates pygmaeus*)’, *The Anatomical Record*, 290, pp. 1355-1365.
- Jackowiak, H., Trzcielinska, L.J dan Godynicki, S. (2009) ‘The Microstructure of Lingual Papillae in the Egyptian Fruit Bat (*Rousettus amplexicaudatus*) as Observed by Light Microscopy and Scanning Electron Microscopy’, *Arch Histol Cytol*, 72(1), pp. 13-21.
- Kakuni, M. dkk. (2002) ‘Histological Study on Intestinal Diverticulum of Tree Shrew (*Tupaia javanica*)’, *Exp. Anim*, 51(4), pp. 411-415
- Kobayashi, S., Arai, S., Tomo, S., Shimoda, T., Shimamura, A., Yamada, H. (1989) ‘Scanning electron microscopic study on the lingual papillae of the Japanese insectivora’, *Okajimas Folia Anat Jpn*, 65(6), pp. 413-27.
- Kobayashi, K., Wanichanon, C. (1992) ‘Stereo architecture of the connective tissue cores of the lingual papillae in the treeshrew (*Tupaia glis*)’, *Anat Embryol*, 186, pp. 511-518
- Kobayashi, S; Jackowiak, H; Frackowiak, H; Yoshimura, K; Kumakura, M; Kobayashi, K. (2005) ‘Scanning Electron Microscopic Study on the Lingual Papillae in the Manchurian Chipmunk, *Tamias sibiricus asiaticus*’, 19(1988), pp. 3-5.
- König, H. E. and Liebich, H.-G. (2009) *Veterinary Anatomy of Domestic Animals. 3th edition*. Germany: Scathauer.
- Kubota, K. (1966) ‘Comparative Anatomical and Neurohistological Observations on the Tongue of Japanese Pika (*Ochotona hyperborea yezoensis*, Kishida)’, *Anat Rec*, 154, pp. 1-12.
- Kubota, K dan Togawa, S. (1966) ‘Comparative Anatomical and Neurohistological Observations on the Tongue of Japanese Dormouse (*Gliomys japonicus*)’ *Anat Rec*, 154, pp. 545-552.
- Kumar, G.L and Kiernan, J.A. (2018) *Education Guide: Special Stains and H & E Second Edition*. Carpinteria California: Dako North America.
- Larson, K., Ho, H. H and Anumolu, P. L. (2011) ‘Hematoxylin and eosin tissue stain in Mohs micrographic surgery: A review’, *Dermatologic Surgery*, 37(8), pp. 1089 – 1099.
- Li, R., Zanin, M., Xia, X., Yang, Z. (2017) ‘The Tree Shrew as a Model for



Infectious Diseases Research', *Journal Thorac Disease*, 10(19), pp. 2272-2279

- Lim, S. J. and Lee, C. H. (2008) 'Analysis of probe current in scanning electron microscopy', pp. 1200–1203.Lyon, M.W. 1913. Treeshrews: An accountof the mammalian family Tupaiidae. *Proceedings of the United States National Museum*, 45: 1–188
- Pastor, J. F. dkk. (2011) 'Functional and comparative study of lingual papillae in four species of bear (Ursidae) by scanning electron microscopy', *Microscopy Research and Technique*, 74(10), pp. 910–919
- Primack, R.B., Indrawan, M., dan Supriyatna, J. (1998) *Biologi Konservasi*. Jakarta: Yayasan Obor Indonesia.
- Reimer, L. (1985) *Scanning Electron Microscopy: Physics of Image Formationand Microanalysis*. Berlin: Springer-Verlag.
- Roberts, T.E., Lanier, H.C., Sargis, E.J and Olson, L.E. (2011) 'Molecularphylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia', *Molecular Phylogenetics and Evolution*, 60, pp. 358–372.
- Roper, S. D and Chaudhari, N. (2017) 'Taste buds: cells, signals and synapses', *Nature Reviews Neuroscience*, 18(8), pp. 485–497.
- Rerkamnuaychoke, W., Chungsamarnyart, N., Suprasert, A. (1995) 'Light andScanning Electron Microscope Studies of Lingual Papillae in Common Tree Shrew (*Tupaia glis*) and Variable Squirrel (*Callosciurus finlaysoni*) : A Comparative Study', *Kasetsart J. (Nat. Sci.)*, 29, pp. 428-434
- Sadeghinezhad, J., Tootian, Z. and Javadi, F. (2018) 'Anatomical and histological structure of the tongue and histochemical characteristics of the lingual salivary glands in the Persian squirrel (*Sciurus anomalus*)', *Anatomical Science International*. Springer Japan, 93(1), pp. 58–68. doi: 10.1007/s12565-016-0367-5.
- Sargis, E. J. dkk. (2013) 'Morphological distinctiveness of Javan *Tupaia hypochrysa* (Scandentia, Tupaiidae)', *Journal of Mammalogy*, 94(4), pp. 938-947
- Selig, K. R., Sargis, E. J., Silcox, M. T. (2019) 'Three-Dimensional Geometric Morphometric Analysis of Treeshrew (Scandentia) Lower Molars: Insight into Dental Variation and Systematics', *The Anatomical Record*, 302, pp. 1154–1168
- Sheehan, D.C., Hrapchak, B.B. (1980) *Theory and practice of histotechnology 2nd Edition*. St Louis: The CV Mosby Company
- Survana, S.K., Christoper, L dan Bancroft, J.D. (2013) *Bancroft's Theory and Practice of Histologican Techniques Seventh Edition*. London: Churchill Livingstone Elsevier.



Sudarso. (2011) ‘Studi Keanekaragaman Jenis Tupai (*Tupaiidae*) Dalam Kawasan Hutan Lindung Naning Desa Meragun Kecamatan Nanga Taman Kabupaten Sekadau, Fakultas Kehutanan Universitas Tanjungpura Pontianak’, (Skripsi) Tidak di Publikasikan.

Wangko, S. (2013) ‘Papila Lidah dan Kuncup Kecap’, *Jurnal Biomedik (JBM)*, 5(3), pp. 40 – 42.

Wolczuk, K. (2014) ‘Dorsal Surface of the Tongue of the Hazel Dormouse *Muscardinus Avellanarius* : Scanning Electron and Light Microscopic Studies’, 59/1–4, pp. 35–47.

Xiao, J. Liu, R., Chen, C. S. (2017) ‘Tree shrew (*Tupaia belangeri*) as a Novel Laboratory Disease Animal Model’, *Zoological Research*, 38(3), pp. 127-137

Yang, Z.F., Zhao, J., Zhu, Y. T., Wang, Y. T., Liu, R., Zhao, S. S., Li, R. F., Yang, C. G., Li, J. Q., Zhong, N. S. (2013) ‘The Tree Shrew Provides a Useful Alternative Model for the Study of Influenza H1N1 Virus’, *Virology Journal*, 10, pp. 111. doi:10.1186/1743-422X-10-111

Yao, Y. G. (2017) ‘Creating Animal Models, Why Not Use the Chinese Tree Shrew (*Tupaia belangeri chinensis*)?’, *Zoological Research*, 38 (3), pp. 118-126