

DAFTAR PUSTAKA

- Aboul-fettouh, N., Hinojosa, J., Tovar-garza, A. and Amit, G. (2017) 'The impact of skin hyperpigmentation and hyperchromia on quality of life: A cross-sectional study', *J Am Acad Dermatol*, 77(4), pp. 775–778.
- Afonso, J. P. J. M., Tomimori, J., Michalany, N. S., Nonogaki, S. and Porro, A. M. (2012) 'Pruritic papular eruption and eosinophilic folliculitis associated with human immunodeficiency virus (HIV) infection: A histopathological and immunohistochemical comparative study', *Journal of the American Academy of Dermatology*, 67(2), pp. 269–275.
- Agathão, B. T., Reichenheim, M. E., Moraes, C. L. De and Xavier, R. S. F. (2018) 'Health-related quality of life of adolescent students', *Ciência & Saúde Coletiva*, 23(2), pp. 659–668.
- Aires, J. M., Rosatelli, J. B., De Castro Figueiredo, J. F. and Roselino, A. M. F. (2000) 'Cytokines in the pruritic papular eruption of HIV', *International Journal of Dermatology*, 39(12), pp. 903–906.
- Altman, K. and Westergaard, R. P. (2015) 'Cutaneous Manifestations of Human Immunodeficiency Virus- a Clinical Update', *Curr Infect Dis Rep*, 17(3), pp. 1–12.
- Anokye, N. K., Trueman, P., Green, C., Pavey, T. G. and Taylor, R. S. (2012) 'Physical activity and health related quality of life', *BMC Public Health*, 12(624), pp. 1–8.
- Arista, A. and Murtiastutik, D. (2015) 'Studi Retrospektif: Karakteristik Papular Pruritic Eruption (PPE) pada Pasien HIV / AIDS', *Berkala Ilmu Kesehatan Kulit dan Kelamin*, 27(3), pp. 204–210.
- Augustin, M., Langenbruch, A. K., Gutknecht, M., Radtke, M. a. and Blome, C. (2012) 'Quality of Life Measures for Dermatology: Definition, Evaluation, and Interpretation', *Current Dermatology Reports*, 1(3), pp. 148–159.
- Basavaraj, K. H., Navya, M. A. and Rashmi, R. (2010) 'Quality of life in HIV/AIDS', *Indian Journal of Sexually Transmitted Diseases and AIDS*. Medknow Publications, 31(2), pp. 75–80.
- Bason, M. M., Berger, T. G. and Nesbitt, L. T. (1993) 'Pruritic Papular Eruption of Hiv-Disease', *International Journal of Dermatology*, 32(11), pp. 784–789.
- Bason, M. M., Berger, T. G., Nesbitt, L. T. and M, B. M. (1993) 'Pruritic papular eruption of HIV-disease.', *Int J Dermatol*, 32, pp. 784–9.
- Bonthu, I., Ramachandra, B. V, Devi V, N., LakshmiP V, Satyanarayana, V. V. V, Swarnakumari, G., *et al.* (2017) 'Clinical and Histopathological Study of Pruritic Papular Eruptions in Hiv Patients At a Tertiary Care Centre', *Journal of Evolution of Medical and Dental Sciences*, 6(68), pp. 4842–4847.

- Boonchai, W., Laohasrisakul, R., Manonukul, J. and Kulthanan, K. (1999) 'Pruritic papular eruption in HIV seropositive patients: a cutaneous marker for immunosuppression', *Int J Dermatol*, 38, pp. 348–350.
- Both, H., Essink-Bot, M.-L., Busschbach, J. and Nijsten, T. (2007) 'Critical Review of Generic and Dermatology-Specific Health-Related Quality of Life Instruments', *Journal of Investigative Dermatology*, 127(12), pp. 2726–2739.
- Calaminus, G. and Barr, R. (2008) 'Economic Evaluation and Health-Related Quality of Life', *Pediatr Blood Cancer*, 50, pp. 1112–1115.
- Castelnuovo, B., Byakwaga, H., Menten, J., Schaefer, P., Kanya, M. and Colebunders, R. (2008) 'Can response of a pruritic papular eruption to antiretroviral therapy be used as a clinical parameter to monitor virological outcome?', *Aids*, 22(2), pp. 269–273.
- Chua S, Amerson E, Leslie K, McCalmont T, Leboit P, Martin J, Bangsberg D, M. T. (2015) 'Factors associated with pruritic papular eruption of human immunodeficiency virus infection in the antiretroviral therapy era', *British Journal Dermatology*, 170(4), pp. 832–839.
- Colebunders, R., Mann, J., Franchis, H., Bila, K., Kakonde, N., Hood, A., *et al.* (1987) 'Generalized papular pruritic eruption in African patients with human immunodeficiency virus infection', *AIDS*, 1, pp. 117–21.
- Cooper, V., Clatworthy, J., Harding, R., Whetham, J. and Consortium, E. (2017) 'Measuring quality of life among people living with HIV: a systematic review of reviews', *Health and Quality of Life Outcomes*. Health and Quality of Life Outcomes, 15, p. 220.
- Craig, R., Mindell, J. and Hirani, V. (2009) *Health survey for England 2008, physical activity and fitness; summary of key findings*, Health and Social Care Information Centre.
- Ditjen P2PL Kemenkes (2017) *Laporan situasi perkembangan HIV-AIDS dan PIMS Indonesia Januari-Desember 2017*. doi: http://siha.depkes.go.id/portal/perkembangan-kasus-hiv-aids_pims.
- Division of Mental Health and Prevention of Substance Abuse World Health Organization (1997) *WHOQOL Measuring Quality of Life*.
- Drummond, M. J. . (2005) 'Men's bodies listening to the voices of young gay men', *Men and Masculinities*, 7, pp. 270–290.
- Dwiyana, R. F., Rowawi, R., Lestari, M., Alisjahbana, B., Van der Ven, A. J. A. . and Djajakusumah, T. S. (2009) 'Skin disorders in HIV-infected patients from West Java.', *Acta medica Indonesiana*, 41 Suppl 1(190), pp. 18–22.
- Eisman, S. (2006) 'Pruritic Papular Eruption in HIV', *Dermatologic Clinics*, 24(4), pp. 449–457.
- Erturk, I. E., Arican, O., Omurlu, I. K. and Sut, N. (2012) 'Effect of the Pruritus on

- the Quality of Life : A Preliminary Study', *Ann Dermatol*, 24(4), pp. 406–412.
- Farsani, T. T., Kore, S., Nadol, P., Ramam, M., Thierman, S. J., Leslie, K., *et al.* (2013) 'Etiology and risk factors associated with a pruritic papular eruption in people living with HIV in India', *Journal of the International AIDS Society*, 16, pp. 1–6.
- Finlay, A. . and Khan, G. . (1994) *Dermatology Quality of Life Index (DLQI)*, *Departement of Dermatology Cardiff University*. doi: <http://sites.cardiff.ac.uk/dermatology/quality-of-life/dermatology-quality-of-life-index-dlqi/>.
- Finlay, A. Y. (1997) 'Quality of life measurement in dermatology : a practical guide', (September 1996), pp. 305–314.
- Finlay, A. Y. (1998) 'Quality of life assessments in dermatology', *Seminars in Cutaneous Medicine and Surgery*, 17(4), pp. 291–296.
- Finlay, A. Y. (2004) 'Review Article Quality of Life Indices', 70(3), pp. 143–148.
- Fitriawan, A. S. (2012) *Faktor-Faktor Yang Mempengaruhi Kepatuhan Menjalankan Antiretroviral Therapy (ART) Pada Pasien HIV/AIDS Yang Melakukan Rawat Jalan Di Rsup Dr.Sardjito Yogyakarta*. Universitas Gadjah Mada.
- Fodor, E., Lane, L., Schippers, J. and van der Lippe, T. (2011) 'Gender Differences in Quality of Life', in *Quality of Life and Work in Europe*, pp. 149–161.
- Garretsen, H. F. L., Van Gilst, E. C. H. and Van Oers, H. A. M. (1991) 'Collecting health information at a local level', *Health Promot Interv*, 6(2), pp. 121–133.
- Gibbons, P., Arévalo, H. F. De, Mónico, M., Tecnológica, U., Salvador, D. El and Salvador, E. (2004) 'Assessment of the factor structure and reliability of the 28 item version of the General Health Questionnaire (GHQ-28) in El Salvador', *International Journal of Clinical and Health Psychology*, 4(2), pp. 389–98.
- Gieler, U., Niemeier, V., Brosig, B. and Kupfer, J. (2002) 'Psychosomatic Aspects of Pruritus', *Dermatol Psychosom*, 3, pp. 6–13.
- Gilson, B. S., Gilson, J. S., Bergner, M., Bobbitt, R. A., Kressel, S., Pollard, W. E., *et al.* (1975) 'The Sickness Impact Profile Development of an Outcome Measure of Health Care The Sickness Impact Profile , a behaviorally based', *AJPH*, 65(12), pp. 1304–10.
- Grundmann, S. and Ständer, S. (2011) 'Chronic Pruritus : Clinics and Treatment', *Ann Dermatol*, 23(1), pp. 1–11.
- Gurel, M. S., Yanik, M., Simsek, Z. and Kati, M. (2005) 'Quality of life instrument for Turkish people with skin diseases', *International Journal of Dermatology*, 44, pp. 933–938.
- Hajian-Tilaki, K., Heidari, B. and Hajian-Tilaki, A. (2017) 'Are Gender Differences

- in Health-related Quality of Life Attributable to Sociodemographic Characteristics and Chronic Disease Conditions in Elderly People?', *International journal of preventive medicine*. Medknow Publications & Media Pvt Ltd, 8, p. 95.
- Halioua, B., Beumont, M. G. and Lunel, F. (2002) 'Quality of life in dermatology', *International Journal of Dermatology*, 39, pp. 801–806.
- Handajani, Y. S., Djoerban, Z. and Irawan, H. (2012) 'Quality of Life People Living with HIV / AIDS : Outpatient in Kramat 128 Hospital Jakarta', *Acta medica Indonesiana*, 44(4), pp. 310–316.
- Handayani, F., Sari, F. and Dewi, T. (2017) 'Faktor yang memengaruhi kualitas hidup orang dengan HIV / AIDS di Kota Kupang', *Berita Kedokteran Masyarakat*, 33(11), pp. 509–514.
- Harvey, V. M. (2009) 'A Review of Postinflammatory Hyperpigmentation', *Cosmetic Dermatology*, 22(11), pp. 584–586.
- Holstad, M. M., Foster, V., DiIorio, C., McCarty, F. and Teplinskiy, I. (2010) 'An Examination of the Psychometric Properties of the Antiretroviral General Adherence Scale (AGAS) in Two Samples of HIV-Infected Individuals', *J Assoc Nurses AIDS Care*, 21(2), pp. 162–172.
- Holtz, C., Richard Sowell, VanBrackl, L., Velasquez, G. and Hernandez-Alonso, V. (2014) 'A quantitative study of factors influencing quality of life in rural Mexican women diagnosed with HIV', *Journal of the Association of Nurses in AIDS Care*, 25, pp. 555–567.
- Hsiung, P., Fang, C., Chang, Y., Chen, M. and Wang, J. (2005) 'Comparison of WHOQOL-bREF and SF-36 in patients with HIV infection Comparison of WHOQOL-BREF and SF-36 in patients with HIV infection', *Qual Life Res*, 14, pp. 141–150.
- Hunger, M., Thorand, B., Schunk, M., Döring, A., Menn, P., Peters, A., *et al.* (2011) 'Multimorbidity and health-related quality of life in the older population: results from the German KORA-Age study', *Health and Quality of Life Outcomes*. BioMed Central Ltd, 9(1), p. 53.
- Indonesia, P. (2003) 'Undang-Undang Republik Indonesia Nomor 20 Tahun 2003 tentang Sistem Pendidikan Nasional (Sisdiknas)', p. Pasal 6 ayat 1.
- Ishii, N., Nishiyama, T., Sugita, Y., Nakajima, H. and Aoki, I. (1994) 'Pruritic papular eruption of the acquired immunodeficiency syndrome', *Acta Dermato-Venereologica*. American Academy of Dermatology, Inc., 74(3), pp. 219–220.
- Jamadar, C., Melkeri, P. and Holkar, A. (2015) 'Quality of Life among Widows', *The International Journal of Indian Psychology*, 3, pp. 2348–5396.
- Joshi, V. D. (2014) 'Quality of life in end stage renal disease patients', *World Journal of Nephrology*, 3(4), pp. 308–16.

- Karimi, M. and Brazier, J. (2016) 'Health , Health-Related Quality of Life , and Quality of Life : What is the Difference ?', *PharmacoEconomics*. Springer International Publishing, pp. 1–5.
- Kaur, J. (2012) 'Impact of Marriage on Quality of Life and its perception in Working Women of Chandigarh , India', *International Journal of Social Science Tomorrow*, 1(3), pp. 1–8.
- Kaushik, S. B., Cerci, F. B., Miracle, J., Pokharel, A., Chen, S. C., Chan, Y. H., *et al.* (2014) 'Chronic pruritus in HIV-positive patients in the southeastern United States: Its prevalence and effect on quality of life', *Journal of American Dermatology*. Elsevier Inc, 70(4), pp. 659–664.
- Kinlock-de Loes S, Didierjean L, Rieckhoff-Cantoni L, Karine Imhof, Luc Perin, J.-H. S. (1991) 'Bullous pemphigoid autoantibodies, HIV-1 infection and pruritic papular eruption', *AIDS*, 5, pp. 451–4.
- Kirchengast, S. and Haslinger, B. (2008) 'Gender Differences in Health-Related Quality of Life Among Healthy Aged and Old-Aged Austrians : Cross-Sectional Analysis', *Gender Medicine*, 5(3), pp. 270–278.
- Kovarik, C. L., Kekitiinwa, A. and Schwarzwald, H. (2007) 'Cutaneous Manifestations of HIV Infection', *HIV Curriculum for the Health Professional*, pp. 173–183.
- Kurd, S. K., Troxel, A. B., Crits-Christoph, P. and Gelfand, J. M. (2010) 'The risk of depression, anxiety, and suicidality in patients with psoriasis: a population-based cohort study', *Archives of dermatology*, 146(8), pp. 891–895.
- Laar, D. Van, Edwards, J. A. and Easton, S. (2007) 'The Work-Related Quality of Life scale for healthcare workers', *Journal of Advanced Nursing*, 60(3), pp. 325–333.
- Lemeshow, S., Hosmer, D. W. J., Klar, J. and Lwanga, S. K. (1990) *Adequacy of Sample Size in Health Studies*. World Health Organization.
- Liautaud, B., Pape, J. W., Dehovitz, J. A., Thomas, F., Laroche, A. C., Verdier, R. I., *et al.* (1989) 'Pruritic Skin Lesions : A Common Initial Presentation of Acquired Immunodeficiency Syndrome', *Arch Dermatol*, 125, pp. 629–32.
- Liu, Z., Xie, Z., Zhang, L., Jin, Y., Guo, H., Jiang, Z., *et al.* (2013) 'Reliability and validity of dermatology life quality index : assessment of quality of life in human immunodeficiency virus / acquired immunodeficiency syndrome patients with pruritic papular eruption', *Journal of Traditional Chinese Medicine*. The Editorial Board of Journal of Traditional Chinese Medicine, 33(5), pp. 580–583.
- Majors, M. J., Berger, T. G., Blauvelt, A., Smith, K. J., Turner, M. L. and Cruz, P. D. (1997) 'HIV-Related Eosinophilic Folliculitis: A Panel Discussion', *Seminars in Cutaneous Medicine and Surgery*, 16, pp. 219–223.

- Mielck, A., Reitmeir, P., Vogelmann, M. and Leidl, R. (2011) 'Impact of educational level on health-related quality of life (HRQL): results from Germany based on the EuroQol 5D (EQ-5D)', *European Journal of Public Health*, 23(1), pp. 45–50.
- Navarini, A. A., Stoeckle, M., Navarini, S., Mosdorf, E., Jullu, B. S., Mchomvu, R., *et al.* (2010) 'Clinical trial antihistamines are superior to topical steroids in managing human immunodeficiency virus (HIV)-associated papular pruritic eruption', *Int Soc Dermatol*, 49, pp. 83–86.
- Oliveira, F. B. M., Moura, M. E. B., Araújo, T. M. E. de and Andrade, E. M. L. R. (2015) 'Quality of life and associated factors in people living with HIV / AIDS', *Acta Paul Enferm*, 28(6), pp. 510–516.
- Orkin, M. (1993) 'Scabies in AIDS', *Semin Dermatol*, 12, pp. 9–14.
- Parkerson, G. R., Broadhead, J. R. W. E. and Tse, C. K. I. T. J. (1991) 'Development of the 17-Item Duke Health Profile', *Medical Care*, 28(11).
- Plant, P., McEwen, J. and Prescott, K. (1996) 'Use of the Nottingham Health Profile to test the validity of Census variables to proxy the need for health care', *Journal of Public Health Medicine*, 18(3), pp. 313–20.
- Post, M. W. M. (2014) 'Definitions of Quality of Life : What Has Happened and How to Move On', *Topics in Spinal Cord Injury Rehabilitation*, 20(3), pp. 167–80.
- Pramono, A. and Isbagio, H. (2010) 'Reliability and validity of European Quality of Life 5 Dimension (EQ-5D) for measuring health-related quality of life in knee osteoarthritis patients at Cipto Mangunkusumo General Hospital', *Indonesian Journal of Rheumatology*, 2, pp. 19–25.
- Prasetyo, A. A. and Sariyatun, R. (2017) 'Cutaneous and Musculoskeletal Complications in Human Immunodeficiency Virus Infection', in Kon, K. and Mahendra, R. (eds) *The Microbiology of Skin, Soft Tissue, Bone and Joint Infections*. 1st edn. London: Elsevier Inc., pp. 57–75.
- Priya M. Rajendran, BS; Jacqueline C. Dolev, MD; Michael R. Heaphy, Jr, MD; Toby Maurer, M. (2005) 'Eosinophilic Folliculitis', *Arch Dermatol*, 141, pp. 1227–1231.
- Pruritussymposium, 6th Munsteraner (2018) *Visual Analogue Scale*. doi: www.pruritussymposium.de/visualanaloguescale.html.
- Purba, F. D., Hunfeld, J. A. M., Iskandarsyah, A., Fitriana, S., Sadarjoen, S. S., Passchier, J., *et al.* (2018) 'Quality of life of the Indonesian general population : Test-retest reliability and population norms of the EQ-5D-5L and WHOQOL-BREF', *PLoS One*, 13(5), pp. 1–20.
- Purba, F. D., Hunfeld, J. A. M., Iskandarsyah, A., Sadarjoen, S. S., Fitriana, T. S., Ramos-Goni, J. M., *et al.* (2017) 'The Indonesian EQ-5D-5L Value Set',

PharmacoEconomics, 35, pp. 1153–1165.

Raggi, A., Corso, B., Minicuci, N., Quintas, R., Sattin, D., De, L., *et al.* (2016) ‘Determinants of Quality of Life in Ageing Populations : Results from a Cross-Sectional Study in Finland , Poland and Spain’, *PLoS One*, 3, pp. 1–17.

Rahmatina (2013) *Uji Validitas dan Reliabilitas Dermatology Life Quality Index (DLQI) Berbahasa Indonesia pada Pasien Poliklinik Ilmu Kesehatan Kulit dan Kelamin Rumah Sakit Dr. Cipto Mangunkusumo, Universitas Indonesia.* Univeritas Indonesia.

Ramos, H., Pagliari, C., Takakura, C. F. H., Sotto, M. N. and Duarte, M. I. S. (2005) ‘Pruritic Papular Eruption associated with HIV-etio-pathogenesis evaluated by clinical, immunohistochemical, and ultrastructural analysis’, *Journal of Dermatology*, 32(7), pp. 549–556.

Rane, S. R., Agrawal, P. B., Kadgi, N. V, Jadhav, M. V and Puranik, S. C. (2013) ‘Histopathological study of cutaneous manifestations in HIV and AIDS patients’, *Int J Dermatol*, 53(1), pp. 746–51.

Rao, Gr., Ramalakshmi, Satyasree, Rao, Ka., Prasad, Pg., Kumar, Yh. K., *et al.* (2008) ‘Pruritic papular eruptions of HIV: A clinicopathologic and therapeutic study’, *Indian Journal of Dermatology, Venereology and Leprology*, 74(5), p. 501.

Reenen, M. van and Janssen, B. (2015) *EQ-5D-5L User Guide.*

Resneck, J. S., Van Beek, M., Furmanski, L., Oyugi, J., LeBoit, P. E., Katabira, E., *et al.* (2004) ‘Etiology of pruritic papular eruption with HIV infection in Uganda’, *Journal of the American Medical Association*, 292(21), pp. 2614–2621.

Rosatelli JB, Soares FA, R. A. (2000) ‘Pruritic papular eruption of the acquired immunodeficiency syndrome: predominance of CD8+ cells’, *Int J Dermatol*, 39, pp. 873–874.

Sengupta, S., Banks, B., Jonas, D., Miles, M. S. and Smith, G. C. (2011) ‘HIV interventions to reduce HIV/AIDS stigma: a systematic review’, *AIDS and behavior*, 15(6), pp. 1075–1087.

Shikiar, R., Willian, M., Okun, M., Thompson, C. and Revicki, D. (2006) ‘The validity and responsiveness of three quality of life measures in the assessment of psoriasis patient: result a phase II study’, *Life Outcomes*, 4, p. 71.

Shittu, R. O., Odeigah, L. O., Mahmoud, A. O., Abu, M., Sani, M. A., Path, F. M. C., *et al.* (2016) ‘Dermatology Quality of Life Impairments among Newly Diagnosed HIV-Infected Patients in the University of Ilorin Teaching Hospital , Ilorin , Nigeria’, *Journal of the International Association of Providers of AIDS Care*, 15(4), pp. 328–331.

Siregar, M. L., Abdullah, V. and Mamfaluti, T. (2018) ‘Correlation of depression

and quality of life in HIV / AIDS patients Correlation of depression and quality of life in HIV / AIDS patients', *IOP Conf. Series: Earth and Environmental Science*, pp. 1–7.

Sivaiah, T., Lakshmi, V. A. A., Vijayasaradhi, G., Polaiah, K. P. and Nageswararao, T. (2015) 'The Socio-demographic profiles and health status of HIV positives attending Government General Hospital, Guntur', *IOSR-JDMS*, 14, pp. 1–5.

Skoet, R., Zachariae, R. and Agner, T. (2003) 'Contact dermatitis and quality of life: a structured review of the literature', *British Journal of Dermatology*, 149(3), pp. 452–56.

Somrongthong, R., Wongchalee, S., Ramakrishnan, C., Hongthong, D., Yodmai, K., Wongtongkam, N., *et al.* (2017) 'Influence of socioeconomic factors on daily life activities and quality of life of Thai elderly', *Journal of Public Health Research*, 6, pp. 49–55.

Ständer, S., Augustin, M., Reich, A., Blome, C., Ebata, T., Phan, N. Q., *et al.* (2013) 'Pruritus assessment in clinical trials: Consensus recommendations from the international forum for the study of itch (IFSI) special interest group scoring itch in clinical trials', *Acta Dermato-Venereologica*, 93(5), pp. 509–514.

Sugiharti, S., Yuniar, Y. and Lestary, H. (2014) 'Gambaran Kepatuhan Orang Dengan Hiv-aids (Odha) Dalam Minum Obat Arv Di Kota Bandung, Provinsi Jawa Barat, Tahun 2011-2012', *Jurnal Kesehatan Reproduksi*, 5, pp. 584–556.

Sullivan, P. and Wu, A. W. (2003) 'Quality of Life and HIV : Current Assessment Tools and Future Directions for Clinical Practice', *The AIDS Reader*, 13, pp. 583–590, 595–597.

Susanto, Y., Alfian, R., Rahim, Z. and Karani (2018) 'Uji validitas dan reliabilitas kuesioner eq-5d bahasa indonesia untuk mengukur kualitas hidup pasien hemodialisa gagal ginjal kronik', *Jurnal Ilmiah Manuntung*, 4(1), pp. 41–47.

Suswani, A., Arsin, A. A., Amiruddin, R., Syafar, M. and Palutturi, S. (2018) 'Factors related quality of life among people living with HIV and AIDS in Bulukumba', *Int J Community Med Public Health*, 5(8), pp. 3227–3231.

Teles, M. A. B., Barbosa, M. R., Vargas, A. M. D., Gomes, V. E., Ferreira, E. F. e, Martins, A. M. E. de L., *et al.* (2014) 'Psychosocial work conditions and quality of life among primary health care employees : a cross sectional study', *Health and Quality of Life Outcomes*, 12(72), pp. 1–12.

Tran, B. X., Ohinmaa, A. and Nguyen, L. T. (2012) 'Quality of life profile and psychometric properties of the EQ-5D-5L in HIV / AIDS patients', *Health and Quality of Life Outcomes*. Health and Quality of Life Outcomes, 10(1), pp. 1–9.

Tuckman, A. (2017) 'The Potential Psychological Impact of Skin Conditions', *Dermatology and therapy*. Springer Healthcare, 7(Suppl 1), pp. 53–57.

- Weisshaar, E. and Dalgard, F. (2009) 'Epidemiology of Itch : Adding to the Burden of Skin Morbidity', *Acta Derm Venereol*, 89(8), pp. 339–350.
- Wiebe, S., Guyatt, G., Weaver, B., Matijevic, S. and Sidwell, C. (2003) 'Comparative responsiveness of generic and specific quality-of-life instruments', *Journal of Clinical Epidemiology*, 56(1), pp. 52–60.
- Wiraguna, A. A. G. P. and Adam, A. M. (2018) 'Pruritic Papular Eruption (PPE) Pada Pasien HIV/AIDS', in Hidayati, A. N., Dalili, S. F., Niode, N. J., Indriatmi, W., Budiono, S. E., and Barabkah, J. (eds) *Manifestasi dan Tatalaksana Kelainan Kulit dan Kelamin Pada Pasien HIV/AIDS*. Jakarta: Badan Penerbit FKUI, p. p 207-226.
- World Health Organization (2007) *WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children*. doi: www.who.int/hiv/pub/guidelines/HIVstaging150307.pdf.
- World Health Organization (2014a) 'Constitution of the World Health Organization. 48th ed. Geneva: Basic documents of the World Health Organization'.
- World Health Organization (2014b) 'Guidelines on the Treatment of Skin and Oral HIV-Associated Conditions in Children and Adults', *Geneva : WHO*, pp. 31–9.
- World Health Organization (2015) *World report on ageing and health*.
- World Health Organization (2018a) *Data and Statistic HIV/AIDS*. doi: <https://www.who.int/hiv/data/en/>.
- World Health Organization (2018b) *HIV Country Profiles*. doi: <http://cfs.hivci.org/country-factsheet.html>.
- Wu, A. W., Hanson, K. A., Harding, G., Haider, S., Tawadrous, M., Khachatryan, A., *et al.* (2013) 'Responsiveness of the MOS-HIV and EQ-5D in HIV-infected adults receiving antiretroviral therapies', *Health and quality of life outcomes*. BioMed Central, 11, p. 42.
- Yang, Y., Brazier, J. and Longworth, L. (2015) 'EQ-5D in skin conditions : an assessment of validity and responsiveness', *The European Journal of Health Economics*. Springer Berlin Heidelberg, pp. 927–939.
- Yi, M., Lau, Z., Burgess, J. A., Nixon, R., Dharmage, S. C. and Matheson, M. C. (2011) 'A Review of the Impact of Occupational Contact Dermatitis on Quality of Life', *Journal of Allergy*, 2011, pp. 1–12.
- Zachariae, R., Zachariae, C. O. C., Lei, U. and Pedersen, A. F. (2008) 'Affective and Sensory Dimensions of Pruritus Severity : Associations with Psychological Symptoms and Quality of Life in Psoriasis Patients', *Acta dermato-venereologica*, 88, pp. 121–127.
- Zhao, Y., Li, S.-P., Liu, L., Zhang, J.-L. and Chen, G. (2017) 'Does the choice of

tariff matter?: A comparison of EQ-5D-5L utility scores using Chinese, UK, and Japanese tariffs on patients with psoriasis vulgaris in Central South China', *Medicine*. Wolters Kluwer Health, 96(34), pp. e7840–e7840.

Zhou, J. and Hearst, N. (2016) 'Health-related quality of life of among elders in rural China: the effect of widowhood', *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation*. 2016/06/13. Springer International Publishing, 25(12), pp. 3087–3095.