

DAFTAR PUSTAKA

- Adhikari, G., Baral, D. 2018. Clinical profile of patients presenting with acute myocardial infarction. *Int J Adv Med*;5(2):228-233.
- Akıl, E., Akıl, M. A., Varol, S., Ozdemir, H.H., Arslan, D., Akyuz, A., Alan, S. 2014. Echocardiographic Epicardial Fat Thickness and Neutrophil to Lymphocyte Ratio Are Novel Inflammatory Predictors of Cerebral Ischemic Stroke. *Journal of Stroke and Cerebrovascular Diseases*;23(9):2328-34
- Alexopoulos, N., Melek, B.H., Arepalli, C.D., Hartlage, G.R., Chen, Z., Kim, S., Stillman, A.E., Raggi, P. 2013. Effect of intensive versus moderate lipid-lowering therapy on epicardial adipose tissue in hyperlipidemic postmenopausal women: a substudy of the BELLES trial (Beyond Endorsed Lipid Lowering with EBT Scanning). *J Am Coll Cardiol*;61:1956–1961
- Alkatiri, A.H., Bakri, S., Patellongi, I., Mappiare, M. 2016. The relationship between epicardial adipose tissue thickness with severity of coronary artery disease in Indonesia. *International Journal of Science: Basic and Applied Research*;30(5):244-253.
- American Diabetes Association. 2016. Classification and diagnosis of diabetes. *Diabetes Care*;39:S13-S22.
- Aydın, E., Altın, C., Sakallıoğlu, O., Yılmaz, M., Gezmi, E., Sade, L.E., Müderrisoğlu, H. 2017. Epicardial adipose tissue thickness and carotid intima-media thickness in hemodialysis patients. *Acta Cardiol Sin*;33:266–272.
- Bagaswoto, H.P., Taufiq, N., Setiyanto, B.Y. 2019. Simplified risk scoring system to predict mortality in cardiovascular intensive care unit. *Cardiol Resp*;10(4):216-222
- Baker, A.R. 2009. Epicardial adipose tissue as a source of nuclear factor-kappaB and c-Jun N-terminal kinase mediated inflammation in patients with coronary artery disease. *J Clin Endocrinol Metab*;94:261-7.
- Bakirci, E., M., Degirmenci, H., Duman, H., Inci, S., Hamur, H., Buyuklu, M., Ceyhun, G., Topal, E. 2015. Increased Epicardial Adipose Tissue Thickness is Associated With Angiographic Thrombus Burden in the Patients With Non-ST-Segment Elevation Myocardial Infarction. *Thrombosis/Hemostasis*;21(7): 612-618
- Barbarash., O., Gruzdeva, O., Uchasova, E., Dyleva, Y., Akbasheva, O. 2016. The role of adipose tissue and adipokines in manifestation of type 2 diabetes in the long-term period following myocardial infarction. *Diabetol Metab Syndr*;16:8-24
- Bartnik, M., Ryden, L., Ferrari, R., Malmberg, K., Pyorala, K., Simoons, M. 2004. The prevalence of abnormal glucose regulation in patients with coronary artery disease across Europe. The Euro Heart Survey on Diabetes and the Heart. *Eur Heart J*;25:1880–90.
- Benedek, T., Opincariu, D., Rat, N., Hodas, R., Benedek, I. 2017. The assessment of epicardial adipose tissue in acute coronary syndrome

- patients. A systematic review. *Journal of Cardiovascular Emergencies*;3:18-29
- Benedek, T., Rat, N., Hodas, R., Opincariu, D., Mester, A., Benedek, I. 2016. The Assessment of Epikardial Adipose Tissue in Acute Conorary Syndrome. *Journal of Cardiovascular Emergencies*;3(1):18-29
- Bertaso, A.G., Bertol, D., Duncan, B.B., Foppa, M. 2013. Epicardial fat: definition, measurements, and systematic review of main outcomes. *Arg Bras Cardiol*;101(1);18-28
- Bhatnagar P., Wickramasinghe K., Williams J., Rayner M., Townsend N. 2015. The epidemiology of cardiovascular disease in the UK 2014. *Heart*; 101(15):1182-1189
- Cannon, C.P., Brindis, R.G., Chaitman, B.R., Cohen, D.J., J. Thomas Cross, J., Joseph P. Drozda, J., Fesmire, F.M., Fintel, D.J., Fonarow, G.C., Fox, K.A., Gray, D.T., Harrington, R.A., Hicks, K.A., Hollander, J.E., Krumholz, H., Labarthe, D.R., Long, J.B., Mascette, A.M., Meyer, C., Peterson, E.D., Radford, M.J., Roe, M.T., Richmann, J.B., Selker, H.P., Swor, R., Underberg, J.A., WerfB, F. Van de, Weiner, B.H. & Weintraub, W.S. 2013. ACCF / AHA Elements and Definitions for Measuring the Clinical Management and Outcomes of Patients With Acute Coronary Syndromes and Coronary Artery Disease A Report of the American College of Cardiology Foundation. *American Heart Journal*;127:1052–1089.
- Cinteza, M., Benedek, I. 2016. Epicardial Adipose Tissue — A New Biomarker of Cardiovascular Risk. *Journal of Cardiovascular Emergencies*;2(1):4-6
- Csige, I., Ujvárosy, D., Szabó, Z., Lőrincz, I., Paragh, G., Harangi, M., Somodi, S. 2018. The Impact of Obesity on the Cardiovascular System. *Journal of Diabetes Research*
- Delima., Mihardja L., Siswoyo H. 2009. Prevalensi dan Faktor Determinan Penyakit Jantung di Indonesia, *Bul. Penelit. Kesehatan*;37: 142-159.
- Dicker, D., Atar, E., Kornowski, R., Bachar, G., N. 2013. Increased Epicardial Adipose Tissue Thickness as a Predictor for Hypertension: A Cross-Sectional Observational Study. *J Clin Hypertens (Greenwich)*;15:893–98.
- Doesch, C., Suselbeck, T., Haghi, D., Streitner, S., Schoenberg, S.O., Borggreffe, M., Papavassiliu, T. 2012. The Relationships between the severity of Coronary artery disease and epicardial adipose tissue depends on the left ventricular function. *Plos ONE*;7:11
- Echavarria-Pinto, M., Hernando, L., Alfonso, F. 2013. From the epicardial adipose tissue to vulnerable coronary plaques. *World J Cardiol*;5(4):68-74
- Erkan, A.F., Tanindi, A., Kocaman, S.A., Ugurlu, M., Tore, H. F. 2016. Epicardial Adipose Tissue Thickness Is an Independent Predictor of Critical and Complex Coronary Artery Disease by Gensini and Syntax Scores. *Tex Heart Inst J*;43(1):29-37
- Eroğlu, S. 2015. How do we measure epicardial adipose tissue thickness by transthoracic echocardiography? *Anadolu Kardiyol. Derg*;15:416–419.
- Eroğlu, S., Sade, L. E., Yıldırım, A., Demir, O., Müderrisoğlu, H. 2013.

- Association of epicardial adipose tissue thickness by echocardiography and hypertension. *Türk Kardiyol Dern Arş - Arch Turk Soc Cardiol* ;41(2):115-122
- Erwinanto, Santoso, A., Putranto, J.N.E., Tedjasukmana, P., Suryawan, R., Rifqi, S., Kasiman, S. 2013. Pedoman Tatalaksana Dislipidemia, Perhimpunan Dokter Spesialis Kardiovaskular Indonesia. *Jurnal Kardiologi Indonesia*.
- Fujii, T., Kurata, H., Takaoka, M. 2003. The role of renal sympathetic nervous system in the pathogenesis of ischemic acute renal failure. *Eur J Pharmacol*;481:241–8
- Fukamachi, D., Higuchi, Y., Hiro, T. 2014. Association between the epicardial adipose tissue thickness and the presence of multivessel disease in patients with acute myocardial infarction. *Journal of Atherosclerosis and Atherothrombosis*;2:144-51
- Hajar, R. 2017. Risk Factors for Coronary Artery Disease: Historical Perspectives. *Heart Views*; 18(3): 109–114.
- Hansson, G.K. 2005. Inflammation, atherosclerosis, and coronary artery disease: a review. *New England Journal of Medicine*;352:1685-95
- Harada, K., Amano, T., Uetani, T., Tokuda, Y., Kitagawa, K., Shimbo, Y., Kunimura, A., Kumagai, S., Yoshida, T., Kato, B., Kato, M., Marui, N., Ishii, H., Matsubara, T., Murohara, T. 2011. Cardiac 64-Multislice Computed Tomography Reveals Increased Epicardial Fat Volume in Patients With Acute Coronary Syndrome. *Am J Cardiol*;108:1119-23
- Heusch, G. 2006. Obesity - a risk factor or a RISK factor for myocardial infarction? *British Journal of Pharmacology*; 149(1): 1–3.
- Hirata, Y., Kurobe, H., Akaike, M., Chikugo, F., Hori, T., Bando, Y., Nishio, C., Higashida, M., Nakaya, Y., Kitagawa, T., Sata, M. 2011. Enhanced inflammation in epicardial fat in patients with coronary artery disease. *Int. Heart J*;52:139–142.
- Huberlant, V., Preiser, J. 2010. Year in review 2009: critical care – metabolism. *Crit Care Clin*;14:238.
- Iacobellis G., Lonn, E., Lamy, A. 2011. Epicardial fat thickness and coronary artery disease correlate independently of obesity. *Int J cardiol*;146:452-4.
- Iacobellis, G., Assael, F., Ribaldo, M.C., Zappaterreno, A., Alessi, G., Di Mario, U., Leonetti, F. 2003. Epicardial fat from echocardiography: A new method for visceral adipose tissue prediction. *Obes. Res*;11: 304–310.
- Iacobellis, G., Bianco, A. C. 2011. Epicardial adipose tissue: emerging physiological, pathophysiological and clinical features. *Trends Endocrinol Metab*;22(11):450-457
- Iacobellis, G., Corradi, D., Sharma, A.M. 2005. Epicardial adipose tissue : anatomic , biomolecular and clinical relationships with the heart. *Nature Clinical Practice Cardiovascular Medicine*;2:536–43.
- Iacobellis, G., Singh, N., Wharton, S., Sharma, A. M. 2008. Substantial Changes in Epicardial Fat Thickness After Weight Loss in Severely Obese Subjects. *Obesity*;16:1693–97.
- Iacobellis, G., Willens, H.J. 2009. Echocardiographic epicardial fat: a review research and clinical application. *J Am Soc Echocardiogr*;22(12):1311-9

- Ibanez, B., James, S., Agewall, S., Antunes, M.J., Bucciarelli-Ducci, C., Bueno, H *et al.* 2017. 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST -segment elevation. The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society. *Eur J Emerg Med*;39:119– 77.
- Inoue, T. 2004. Cigarette Smoking as a Risk Factor of Coronary Artery Disease and its Effects on Platelet Function. *Tobacco Induced disease*; 2(1): 27-33
- Irmalita., Juzar, D.A., Andrianto., Setianto, B.Y., Tobing, D.L., Firman, D., Firdaus, I, 2015. *Pedoman tatalaksana sindrom koroner akut. Edisi Ketiga*. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Jeong, J.W., Jeong, M.H., Yun, K.H., Oh, S.K., Park, E.M., Kim, Y.K., Rhee, S.J., Lee, E.M., Yoo, N.J., Kim, N.H., Park, J.C. 2007. Echocardiographic Epicardial Fat Thickness and Coronary Artery Disease. *Circ J*;71; 536-539
- Kremen, J., Dolinkova, M., Krajickova, J., Blaha, J., Anderlova, K., Lacinova, Z., 2006. Increased subcutaneous and epicardial adipose tissue production of proinflammatory cytokines in cardiac surgery patients: possible role in postoperative insulin resistance. *The Journal of clinical endocrinology and metabolism*;91(11):4620–7.
- Langheim, S., Dreas, L., Veschini, L., Maisano, F., Foglieni, C., Ferrarello, S., Sinagra, G., Zingone, B., Alfieri, O., Ferrero, E., Maseri, A., Ruotolo, G. 2010. Increased expression and secretion of resistin in epicardial adipose tissue of patients with acute coronary syndrome. *Am J Physiol Heart Circ Physiol*; 298: H746–H753.
- Li, Y., Liu, B., Li, Y., Jing, X., Deng, S., Yan, Y., She, Q. 2019. Epicardial fat tissue in patients with diabetes mellitus: a systematic review and meta-analysis. *Cardiovasc Diabetol*;18:3
- Libby, P. 2013. Mechanisms of Acute Coronary Syndromes and Their Implications for Therapy. *N Engl J Med*;368: 2004-13.
- Libby, P. 2015. The Vascular biology of atherosclerosis. In Mann, D.L., Bonow, R., Zipes, D.P., Libby, P., Braunwald, E (eds). *Braunwald's heart Disease. A textbook of cardiovascular medicine. 10 th edition*. Philadelphia: Elsevier saunders;873-89
- Lily, L.S. 2011, *Patofisiology of Heart Disease*, edisi ke 5. Lippincot, China
- Lin, A., Dey, D., Wong, D.T.L., Nerlekar, N., 2019. Perivascular Adipose Tissue and Coronary Atherosclerosis : from Biology to Imaging Phenotyping. *Current Atherosclerosis Report*;21:47
- Mahabadi, A., Lehmann, N., Kalsch, H. 2014. Association of epicardial adipose tissue with progression of coronary artery calcification is more pronounce in the early phase atherosclerosis: Result from Heinz Nixdorf recall study. *JACC Cardiovasc imaging*;7:909-916
- Mazurek T, Zhang L, Zalewski A. 2003. Human epicardial adipose tissue is a source of inflammatory mediators. *Circulation*;108(20):2460-66
- McCowen, K., Malhotra, A., Bistrian, B. 2001. Stress-induced hyperglycemia. *Crit Care Clin*;17:107–124.

- Nabati, M. 2016. Echocardiographic Epicardial adipose tissue as a new indicator of cardiovascular risk: a review of article. *Iran J health Sci*;4(3):1
- Nakanishi, K., Fukuda, S., Tanaka, A., Otsuka, K., Taguchi, H., Yoshikawa, J., Shimada, K. 2016. Epicardial adipose tissue accumulation is associated with renal dysfunction and coronary plaque morphology on multidetector computed tomography. *Circ. J*;80:196–201
- Nerlekar, N., Brown, A.J., Muthalaly, R.G., Talman, A., Hettige, T., Cameron, J.D., Wong, D.T. 2017. Association of Epicardial Adipose Tissue and High-Risk Plaque Characteristics: A Systematic Review and Meta-Analysis. *J Am Heart Assoc*;6:379
- Nuti, S., V., Desai, N., Wang, S., Li, J., Wang, Y., Spertus, J., Masoudi, F., Krumholz, H., Jiang, L. 2014. Trends in the Prevalence and Outcomes of NSTEMI and STEMI among Patients with Acute Myocardial Infarction in China from 2001 to 2011: China PEACE Retrospective AMI Study. *JACC*;63:12
- Nyulas, T., Morariu, M., Rat, N., Marton, E., Rus, V.A., Benedek, T., Benedek, I. 2018. Epicardial Adipose Tissue Role as a Marker of Higher Vulnerability in Patients with Coronary Artery Disease. *Journal of Interdisciplinary Medicine*;3(2):77-83
- O' Gara, P. T., Kushner, F.G., Ascheim, D.D., Casey, D.E., Chung, M.K., de Lemos, J.A., Ettiner, S.M., Fang, J.C., Fesmire, F.M., Franklin, B.A., Granger, C.B., Krumholz, H.M., Linderbaum, J.A., Morrow, D.A., Newby, K., Ornato, J.P., Tracy, C.M., Woo, Y.J., Zhao, D.X. 2013. ACCF / AHA Guideline 2013 ACCF / AHA Guideline for the Management of ST-Elevation Myocardial Infarction A Report of the American College of Cardiology Foundation / American Heart Association Task Force on Practice Guidelines. *Circulation*;27:e362-e425
- Parisi, V., Petraglia, L., D'Esposito, V., Cabaro, S., Rengo, G., Caruso, A., Leosco, D. 2018. Statin therapy modulates thickness and inflammatory profile of human epicardial adipose tissue. *International Journal of Cardiology*. doi:10.1016/j.ijcard.2018.06.106
- Park, E.M., Choi, J.H., Shin, I.K., Yun, K.H., Yoo, N.J., Oh, S.K., Kim, N.H., Jeomh, J. W. 2008. Echocardiographic Epicardial Fat Thickness on Short Term Prognosis in Patients with Acute Coronary Syndrome. *J Cardiovasc Ultrasound*;16(2):42-47
- Park, J., Choi, S., Zheng, M., Yang, H., Lim, H., Choi, B., Yoon, M., Hwang, G., Tahk, S., Shin, J. 2012. Epicardial adipose tissue thickness is a predictor for plaque vulnerability in patients with significant coronary artery disease. *Atherosclerosis*;226:134–139.
- Prati, F., Arbustini, E. 2003. Eccentric atherosclerotic plaques with positive remodeling have a pericardial distribution: a permissive role of pericardial fat. *Eur heart J*;24(4):291-3
- Ralapanawa, R., Vithanage, P., Kumarasiri, R., Jayawickreme, K. P., Kumarihamy, P., Wijeratne, Y., Ekanayake, M., Dissanayake, C. 2019. Epidemiology and risk factors of patients with types of acute coronary

- syndrome presenting to a tertiary care hospital in Sri Lanka. *BMC Cardiovascular Disorders*; 19:229
- Rathore, V., Singh, N., mahat, R., K. 2018. Risk Factors for Acute Myocardial Infarction: A Review. *Eurasian Journal of Medicine and Investigation*; 2(1):1–7
- Sacks HS, Fain JN. 2007. Human epicardial adipose tissue: a review. *Am Heart J*;153:907-17.
- Salgado-Somoza A., Teijera-Fernandez E., Fernandez A.L. 2010. Proteomic analysis of epicardial and subcutaneous adipose tissue reveals differences in proteins involved in oxidative stress. *Am J Physiol Heart Circ Physiol*;299:H202-H209.
- Santoso, A. 2017. Kelainan lipid dan lipoprotein serta penyakit kardiovaskuler. *Buku ajar kardiologi jilid 2*. Sagung Seto Universitas Indonesia
- Sengul, C., Ozveren, O. 2013. Epicardial adipose tissue: a review of physiology, pathophysiology, and clinical applications. *Anadolu Kardiyol Derg*; 13:216-5
- Sianos, G., Morel, M.A., Kappetein, A.P., Morice, M.C., Colombo, A., Dawkins, K., Van De Brand, M., Van Dyck, N., Russel, M.E., Mohr, F.W., Serruys, P.W. 2005. The SYNTAX score: An angiographic tool grading the complexity of coronary artery disease. *Eurointervention*;1:219– 227
- Sniderman, A. D., Furberg, C. D. 2008. Age as a modifiable risk factor for cardiovascular disease. *The Lancet*; 371(9623):1547–1549.
- Srinivasa, S., Lu, M., T., Fitch, K., V., Hallett, T., R., Timothy K., Malley, Stone, L., A., Martin, A., Coromilas, A., J., Burdo, T., H., Triant, V., A., Lo, J., Looby, S., A., Neilan, T., G., Zanni, M., V. 2017. *Antiviral Therapy*; 23:1-9
- Sunu, I. 2007. Biologi vascular aterosklerosis. *Buku Ajar Kardiovaskular jilid 2*. Sagung Seto Universitas Indonesia
- Tanindi, A., Kocaman, S., Erkan, A. 2015. Epicardial Adipose Tissue Thickness is associated with myocardial infarction and impaired coronary perfusion. *Anatol J Cardiol*;15:224-231
- Tarnarappo, B., Dey, D., Shmilovich, H. 2010. Increased pericardial fat volume measured from non-contrast CT predicts myocardial ischemia by SPECT. *JACC Cardiovasc Imaging*;3:1104-e1112
- Teijeira-Fernandez E., Eiras S., Grigorian-Shamagian, L. 2008. Epicardial adipose tissue expression of adiponectin is lower in patients with hypertension. *J Hum Hypertens*;22:856–863
- Thygesen, K., Alpert, J. S., Jaffe, A. S., Chaitman, B. R., Bax, J. J., Morrow, D. A., Harvey, White, D. 2018. Fourth Universal Definition of Myocardial Infarction. *Circulation*;138:e618–e651
- Umpierrez, G., Isaacs, S., Bazargan, N., You, X., Thaler, L. and Kitabchi, A. 2002. Hyperglycemia: an independent marker of in-hospital mortality in patients with undiagnosed diabetes. *J Clin Endocrinol Metab*;87:978–982.

- Wild S., Roglic G., Green A., Sicree R., King, H. 2004. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care*;27:1047–53.
- World Health Organization. 2015. Global status report on noncommunicable diseases: World Health Organization.
- Yustikasari, I., Aprami, T.M., Tedjokusumo, P., Purnomowati, A. & Agustian, D. 2015. Correlation Between Traditional Cardiovascular Risk Factors and Complexity of Coronary Artery Lesion Determined by SYNTAX Score in Patient with ST-Elevation Myocardial Infarction. *Journal of the American College of Cardiology*; 65(17):S65.
- Zheng, X., Gong, L., Zhang, S., Wu, W. 2018. Epicardial adipose tissue thickness and plasma interleukin-35 predict acute myocardial infarction in patients with coronary artery disease. *Int J Clin Exp Med*;11(12):13456-13467