

## DAFTAR PUSTAKA

- Abdullah Z., M., A. Khan and T.J. Flowers. 2001. Causes of sterility in seed set of rice under salinity stress. *J. Agronomy & crop Science*. 187, 25-32.
- Akram, M., M.A. Malik, M.Y. Ashraf, M.F. Saleem and M. Hussain. 2007. Competitive seedling growth and  $K^+/Na^+$  ratio in different maize (*Zea mays* L.) hybrids under salinity stress. *Pak. J.Bot.*, 39(7): 2553-2563.
- Alam, M.Z., T. Stuchbury, R.E.L. Naylor and M.A. Rashid. Effect of Salinity on Growth of Some Modern Rice Cultivars. *Journal of Agronomy*. 3 (1): 1-10, 2004.
- Almansouri M, Kinet JM, Lutts S. 1999. Compared effects of sudden and progressive impositions of salt stress in three durum wheat (*Triticum durum* Desf.) cultivars. *Journal of Plant Physiology* 154, 743–752.
- Anni, I. A., E. Saptiningsih & S. Haryanti. 2013. Pengaruh naungan terhadap pertumbuhan dan produksi tanaman bawang daun (*Allium fistulosum*) di bandungan, jawa tengah. *Jurnal Biologi* 2: 31-40.
- Anonim. 2008. Deskripsi Varietas Tanaman Padi. Balai Besar Penelitian Tanaman Padi. Departemen Pertanian.
- Arnon, D.I. 1949. Copper enzymes in isolated chloroplasts. Polyphenoloxidases in *Beta vulgaris*. *Plant Physiol.* 24:1-15.
- Asch, F. and M.C.S. Wopereis, 2001. Responses of field grown irrigated rice cultivars to varying levels of floodwater salinity in a semi-arid environment. *Field Crop Res.*, 70: 127-137.
- Badan Ketahanan Pangan dan Penyuluhan Pertanian Aceh. 2009. Budidaya Tanaman Padi. Badan Ketahanan Pangan dan Penyuluh Pertanian Aceh Bekerja Sama dengan Balai Pengkajian Teknologi Pertanian NAD. 21 hal.
- Badan Pusat Statistik. 2016. Statistik Indonesia. Biro Pusat Statistik, Jakarta.
- Barry J. M. 1958. The Source of Prolin for Casein Biosynthesis. Department of Agriculture, University of Oxford.
- Basuki, T. 2014. Kontribusi Senyawa Kompatibel Ekstrak Daun Halofit Sebagai Anti-Salinitas Dalam Amendemen Fisiologis Padi (*Oryza sativa* L.). Disertasi, Universitas Gadjah Mada.
- Bates, L.S., R.P. Waldren and I.D. Teare. 1973. Rapid determination of free prolin for water-stress studies. *Plant and Soil*. Vol. 39: 205-207.
- Botella, M. A., V. Martinez, and J. Pardines. 1997. Salinity induced potassium deficiency in maize plants. *J. Plant Physiol.* 150: 200-205.
- Boudsocq, M and C. Lauriere. 2005. Osmotic Signaling in Plants: Multiple Pathways Mediated by Emerging Kinase Families. *Plant Physiology*. Vol. 38: 11185-1194.
- Cakmak, I. 2005. The role of potassium in alleviating detrimental effects of abiotic stresses in plants. *J. Plant Nutr. Soil Sci* 168: 521-530.
- Campbell. 2003. Biologi Jilid 2. Jakarta: Erlangga.
- Davies, W.J., Kudoyarova G. and Hartung W. 2005. Long-distance ABA signaling and its relation to other signaling pathways in the detection of soil drying and the mediation of the plant's response to drought. *Journal Plant Growth Regulation* 24: 285–295

- Djukri. 2009. Cekaman Salinitas terhadap Pertumbuhan Tanaman. Prosiding seminar nasional penelitian, pmdidikan, dan penerapan MIPA, Fakultas MIPA, Universitas Negeri Yogyakarta. B49-B55.
- Ebrahimi, Hassan R., F. Aref and M. Rezaei. 2012. Response od Rice to Different Salinity Levels during Different Growth Stages. Research Journal of Applied Sciences, Engineering and Technology 4(17): 3040-3047.
- El-Shourbagy, M.N., K.M. Saad-Allah, S.A. Foda and E.O. Razzaky. 2017. Impact of Some Halophytic Extracts on the Antioxidant System of SaltStressed Safflower. J. Plant Production Vol. 8 (7): 759-765.
- Falah, MAF. 2006. Perspektif pertanian dalam lingkungan yang terkontrol. INOVASI 6 (XVII): 81-86.
- FAO. 1983. Investment in Land and Water. Proceedings of the Regional Consultation.
- FAO. 2005. 20 Hal untuk Diketahui tentang Dampak Air Laut pada Lahan di Provinsi NAD. <http://www.fao.org>. (diakses pada 27 Mei 2018).
- Fauziah, N. 2017. Respon akar terhadap salinitas dan karakterisasi gen SINAC110 dari genotipe hotong [*Setaria italica* (L.) Beauv]. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.
- Gardner, F.P., R. Brent Pearce and L.M. Roger. 1991. Fisiologi Tanaman Budidaya. Diterjemahkan oleh: Herawati Susilo. Jakarta: UI Press. 428 hal.
- Girousse, C., R. Bournoville and J.L. Bonnemain. 1996. Water deficit-induced changes in concentrations in prolin and some other amino acids in the phloem sap of alfalfa. Plant Physiol. Vol. 111: 109-113.
- Grist, D.H., 1960. Rice Formerly Agricultural Economist, Colonial Agricultural Service, Malaya. Longmans Green and Co Ltd. London.
- Hamim, S.D., M. Jusuf, and N. Heryani. 1996. Beberapa karakteristik morfologi dan fisiologi kedelai toleran dan peka terhadap cekaman kekeringan. Hayati 1:30-34.
- Hamim. 2004. Underlying Drought Stress Effects on Plants: Inhibition of Photosynthesis. Jurnal Hayati 11.
- Hanum, C. 2008. Teknik Budidaya Tanaman Jilid 2. Jakarta: Direktorat Pembinaan Sekolah Menengah Kejuruan. 535 hal.
- Hardjowigeno, S. 2010. Ilmu Tanah. Edisi Baru. Akademika Pressindo. Jakarta.
- Harjadi, S.S. and S. Yahya, 1988. Fisiologi Stres Tanaman. PAU IPB, Bogor.
- Hartiko. 1991. Biokimia Tumbuhan. PAU-Bioteknologi Universitas Gadjah Mada, Yogyakarta.
- Hochachka, P.W. and G.N. Somero. 1973. Strategies of Biochemical Adaptation. W.B. Saunders Company. Pfiladelphia.
- Hussain K., K. Nawaz, A. Majeed, F. Khan, F. Lin, A. Ghani, G. Raza, S. Afghan, S. Zia-ul-Hussnain, K. Ali and A. Shahazad. 2010. Alleviation of salinity effects by *exogenous* applications of salicylic acid in pearl millet (*Pennisetum glaucum* (L.) R. Br.) seedlings African Journal of Biotechnology Vol. 9 (50), pp. 8602-8607.

- Hutajulu, H.F., Rosmayati and I. Syafruddin. 2013. Pengujian respons pertumbuhan beberapa varietas padi sawah (*Oryza sativa* L.) akibat cekaman salinitas. Jurnal online agroekoteknologi 1(4): 1101-1109.
- Indrayani, Sri and A. Y. Perdani. Metode Koleksi dan Pengamatan Stomata Tanaman Garut Menggunakan Pewarna Kuku. Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia Vol. 4 (2): 158-162.
- Kementerian Pertanian. 2015. Rencana Strategis Kementerian Pertanian Tahun 2015-2019. Kementerian Pertanian. Jakarta.
- Khan M. A., M.U. Shirazi, M. Ali, S. Mumtaz, A. Sherin And M. Y. Ashraf. 2006. Comparative performance of some wheat genotypes growing under saline water. Pak. J. Bot., 38(5): 1633-1639
- Khosravinejad, F., R. Heydari and T. Farboodnia. 2008. Effects of Salinity on Photosynthetic Pigments, Respiration, and Water Content in Two Barley Varieties. Pakistan Journal of Biological Sciences 1 (20): 2438-2442.
- Kishor P.B.K., Z. Hong, G.H. Miao, C.A.A. Hu and P.S. Verma. 1995. Overexpression of pyroline-5-carboxylate synthetase increase prolin production and confers osmotolerance in transgenic plants. Plant Physiol 108:1387-1394.
- Kramer, P. J., 1969. Plant and Soil Water Relationships. Modern Synthesis Reprinter in India arrangement with Mc. Graw-Hill, Inc, New YorkGrawHill Inc.,New York.
- Kumar, K., N. Amaresan and K. Madhuri. 2017. Alleviation of the adverse effect of salinity stresses by Jinoculation of plant growth promoting rhizobacteria isolated from hot humid tropical climate. Ecological Engineering 102 (2017) 361 – 366.
- Kurnia, T.D. and Suprihati. 2010. Prolin sebagai Penanda Ketahanan Kekeringan dan Salinitas pada Gandum. Universitas Kristen Satya Wacana. Salatiga.
- Kusmiyati, T.M. Onggo and A.H. Fajrianti. 2017. Pengaruh konsentrasi larutan garam NaCl terhadap pertumbuhan dan kualitas bibit lima kultivas asparagus. J.Hort 27(1): 79-86. DOI: <http://dx.doi.org/10.21082/jhort.v27n1.2017.p79-86>.
- Lestari, E. G. 2005. Hubungan antara Kerapatan Stomata dengan Ketahanan Kekeringan pada Semaklon Padi Gajahmungkur, Toeuti dan IR 64. Biodiversitas Vol. 7 (1): 44-48.
- Levvit, J. 1980. Responses of plants to environmental stress: water radiation, salt, and other stress. Vol II. Academic Press. New York.
- Maas, E.V. and Nieman, R. H. 1978. Physiology of plant tolerance to salinity – In crop tolerance to suboptimal land conditions. ASA Special Publication 5 (32): 277–299.
- Maniraman, P., J. Lakshmi and P. Rajasekar. 2018. Influence of Foliar Application of Seaweed Extract and Plant Growth Regulators on Growth and Physiological Attributes of *Jasminum sambac*. Environment and Ecology Vol. 36 (1A): 262-264.
- Maqsood T. 2009. Response of maize (*Zea mays* L.) to salinity and potassium supply. Institute of Soil & Environmental Sciences University Of Agriculture, Faisalabad Pakistan

- Marjorie, J., Raymond and N. Smirnop. 2002. Prolin metabolism and transport in maize seedlings at low water potential. *Ann Bot* 89:813-823.
- Meloni, D.A., M.R. Gulotta, C.A. Martinez and M.A. Oliva. 2004. The effects of salt stress on growth, nitrate reduction and prolin and *glycine betaine* accumulation in *Prosopis alba*. *Braz. J. Plant Physiol.*, 16(1): 39-46.
- Mengel, K. and E.A. Kirkby. 1987. Principles of Plant Nutrition. 4th Edition. Switzerland: International Potash Institute.
- Mindari, W. 2009. Cekaman garam dan dampaknya pada kesuburan tanah dan pertumbuhan tanaman. UPN "Veteran" Jawa Timur. Surabaya.
- Mohammed A. R. and L. Tarpley. 2011. Characterization of Rice (*Oryza sativa* L.) Physiological Responses to  $\alpha$ -Tocopherol, *Glycine betaine* or Salicylic Acid Application. *Journal of Agricultural Science* Vol. 3, No. 1.
- Moradi, F. and A.M. Ismail, 2007. Responses of photosynthesis, chlorophyll fluorescence and ROS scavenging systems to salt stress during seedling and reproductive stages in rice. *Ann. Bot.*, 99: 1161-1173.
- Munns, R. 1993: Physiological processes limiting plant growth in saline soils: some dogmas and hypotheses. *Plant Cell Environ.*, 16, 15–24.
- Munns, R. and M. Tester. 2008. Mechanisms of salinity tolerance. *Annual Review of Plant Biology*. 59: 651–681.
- Naiola, B.P. 2005. Akumulasisolot dan regulasiosmotik dalam sel tumbuhan pada kondisi stres garam. *Berita biologi* 7(6): 333-340.
- Nawaz, K. and M. Ashraf. 2007. Improvement in salt tolerance of maize by *exogenous* application of *glycine betaine*: growth and water relations. *Pak. J. Bot.*, 39(5): 1647-1653.
- Nugraheni, I.T., Solichatun and A. Endang. 2003. Pertumbuhan dan Akumulasi Prolin Tanaman Orok-orok (*Crotalaria juncea* L.) pada Salinitas CaCl<sub>2</sub> Berbeda. *BioSMART* 5 (2): 98-101.
- Omokawa, H. and S. Aonawa. 2002. Amelioration of the salt-stressed root growth of rice normalization oh the Na<sup>+</sup> distribution between the shoot and root by (S)- $\alpha$ Methylbenzyl2fluoro-4methylphenylurea. *Biosci. Biotechnol. Biochem.*, 66(22), 336-343.
- Paul, H.Y. 2005. Organic osmolytes as compatible, metabolic and counteracting cytoprotectants in high osmolarity and other stresses. *J. Exper. Biol.*, 208: 2819-2830.
- Prihatman, K. 2000. Sistem Informasi Manajemen Pembangunan di Pedesaan. <http://www.warintek.ristek.go.id/pertanian/padi.pdf> (diakses 27 Mei 2018).
- Proklamasiningsih, E., D.P. Irfan, R. Diah, and P.S. Retno. 2012. Laju Fotosintesis dan Kandungan Klorofil Kedelai pada Media Tanam Masam dengan Pemberian Garam Alumunium. *Agrotrop* 2 (1):17–24.
- Putri, P.H. 2016. Metode penapisan kedelai toleran salinitas. *Iptek tanaman pangan* 11(1): 67-76.
- Rao, P.S., B. Mishra, S.R. Gupta and A. Rathore. 2008. Reproductive stage tolerance to salinity and alkalinity stresses in rice genotypes. *Plant Breeding* 127, 256-261.

- Rusd, A.M.I. 2011. Pengujian Toleransi Padi (*Oryza sativa* L.) terhadap Salinitas pada Fase Perkecambahan. Skripsi. Institut Pertanian Bogor. Bogor.
- Sade, Nir, E. Galkin and M. Moshellon. 2015. Measuring Arabidopsis, Tomato and Barley Leaf Relative Water Content (RWC). Bio-Protocol Vol. 5 (8): 1-4.
- Sairam, R. K. and Aruna T. 2004. Physiology and molecular biology of salinity stress tolerance in plants. J. Current Science, 86 (3).
- Salisbury, F.B. and C.W Ross. 1995. Plant Physiology. Fourth Edition. Wadsworth Publishing Company. California.
- Sarawat, R., M. Kouthanker, S. Kurtarkar, R. Nigam, and V. N. Linshy. 2011. Effect of salinity induced pH changes on benthic foraminifera: a laboratory culture experiment. Biogeosciences Discuss., 8, 8423–8450.
- Satria, A. 2009. Pengujian Toleransi Kekeringan Padi Gogo (*Oryza sativa* L.) pada Stadia Awal Pertumbuhan. Skripsi. Institut Pertanian Bogor. Bogor.
- Setiawan, A.J., Moenandir and A. Nugroho. 2010. Pengaruh Pemupukan N, P, K pada Pertumbuhan dan Hasil Padi (*Oryza sativa* L.) Kepras. Artikel Ilmiah. Universitas Brawijaya. Malang.
- Setyono, B. and Suradal. 2010. Kelayakan Usaha Tani Bawang Merah di Lahan Pasir Pantai dengan Teknologi Ameliorasi di Kabupaten Bantul Provinsi Daerah Istimewa Yogyakarta. Prosiding Seminar Nasional Peningkatan Daya Saing Agribisnis Berorientasi Kesejahteraan Petani.
- Sigalingging, M., 1985. Penggunaan Lahan dan Reklamasi Tanah Rusak Terintrusi Air Asin di Kabupaten Indramayu Bagian Utara. Disertasi. Pascasarjana Institut Pertanian Bogor.
- Sipayung, R. 2006. Stres garam dan mekanisme toleransi tanaman. Hayati 5:1820.
- Suhartini, T. and Try Z.P.H. 2017. Toleransi plasma nutfah padi lokal terhadap salinitas. Buletin Plasma Nutfah 23(1): 51-58.
- Suharyani, F.K. and Karno. 2012. Pengaruh metode perbaikan tanah salin terhadap serapan nitrogen dan fosfor rumput benggala (*Panicum maximum*). Animal Agriculture Journal 2 : 168 -176.
- Taiz, L. and Zeiger, E. (1991) Plant physiology: Mineral nutrition. The Benjamin Cummings Publishing Co., Inc. Redwood City, 100-119.
- Talat, A. 2013. Foliar application of prolin for salt tolerance of two wheat (*Triticum aestivum* L.) cultivars. World Appl Sci J 22: 547-54.
- Tiasdjaja, A. 2000. Deskripsi Varietas Unggul Padi. Badan Penelitian Dan Pengembangan Pertanian Kementerian Pertanian.
- Waditee R., N. H. Bhuiyan, E. Hirata, T. Hibino, Y. Tanaka, M. Shikata and T. Takabe. 2007. Metabolic engineering for betaine accumulation in microbes and plants. J. Biol. Chem., 282: 34185–34193.
- Wakeel, A., M. Farooq, M. Qadir and S. Schubert. 2011. Potassium Substitution by Sodium in Plants. Critical Reviews in Plant Sciences, 30:4, 401-413.
- Wani, A.S, A. Ahmad, S. Hayat and Tahir. 2016. Is foliar spray of prolin sufficient for mitigation of salt stress in Brassica juncea cultivars? Environ Sci Pollut Res 23: 13413–23.

- Wibowo, A. 2010. Pengembangan Metode Estimasi Kandungan Air Kanopi Daun (Canopy Water Content) Tanaman Padi Dengan Data Hyperspectral, Disertasi Dr., Institut Teknologi Sepuluh Nopember, Surabaya.
- Yan, Z., S. Guo, S. Shu, J. Sun and T. Tezuka. 2011. Effect of prolin on photosynthesis, root reactive oxygen species (ROS) metabolism in two melon cultivars (*Cucumis melo* L.) under NaCl stress. *Afr J Biotechnol* 10: 18381-18390.
- Yeo, A.R., M.E. Yeo, S.A. Flowers and T.J. Flowers. 1990. Screening of rice (*Oryza sativa* L.) genotypes for physiological characters contributing to salinity resistance, and their relationship to overall performance. *Theor. Appl. Gent.* 79: 377-384.
- Yildirim, E., A.G. Taylor and T.D. Spittler. 2006. Ameliorative Effects of Biological Treatments on Growth of Squash Plant Under Salt Stress. *Scientia Horticulturae* 111 (2006) 1-6. Elsevier. <http://www.sciencedirect.com> diakses tanggal 6 November 2018.
- Yoshida and Parao. 1976. Climatic influence on yield and yield components of lowland rice in the tropics. *Climate and Rice, Int. Rice Res.*
- Zeng, L. and M.C. Shannon. 2000. Salinity Effects on Seedling Growth and Yield Components of Rice. *Crop Science* 40:996–1003.
- Zhang, J., Jia W., Yang J. & Ismail A.M. 2006. Role of ABA in integrating plant responses to drought and salt stress. *Field Crops Research* 97: 111–119.
- Zhou, Y.J., F. Gao, X.F. Li, J. Zhang and G.F. Zhang. 2011. Alternations in phosphoproteome under salt stress in plant roots. *Chinese Science Bulletin* 35:3673 – 3679.