

## References

- Abu-Sarra, A. F., & Abu-Goukh, A. A. (1992). Changes in pectinesterase, polygalacturonase and cellulase activity during mango fruit ripening. *Journal of Horticultural Science*, 67(4), 561–568. <https://doi.org/10.1080/00221589.1992.11516284>
- Aday, M. S., & Caner, C. (2013). LWT - Food Science and Technology The shelf life extension of fresh strawberries using an oxygen absorber in the biobased package. *LWT - Food Science and Technology*, 52(2), 102–109. <https://doi.org/10.1016/j.lwt.2012.06.006>
- Aday, M. S., Caner, C., & Rahvalı, F. (2011). Postharvest Biology and Technology Effect of oxygen and carbon dioxide absorbers on strawberry quality. *Postharvest Biology and Technology*, 62(2), 179–187. <https://doi.org/10.1016/j.postharvbio.2011.05.002>
- Agricultural, N., Service, S., Foster, C., Hilliard, P., & Ray, T. (2007). *DEPARTMENT OF AGRICULTURE NATIONAL AGRICULTURAL STATISTICS SERVICE AGRICULTURAL Agricultural Statistics 2007*.
- Ahmad, M. S., & Siddiqui, M. W. (2015). Postharvest quality assurance of fruits: Practical approaches for developing countries. *Postharvest Quality Assurance of Fruits: Practical Approaches for Developing Countries*, 1–265. <https://doi.org/10.1007/978-3-319-21197-8>
- Almeida, D. P. F., & Huber, D. J. (1999). Apoplastic pH and inorganic ion levels in tomato fruit: A potential means for regulation of cell wall metabolism during ripening. *Physiologia Plantarum*, 105(3), 506–512. <https://doi.org/10.1034/j.1399-3054.1999.105316.x>
- Apple, L., & Miller, P. (1881). *Family: Solanaceae Genus: Solanum Scientific Name: Solanum lycopersicum*.
- Beckles, D. M. (2012). Postharvest Biology and Technology Factors affecting the postharvest soluble solids and sugar content of tomato ( *Solanum lycopersicum* L .) fruit. *Postharvest Biology and Technology*, 63(1), 129–140. <https://doi.org/10.1016/j.postharvbio.2011.05.016>
- Bertin, N., & Génard, M. (2018). *Scientia Horticulturae Tomato quality as in fl uenced by preharvest factors*. 233(January), 264–276. <https://doi.org/10.1016/j.scienta.2018.01.056>
- Bharambe, M. G., Lodha, J. J., & Kor, P. P. (2016). *Real Time Tomato Ripening Stage Identification System*. 5(4), 1004–1007. <https://doi.org/10.17148/IJARCCE.2016.54246>
- Bianchi, T., Guerrero, L., Gratacós-Cubarsí, M., Claret, A., Argyris, J., Garcia-Mas, J., & Hortós, M. (2016). Textural properties of different melon (*Cucumis melo* L.) fruit types: Sensory and physical-chemical evaluation. *Scientia Horticulturae*, 201, 46–56. <https://doi.org/10.1016/j.scienta.2016.01.028>
- Bourne, M. C. (2002). Chapter 7 – Sensory Methods of Texture and Viscosity Measurement. In *Food Texture and Viscosity* (pp. 257–291). <https://doi.org/10.1016/B978-012119062-0/50007-3>
- BOURNE, M. C., KENNY, J. F., & BARNARD, J. (1978). Computer-Assisted Readout of Data From Texture Profile Analysis Curves. *Journal of Texture Studies*, 9(4), 481–494.

<https://doi.org/10.1111/j.1745-4603.1978.tb01219.x>

- Bouzayen, M., Latché, A., Nath, P., & Pech, J.-C. (2010). Mechanism of Fruit Ripening - Chapter 16. *Plant Developmental Biology, 1*. <https://doi.org/10.1007/978-3-642-02301-9>
- Brackmann, A., Steffens, C. A., Andriolo, J. L., & Pinto, J. A. V. (2007). Armazenamento de tomate cultivar “Cronus” em função do estágio de maturação e da temperatura. *Ciência Rural*, 37(5), 1295–1300. <https://doi.org/10.1590/s0103-84782007000500012>
- Brashlyanova, B., Zsivánovits, G., & Ganeva, D. (2014). Texture quality of tomatoes as affected by different storage temperatures and growth habit. *Emirates Journal of Food and Agriculture*, 26(9), 750–756. <https://doi.org/10.9755/ejfa.v26i9.17484>
- Brummell, D. A. (2006). Primary cell wall metabolism during fruit ripening. *New Zealand Journal of Forestry Science*, 36(1), 99–111.
- Brummell, D. A., Dal Cin, V., Crisosto, C. H., & Labavitch, J. M. (2004). Cell wall metabolism during maturation, ripening and senescence of peach fruit. *Journal of Experimental Botany*, 55(405), 2029–2039. <https://doi.org/10.1093/jxb/erh227>
- Brummell, D. A., & Harpster, M. H. (2001). Cell wall metabolism in fruit softening and quality and its manipulation in transgenic plants. *Plant Molecular Biology*, 47(1–2), 311–340. <https://doi.org/10.1023/A:1010656104304>
- Bu, J., Yu, Y., Aisikaer, G., & Ying, T. (2013). Postharvest UV-C irradiation inhibits the production of ethylene and the activity of cell wall-degrading enzymes during softening of tomato (*Lycopersicon esculentum* L.) fruit. *Postharvest Biology and Technology*, 86, 337–345. <https://doi.org/10.1016/j.postharvbio.2013.07.026>
- Cakir, E. (2001). NUnderstanding Textural Properties of Protein-Based Soft-Solid Structures using Oral processing. *Dessertation*, 43.
- Calegario, F. F., Cosso, R. G., Almeida, F. V., Vercesi, A. E., & Jardim, W. F. (2001). Determination of the respiration rate of tomato fruit using flow analysis. *Postharvest Biology and Technology*, 22(3), 249–256. [https://doi.org/10.1016/S0925-5214\(01\)00096-5](https://doi.org/10.1016/S0925-5214(01)00096-5)
- Caner, C., Aday, M. S., & Demir, M. (2008). Extending the quality of fresh strawberries by equilibrium modified atmosphere packaging. *European Food Research and Technology*, 227(6), 1575–1583. <https://doi.org/10.1007/s00217-008-0881-3>
- Chang, E. H., Lee, J. S., & Kim, J. G. (2017). Cell wall degrading enzymes activity is altered by high carbon dioxide treatment in postharvest ‘Mihong’ peach fruit. *Scientia Horticulturae*, 225(March), 399–407. <https://doi.org/10.1016/j.scienta.2017.07.038>
- Chen, L., Linus, U., Opara, U. L., & Linus, U. (2013). Texture measurement approaches in fresh and processed foods - A review. *Food Research International*, 51(2), 823–835. <https://doi.org/10.1016/j.foodres.2013.01.046>
- Chime, A. O., Aiwansoba, R. O., Osawaru, M. E., & Ogwu, M. C. (2018). Morphological Evaluation of Tomato (*Solanum lycopersicum* Linn.) Cultivars. *Makara Journal of Science*, 21(2), 97–106. <https://doi.org/10.7454/mss.v21i2.7421>
- Chylińska, M., Szymańska-Chargot, M., Deryło, K., Tchórzewska, D., & Zdunek, A. (2017). Changing of biochemical parameters and cell wall polysaccharides distribution during physiological development of tomato fruit. *Plant Physiology and Biochemistry*, 119,

- 328–337. <https://doi.org/10.1016/j.plaphy.2017.09.010>
- Crookes, P. R., & Grierson, D. (1983). Ultrastructure of Tomato Fruit Ripening and the Role of Polygalacturonase Isoenzymes in Cell Wall Degradation. *Plant Physiology*, 72(4), 1088–1093. <https://doi.org/10.1104/pp.72.4.1088>
- D. L. PATIL AND N. G. MAGAR. (1975). Correlation between banana fruits ripening, its texture and pectin-methyl esterase activity. *Proc. Indian Acad. Sol.*, 81(3), 127–130.
- De Oliveira, C. M., Ferreira, L. M., Do Carmo, M. G. F., & Coneglian, R. C. C. (2016). Influence of maturity stage on fruit longevity of cherry tomatoes stored at ambient and controlled temperature. *Semina: Ciencias Agrarias*, 37(6), 4027–4038. <https://doi.org/10.5433/1679-0359.2016v37n6p4027>
- Del-Valle, V., Hernández-Muñoz, P., Guarda, A., & Galotto, M. J. (2005). Development of a cactus-mucilage edible coating (*Opuntia ficus indica*) and its application to extend strawberry (*Fragaria ananassa*) shelf-life. *Food Chemistry*, 91(4), 751–756. <https://doi.org/10.1016/j.foodchem.2004.07.002>
- Deng, Y., Wu, Y., & Li, Y. (2005). Changes in firmness, cell wall composition and cell wall hydrolases of grapes stored in high oxygen atmospheres. *Food Research International*, 38(7), 769–776. <https://doi.org/10.1016/j.foodres.2005.03.003>
- Domínguez, I., Ferreres, F., Pascual del Riquelme, F., Font, R., & Gil, M. I. (2012). Influence of preharvest application of fungicides on the postharvest quality of tomato (*Solanum lycopersicum* L.). *Postharvest Biology and Technology*, 72, 1–10. <https://doi.org/10.1016/j.postharvbio.2012.04.010>
- Dragan, Ž., Ban, D., Oplani, M., & Kari, L. (2010). *Influence of postharvest temperatures on the physicochemical quality of tomatoes (Lycopersicon esculentum Mill.)*. (November 2008), 21–25.
- Duma, M., Alsina, I., Dubova, L., & Erdberga, I. (2017). *Quality of tomatoes during storage*. 130–133. <https://doi.org/10.22616/foodbalt.2017.030>
- El-ramady, H. R., Domokos-szabolcsy, É., & Abdalla, N. A. (2015). *Postharvest Management of Fruits and Vegetables Storage Postharvest Management of Fruits*. <https://doi.org/10.1007/978-3-319-09132-7>
- Fagundes, C., Moraes, K., Pérez-Gago, M. B., Palou, L., Maraschin, M., & Monteiro, A. R. (2015). Effect of active modified atmosphere and cold storage on the postharvest quality of cherry tomatoes. *Postharvest Biology and Technology*, 109, 73–81. <https://doi.org/10.1016/j.postharvbio.2015.05.017>
- Fend, M. (2017). Skin color. *Fleshing Out Surfaces*. <https://doi.org/10.7228/manchester/9780719087967.003.0005>
- Fraser, P. D., Truesdale, M. R., Bird, C. R., Schuch, W., & Bramley, P. M. (1994). Carotenoid biosynthesis during tomato fruit development. Evidence for tissue-specific gene expression. *Plant Physiology*, 105(1), 405–413. <https://doi.org/10.1104/pp.105.1.405>
- Gharezi, M., Joshi, N., & Sadeghian, E. (2012). *Journal of Nutrition & Food Sciences Effect of Post Harvest Treatment on Stored Cherry Tomatoes*. 2(8). <https://doi.org/10.4172/2155-9600.1000157>
- Gierson, D., & Kader, A. A. (1986). Fruit ripening and quality. *The Tomato Crop*, 241–280. [https://doi.org/10.1007/978-94-009-3137-4\\_6](https://doi.org/10.1007/978-94-009-3137-4_6)

- Giovanucci, E., Ascherio, A., Rimm, E. B., Meir, J., Colditz, G. A., & Willett, W. C. (2000). *Intake of Carotenoids and Retinol in Relation to Risk of Prostate Cancer*. 87(23), 1767–1776.
- Goffau, M. De, Hilmi, M., & Dam, B. Van. (2005). *Cultivation of tomato*.
- Goulao, L. F., & Oliveira, C. M. (2008). Cell wall modifications during fruit ripening: when a fruit is not the fruit. *Trends in Food Science and Technology*, 19(1), 4–25. <https://doi.org/10.1016/j.tifs.2007.07.002>
- Guiné, R. P. F. (2013). Variation of textural attributes of S. Bartolomeu pears at maturation, storage, and drying. *International Journal of Food Properties*, 16(1), 180–192. <https://doi.org/10.1080/10942912.2010.535191>
- Hagerman, A. E., & Austin, P. J. (1986). Continuous Spectrophotometric Assay for Plant Pectin Methyl Esterase. *Journal of Agricultural and Food Chemistry*, 34(3), 440–444. <https://doi.org/10.1021/jf00069a015>
- Harker, F. R., Elgar, H. J., Watkins, C. B., Jackson, P. J., & Hallett, I. C. (2000). Physical and mechanical changes in strawberry fruit after high carbon dioxide treatments. *Postharvest Biology and Technology*, 19(2), 139–146. [https://doi.org/10.1016/S0925-5214\(00\)00090-9](https://doi.org/10.1016/S0925-5214(00)00090-9)
- Hatami, M., Kalantari, S., & Delshad, M. (2013). Responses of different maturity stages of tomato fruit to different storage conditions. *Acta Horticulturae*, 1012, 857–864. <https://doi.org/10.17660/ActaHortic.2013.1012.116>
- Hernandez, R., Hernández, R., Reardon, T., Natawidjaja, R., Shetty, S., Hernández, R., ... Shetty, S. (2015). Tomato Farmers and Modernising Value Chains in Indonesia. *Bulletin of Indonesian Economic Studies*, 51(3), 425–444. <https://doi.org/10.1080/00074918.2015.1104649>
- Hillesland, A. (2012). Growing vegetables. *Fourth Genre: Explorations in Nonfiction*, 14(2), 93–96. <https://doi.org/10.1353/fge.2012.0048>
- Huang, Y., Lu, R., & Chen, K. (2018). Assessment of tomato soluble solids content and pH by spatially-resolved and conventional Vis/NIR spectroscopy. *Journal of Food Engineering*, 236(May), 19–28. <https://doi.org/10.1016/j.jfoodeng.2018.05.008>
- HUBER, D. J., KARAKURT, Y., & JEONG, J. (2005). Pectin degradation in ripening and wounded fruits. *Revista Brasileira de Fisiologia Vegetal*, 13(2), 224–241. <https://doi.org/10.1590/s0103-31312001000200009>
- Inari, T., Yamauchi, R., Kato, K., & Takeuchi, T. (2002). Changes in Pectic Polysaccharides during the Ripening of Cherry Tomato Fruits. *Food Science and Technology Research*, 8(1), 55–58. <https://doi.org/10.3136/fstr.8.55>
- JARVIS, M. C. (1984). Structure and properties of pectin gels in plant cell walls. *Plant, Cell & Environment*, 7(3), 153–164. <https://doi.org/10.1111/1365-3040.ep11614586>
- Javanmardi, J., & Kubota, C. (2006). Variation of lycopene, antioxidant activity, total soluble solids and weight loss of tomato during postharvest storage. *Postharvest Biology and Technology*, 41(2), 151–155. <https://doi.org/10.1016/j.postharvbio.2006.03.008>
- Jayani, R. S., Saxena, S., & Gupta, R. (2005). Microbial pectinolytic enzymes: A review. *Process Biochemistry*, 40(9), 2931–2944. <https://doi.org/10.1016/j.procbio.2005.03.026>

- Jiang, X., Jia, Q., Chen, L., Chen, Q., & Yang, Q. (2014). Recombinant expression and inhibition mechanism analysis of pectin methylesterase from *Aspergillus flavus*. *FEMS Microbiology Letters*, 355(1), 12–19. <https://doi.org/10.1111/1574-6968.12446>
- Jolie, R. P., Duvetter, T., Van Loey, A. M., & Hendrickx, M. E. (2010). Pectin methylesterase and its proteinaceous inhibitor: A review. *Carbohydrate Research*, 345(18), 2583–2595. <https://doi.org/10.1016/j.carres.2010.10.002>
- Kalamaki, M. S., Stoforos, N. G., & Taoukis, P. S. (2012). Pectic Enzymes in Tomatoes. *Food Biochemistry and Food Processing: Second Edition*, (November), 232–246. <https://doi.org/10.1002/9781118308035.ch12>
- Kemper, W. (2018). *Storage of Fruits and Vegetables*. Retrieved from [www.gardeninghelp.org](http://www.gardeninghelp.org)
- Koslanund, R., Archbold, D. D., & Pomper, K. W. (2005). Pawpaw [*Asimina triloba* (L.) Dunal] fruit ripening. II. Activity of selected cell-wall degrading enzymes. *Journal of the American Society for Horticultural Science*, 130(4), 643–648. <https://doi.org/10.21273/jashs.130.4.643>
- Leonardi, C., Guichard, S., & Bertin, N. (2000). High vapour pressure deficit influences growth, transpiration and quality of tomato fruits. *Scientia Horticulturae*, 84(3–4), 285–296. [https://doi.org/10.1016/S0304-4238\(99\)00127-2](https://doi.org/10.1016/S0304-4238(99)00127-2)
- Li, X., Xu, C., Korban, S. S., & Chen, K. (2010). Regulatory mechanisms of textural changes in ripening fruits. *Critical Reviews in Plant Sciences*, 29(4), 222–243. <https://doi.org/10.1080/07352689.2010.487776>
- Liu, Y.-X., Cao, M.-J., & Liu, G.-M. (2019). Texture analyzers for food quality evaluation. In *Evaluation Technologies for Food Quality*. <https://doi.org/10.1016/b978-0-12-814217-2.00017-2>
- Lu, H., Li, L., Limwachiranon, J., Xie, J., & Luo, Z. (2016). Effect of UV-C on ripening of tomato fruits in response to wound. *Scientia Horticulturae*, 213, 104–109. <https://doi.org/10.1016/j.scienta.2016.10.017>
- Luo, Z. (2007). Effect of 1-methylcyclopropene on ripening of postharvest persimmon (*Diospyros kaki* L.) fruit. *LWT - Food Science and Technology*, 40(2), 285–291. <https://doi.org/10.1016/j.lwt.2005.10.010>
- Makumbele, F. P., Taylor, M., Stander, M., Anyasi, T. A., Jideani, A. I. O., & Carissa, F. (2019). *Harvested at Ripe Stage of Maturation*. 24(2630). <https://doi.org/10.3390/molecules24142630>
- Maria, M. (2019). General rights A novel perspective on pectin extraction. In *Downloaded from orbit.dtu.dk on*.
- Moneruzzaman, K. M., Hossain, A. B. M. S., Sani, W., & Saifuddin, M. (2008). Effect of stages of maturity and ripening conditions on the physical characteristics of tomato. *American Journal of Biochemistry and Biotechnology*, 4(4), 329–335. <https://doi.org/10.3844/ajbbbsp.2008.329.335>
- Morales-Contreras, B. E., Rosas-Flores, W., Contreras-Esquivel, J. C., Wicker, L., & Morales-Castro, J. (2018). Pectin from Husk Tomato (*Physalis ixocarpa* Brot.): Rheological behavior at different extraction conditions. *Carbohydrate Polymers*, 179(July 2017), 282–289. <https://doi.org/10.1016/j.carbpol.2017.09.097>



- NAGEL, C. W., & PATTERSON, M. E. (1967). Pectic Enzymes and Development of the Pear (*Pyrus communis*). *Journal of Food Science*, 32(3), 294–297. <https://doi.org/10.1111/j.1365-2621.1967.tb01316.x>
- Paniagua, C., Posé, S., Morris, V. J., Kirby, A. R., Quesada, M. A., Mercado, J. A., ... MOHR, W. P. (2014). Fruit softening and pectin disassembly: An overview of nanostructural pectin modifications assessed by atomic force microscopy. *Annals of Botany*, 114(6), 1375–1383. <https://doi.org/10.1093/aob/mcu149>
- Passam, H., & Karapanos, I. (2008). Eggplants, peppers and tomatoes: factors affecting the quality and storage life of fresh and fresh-cut (minimally processed) produce. *The European Journal of Plant Science and Biotechnology*, 2(1), 156–170.
- Ponce-Valadez, M., Escalona-Buendía, H. B., Villa-Hernández, J. M., de León-Sánchez, F. D., Rivera-Cabrera, F., Alia-Tejacal, I., & Pérez-Flores, L. J. (2016). Effect of refrigerated storage (12.5°C) on tomato (*Solanum lycopersicum*) fruit flavor: A biochemical and sensory analysis. *Postharvest Biology and Technology*, 111, 6–14. <https://doi.org/10.1016/j.postharvbio.2015.07.010>
- Požrl, T., Žnidarčič, D., Kopjar, M., Hribar, J., & Simčič, M. (2010). Change of textural properties of tomatoes due to storage and storage temperatures. *Journal of Food, Agriculture and Environment*, 8(2), 292–296.
- Raffo, A., La, G., Fogliano, V., Maiani, G., & Quaglia, G. (2006). *ARTICLE IN PRESS Seasonal variations in antioxidant components of cherry tomatoes* (Vol. 19). <https://doi.org/10.1016/j.jfca.2005.02.003>
- Rajah, K. K. (2014). Fats in Food Technology: Second edition. In *Fats in Food Technology: Second Edition* (Vol. 9781405195). <https://doi.org/10.1002/9781118788745>
- ROE, B., & BRUEMMER, J. H. (1981). Changes in Pectic Substances and Enzymes during Ripening and Storage of “Keitt” Mangos. *Journal of Food Science*, 46(1), 186–189. <https://doi.org/10.1111/j.1365-2621.1981.tb14560.x>
- Rosenthal, A. J. (2010). Texture profile analysis - How important are the parameters? *Journal of Texture Studies*, 41(5), 672–684. <https://doi.org/10.1111/j.1745-4603.2010.00248.x>
- Salehi, B., Sharifi-Rad, R., Sharopov, F., Namiesnik, J., Roojintan, A., Kamle, M., ... Sharifi-Rad, J. (2019). Beneficial effects and potential risks of tomato consumption for human health: An overview. *Nutrition*, 62, 201–208. <https://doi.org/10.1016/j.nut.2019.01.012>
- Salim, M. M. R., Rashid, M. H., Hossain, M. M., & Zakaria, M. (2018). Morphological characterization of tomato (*Solanum lycopersicum* L.) genotypes. *Journal of the Saudi Society of Agricultural Sciences*, (xxxx). <https://doi.org/10.1016/j.jssas.2018.11.001>
- Santiago, J. S. J., Jamsazzadeh Kermani, Z., Xu, F., Van Loey, A. M., & Hendrickx, M. E. (2017). The effect of high pressure homogenization and endogenous pectin-related enzymes on tomato purée consistency and serum pectin structure. *Innovative Food Science and Emerging Technologies*, 43(December 2016), 35–44. <https://doi.org/10.1016/j.ifset.2017.07.028>
- Sañudo-barajas, J. A., Lipan, L., Cano-lamadrid, M., Vélez, R., Rocha, D., Noguera-artiaga, L., & Sánchez-, L. (2019). Texture. In *Postharvest Physiology and Biochemistry of Fruits and Vegetables*. <https://doi.org/10.1016/B978-0-12-813278-4.00014-2>
- Sheehy, R. E., Kramer, M., & Hiatt, W. R. (1988). Reduction of polygalacturonase activity

- in tomato fruit by antisense RNA. *Proceedings of the National Academy of Sciences*, 85(23), 8805–8809. <https://doi.org/10.1073/pnas.85.23.8805>
- Sun, Y., Kang, X., Chen, F., Liao, X., & Hu, X. (2019). Mechanisms of carrot texture alteration induced by pure effect of high pressure processing. *Innovative Food Science and Emerging Technologies*, 54(17), 260–269. <https://doi.org/10.1016/j.ifset.2018.08.012>
- Supriyadi, S., Suzuki, M., Wu, S., Tomita, N., Fujita, A., & Watanabe, N. (2003). Biogenesis of volatile methyl esters in snake fruit (*salacca edulis*, reinw) cv. Pondoh. *Bioscience, Biotechnology and Biochemistry*, 67(6), 1267–1271. <https://doi.org/10.1271/bbb.67.1267>
- Supriyadi, Suhardi, Suzuki, M., Yoshida, K., Muto, T., Fujita, A., & Watanabe, N. (2002). Changes in the Volatile Compounds and in the Chemical and Pondoh during Maturation. *Journal of Agriculture and Food Chemistry*, 50, 7627–7633.
- Szychowski, P. J., Frutos, M. J., Burló, F., Pérez-López, A. J., Carbonell-Barrachina, Á. A., & Hernández, F. (2015). Instrumental and sensory texture attributes of pomegranate arils and seeds as affected by cultivar. *LWT - Food Science and Technology*, 60(2), 656–663. <https://doi.org/10.1016/j.lwt.2014.10.053>
- Tadesse, T. N., Ibrahim, A. M., & Abteu, W. G. (2015). Degradation and formation of fruit color in tomato (*Solanum lycopersicum* L.) in response to storage temperature. *American Journal of Food Technology*, 10(4), 147–157. <https://doi.org/10.3923/ajft.2015.147.157>
- Taylor, P., Chauhan, O. P., Raju, P. S., Dasgupta, D. K., & Bawa, A. S. (2007). *International Journal of Food Properties Instrumental Textural Changes in Banana ( Var. Pachbale ) During Ripening Under Active and Passive Modified Atmosphere AND PASSIVE MODIFIED ATMOSPHERE*. (November 2013), 37–41. <https://doi.org/10.1080/10942910600596282>
- Tsaniklidis, G., Delis, C., Nikoloudakis, N., Katinakis, P., & Aivalakis, G. (2014). Low temperature storage affects the ascorbic acid metabolism of cherry tomato fruits. *Plant Physiology and Biochemistry*, 84, 149–157. <https://doi.org/10.1016/j.plaphy.2014.09.009>
- Tucker, G. (2004). Improving fruit and vegetable texture by genetic transformation. In *Texture in Food* (Vol. 2). <https://doi.org/10.1533/978185538362.3.321>
- Valdez Fragoso, A., & Mújica-Paz, H. (2015). Controlled Atmosphere Storage: Effect on Fruit and Vegetables. *Encyclopedia of Food and Health*, 308–311. <https://doi.org/10.1016/B978-0-12-384947-2.00197-5>
- Vázquez-Araújo, L., Chambers, D., & Carbonell-Barrachina, Á. A. (2012). Development of a sensory lexicon and application by an industry trade panel for turrón, a European protected product. *Journal of Sensory Studies*, 27(1), 26–36. <https://doi.org/10.1111/j.1745-459X.2011.00364.x>
- Verma, C., Kumar Mani, A., & Mishra, S. (2017). Biochemical and Molecular Characterization of Cell Wall Degrading Enzyme, Pectin Methylesterase Versus Banana Ripening: An Overview. *Asian Journal of Biotechnology*, 9(1), 1–23. <https://doi.org/10.3923/ajbkr.2017.1.23>

- Vicente, A. R., Ortugno, C., Rosli, H., Powell, A. L. T., Greve, L. C., & Labavitch, J. M. (2007). Temporal sequence of cell wall disassembly events in developing fruits. 2. Analysis of blueberry (*Vaccinium* species). *Journal of Agricultural and Food Chemistry*, 55(10), 4125–4130. <https://doi.org/10.1021/jf063548j>
- Vinha, A. F., Barreira, S. V. P., Castro, A., Costa, A., & Oliveira, M. B. P. P. (2013). *Influence of the Storage Conditions on the Physicochemical Properties , Antioxidant Activity and Microbial Flora of Different Tomato ( Lycopersicon esculentum L .) Cultivars*. 5(2), 118–128. <https://doi.org/10.5539/jas.v5n2p118>
- Watson, C. F., Zheng Liansheng, & DellaPenna, D. (1994). Reduction of tomato polygalacturonase beta subunit expression affects pectin solubilization and degradation during fruit ripening. *Plant Cell*, 6(11), 1623–1634. <https://doi.org/10.1105/tpc.6.11.1623>
- Wei, J., Ma, F., Shi, S., Qi, X., Zhu, X., Yuan, J., ... Labavitch, J. M. (2010). Changes and postharvest regulation of activity and gene expression of enzymes related to cell wall degradation in ripening apple fruit. *Postharvest Biology and Technology*, 56(2), 147–154. <https://doi.org/10.1016/j.postharvbio.2009.12.003>
- Wei, J., Qi, X., Cheng, Y., & Guan, J. (2015). Difference in activity and gene expression of pectin-degrading enzymes during softening process in two cultivars of Chinese pear fruit. *Scientia Horticulturae*, 197, 434–440. <https://doi.org/10.1016/j.scienta.2015.10.002>
- Wenjing Guan. (2017). Optimal Storage Conditions for Vegetables | Purdue University Vegetable Crops Hotline. Retrieved June 6, 2020, from 632 website: <https://vegcropshotline.org/article/optimal-storage-conditions-for-vegetables/>
- Wold, A., Rosenfeld, H. J., Holte, K., Baugerød, H., & Blomhoff, R. (2004). *Colour of post-harvest ripened and vine ripened tomatoes ( Lycopersicon esculentum Mill .) as related to total antioxidant capacity and chemical composition*. (1996), 295–302. <https://doi.org/10.1111/j.1365-2621.2004.00784.x>
- Xie, F., Yuan, S., Pan, H., Wang, R., Cao, J., & Jiang, W. (2017). Effect of yeast mannan treatments on ripening progress and modification of cell wall polysaccharides in tomato fruit. *Food Chemistry*, 218, 509–517. <https://doi.org/10.1016/j.foodchem.2016.09.086>
- Xin, Y., Chen, F., Yang, H., Zhang, P., Deng, Y., & Yang, B. (2010). Morphology, profile and role of chelate-soluble pectin on tomato properties during ripening. *Food Chemistry*, 121(2), 372–380. <https://doi.org/10.1016/j.foodchem.2009.12.038>
- Zahir, K., Nejib, G., Vandita, S., R, M. S., & Lyutha, A. (2013). *Instrumental Texture Profile Analysis of Date-Tamarind Fruit Leather with Different Types of Hydrocolloids*. 19(4), 531–538.
- Zou, J., Chen, J., Tang, N., Gao, Y., Hong, M., Wei, W., ... Li, Z. (2018). Transcriptome analysis of aroma volatile metabolism change in tomato (*Solanum lycopersicum*) fruit under different storage temperatures and 1-MCP treatment. *Postharvest Biology and Technology*, 135(January 2017), 57–67. <https://doi.org/10.1016/j.postharvbio.2017.08.017>
- <https://www.grow-it-organically.com/tomato-varieties.html>
- [https://www.wifss.ucdavis.edu/wp-content/uploads/2016/10/Tomatoes\\_PDF.pdf](https://www.wifss.ucdavis.edu/wp-content/uploads/2016/10/Tomatoes_PDF.pdf)