

- Afzal S, Bashir M. 2008. *Determinants of Wound Dehiscence in Abdominal Surgery in Public Sector Hospital*. Department of Community Medicine, King Edward Medical University Lahore . Annals 14:3
- Albertsmeier, M. *et al.* (2012) 'Evaluation of the safety and efficacy of MonoMax® suture material for abdominal wall closure after primary midline laparotomy - A controlled prospective multicentre trial: ISSAAC [NCT005725079]', *Langenbeck's Archives of Surgery*, 397(3), pp. 363–371. doi: 10.1007/s00423-011-0884-6.
- Amento EP, Beck LS. 1991. [TGF-beta and wound healing](#). Ciba Found Symp.;157:115-23; discussion 123-9.
- Baxter, H. 2007. *Management of surgical wound*. Nur Time 99(13) ;1-9 Brannon, Heather. 2007. *Skin Anatomy*. Diakses dari: <http://dermatology.about.com/cs/skinanatomy/a/anatomy.html>
- Braz FSV, Loss AB, Japiassi AM. 2007. *Wound healing and sacring sutures*. The Federal University of Rio de Janeiro. 1-5. Diakses dari : <http://www.medstudents.com.br/cirurgia/cirurgia.html>
- Brannon H, Baxter, H. 2007. *Management of surgical wound*. Nur Time 99(13) ;1-9 Brannon, Heather. 2007. *Skin Anatomy*. Diakses dari: <http://dermatology.about.com/cs/skinanatomy/a/anatomy.html>
- Broto, G. Et al. (2018) 'Perbandingan pengaruh jahitan menggunakan benang Polyvinylidene Fluoride dan Poluglicolyde dengan teknik large stitch koninu terhadap ekspresi TGF-β pada garis insisi fascia abdomen tikus galur wistar (*Rattus norvegicus*)'. Universitas Gadjah Mada, pp. 1-14.
- Ceydeli, A., Rucinski, J. and Wise, L. (2007) 'Finding the best abdominal closure - An evidence-based overview of the literature', *Recurrent Hernia: Prevention and Treatment*, pp. 117–122. doi: 10.1007/978-3-540-68988-1_14.
- D'Souza, R.. and Novell, R. (2013) 'Laparotomy: Elective and Emergency', in Novell, R., Baker, D. M., and Goddard, N. (eds) *Kirk's General Surgical Operations*. Sixth Ed. Edinburgh: Churchill Livingstone Elsevier, pp. 38–56.
- Dart, A. J. and Dart, C. M. (2011) 'Suture Material: Conventional and Stimuli Responsive', *Comprehensive Biomaterials*, pp. 573–587. doi: 10.1016/B978-0-08-055294-1.00245-2.
- Dahlan, S. (2011) '*Statistik Untuk Kedokteran dan Kesehatan*', Edisi 5, Jakarta: Salemba Medika.
- Deerenberg, E. B. *et al.* (2015) 'Small bites versus large bites for closure of abdominal midline incisions (STITCH): A double-blind, multicentre, randomised controlled trial', *The Lancet*. Elsevier Ltd, 386(10000), pp. 1254–1260. doi: 10.1016/S0140-6736(15)60459-7.
- Dubay, D. A. and Franz, M. G. (2003) 'Acute wound healing: The biology of acute wound failure', *Surgical Clinics of North America*, pp. 463–481. doi: 10.1016/S0039-6109(02)00196-2.
- Dubay, D. A. *et al.* (2004) 'Fascial fibroblast kinetic activity is increased during abdominal wall repair compared to dermal fibroblasts', *Wound Repair and Regeneration*, 12(5), pp. 539–545. doi: 10.1111/j.1067-1927.2004.012506.x.
- Ekdahl K.N, J. D. Lambris, H. Elwing, D. Ricklin, P. H. Nilsson, Y. Teramura, I. A. Nicholls and B. Nilsson. Innate immunity activation on biomaterial surfaces: a mechanistic



UNIVERSITAS
GADJAH MADA

**PERBANDINGAN PENGARUH JAHITAN ANTARA BENANG POLYGLECAPRONE 25 DAN NYLON
DENGAN TEKNIK SMALL STICH
KONTINYU TERHADAP EKSPRESI TRANSFORMING GROWTH FACTOR BETA PADA GARIS INSISI
KULIT ABDOMEN TIKUS**

ALBINO GALUR WISTAR (*Rattus norvegicus*)

TANTRI BAGUS Satrio, dr Imam Sofii, Sp.B-KBD, Prof. Dr. dr. Yohanes Widedo Wirohadidjojo, Sp.KK (K)
model and coping strategies. *Adv Drug Deliv Rev.* 2011; 63, 1042-1050.
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Faiz, O. and Moffat, D. (2002) *Anatomy at a Glance [e-Book]*. doi: 10.5005/jp/books/10050.
- Fortelny, R. H. *et al.* (2015) 'Effect of suture technique on the occurrence of incisional hernia after elective midline abdominal wall closure: Study protocol for a randomized controlled trial', *Trials*, 16(1), pp. 1–8. doi: 10.1186/s13063-015-0572-x.
- Gurusamy, K. S. *et al.* (2014) 'Continuous versus interrupted skin sutures for non-obstetric surgery', *Cochrane Database of Systematic Reviews*, (2). doi: 10.1002/14651858.CD010365.pub2
- Hodgson, N. C. F., Malthaner, R. A. and Østbye, T. (2000) 'The search for an ideal method of abdominal fasial closure: A meta- analysis', *Annals of Surgery*, 231(3), pp. 436–442. doi: 10.1097/00000658-200003000-00018.
- Israelsson, L. A. and Millbourn, D. (2013) 'Prevention of incisional hernias. How to close a midline incision.', *Surgical Clinics of North America*, pp. 1027–1040. doi: 10.1016/j.suc.2013.06.009.
- Kate, Vikram. 2011. *Exploratory Laparotomy*. Available at: <http://emedicine.medscape.com/article/1829835-overview>
- Lambertz, A. M., Gao, R., Naot, D., Coleman, B., Cornish, J., & Musson, D. S. (2017). Induction of immune gene expression and inflammatory mediator release by commonly used surgical suture materials: an experimental in vitro study. *Patient Safety in Surgery*, 11, 16. <http://doi.org/10.1186/s13037-017-0132-2>
- Kudur, M. *et al.* (2009) 'Sutures and suturing techniques in skin closure', *Indian Journal of Dermatology, Venereology and Leprology*, 75(4), p. 425. doi: 10.4103/0378-6323.53155.
- Meijer, E. J. *et al.* (2013) 'The principles of abdominal wound closure', *Acta Chirurgica Belgica*, 113(4), pp. 239–244. doi: [http://dx.doi.org/10.1016/0890-4332\(93\)90047-Y](http://dx.doi.org/10.1016/0890-4332(93)90047-Y).
- Millbourn, D. (2009) 'Effect of Stitch Length on Wound Complications After Closure of Midline Incisions A Randomized Controlled Trial', *Archives of Surgery*, 144(11), p. 1056. doi: 10.1001/archsurg.2009.189.
- Mizell, J. S. (2015) 'Complications of abdominal surgical incisions', *UpToDate*, pp. 1–27.
- Muysoms, F. E. *et al.* (2015) 'European Hernia Society guidelines on the closure of abdominal wall incisions', *Hernia : the journal of hernias and abdominal wall surgery*, 19(1), pp. 1–24. doi: 10.1007/s10029-014-1342-5.
- Nout, E. *et al.* (2007) 'Creep Behavior of Commonly Used Suture Materials in Abdominal Wall Surgery', *Journal of Surgical Research*, 138(1), pp. 51–55. doi: 10.1016/j.jss.2006.06.001.
- Osther, P. J. *et al.* (1995) 'Randomized comparison of polyglycolic acid and polyglyconate sutures for abdominal fasial closure after laparotomy in patients with suspected impaired wound healing', *British Journal of Surgery*, 82(8), pp. 1080–1082. doi: 10.1002/bjs.1800820824.
- Rahbari, N. N. *et al.* (2009) 'Current practice of abdominal wall closure in elective surgery? Is there any consensus?', *BMC Surgery*, 9(1), pp. 1–8. doi: 10.1186/1471-2482-9-8.
- Roses, R. E. and Morris, J. B. (2013) 'Incisions, Closures, And Management of The Abdominal Wound', in Zinner, M. J. and Ashley, S. W. (eds) *Maingot's Abdominal Operations*. 12th editi. New York: Mc Graw Hill Companies, pp. 99–122.
- Rostam H, Singh S, Vrana N, Alexander M, Ghaemmaghami A. Impact of Surface Chemistry and Topography on the Function of Antigen Presenting Cells. *Biomater.Sci.*, 2014, 00, 1-11.
- Satteson, E. S. (2017) *Materials for Wound Closure: Wound Healing and Closure, Suture Characteristics, Suture Materials, Medscape*. Available at: <https://emedicine.medscape.com/article/1127693->



PERBANDINGAN PENGARUH JAHITAN ANTARA BENANG POLYGLECAPRONE 25 DAN NYLON DENGAN TEKNIK SMALL STICH KONTINYU TERHADAP EKSPRESI TRANSFORMING GROWTH FACTOR BETA PADA GARIS INSISI KULIT ABDOMEN TIKUS

UNIVERSITAS
GADJAH MADA

ALBINO GALUR WISTAR (*Rattus norvegicus*)

TANTRI BAGUS SATRIO, dr. Imam Sofii, Sp.B-KBD, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK (K)

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Sjamsuhidajat R, De Jong W. 2005. Luka Operasi. Dalam: *Buku Ajar Ilmu Bedah Edisi 2*. Penerbit Buku Kedokteran EGC: Jakarta

Urvashi, V. *et al.* (2013). *Comparison of Efficacy of Three Suture Materials, i.e., Poliglecaprone 25, Polyglactin 910, Polyamide, as Subcuticular Skin Stitches in Post-Cesarean Women: A Randomized Clinical Trial*. *J Obstet Gynaecol India*. 2014 Feb;64(1):14-8. doi: 10.1007/s13224-013-0448-5. Epub 2013 Sep 4.

Veljkovic, R. *et al.* (2010) 'Prospective Clinical Trial of Factors Predicting the Early Development of Incisional Hernia after Midline Laparotomy', *Journal of the American College of Surgeons*. Elsevier Inc., 210(2), pp. 210–219. doi: 10.1016/j.jamcollsurg.2009.10.013.

White WJ, Burroughs RF, Ferguson T. Late foreign-body reaction to ticon sutures following inferior capsular shift: a case report. *Am J Sports Med*. 2000;32(1):232–236. doi: 10.1177/0363546503260728.