

## REFERENCES

- Adebiyi, J. A., Obadina, A. O., Mulaba-Bafubandi, A. F., Adebo, O. A., & Kayitesi, E. (2016). Effect of fermentation and malting on the microstructure and selected physicochemical properties of pearl millet (*Pennisetum glaucum*) flour and biscuit. *Journal of Cereal Science*, 70, 132–139. <https://doi.org/10.1016/j.jcs.2016.05.026>
- AFSSA. (2007). *Apport en protéines : consommation, qualité, besoins et recommandations*.
- Alimi, B. A., Sibomana, M. S., Workneh, T. S., & Oke, M. O. (2017). Some Engineering Properties of Composite Corn-Banana Custard Flour. *Journal of Food Process Engineering*, 40(3). <https://doi.org/10.1111/jfpe.12444>
- Anderson, J. W., Baird, P., Davis, R. H., Ferreri, S., Knudtson, M., Koraym, A., ... Williams, C. L. (2009). Health benefits of dietary fiber. *Nutrition Reviews*, 67(4), 188–205. <https://doi.org/10.1111/j.1753-4887.2009.00189.x>
- Aparicio-Saguilán, A., Flores-Huicochea, E., Tovar, J., García-Suárez, F., Gutiérrez-Meraz, F., & Bello-Pérez, L. A. (2005). Resistant starch-rich powders prepared by autoclaving of native and lintnerized banana starch: Partial characterization. *Starch/Staerke*, 57(9), 405–412. <https://doi.org/10.1002/star.200400386>
- Asibuo, J., Akromah, R., Adu-Dapaah, H., & Safo-Kantanka, O. (2008). Evaluation of nutritional quality of groundnut (*Arachis Hypogaea* L.) from Ghana. *African Journal of Food, Agriculture, Nutrition and Development*, 8(2), 133–150. <https://doi.org/10.4314/ajfand.v8i2.19185>
- Astorg, P., BOUTRON-RUAULT, M.-C., ANDRIEUX, C., ASTORG, P., BLACHIER, F., BLOTTIÈRE, H., ... SIESS, M.-H. (2002). Fibres alimentaires et cancer colorectal- Etudes expérimentales, épidémiologie, mécanismes. *Gastroentérologie Clinique et Biologique*, 26(10), 893–912.
- Aune, D. (2019). Plant Foods, Antioxidant Biomarkers, and the Risk of Cardiovascular Disease, Cancer, and Mortality: A Review of the Evidence. *Advances in Nutrition*, 10(1), S404–S421. <https://doi.org/10.1093/advances/nmz042>
- Aurore, G., Parfait, B., & Fährasmane, L. (2009). Bananas, raw materials for making processed food products. *Trends in Food Science and Technology*, 20(2), 78–91. <https://doi.org/10.1016/j.tifs.2008.10.003>
- Aziz, Q., Dore, J., Emmanuel, A., Guarner, F., & Quigley, E. M. M. (2013). Gut microbiota and gastrointestinal health: current concepts and future directions. *Neurogastroenterology & Motility*, 25(August 2012), 4–15. <https://doi.org/10.1111/nmo.12046>
- Bala, A., Gul, K., & Riar, C. S. (2015). Functional and sensory properties of cookies prepared from wheat flour supplemented with cassava and water chestnut flours. *Cogent Food & Agriculture*, 102(1), 1–7. <https://doi.org/10.1080/23311932.2015.1019815>
- Barreira, J. C. M., Nunes, M. A., da Silva, B. V., Pimentel, F. B., Costa, A. S. G., Alvarez-

- Ortí, M., ... Oliveira, M. B. P. P. (2019). Almond cold-pressed oil by-product as ingredient for cookies with potential health benefits: Chemical and sensory evaluation. *Food Science and Human Wellness*, 8(3), 292–298. <https://doi.org/10.1016/j.fshw.2019.07.002>
- Behera, S. S., & Ray, R. C. (2016). Konjac glucomannan, a promising polysaccharide of *Amorphophallus konjac* K. Koch in health care. *International Journal of Biological Macromolecules*, 92, 942–956. <https://doi.org/10.1016/j.ijbiomac.2016.07.098>
- Bilgiçli, N., Ibanoglu, S., & Herken, E. N. (2007). Effect of dietary fibre addition on the selected nutritional properties of cookies. *Journal of Food Engineering*, 78, 86–89. <https://doi.org/10.1016/j.jfoodeng.2005.09.009>
- Borreani, J., Llorca, E., Larrea, V., & Hernando, I. (2016). Adding neutral or anionic hydrocolloids to dairy proteins under in vitro gastric digestion conditions. *Food Hydrocolloids*, 57, 169–177. <https://doi.org/10.1016/j.foodhyd.2016.01.030>
- Byerley, L. O., Samuelson, D., Blanchard, E., Luo, M., Lorenzen, B. N., Banks, S., ... Taylor, C. M. (2017). Changes in the gut microbial communities following addition of walnuts to the diet. *The Journal of Nutritional Biochemistry*, 48, 94–102. <https://doi.org/10.1016/j.jnutbio.2017.07.001>
- Chacko, A., & Cummings, J. H. (1988). Nitrogen losses from the human small bowel: Obligatory losses and the effect of physical form of food. *Gut*, 29(6), 809–815. <https://doi.org/10.1136/gut.29.6.809>
- Chauhan, A., Saxena, D. C., & Singh, S. (2016). Physical , textural , and sensory characteristics of wheat and amaranth flour blend cookies. *Cogent Food & Agriculture*, 21(1), 1–8. <https://doi.org/10.1080/23311932.2015.1125773>
- Chen, H. L., Cheng, H. C., Liu, Y. J., Liu, S. Y., & Wu, W. T. (2006). Konjac acts as a natural laxative by increasing stool bulk and improving colonic ecology in healthy adults. *Nutrition*, 22(11–12), 1112–1119. <https://doi.org/10.1016/j.nut.2006.08.009>
- Chen, H. L., Cheng, H. C., Wu, W. T., Liu, S. Y., & Liu, Y. J. (2008). Supplementation of Konjac Glucomannan into a Low-Fiber Chinese Diet Promoted Bowel Movement and Improved Colonic Ecology in Constipated Adults: A Placebo-Controlled, Diet-Controlled Trial. *Journal of the American College of Nutrition*, 27(1), 102–108. <https://doi.org/10.1080/07315724.2008.10719681>
- Chevallier, S., Colonna, P., Della Valle, G., & Lourdin, D. (2000). Contribution of major ingredients during baking of biscuit dough systems. *Journal of Cereal Science*, 31(3), 241–252. <https://doi.org/10.1006/jcrs.2000.0308>
- Chua, M., Baldwin, T. C., Hocking, T. J., & Chan, K. (2010). Traditional uses and potential health benefits of *Amorphophallus konjac* K. Koch ex N.E.Br. *Journal of Ethnopharmacology*, 128(2), 268–278. <https://doi.org/10.1016/j.jep.2010.01.021>
- Connolly, M. L., Lovegrove, J. A., & Tuohy, K. M. (2010). Konjac glucomannan hydrolysate

- beneficially modulates bacterial composition and activity within the faecal microbiota. *Journal of Functional Foods*, 2(3), 219–224. <https://doi.org/10.1016/j.jff.2010.05.001>
- Cui, T., Wu, T., Liu, R., Sui, W., Wang, S., & Zhang, M. (2019). Effect of Degree of Konjac Glucomannan Enzymatic Hydrolysis on the Physicochemical Characteristic of Gluten and Dough [Research-article]. *ACS Omega*, 4(6), 9654–9663. <https://doi.org/10.1021/acsomega.9b00061>
- Cummings, J.H., & Macfarlane, G. T. (1991). The control and consequences of bacterial fermentation. *Journal of Applied Bacteriology*, 70, 443–459.
- Cummings, John H., Macfarlane, G. T., & Englyst, H. N. (2001). Prebiotic digestion and fermentation. *American Journal of Clinical Nutrition*, 73(2 SUPPL.), 415–420. <https://doi.org/10.1093/ajcn/73.2.415s>
- da Mota, R. V, Lajolo, F. M., Ciacco, C., & Cordenunsi, B. R. (2000). Composition and Functional Properties of Banana Flour from Different Varieties. *Starch/Stärke*, 52(2–3), 63–68.
- da Silva, D. F., de Souza Ferreira, S. B., Bruschi, M. L., Britten, M., & Matumoto-Pintro, P. T. (2016). Effect of commercial konjac glucomannan and konjac fl ours on textural , rheological and microstructural properties of low fat processed cheese. *Food Hydrocolloids*, 60, 308–316. <https://doi.org/10.1016/j.foodhyd.2016.03.034>
- Dai, S., Corke, H., & Shah, N. P. (2016). Utilization of konjac glucomannan as a fat replacer in low-fat and skimmed yogurt. *Journal of Dairy Science*, 99(9), 7063–7074. <https://doi.org/10.3168/jds.2016-11131>
- Davis, L. M. G., Martínez, I., Walter, J., Goin, C., & Hutkins, R. W. (2011). Barcoded Pyrosequencing Reveals That Consumption of Galactooligosaccharides Results in a Highly Specific Bifidogenic Response in Humans. *PLoS ONE*, 6(9), 1–10. <https://doi.org/10.1371/journal.pone.0025200>
- Deehan, E. C., Duar, R. M., Armet, A. M., Perez-muñoz, M. E., Jin, M., & Walter, J. (2017). Modulation of the Gastrointestinal Microbiome with Nondigestible Fermentable Carbohydrates To Improve Human Health. In *Bugs as Drugs: Therapeutic Microbes for the Prevention and Treatment of Disease* (pp. 453–483). <https://doi.org/10.1128/microbiolspec.BAD-0019-2017>
- Desai, M. S., Seekatz, A. M., Koropatkin, N. M., Kamada, N., Hickey, C. A., Wolter, M., ... Martens, E. C. (2016). A Dietary Fiber-Deprived Gut Microbiota Degrades the Colonic Mucus Barrier and Enhances Pathogen Susceptibility. *Cell*, 167(5), 1339–1353. <https://doi.org/10.1016/j.cell.2016.10.043>
- Dharsenda, T., Dabhi, M., Jethva, M., & Kapopara, M. (2015). Nutritional and Functional Characterization of Peanut Okara ( Defatted Peanut ) Flour Cookies. *JOURNAL OF GRAIN PROCESSING AND STORAGE*, 2(2), 24–28.
- Du, X., Li, J., Chen, J., & Li, B. (2012). Effect of degree of deacetylation on physicochemical

- and gelation properties of konjac glucomannan. *Food Research International*, 46(1), 270–278. <https://doi.org/10.1016/j.foodres.2011.12.015>
- Englyst, H. N., Kingman, S. M., & Cummings, J. H. (1992). Classification and measurement of nutritionally important starch fractions. *European Journal of Clinical Nutrition*, 46(SUPPL. 2). [https://doi.org/10.1016/S0271-5317\(97\)00010-9](https://doi.org/10.1016/S0271-5317(97)00010-9)
- Englyst, K. N., & Englyst, H. N. (2005). Carbohydrate bioavailability. *British Journal of Nutrition*, 94(1), 1–11. <https://doi.org/10.1079/bjn20051457>
- Farhat, I. A., Protzmann, J., Becker, A., Vallès-Pàmies, B., Neale, R., & Hill, S. E. (2001). Effect of the extent of conversion and retrogradation on the digestibility of potato starch. *Starch/Staerke*, 53(9), 431–436. [https://doi.org/10.1002/1521-379X\(200109\)53:9<431::AID-STAR431>3.0.CO;2-R](https://doi.org/10.1002/1521-379X(200109)53:9<431::AID-STAR431>3.0.CO;2-R)
- Flint, H. J., Scott, K. P., Duncan, S. H., Louis, P., & Forano, E. (2012). Microbial degradation of complex carbohydrates in the gut. *Gut Microbes*, 3(4), 289–306. <https://doi.org/10.4161/gmic.19897>
- Garba, K., Adeoti, K., Ohin, B., Baba-Moussa, L., Soumanou, M. M., & Toukourou, F. (2015). Conservation tests of Kluiklui from Agonlin district in Republic of Benin: Study of the Microbiological stability. *International Journal of Current Microbiology and Applied Sciences*, 4(1), 755–764.
- Garba, K. D. M. (2015). *IDENTIFICATION DES ATTRIBUTS IG, ETUDE DES PROCEDES ET CARACTERISATION DES DERIVES DE L'ARACHIDE (ARACHIS HYPOGAEA) : HUILE D'AGONLIN ET "KLUIKLUI" DE L'AIRE MAHI-NAGOT*. Université Abomey calavi.
- García-Alonso, A., Jiménez-Escrig, A., Martín-Carrón, N., Bravo, L., & Saura-Calixto, F. (1999). Assessment of some parameters involved in the gelatinization and retrogradation of starch. *Food Chemistry*, 66(2), 181–187. [https://doi.org/10.1016/S0308-8146\(98\)00261-1](https://doi.org/10.1016/S0308-8146(98)00261-1)
- GERES. (2014). *Guide pratique Production d'une huile d'arachide agonlin de qualité supérieure*.
- Goni, I., García-Diz, L., Mañas, E., & Saura-Calixto, F. (1996). Analysis of resistant starch: A method for foods and food products. *Food Chemistry*, 56(4), 445–449. [https://doi.org/10.1016/0308-8146\(95\)00222-7](https://doi.org/10.1016/0308-8146(95)00222-7)
- Guédou, G. N. (2011). *Caractérisation physicomécaniques des galettes béninoises à base de farine d'arachides et de maïs : Mise au point et validation d'un protocole expérimental*. University of Abomey-calavi, Bénin.
- Harmayani, E., Aprilia, V., & Marsono, Y. (2014). Characterization of glucomannan from *Amorphophallus oncophyllus* and its prebiotic activity in vivo. *Carbohydrate Polymers*, 112, 475–479.
- Jenkins, D. J. A., Kendall, C. W. C., Augustin, L. S. A., & Vuksan, V. (2002). High-complex

- carbohydrate or lente carbohydrate foods? *American Journal of Medicine*, 113(9 SUPPL. 2), 30–37. [https://doi.org/10.1016/s0002-9343\(01\)00989-5](https://doi.org/10.1016/s0002-9343(01)00989-5)
- Jimenez-colmenero, F., Cofrades, S., Herrero, A. M., Solas, M. T., & Ruiz-capillas, C. (2013). Konjac gel for use as potential fat analogue for healthier meat product development : Effect of chilled and frozen storage. *Food Hydrocolloids*, 30(1), 351–357. <https://doi.org/10.1016/j.foodhyd.2012.06.015>
- John, G. K., Wang, L., Nanavati, J., Twose, C., Singh, R., & Mullin, G. (2018). Dietary Alteration of the Gut Microbiome and Its Impact on Weight and Fat Mass : A Systematic Review. *Genes*, 9(3), pii: E167. <https://doi.org/10.3390/genes9030167>
- Juarez-Garcia, E., Agama-Acevedo, E., Sáyago-Ayerdi, S. G., Rodríguez-Ambriz, S. L., & Bello-Pérez, L. A. (2006). Composition, digestibility and application in breadmaking of banana flour. *Plant Foods for Human Nutrition*, 61(3), 131–137. <https://doi.org/10.1007/s11130-006-0020-x>
- Katrolia, P., Zhou, P., Zhang, P., Yan, Q., Li, Y., Jiang, Z., & Xu, H. (2012). High level expression of a novel bêta -mannanase from Chaetomium sp . exhibiting efficient mannan hydrolysis. *Carbohydrate Polymers*, 87(1), 480–490. <https://doi.org/10.1016/j.carbpol.2011.08.008>
- Katsuraya, K., Okuyama, K., Hatanaka, K., Oshima, R., Sato, T., & Matsuzaki, K. (2003). Constitution of konjac glucomannan : chemical analysis and 13 C NMR spectroscopy. *Carbohydrate Polymers*, 53(2), 183–189. [https://doi.org/10.1016/S0144-8617\(03\)00039-0](https://doi.org/10.1016/S0144-8617(03)00039-0)
- Kaur, P., Sharma, P., Kumar, V., Panghal, A., Kaur, J., & Gat, Y. (2018). Effect of addition of flaxseed flour on phytochemical, physicochemical, nutritional, and textural properties of cookies. *Journal of the Saudi Society of Agricultural Sciences*, 18(4), 372–377. <https://doi.org/10.1016/j.jssas.2017.12.004>
- Koh, A., Vadder, F. De, Kovatcheva-Datchary, P., & Backhed, F. (2016). From Dietary Fiber to Host Physiology : Short-Chain Fatty Acids as Key Bacterial Metabolites. *Cell*, 165, 1332–1345. <https://doi.org/10.1016/j.cell.2016.05.041>
- Kok, M. S., Abdelhameed, A. S., Ang, S., Morris, G. A., & Harding, S. E. (2009). A novel global hydrodynamic analysis of the molecular flexibility of the dietary fibre polysaccharide konjac glucomannan. *Food Hydrocolloids*, 23, 1910–1917. <https://doi.org/10.1016/j.foodhyd.2009.02.002>
- Kulkarni, A., & Joshi, D. C. (2013). Effect of replacement of wheat flour with pumpkin powder on textural and sensory qualities of biscuit. *International Food Research Journal*, 20(2), 587–591.
- Lewis, B. B., Buffie, C. G., Carter, R. A., Leiner, I., Toussaint, N. C., Miller, L. C., ... Pamer, E. G. (2015). Loss of Microbiota-Mediated Colonization Resistance to Clostridium difficile Infection With Oral Vancomycin Compared With Metronidazole. *Journal of Infectious Diseases*, 212(10), 1656–1665. <https://doi.org/10.1093/infdis/jiv256>



- Li, J., Wang, Y., Jin, W., Zhou, B., & Li, B. (2013). Application of micronized konjac gel for fat analogue in mayonnaise. *Food Hydrocolloids*, 1–8. <https://doi.org/10.1016/j.foodhyd.2013.06.010>
- Lia, Å., Sundberg, B., Åman, P., Sandberg, A.-S., Hallmans, G., & Andersson, H. (1996). Substrates available for colonic fermentation from oat, barley and wheat bread diets. A study in ileostomy subjects. *British Journal of Nutrition*, 76(6), 797–808. <https://doi.org/10.1079/bjn19960087>
- Loening-Baucke, V., Miele, E., & Staiano, A. (2004). Fiber (glucomannan) is beneficial in the treatment of childhood constipation. *Pediatrics*, 113(3), 259–264. <https://doi.org/10.1542/peds.113.3.e259>
- Lovegrove, A., Edwards, C. H., De Noni, I., Patel, H., El, S. N., Grassby, T., ... Shewry, P. R. (2017). Role of polysaccharides in food, digestion, and health. *Critical Reviews in Food Science and Nutrition*, 57(2), 237–253. <https://doi.org/10.1080/10408398.2014.939263>
- Lunn, J., & Buttriss, J. L. (2007). Carbohydrates and dietary fibre. *Nutrition Bulletin*, 32(1), 21–64. <https://doi.org/10.1111/j.1467-3010.2007.00616.x>
- Ma, Y. ., Chen, J. ., Liu, D. ., & Ye, X. . (2008). Effect of Ultrasonic Treatment on the Total Phenolic and Antioxidant Activity of Extracts from Citrus Peel. *Journal of Food Science*, 73(8), 115–120. <https://doi.org/10.1111/j.1750-3841.2008.00908.x>
- Magallanes-Cruz, P. A., Bello-Pérez, L. A., Agama-Acevedo, E., Tovar, J., & Carmona-Garcia, R. (2020). Effect of the addition of thermostable and non-thermostable type 2 resistant starch (RS2) in cake batters. *Lwt-Food Science and Technology Journal*, 118, 1–9. <https://doi.org/10.1016/j.lwt.2019.108834>
- Mahloko, L. M., Silungwe, H., Mashau, M. E., & Kgatla, T. E. (2019). Bioactive compounds, antioxidant activity and physical characteristics of wheat-prickly pear and banana biscuits. *Heliyon*, 5(10), e02479. <https://doi.org/10.1016/j.heliyon.2019.e02479>
- Mañas, E., Bravo, L., & Saura-Calixto, F. (1994). Sources of error in dietary fibre analysis. *Food Chemistry*, 50(4), 331–342. [https://doi.org/10.1016/0308-8146\(94\)90201-1](https://doi.org/10.1016/0308-8146(94)90201-1)
- Mañas, E., & Saura-Calixto, F. (1993). Ethanolic precipitation: A source of error in dietary fibre determination. *Food Chemistry*, 47(4), 351–355. [https://doi.org/10.1016/0308-8146\(93\)90176-G](https://doi.org/10.1016/0308-8146(93)90176-G)
- Martínez, I., Kim, J., Duffy, P. R., Schlegel, V. L., & Walter, J. (2010). Resistant Starches Types 2 and 4 Have Differential Effects on the Composition of the Fecal Microbiota in Human Subjects. *PLoS ONE*, 5(11), 1–11. <https://doi.org/10.1371/journal.pone.0015046>
- McGlynn, W. (1992). The Importance of Food pH in Commercial Canning Operations. *Food and Agricultural Product Research and Technology Center*, 1–8. <https://doi.org/405-744-6071>

- Menezes, E. W., de Melo, A. T., Lima, G. H., & Lajolo, F. M. (2004). Measurement of carbohydrate components and their impact on energy value of foods. *Journal of Food Composition and Analysis*, 17(3–4), 331–338. <https://doi.org/10.1016/j.jfca.2004.03.018>
- Moongngarm, A., Tiboonbun, W., Sanpong, M., Sriwong, P., Phiewtong, L., Prakitrum, R., & Huychan, N. (2014). Resistant starch and bioactive contents of unripe banana flour as influenced by harvesting periods and its application. *American Journal of Agricultural and Biological Science*, 9(3), 457–465. <https://doi.org/10.3844/ajabssp.2014.457.465>
- Nelson, S. C., Ploetz, R. C., & Kepler, A. K. (2006). Species Profiles for Pacific Island Agroforestry Musa species ( banana and plantain ). In *ResaerchGates* (Vol. 2).
- Nicolucci, A. C., Hume, M. P., Martínez, I., Mayengbam, S., Walter, J., & Reimer, R. A. (2017). Prebiotics Reduce Body Fat and Alter Intestinal Microbiota in Children Who Are Overweight or With Obesity. *Gastroenterology*, 153(3), 711–722. <https://doi.org/10.1053/j.gastro.2017.05.055>
- Novello, C., & Santamaria, C. (2005). *L'allergie alimentaire à l'arachide* (U. P. X. – V. de Marne, Ed.). Paris.
- Nugent, A. P. (2005). Health properties of resistant starch. *Nutrition Bulletin*, 30(1), 27–54. <https://doi.org/10.1111/j.1467-3010.2005.00481.x>
- Nurjanah, Z. (2010). *Kajian proses pemurnian tepung glukomanan dari umbi iles-iles kuning (amorphophallus oncophyllus) dengan menggunakan enzim  $\alpha$ -amilase*. INSTITUT PERTANIAN BOGOR.
- Ovando-Martinez, M., Sáyago-Ayerdi, S., Agama-Acevedo, E., Goñi, I., & Bello-Pérez, L. A. (2009). Unripe banana flour as an ingredient to increase the undigestible carbohydrates of pasta. *Food Chemistry*, 113(1), 121–126. <https://doi.org/10.1016/j.foodchem.2008.07.035>
- Papathanasopoulos, A., & Camilleri, M. (2010). Dietary Fiber Supplements: Effects in Obesity and Metabolic Syndrome and Relationship to Gastrointestinal Functions. *Gastroenterology*, 138(1), 65–72.e2. <https://doi.org/10.1053/j.gastro.2009.11.045>
- Pathak, D., Majumdar, J., Raychaudhuri, U., & Chakraborty, R. (2016). Characterization of physicochemical properties in whole wheat bread after incorporation of ripe mango peel. *Journal of Food Measurement and Characterization*, 10(3), 554–561. <https://doi.org/10.1007/s11694-016-9335-y>
- Pereira, D., Correia, P. M. R., & Guiné, R. P. F. (2013). Analysis of the physical-chemical and sensorial properties of Maria type cookies. *Acta Chimica Slovaca*, 6(2), 269–280. <https://doi.org/10.2478/acs-2013-0040>
- Pérez-Cobas, A. E., Moya, A., Gosalbes, M. J., & Latorre, A. (2015). Colonization Resistance of the Gut Microbiota against *Clostridium difficile*. *Antibiotics*, 4, 337–357.

<https://doi.org/10.3390/antibiotics4030337>

- Pokusaeva, K., & Fitzgerald, G. F. (2011). Carbohydrate metabolism in Bifidobacteria. *Genes and Nutrition*, 6, 285–306. <https://doi.org/10.1007/s12263-010-0206-6>
- Prosky, L., & Hoebregs, H. (1999). Methods to Determine Food Inulin and Oligofructose. *The Journal of Nutrition*, 129(7), 1418S-1423S. <https://doi.org/10.1093/jn/129.7.1418s>
- Pundir, R. K., & Jain, P. (2011). Qualitative and quantitative analysis of microflora of Indian bakery products. *Journal of Agricultural Technology*, 7(3), 751–762. Retrieved from <http://www.ijat-aatsea.com>
- Purlis, E. (2010). Browning development in bakery products - A review. *Journal of Food Engineering*, 99(3), 239–249. <https://doi.org/10.1016/j.jfoodeng.2010.03.008>
- Qamar, S., & Shaikh, A. (2018). Therapeutic potentials and compositional changes of valuable compounds from banana- A review. *Trends in Food Science and Technology*, 79(April), 1–9. <https://doi.org/10.1016/j.tifs.2018.06.016>
- Raninen, K., Lappi, J., Mykkänen, H., & Poutanen, K. (2011). Dietary fiber type reflects physiological functionality: Comparison of grain fiber, inulin, and polydextrose. *Nutrition Reviews*, 69(1), 9–21. <https://doi.org/10.1111/j.1753-4887.2010.00358.x>
- Sanya, Emile A., Ahouannou, C., Chaffa, G., & Soumanou, M. M. (2013). Effects of added Maize Flour on Physicomechanical Properties of Benin Patties made of Defatted dough of Groundnut Seeds “*Arachis hypogaea* .” *International Journal of Current Research*, 5(2), 212–218.
- Sanya, Emile Adjibadé, Ahouannou, C., Chaffa, G., & Ahouansou, R. (2015). Effects of torrefaction on some physico-mechanical and organoleptic characteristics of maize flour blended peanut patties rolled into sticks in Benin. *International Journal of Biological and Chemical Sciences*, 9(3), 1440–1458.
- Saura-Calixto, F., Garcia-Alonso, A., Goni, I., & Bravo, L. (2000). In vitro determination of the indigestible fraction in foods: An alternative to dietary fiber analysis. *Journal of Agricultural and Food Chemistry*, 48(8), 3342–3347. <https://doi.org/10.1021/jf00000373>
- Schroeder, B. O., Birchenough, G. M. H., Stahlman, M., Arike, L., Johansson, M. E. V., Hansson, G. C., & Backhed, F. (2018). Bifidobacteria or Fiber Protects against Diet-Induced Microbiota-Mediated Colonic Mucus Deterioration. *Cell Host and Microbe*, 23, 27–40. <https://doi.org/10.1016/j.chom.2017.11.004>
- Slade, L., & Levine, H. (1994). Structure-Function Relationships of Cookie and Cracker Ingredients. *The Science of Cookie and Cracker Production* (Editor: Faridi, H.), Chapman & Hall/AVI Publisher, New York, 23–141.
- Slavin, J. (2013). Fiber and Prebiotics: Mechanisms and Health Benefits. *Nutrients*, 1417–1435. <https://doi.org/10.3390/nu5041417>
- Suliman, A. A., Zhu, K. X., Peng, W., Hassan, H. A., Obadi, M., Siddeeg, A., & Zhou, H.



- M. (2019). Rheological and quality characteristics of composite gluten-free dough and biscuits supplemented with fermented and unfermented *Agaricus bisporus* polysaccharide flour. *Food Chemistry*, 271(July 2018), 193–203. <https://doi.org/10.1016/j.foodchem.2018.07.189>
- Tester, R., & Al-Ghazzewi, F. (2017). Glucomannans and nutrition. *Food Hydrocolloids*, 68, 246–254. <https://doi.org/10.1016/j.foodhyd.2016.05.017>
- Tester, R. F., & Al-Ghazzewi, F. H. (2013). Mannans and health, with a special focus on glucomannans. *Food Research International*, 50(1), 384–391. <https://doi.org/10.1016/j.foodres.2012.10.037>
- Tharise, N., Julianti, E., & Nurminah, M. (2014). Evaluation of physico-chemical and functional properties of composite flour from cassava , rice , potato , soybean and xanthan gum as alternative of wheat flour Evaluation of physico-chemical and functional properties of composite flour from cassava , ric. *International Food Research Journal*, 21(4), 1641–1649.
- Umaru, H. A., Iya, S. A., Obidah, W., & Dahiru, D. (2010). Taurocholate Binding Capacity and Water Holding Capacity of Some Wild Leafy Vegetables of Northern Nigeria. *Pakistan Journal of Nutrition*, 9(10), 987–990. <https://doi.org/10.3923/pjn.2010.987.989>
- Vergara-Valencia, N., Granados-Pérez, E., Agama-Acevedo, E., Tovar, J., Ruales, J., & Bello-Pérez, L. A. (2007). Fibre concentrate from mango fruit: Characterization, associated antioxidant capacity and application as a bakery product ingredient. *LWT - Food Science and Technology*, 40(4), 722–729. <https://doi.org/10.1016/j.lwt.2006.02.028>
- Videgla, E. G., Floquet, A., Mongbo, R., Garba, K., & Tossou, H. S. (2016). Liens à l’origine et qualité spécifique d’un produit de l’artisanat agroalimentaire du Bénin – le kluiklui d’Agonlin. *Cahiers Agricultures*, 25. <https://doi.org/10.1051/cagri/2016016>
- Vuksan, V., Jenkins, D. J. A., Spadafora, P., Sievenpiper, J. L., Owen, R., Vidgen, E., ... Bruce-Thompson, C. (1999). Konjac-mannan (glucomannan) improves glycemia and other associated risk factors for coronary heart disease in type 2 diabetes. A randomized controlled metabolic trial. *Diabetes Care*, 22(6), 913–919.
- Waliszewski, K. N., Aparicio, M. A., Bello, L. A., & Monroy, J. A. (2003). Changes of banana starch by chemical and physical modification. *Carbohydrate Polymers*, 52(3), 237–242. [https://doi.org/10.1016/S0144-8617\(02\)00270-9](https://doi.org/10.1016/S0144-8617(02)00270-9)
- Walker, A. W., Ince, J., Duncan, S. H., Webster, L. M., Holtrop, G., Ze, X., ... Flint, H. J. (2011). Dominant and diet-responsive groups of bacteria within the human colonic microbiota. *The ISME Journal*, 5, 220–230. <https://doi.org/10.1038/ismej.2010.118>
- Wang, J., Tang, X. J., Chen, P. S., & Huang, H. H. (2014). Changes in resistant starch from two banana cultivars during postharvest storage. *FOOD CHEMISTRY*, 156, 319–325. <https://doi.org/10.1016/j.foodchem.2014.02.012>

- WHO/FAO/UNU. (2007). PROTEIN AND AMINO ACID REQUIREMENTS IN NUTRITION. Report of a Joint WHO/FAO/UNU Expert Consultation. *World Health Organ Technical Report Series*, 1–267.
- Xiong, G., Cheng, W., Ye, L., Du, X., Zhou, M., Lin, R., ... Cai, Y. Z. (2009). Effects of konjac glucomannan on physicochemical properties of myofibrillar protein and surimi gels from grass carp (*Ctenopharyngodon idella*). *Food Chemistry*, 116(2), 413–418. <https://doi.org/10.1016/j.foodchem.2009.02.056>
- Yang, D., Yuan, Y., Wang, L., Wang, X., Mu, R., Pang, J., ... Zheng, Y. (2017). A Review on Konjac Glucomannan Gels : Microstructure and Application. *International Journal of Molecular Sciences*, 18(11), 1–18. <https://doi.org/10.3390/ijms18112250>
- Yanuriati, A., Wiseso, D., & Harmayani, E. (2017). Characteristics of glucomannan isolated from fresh tuber of Porang ( *Amorphophallus muelleri* Blume ). *Carbohydrate Polymers*, 156, 56–63.
- Zhang, P., Whistler, R. L., Bemiller, J. N., & Hamaker, B. R. (2005). Banana starch: Production, physicochemical properties, and digestibility - A review. *Carbohydrate Polymers*, 59(4), 443–458. <https://doi.org/10.1016/j.carbpol.2004.10.014>
- Zhao, X., Chen, J., & Du, F. (2012). Potential use of peanut by-products in food processing : a review. *Journal of Food Science and Technology*, 49(5), 521–529. <https://doi.org/10.1007/s13197-011-0449-2>
- Zhou, Y., Cao, H., Hou, M., Nirasawa, S., Tatsumi, E., Foster, T. J., & Cheng, Y. (2013). Effect of konjac glucomannan on physical and sensory properties of noodles made from low-protein wheat flour. *Food Research International*, 51(2), 879–885. <https://doi.org/10.1016/j.foodres.2013.02.002>
- Zou, J., Chassaing, B., Singh, V., Pellizzon, M., Ricci, M., Fythe, M. D., ... Gewirtz, A. (2018). Fiber-Mediated Nourishment of Gut Microbiota Protects against Diet-Induced Obesity by Restoring IL-22-Mediated Colonic Health. *Cell Host and Microbe*, 23(1), 41-53.e4. <https://doi.org/10.1016/j.chom.2017.11.003>