

DAFTAR PUSTAKA

- Abadio, F., Domingues, A., Borges, S. and Oliveira, V., 2004. Physical properties of powdered pineapple (*Ananas comosus*) juice—effect of malt dextrin concentration and atomization speed. *Journal of Food Engineering*, 64(3), pp.285-287.
- Ascheri, D., Ascheri, J. and Carvalho, C., 2006. Caracterização da farinha de bagaço de jabuticaba e propriedades funcionais dos extrusados. *Ciência e Tecnologia de Alimentos*, 26(4), pp.897-905.
- Alexa, R., Mounsey, J., O'Kennedy, B. and Jacquier, J., 2010. Effect of κ -carrageenan on rheological properties, microstructure, texture and oxidative stability of water-in-oil spreads. *LWT - Food Science and Technology*, 43(6), pp.843-848.
- Anandharamakrishnan, C., 2013. *Drying Techniques for Nanoencapsulation. Techniques for Nanoencapsulation of Food Ingredients*, pp.51-60.
- Asyhari, M., Palupi, N. and Faridah, D., 2018. Karakteristik Kimia Konjugat Isolat Protein Kedelai-Laktosa yang Berpotensi dalam Penurunan Alergenisitas. *Jurnal Teknologi dan Industri Pangan*, 29(1), pp.39-48.
- Baeza, R., Carp, D., Pérez, O. and Pilosof, A., 2002. κ -Carrageenan—Protein Interactions: Effect of Proteins on Polysaccharide Gelling and Textural Properties. *LWT - Food Science and Technology*, 35(8), pp.741-747.
- Barac, M., Stanojevic, S., Jovanovic, S. and Pesic, M., 2004. Soy protein modification: A review. *Acta periodica technologica*, (35), pp.3-16.
- Botrel, D., de Barros Fernandes, R., Borges, S. and Yoshida, M., 2014. Influence of wall matrix systems on the properties of spray-dried microparticles containing fish oil. *Food Research International*, 62, pp.344-352.
- Boza, Y., Barbin, D. and Scamparini, A., 2004. Effect of spray-drying on the quality of encapsulated cells of *Beijerinckia* sp. *Process Biochemistry*, 39(10), pp.1275-1284.
- Bringas-Lantigua, M., Expósito-Molina, I., Reineccius, G., López-Hernández, O. and Pino, J., 2011. Influence of Spray-Dryer Air Temperatures on Encapsulated Mandarin Oil. *Drying Technology*, 29(5), pp.520-526.
- BROOKFIELD DV-II+Pro Viscometer Operating Instructions. 1st ed. Middleboro: BROOKFIELD ENGINEERING LABORATORIES, INC., p.19.
- Cabra, V., Arreguin, R. and Farres, A., 2008. Emulsifying properties of proteins. *Bol. Soc. Quím. Méx.*, 2(2), pp.80-89.
- Campelo, P., Junqueira, L., Resende, J., Zacarias, R., Fernandes, R., Botrel, D. and Borges, S., 2017. Stability of lime essential oil emulsion prepared using biopolymers and ultrasound treatment. *International Journal of Food Properties*, 20(sup1), pp.S564-S579.
- Chevallier, A., 1996. *The encyclopedia of medicinal plants*. London: Dorling Kindersley.

- Chong, S. and Wong, C., 2015. Production of Spray-Dried Sapodilla (*Manilkara zapota*) Powder from Enzyme-Aided Liquefied Puree. *Journal of Food Processing and Preservation*, 39(6), pp.2604-2611.
- Christelle, T. and Elisabeth, D., 2013. Aroma Encapsulation in Powder by Spray Drying, and Fluid Bed Agglomeration and Coating. *Food Engineering Series*, pp.255-265.
- Codex Alimentarius Commission, 2019. Standard For Soy Protein Products CXS 175-1989. World Health Organization : Food and Agriculture Organization of the United Nations.
- Corrêa-Filho, L., Lourenço, M., Moldão-Martins, M. and Alves, V., 2019. Microencapsulation of β -Carotene by Spray Drying: Effect of Wall Material Concentration and Drying Inlet Temperature. *International Journal of Food Science*, 2019, pp.1-12.
- de Barros Fernandes, R., Marques, G., Borges, S. and Botrel, D., 2014. Effect of solids content and oil load on the microencapsulation process of rosemary essential oil. *Industrial Crops and Products*, 58, pp.173-181.
- Dian, N., Sudin, N. and Yusoff, M., 1996. Characteristics of Microencapsulated Palm-Based Oil as Affected by Type of Wall Material. *Journal of the Science of Food and Agriculture*, 70(4), pp.422-426.
- Dickinson, E., 2003. Hydrocolloids at interfaces and the influence on the properties of dispersed systems. *Food Hydrocolloids*, 17(1), pp.25-39.
- Diharmi, A., Fardiaz, D., Andarwulan, N. and Heruwati, E., 2016. Karakteristik Fisiko-Kimia Karagenan Rumput Laut Merah *Eucheuma Spinosum* dari Perairan Nusa Penida, Sumenep, dan Takalar. Sekolah Pascasarjana. Institut Pertanian Bogor.
- Dokic-Baucal, L., Dokic, P. and Jakovljevic, J., 2004. Influence of different maltodextrins on properties of O/W emulsions. *Food Hydrocolloids*, 18(2), pp.233-239.
- Elias, R., Kellerby, S. and Decker, E., 2008. Antioxidant Activity of Proteins and Peptides. *Critical Reviews in Food Science and Nutrition*, 48(5), pp.430-441.
- Ezhilarasi, P., Karthik, P., Chhanwal, N. and Anandharamakrishnan, C., 2012. Nanoencapsulation Techniques for Food Bioactive Components: A Review. *Food and Bioprocess Technology*, 6(3), pp.628-647.
- FAO JECFA, 2014. FAO JECFA Monographs 16 : Carrageenan. Joint FAO/WHO Expert Committee on Food Additives (JECFA).
- Fernandes, R., Botrel, D., Silva, E., Pereira, C., Carmo, E., Dessimoni, A. and Borges, S., 2016. Microencapsulated ginger oil properties: Influence of operating parameters. *Drying Technology*, 35(9), pp.1098-1107.
- Frascareli, E., Silva, V., Tonon, R. and Hubinger, M., 2012. Effect of process conditions on the microencapsulation of coffee oil by spray drying. *Food and Bioprocess Technology*, 90(3), pp.413-424.
- Ginting, B., Mustanir, M., Helwati, H., Desiyana, L., Eralisa, E. and Mujahid, R., 2017. Antioxidant Activity of n-Hexane Extract of Nutmeg Plants from South Aceh Province. *Jurnal Natural*, 17(1), p.39.

- Goula, A. and Adamopoulos, K., 2008. Effect of Maltodextrin Addition during Spray Drying of Tomato Pulp in Dehumidified Air: I. Drying Kinetics and Product Recovery. *Drying Technology*, 26(6), pp.714-725.
- Greiner, R., 2009. Current and Projected Applications of Nanotechnology in the Food Sector. *Nutrire - Revista da Sociedade Brasileira de Alimentação e Nutrição*, 34(1), pp.243-260.
- Gu, Y., Decker, E. and McClements, D., 2005. Influence of pH and carrageenan type on properties of β -lactoglobulin stabilized oil-in-water emulsions. *Food Hydrocolloids*, 19(1), pp.83-91.
- Halliwell, B. and Gutteridge, J., 2012. *Free Radicals In Biology And Medicine*. Oxford: Oxford University Press.
- Hogan, S., McNamee, B., O'Riordan, E. and O'Sullivan, M., 2001. Emulsification and microencapsulation properties of sodium caseinate/carbohydrate blends. *International Dairy Journal*, 11(3), pp.137-144.
- Ilyasoglu, H. and El, S., 2014. Nanoencapsulation of EPA/DHA with sodium caseinate-gum arabic complex and its usage in the enrichment of fruit juice. *LWT - Food Science and Technology*, 56(2), pp.461-468.
- Jafari, S., Assadpoor, E., Bhandari, B. and He, Y., 2008. Nano-particle encapsulation of fish oil by spray drying. *Food Research International*, 41(2), pp.172-183.
- Kailasapathy, K., 2002. Microencapsulation of probiotic bacteria: Technology and potential applications. *Current issues in intestinal microbiology*, 3(2), pp.39-48.
- Ker, Y. and Toledo, R., 1992. Influence of Shear Treatments on Consistency and Gelling Properties of Whey Protein Isolate Suspensions. *Journal of Food Science*, 57(1), pp.82-85.
- Keshani, S., Daud, W., Nourouzi, M., Namvar, F. and Ghasemi, M., 2015. Spray drying: An overview on wall deposition, process and modeling. *Journal of Food Engineering*, 146, pp.152-162.
- Khaira, K., 2010. Menangkal Radikal Bebas dengan Antioksidan. *Jurnal Sainstek*, II(2), pp.183-187.
- Khan, R., Khan, M., Sahreen, S. and Ahmed, M., 2012. Assessment of flavonoids contents and in vitro antioxidant activity of *Launaea procumbens*. *Chemistry Central Journal*, 6(1).
- Kokina, M., Kalušević, A., Nedović, V., Nikšić, M., Shamtsyan, M., Šavikin, K., Pljevljakušić, D., Pantić, M., Lević, S. and Salević, A., 2019. Characterization, Antioxidant and Antibacterial Activity of Essential Oils and Their Encapsulation into Biodegradable Material Followed by Freeze Drying. *Food technology and biotechnology*, 57(2), pp.282-289.
- Krasaekoopt, W., Bhandari, B. and Deeth, H., 2003. Evaluation of encapsulation techniques of probiotics for yoghurt. *International Dairy Journal*, 13(1), pp.3-13.

- Lai, V., Wong, P. and Lii, C., 2000. Effects of Cation Properties on Sol-gel Transition and Gel Properties of κ -carrageenan. *Journal of Food Science*, 65(8), pp.1332-1337.
- Latimer Jr., G. ed., 2016. *Official Methods of Analysis of AOAC International*. 20th ed. Rockville: AOAC International.
- Le, T., Tran, T., Ton, N., Tran, T., Huynh, T., Nguyen, T., Quang, S. and Le, V., 2017. Combination of whey protein and carbohydrate for microencapsulation of pumpkin (*Cucurbita* spp.) seed oil by spray-drying. *International Food Research Journal*, 24(3), pp.1227-1232.
- Lewis, Y., 1984. *Spices and herbs for the food industry*. Orpington: Food Trade Press.
- Li, W., Zhao, H., He, Z., Zeng, M., Qin, F. and Chen, J., 2016. Modification of soy protein hydrolysates by Maillard reaction: Effects of carbohydrate chain length on structural and interfacial properties. *Colloids and Surfaces B: Biointerfaces*, 138, pp.70-77.
- Liu, L., Chen, P., Zhao, W., Li, X., Wang, H. and Qu, X., 2017. Effect of microencapsulation with the Maillard reaction products of whey proteins and isomaltooligosaccharide on the survival rate of *Lactobacillus rhamnosus* in white brined cheese. *Food Control*, 79, pp.44-49.
- Lutony, T. and Rahmayati, Y., 1994. *Produksi dan Perdagangan Minyak Atsiri*. 1st ed. Jakarta: Penebar Swadaya, pp.79-82.
- Mao, L., Pan, Q., Hou, Z., Yuan, F. and Gao, Y., 2018. Development of soy protein Isolate-carrageenan conjugates through Maillard reaction for the microencapsulation of *Bifidobacterium longum*. *Food Hydrocolloids*, 84, pp.489-497.
- Marks, S. and Pomeroy, J., 1995. International Trade in Nutmeg and Mace: Issues and Options for Indonesia. *Bulletin of Indonesian Economic Studies*, 31(3), pp.103-118.
- McCarthy, N., Kelly, A., O'Mahony, J., Hickey, D., Chaurin, V. and Fenelon, M., 2012. Effect of protein content on emulsion stability of a model infant formula. *International Dairy Journal*, 25(2), pp.80-86.
- Mohd Nawi, N., Muhamad, I. and Mohd Marsin, A., 2015. The physicochemical properties of microwave-assisted encapsulated anthocyanins from *Ipomoea batatas* affected by different wall materials. *Food Science & Nutrition*, 3(2), pp.91-99.
- Molina Ortiz, S., Puppo, M. and Wagner, J., 2004. Relationship between structural changes and functional properties of soy protein Isolates-carrageenan systems. *Food Hydrocolloids*, 18(6), pp.1045-1053.
- Morr, C., 1990. Current status of soy protein functionality in food systems. *Journal of the American Oil Chemists' Society*, 67(5), pp.265-271.
- Necas, J. and Bartosikova, L., 2013. Carrageenan: a review. *Veterinárni Medicína*, 58(No. 4), pp.187-205.

- Nilsuwan, K., Benjakul, S. and Prodpran, T., 2016. Quality changes of shrimp cracker covered with fish gelatin film without and with palm oil incorporated during storage. *International Aquatic Research*, 8(3), pp.227-238.
- Nishinari, K., Fang, Y., Guo, S. and Phillips, G., 2014. Soy proteins: A review on composition, aggregation and emulsification. *Food Hydrocolloids*, 39, pp.301-318.
- Nurdjannah, N., 2004. Diversifikasi Penggunaan Cengkeh. *Perspektif*, 3(2), pp.61-70.
- Nurdjannah, N., 2007. *Teknologi Pengolahan Pala*. Banda Aceh: Badan Penelitian dan Pengembangan Pertanian.
- Politeo, O., Jukic, M. and Milos, M., 2007. Chemical composition and antioxidant capacity of free volatile aglycones from basil (*Ocimum basilicum* L.) compared with its essential oil. *Food Chemistry*, 101(1), pp.379-385.
- Porrarud, S. and Pranee, A., 2010. Microencapsulation of Zn-chlorophyll pigment from Pandan leaf by spray drying and its characteristic. *International Food Research Journal*, 17, pp.1031-1042.
- Quek, S., Chok, N. and Swedlund, P., 2007. The physicochemical properties of spray-dried watermelon powders. *Chemical Engineering and Processing: Process Intensification*, 46(5), pp.386-392.
- Reineccius, G., 2004. The Spray Drying of Food Flavors. *Drying Technology*, 22(6), pp.1289-1324.
- Ricklefs, M., 2008. *Sejarah Indonesia Modern*. Jakarta: Serambi.
- Riyadi, E., 2012. *Profil Senyawa Volatil pada Berbagai Jenis Minyak Esensial Asal Indonesia*. Sekolah Pascasarjana. Institut Pertanian Bogor.
- Rodianawati, I., Hastuti, P. and Cahyanto, M., 2015. Nutmeg's (*Myristica Fragrans* Houtt) Oleoresin: Effect of Heating to Chemical Compositions and Antifungal Properties. *Procedia Food Science*, 3, pp.244-254.
- Santana, A., Kurozawa, L., de Oliveira, R. and Park, K., 2013. Influence of Process Conditions on the Physicochemical Properties of Pequi Powder Produced by Spray Drying. *Drying Technology*, 31(7), pp.825-836.
- Santoso, B., Herpandi, Puspa Ayu, P. and Rindit, P., 2013. Pemanfaatan Karagenan dan Gum Arabic Sebagai Edible Film Berbasis Hidrokoloid. *AGRITECH*, 33(2), pp.140-145.
- Skurtys, O., 2010. *Food Hydrocolloid Edible Films and Coatings*. New York: Nova Science Publishers.
- Susilowati, E., 2018. *Kualitas Edible Film dari Karagenan dengan Penambahan Ekstrak Kunyit pada Dodol Substitusi Rumput Laut (*Eucheuma Cottonii*)*. Program Sarjana. Universitas Muhammadiyah Malang.
- Tari, T. and Singhal, R., 2002. Starch based spherical aggregates: reconfirmation of the role of amylose on the stability of a model flavouring compound, vanillin. *Carbohydrate Polymers*, 50(3), pp.279-282.
- Tang, C. and Li, X., 2013. Microencapsulation properties of soy protein Isolate and storage stability of the correspondingly spray-dried emulsions. *Food Research International*, 52(1), pp.419-428.

- Thi Nhu Quynh, N., 2016. Effect of Wall Material on the Property of Gac Oil Spray-dried Power. *Journal of Nutrition & Food Sciences*, 06(05).
- Thuong Nhan, N., Tan Thanh, V., Huynh Cang, M., Lam, T., Cam Huong, N., Hong Nhan, L., Thanh Truc, T., Tran, Q. and Bach, L., 2020. Microencapsulation of Lemongrass (*Cymbopogon citratus*) Essential Oil Via Spray Drying: Effects of Feed Emulsion Parameters. *Processes*, 8(1), p.40.
- Tonon, R., Brabet, C. and Hubinger, M., 2008. Influence of process conditions on the physicochemical properties of açai (*Euterpe oleraceae* Mart.) powder produced by spray drying. *Journal of Food Engineering*, 88(3), pp.411-418.
- Tonon, R., Pedro, R., Grosso, C. and Hubinger, M., 2012. Microencapsulation of Flaxseed Oil by Spray Drying: Effect of Oil Load and Type of Wall Material. *Drying Technology*, 30(13), pp.1491-1501.
- Tontul, I. and Topuz, A., 2017. Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. *Trends in Food Science & Technology*, 63, pp.91-102.
- Turasan, H., Sahin, S. and Sumnu, G., 2015. Encapsulation of rosemary essential oil. *LWT - Food Science and Technology*, 64(1), pp.112-119.
- Turek, C. and Stintzing, F., 2013. Stability of Essential Oils: A Review. *Comprehensive Reviews in Food Science and Food Safety*, 12(1), pp.40-53.
- Tziboula, A. and Horne, D., 1999. Influence of milk proteins on κ -carrageenan gelation. *International Dairy Journal*, 9(3-6), pp.359-364.
- Vardin, H. and Yasar, M., 2011. Optimisation of pomegranate (*Punica Granatum* L.) juice spray-drying as affected by temperature and maltodextrin content. *International Journal of Food Science & Technology*, 47(1), pp.167-176.
- Vega, C. and Roos, Y., 2006. Invited Review: Spray-Dried Dairy and Dairy-Like Emulsions—Compositional Considerations. *Journal of Dairy Science*, 89(2), pp.383-401.
- Vigo, M., Malec, L., Gomez, R. and Llosa, R., 1992. Spectrophotometric assay using o-phthaldialdehyde for determination of reactive lysine in dairy products. *Food Chemistry*, 44(5), pp.363-365.
- Walstra, P., 1993. Principles of emulsion formation. *Chemical Engineering Science*, 48(2), pp.333-349.
- Wang, H., Tong, X., Yuan, Y., Peng, X., Zhang, Q., Zhang, S., Xie, C., Zhang, X., Yan, S., Xu, J., Jiang, L., Qi, B. and Li, Y., 2020. Effect of Spray-Drying and Freeze-Drying on the Properties of Soybean Hydrolysates. *Journal of Chemistry*, 2020, pp.1-8.
- Weil, A., 1965. Nutmeg as a narcotic. *Economic Botany*, 19(3), pp.194-217.
- Xu, P., Chen, L. and Wang, Y., 2019. Effect of storage time on antioxidant activity and inhibition on α -Amylase and α -Glucosidase of white tea. *Food Science & Nutrition*, 7(2), pp.636-644.
- Young, S., Sarda, X. and Rosenberg, M., 1993. Microencapsulating Properties of Whey Proteins. 1. Microencapsulation of Anhydrous Milk Fat. *Journal of Dairy Science*, 76(10), pp.2868-2877.

- Zendeboodi, F., Farahnaky, A. and Gholian, M., 2019. Structural changes and stress relaxation behavior of κ -carrageenan cold-processed gels: Effects of ultrasonication time and power. *Journal of Texture Studies*, 50(6), pp.465-473.
- Zhong, Q. and Jin, M., 2009. Nanoscalar Structures of Spray-Dried Zein Microcapsules and in Vitro Release Kinetics of the Encapsulated Lysozyme As Affected by Formulations. *Journal of Agricultural and Food Chemistry*, 57(9), pp.3886-3894.
- Zuidam, N. and Shimoni, E., 2009. Overview of Microencapsulates for Use in Food Products or Processes and Methods to Make Them. *Encapsulation Technologies for Active Food Ingredients and Food Processing*, pp.3-29.