

## DAFTAR PUSTAKA

- Aziz, A.N.A., Ho, L.H., Azahari B, Bhat R, Cheng LH and Mohamad Ibrahim MN, (2011). Chemical and functional properties of the native banana (*Musa acuminata* x *balbisiana* colla cv. awak) pseudo-stem and pseudo-stem tender core flours. *Food Chem* 128:748-753
- Adam, A., Anne, M., Verny, L., Lopez, H.W., Leuillet, M., Demigne, C., and Remesy, C. (2001). Whole Wheat and Triticale Flours with Differing Viscosities Stimulate Cecal Fermentations and Lower Plasma and Hepatic Lipids in Rats. *The Journal of Nutrition*. 131(6): 1770-1776.
- Akissoe, N., Hounhouigan, J., Mestres, C., dan Nago, M. (2003). How blanching and drying affect the colour and functional characteristics of yam (*Dioscorea cayenensis rotundata*) flour. *Food Chemistry* 82: 257-264.
- Akyildiz, A. dan Ocal, N. D. (2006). Effects of dehydration temperatures on colour and polyphenol oxidase activity of amasya and golden delicious apple cultivars. *Journal of the Science of Food and Agriculture* 86: 2363–2368.
- Al-Sheraji S.H, Ismail A, Manap M.Y, Mustafa S, Yusof R.M, Hassan F.A. (2013). Functional properties and characterization of dietary fiber from mangiferapajang Kort fruit pulp. *J Agric Food Chem* 59 (8): 3980–3985.
- Almond, R.R., Yang, E., Lai, W., Androulakis, I.P., Dubois, D.C., Jusko, W.J., (2008). Circadian variations in rat liver gene expression: relationships to drug actions *J. Pharmacol. Exp. Ther* 326:700-716
- Ambigaipalan, P., Hoover, R., Donner, E., Liu, Q., Jaiswal, S. dan Chibbar, R. (2011). Structure of faba bean, black bean and pinto bean starches at different levels of granule organization and their physicochemical properties. *Food Research International* 44: 2962–2974.
- Aman, A.M., Soewondo, P., Soelistijo, S.A, Arsana, P.M., Wismandari, Zufri, H dan Rosandi, R. (2019). Panduan pengelolaan Dislipidemia di Indonesia-2019. PB. Perkeni
- Anonim. (2019). Konsumsi Terigu Nasional Indonesia Tahun 2019 Mengalami Kenaikan. Di ambil dari [www.bisnis.com](http://www.bisnis.com) pada bulan Maret 2020
- Anonim, (2001). AACC report, 2001. The definition of dietary fibre. *Cereal Foods World* 46: 112-126.

- Anonim. (2006). Serat Makanan dan Kesehatan. [Http://tekpan.unimus.ac.id](http://tekpan.unimus.ac.id). Diunduh pada tanggal 12 Oktober 2016.
- Anonim. (2009). Pangan dan Kesehatan: Kolesterol Tinggi. UPT Balai Informasi dan Teknologi Lembaga Ilmu Pengetahuan Indonesia (LIPI). <http://www.bit.lipi.go.id>. Diunduh pada tanggal 28 November 2016.
- Anonim. (2011). Keripik bonggol pisang, renyah dan kaya akan serat. Diambil dari <http://bisnisukm.com> pada bulan Agustus 2017
- Antolovich., Michael., Paul, D., Prenzler., Emilios, P., Suzanne, M.D. dan Kevin, R. (2012). Methods for Testing Antioxidant Activity. *Analyst* 127: 183-198.
- AOAC. (1995). Official Methods of Analysis. 16th Edn., Association of Official Analytical Chemists, Washington, DC., USA.
- Asih, RE. (2010). Indeks prebiotik pati resisten dari pati ganyong ungu. Tesis. FTP UGM, Yogyakarta.
- Ashogbon, A. O. dan Akintayo, E. T. (2013). Isolation and characterization of starches from two cowpea (*Vigna unguiculata*) cultivars. *International Food Research Journal* 20: 3093-3100.
- Asp N.G., Johansson, Halmer and Siljestrom. (1983). Rapid Enzymatic Assay of insoluble Fiber and Soluble Dietary Fiber. *Journal Agriculture Food Chemistry* 31: 467-482
- Astuti, S., Muchtadi, D., Astawan, M., Purwantara, B., Wresdiyati, T. (2009). The effects of isoflavone-riched soybean flour on MDA level, superoxide dismutase (SOD) activity and profile of Cu, Zn-superoxide dismutase (Cu, Zn-SOD) in the seminiferous tubeles of male rats testes. *J. Teknologi dan industri Pangan* 20(2):129-134
- Atnawilastra, Y. (2015). Effect of temperature and time on the starch hydrolysis of making maltodextrin from canna (*canna edulis* ker) and its application on liquid smoke microencapsulation. Tesis. FTP UGM, Yogyakarta.
- Athur, SL, 2009. Dyslipidemia and risk of coronary heart disease: Role of lifestyle approaches for its management. *American Journal of Lifestyle Medicine* 3(4):257-273.
- Aurelia, C. (2016). Pengaruh Konsentrasi Sodium Hidroksida dan Sodium Hipoklorit Terhadap Sifat Fisik dan Kimia Selulosa dari Kulit Koro Pedang Putih (*Canavalia ensiformis* (L.) (DC)). Skripsi. FTP UGM, Yogyakarta.

- Auroma, O.I. (1994). Free radicals and Free radicals and antioxidant strategies in sports. *J. Nutr. Biochem* 5: 370 – 381
- Badan Pusat Statistik. (2020). Produksi Tanaman Buah-buahan pisang, 2020 Di ambil dari [www.bps.go.id](http://www.bps.go.id) pada bulan Mei 2020.
- Badan Standar Nasional. (2020). Standar Nasional Indonesia (SNI) nomor 375-2009. Diambil dari <https://www.bsn.go.id> pada bulan Mei 2020
- Beck, M. E. (2011). *Ilmu Gizi dan Diet, Hubungannya dengan Penyakit-Penyakit untuk Perawat & Dokter*. Yogyakarta : Penerbit Andi.
- Bello-Parez, L.A., Agama-Acevedo, E., Sanches-Hernandes, L., & Paredes-Lopez, O. (1999). Isolation and partial characterization of banana starches. *Agriculture and Food Chemistry* 47: 854-857
- Benitez V, Molla E, Martin-Cabrejas M.A, Aguilera Y, Lopez-Andreu J, Esteban R.M. (2011). Effect of sterilization on dietary fiber and physicochemical properties of onion by-products. *Food Chem* 127: 501 – 507
- Benzie, I. F. F. and Strain, J. J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power” the FRAP assay. *Analytical Biochemistry* 239: 70-76.
- Bianchini, F., Cademi, G., Dolara, P., Fantetti, L (1989). Effect of Dietary dat, starch and cellulose on fecal bile acids in mice. *J. Nut.* 119 (11): 1617-1624.
- Bidlack, W. R., W. Wang. (2000). *Designing Functional Foods to Enhance Health*. Technomic Publishing Co., Inc, Lancaster, Basel.
- Birt, D.F., T. Boylston, S. Hendrich, J.L. Jane, J. Hollis, L. Li, J. McClelland, S. Moore, G.J. Phillips, M. Rowling, K. Schalinske, M.P. Scott, and E.M. Whitley. (2015). Resistant Starch: Promise for Improving Human Health. American Society for Nutrition. *Adv. Nutr.* 4:587– 601.
- Blum, C.B. (1994). Comparison of properties of four inhibitors of 3-hydroxy-3-methylglutaryl-coenzyme A reductase. *Am. J. Cardiol* 73:3D-11D.
- [BPOM] Badan Pengawas Obat dan Makanan. (2011). *Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Tahun 2011 tentang Pengawasan Klaim dalam Label dan Iklan pangan olahan*. Jakarta

- Brown, L., Rosner, B., Willett, W.W. dan Sacks, F.M. (1999). Cholesterol Lowering Effects of Dietary Fiber: A Meta-Analysis. *American Journal of Clinical Nutrition* 1999;69:30–42.
- Brouns F., Kettlitz B., and Arrigoni E. (2002). Resistant Starch and The Butyrate Revolution. *Trends in Food Science and Technology* 13: 130-136
- Burtis, G., Davis, J., Martin, S. (1988). *Applied Nutrition and Diet Therapy*. W.B. Saunders, Philadelphia.
- Bureau of Nutritional Sciences. (2010). *Proposed Policy: Definition and Energy Value for Dietary Fibre*. Food Directorate, Health Products and Food Branch Health Canada.
- Cai, R.C., Hettiachchy, N.S., and Jalaluddin, M. (2003). High-Performance Liquid Chromatography Determination of Phenolic Constituents in 17 Varieties of Cowpeas. *J. Agric. Food Chem* 51: 1623-1627.
- Cahyono, J.K.A. (2015). Formulasi Food Bar dengan Bahan Jawawut (*Setaria italica* L. sp) dan Kacang Merah (*Phaseolus vulgaris*): Uji Sifat Organoleptik, Sifat Fisiko-kimia, serta penentuan Indeks Glikemik. Skripsi. Fakultas Kedokteran Universitas Gadjah Mada
- Castilho, F., Fontanari, G.G. dan Batistuta, J.P. (2010). Evaluation of some functional properties of sweet lupine flour (*Lupinus albus*) and pigeonpea (*Cajanus cajan* (L) Millsp) and its use in the production of ham. *Food Science and Technology* 30(1): 68–75.
- Capuano, E. and Pellegrini, N. (2019). An integrated look at the effect of structure on nutrient bioavailability in plant foods. *Journal of the Science of Food and Agriculture* 99(2): 493–498
- Celestino, M.T., Magalhães, U.O., Fraga, A.G.M., Carmo, F.A., Lione, V., Castro, H.C. (2013). Rational Use of Antioxidants in Solid Oral Pharmaceutical Preparations. *Brazilian Journal of Pharmaceutical Sciences* 48:3.
- Chau, C.F. and Huang, Y.L. (2003). Comparison of the chemical composition and physicochemical properties of different fibres prepared from the peel of citrus sinensis L. cv. Liucheng". *J. Agr. Food Chem* 51:2615-2618
- Chang, S., Tan, C., Frankel, E., Barret, D. (2000). Low-Density Lipoprotein Antioxidant Activity of Phenolic Compounds and Polyphenol Oxidase Activity in Selected Clingstone Peach Cultivars. *J. Agric. Food and Chemical Toxicology* 44: 1015-1023

- Chen, Y., Ye, R., Yin, L. and Zang, N. (2014). Novel blasting extrusion processing improved the physicochemical properties of soluble dietary fiber from soybean residu and in vivo evaluation. *J.Food Eng.* 120:1-8
- Chen, Z., Ma, K.Y., Liang, Y, Peng, C. Dan Zuo, Y. (2011). Role and classification of cholesterol –lowering functional food. *J.Funct. Food* 3: 61-69
- Cheng, H.H. and Lai, M.H. (2000). Fermentation of resistant rice starch produces propionate reducing serum and hepatic cholesterol in rats. *J. Nutr.*: 91-95
- Cheng, A., Chen, X., Jin, Q., Wang, W., Shi, J. dan Liu, Y. (2013). Comparison of phenolic content and antioxidant capacity of red and yellow onions. *Czech Journal of Food Sciences* 31(5): 501-508.
- Cheurfa, M., Abdallah, H.H., Allem, R., Noui, A., Picot-Allain, C.M.N., Mahomoodally, F. (2019). Hypocholesterolaemic and antioxidant properties of *Olea europaea* L. leaves from Chlef province, Algeria using *in vitro*, *in vivo* and *in silico* approaches. *Food and Chemical Toxicology* 123, 98-105.
- Clearly, B.M. and Prasky, L. (2001). Advanced Dietary Fibre Technology, Wiley-Blackwell, 1st edition.
- Cordeiro, N., Belgacem, M. N., Torres, I. C., & Moura, J. C. V. P. (2004). Chemical composition and pulping of banana pseudo-stems. *Industrial Crops and Products* 9: 147–154.
- Criner, G.J., Connett, J.E., Aaron, S.D., Albert, R.K., Bailey, W.C., Casaburi, R., Cooper, J.A.D., et al. (2014). Simvastatin for the Prevention of Exacerbations in Moderateto-Severe COPD. *N Engl J Med.*;370:2201-10
- Cummings, J.H. (1984). Constipation, Dietary Fiber and The Control of Large Bowel Function. *Postgraduate Medical Journal* 60, 811-819.
- Cummings, J.H and Bingham S.A. (1987). Dietary fiber, fermentation and large bowel cancer. *Cancer surveys* 6: 601-621
- Cummings, J.H., Beatty, E.R., Kingman, S., Bingham, S.A. and Englyst, H.N. (1992). Laxative properties of resistant starches. *Gastroenterology*, 102:A548.
- Cummings, J.H., Beatty, E.R., dan Kingman, S.H. (1996). Digestion and physiological properties of resistant starch in the human large bowel. *Brit. J.Nutr.* 75(5): 733-747

- Dagli, M., Eryilmaz, M.D., Besler, T., Akmansu, H. dan Korkmaz, M.D. (2004). Role of Free Radicals and Antioxidant in Nasal Polyps. *The Laryngoscope* 114 (7): 1200-1203.
- Damat, Y. Marsono, Haryadi, and Cahyanto, M.N. (2008). Hypocholesterolemic and hypoglycemic effects of butyrylated arrowroot starch on *Sprague Dawley* rats. *Indonesian Pharmacy Magazine* 19 (3) 2008
- De Garmo, E.P.W.G. Sullivan dan J.R. Canada. 1984. Engineering Economy The 7th Edition. Macmillan Publishing Comp., New York.
- Deeg, R and Ziegenhorn, J. (1983). Kinetic enzymatic method for automated determination of total cholesterol in serum. *Clinical Chemistry* 29: 1798-1802,
- Derycke, V., G.E. Vandeputte, R. Vermeulen, W. De Man, B. Goderisc, M.H.J. Kochd, and J.A. Delcoura. (2005). Starch gelatinization and amylose–lipid interactions during rice parboiling investigated by temperature resolved wide angle X-ray scattering and differential scanning calorimetry. *Journal of Cereal Science* 42:334–343.
- Dhingra, D., Michael, M., Rajput, H. dan Patil, R.T. (2012). Dietary Fibre In Foods: A Review. *Journal of Food Science and Technology* 49(3):55–66.
- Diass, D.C. dan Estiasih, T. (2015). Pengaruh senyawa bioaktif umbi-umbian keluarga Dioscoreaceae terhadap kondisi profil lipid darah: kajian Pustaka. *Jurnal Pangan dan Agroindustri* 3(2)424-430
- Diniyah, N., Wijanarko, S.B., and Purnomo, H. (2012). Brown sugar syrup processing from siwalan palm saps (*Borossus Flabellifer* L.)
- Dobiasova and Frohlich. (2001). The plasma parameter log (TG/HDL-C) as an atherogenic index: correlation with lipoprotein particle size and esterification rate in apoB-lipoprotein-depleted plasma (FER(HDL). *Clin Biochem.* 34(7):583-588
- Dobiasova, M. (2006). AIP-atherogenic index of plasma as a significant predictor of cardiovascular risk: from research to practice. *VnitrLek* 52(1):64–71.
- Du, S.K., Jiang, H., Ai, Y., Jane, J.L. (2014). Physicochemical properties and digestibility of common bean (*Phaseolus vulgaris* L.) starches. *Carbohydrate Polymer* 108: 200-205
- Eckel, W., Stone, P., Ellis, and Colwell. (1977). Cholesterol determinant in high density lipoprotein separated by three different methods. *Clinic Chem* 23: 882-884.



- Eliasson, A. dan Gudmundsson. M. (2006). *Starch: Physicochemical and Functional Aspects*. Eliasson, A. *Carbohydrates in Food*. United States of America: CRC.Press.
- Elleuch, M. -Bedigian, D. -Roiseux, O. -Besbes, S. -Blecker, C. -Attia, H. (2011). Dietary fibre and fibre-rich by products of food processing: Characterisation, technological functionality and commercial applications: A review. *Food Chemistry* 124(2): 411-421
- Eltayeb, A.R.S.M., Ali, A.O., Abou-Arab, A.A., and Abu-Salem, F.M. (2011). Chemical composition and functional properties of flour and protein isolate extracted from Bambara groundnut (*Vigna subterranean*). *Afr. J Food Sci.* 5: 82-90.
- Erukainure, O.L., Adeboyejo., F.O., Elemo, G.N., Ebeuhi, O.A. (2012). Modulation of lipid peroxidation, hypolipidemic, and antioxidant activities in brain tissues of diabetic rats by fibre-enriched. *Journal of acute disease* 42-46
- Estiasih, T., Nur, M., Maligan, J.M., Maulana, S. (2012). sintesis fosfolipid mengandung asam lemak  $\omega$ -3 dari fosfolipid kedelai dan minyak kaya asam lemak  $\omega$ -3 dari hasil samping pengalengan tuna. *AGRITECH* 32 (3): 284-293
- Fellows, P.J. (2009). *Food Processing Technology, Principle and Practice 3 rd Ed.* Woodhead Publishing Limited, England
- Galisteo, M, Duarte, J. and Zarzuelo, A. (2008). Reviews : Current Topics, Effects Of Dietary Fibers On Disturbances Clustered In The Metabolic Syndrome. *Journal of Nutritional Biochemistry* 19: 71–84.
- Ghiselli, A, Nardini, M., Baldi, A., and Scaccini, C. (1998). Antioxidant Activity of Different Phenolic Fractions Separated from an Italian Red Wine. *J. Agric. Food Chem., Vol. 46, No. 2, 1998*. Istituto Nazionale della Nutrizione, Roma, Italy, and Dipartimento di Scienze Farmaceutiche, University of Florence, Via Gino Capponi Firenze, Italy
- Gill, F.A., Tomaas, B.B., Pierce, A. dan Kader. (2002). Antioxidant Capacities, Phenolic Compounds, Caratenoids, and Vitamin C Content of Nectarine, Peach, and Plum Cultivars from California. *Journal of Agricultural and Food Chemistry* 50 (17): 4976-4982.
- Ginting, I, Julianti, E, Nainggolan, E.R. (2015). Physico-Chemical Characterization of Composite Flour from Sweet Potato Flour, Corn Starch, and Soybean Flour. *J.Rekayasa Pangan dan Pert* 3 (1): 19-25

- Gomez, K. A. And Gunez. (1995). *Pengantar Statistik untuk Penelitian Pertanian*. edisi ke 2, Universitas Indonesia. Jakarta.
- Goni, I., Garcia-Diz, L., Manas, E and Saura-Calixto, F. (1996). Analysis of resistant starch: a method for foods and food products. *Food Chem.* 56(4): 445-449
- Gordon, M.H. (1990). The Mechanism of Antioxidant Action in Vitro. B. J. F. Hudson (ed.), *Food Antioxidants* © Elsevier Science Publishers Ltd 1990
- Gordon, D.T. (1989). Fungtional properties vs physiological action of total dietary fiber. *Cereal Foods Worlds* 34: 517-525
- Gordon, M.H., (2001). Measuring Antioksidant Activity. Dalam: Jan pokorny, Nedyalka, Yanisshieva-Maslorova, and Michael Gordon (ED). *Antioxidant in Food Practical Application*. Woodhead Publishing Ltd. Londong
- Grundy, S.M., Cleeman, J.I., Merz., C.N.B., Brewer, H.B., Clark, L.T., Hunninghake, D.B., Pasternak, R.C., Smith, S.C., Stone, N.J. (2004). Implications of recent clinical trial for the National Cholesterol Education Program Adult Treatment Panel III guidelines. Coordinating Committee of the National Cholesterol Education Program. *Arterioscler. Thromb. Vasc. Biol.* 24: 149-161
- Gu, C., Howell, K., Padayachee, A., Comino, T., Chhan, R., Zhang, P., Ng, K., Cottrell, J.J., Dunshea, F.R. (2019). Effect of a polyphenol-rich plant matrix on colonic digestion and plasma antioxidant capacity in a porcine model. *Journal of Functional Foods* 57: 211-221.
- Halliwell, B and Gutteridge, J. M. C. (1999). *Free Radicals in Biology and Medicine*. Dalam Widowati, W. (2008). Potensi Antioksidan sebagai Antidiabetes. *JKM*, Vol. 7, No. 2 : 1 – 10.
- Hasanah, F dan Hasrini, R.F. (2018). Pemanfaatan Ganyong (*Canna edulis* KERR) sebagai Bahan Baku Sohun dan Analisis Kualitasnya. *Journal of Agro-based Industry* 35 (2): 99-105
- Harmayani, E., Murdiati, A., Griyaningsih. (2011). Karakterisasi pati ganyong (*Canna edulis*) dan pemanfaatannya sebagai bahan pembuatan cookies dan cendol. *AGRITECH* 31 (4): 297-304
- Hatano, T., Kagawa, H., Yasuhara, T., Okuda, T, (1988). Two new flavonoids and other constituents in licore root: their relative astringency and radical scavenging affects. *Chem. Pharm. Bull.* 36: 1090-2097



- Hennigsson, A.M., Bjorck, I.M.E. and Nyman, M.G.I. (2002). Combinations of Indigestible Carbohydrates Affect Short-Chain Fatty Acid Formation in the Hindgut of Rats. *The J. Nutr.* 0022-3166:3098-3104
- Heywood, V.H. (1972). *Plant phenolics*. Olivers and Boyd tweeddale Court, 14 High Street, Edinburgh EH 1 YL
- Hernawati. (2009). Peranan Berbagai Sumber Serat Dalam Dinamika Kolesterol Pada Individu Hiperkolesterolemia dan Normokolesterolemia. Laporan Penelitian Proyek LIPI. <http://elib.pdii.lipi.go.id>. [13 Agustus 2013].
- Hernawati, Manalu, W., Suprayogi, A., Astuti, D.A.(2013). Perbaikan Parameter Lipid Darah Mencit Hiperkolesterolemia dengan Suplemen Pangan Bekatul. *MKB* 45 (1): 1-9
- Hidayat, N. (2010). Pati Ganyong Potensi Lokal yang Belum Termanfaatkan. Diambil dari situs <http://www.kulinologi.biz> pada tanggal 9 Maret 2013.
- Ho, L. H., Noor Aziah, A. A. and Rajeev Bhat. (2012).Mineral composition and pasting properties of banana pseudo-stem flour from *Musa acuminata* X *balbisiana* cv. Awak grown locally in Perak, Malaysia. *International Food Research Journal*. 19(4): 1479-1485
- Huang, P. (2009). A comprehensive definition for metabolic syndrome. *Disease Models and Mechanisms* 2: 231-237.
- Hur SJ, Lee SY, Lee SJ. (2015). Effect of biopolymer encapsulation on the digestibility of lipid and cholesterol oxidation products in beef during in vitro human digestion. *Food Chem.* 166: 254–260
- Husniarti, Utami,I.S., dan Rahayu,S. (2001). Subtitusi terigu dengan pati garut (*Maranta Arundinaceae* L) pada pembuatan roti tawar. *AGRITECH* 21 (1): 16 – 20
- Husna,N., Novita,E.M., Rohaya, S. (2013).(2013).Anthocyanins Content and Antioxidant Activity of Fresh Purple Fleshed Sweet Potato and Selected Products. *AGRITECH* 33 (3) 296-302
- Hwang, Y., Jae, H., Eun, H., Hyung, G., Ji-Hyang, W., Kyung, J., Kyung, H., Kwang-il, K., Tae, C., Young, C. dan Hye, G.J. (2011). Purple Sweet Potato Anthocyanins Attenuate Hepatic Lipid Accumulation Through Activating Adenosine Monophosphate-activated Protein Kinase Human HepG2 Cells and Obece Mice. *Nutrition Research* 31: 896-906.

- Ihedioha, J.I., Noel-Uneke, Q.A, Ihedioha, T.E. (2013). Reference values for the serum lipid profile of albino rats (*Rattus norvegicus*) of varied ages and sexes. *Comp Clin Pathol* 22: 93–99
- Indrianti, N., Kumalasari, R., Ekafitri, R. dan Darmajana, D.A. (2013). Pengaruh penggunaan pati ganyong, tapioka, dan mocaf Sebagai bahan substitusi terhadap sifat fisik mie jagung instan. *AGRITECH*, 33(4)391-398
- Izydorczyk, M., Cui, S.W. and Wang, Q. (2005). Polysaccharide Gums: Structures, Functional Properties, and Applications. Diambil dari situs <https://www.researchgate.net> pada tanggal 20 Januari 2020
- Jagannadham., Parimalavalli, R., and Babu, A.S. (2016). Effect of triple retrogradation treatment on chickpea resistant starch formation and its characterization. . *Journal of Food Science and Technology* 1-8
- Janakiraman, V.N., Frederic, D.L., Guhan, J., Xavier, S. and Krishnan, V. (2015). Expression of wild type and variants of human apolipoprotein A- I in *Pichia pastoris*. Diunduh pada tanggal 20 Januari 2020 dari situs <https://www.researchgate.net/publication/300162734>
- Jeyabalan, A. dan Caritis, S.N. (2006). Antioxidant and the prevention of preeclampsia-unresolved issues. *The New England Journal of Medicine* 354(17): 1841-1843.
- Jimenez, M. dan Garcia-Carmona, F. (1999). Oxidation of the flavonol quercetin by polyphenol oxidase. *Journal of Agricultural Food Chemistry* 47: 56-60.
- Jimenez, A., Rodriguez, R., Fernandez-Caro, I., Guillen, R., Fernandez-Bolanos, J., and Heredia, A. (2000). Dietary fibre content of table olives processed under different European styles: study of physico-chemical characteristics, *J. Sci. Food Agric.* 86: 1903-1908
- Jecfa. (2009). Sodium Hydrogen Sulfite. Tersedia di: [www.fao.org/fileadmin/user\\_upload/jecfa/](http://www.fao.org/fileadmin/user_upload/jecfa/). [Diakses 15 Januari 2019].
- Johansson, M. (2012). *Dietary Fiber Composition and Sensory Analysis of Heat Treated Wheat and Rye Bran*. Departement of Food Science. Swedish University of Agricultural Sciences.
- Jones, P.J.H. (2008). Dietary Agents That Target Gastrointestinal And Hepatic Handling Of Bile Acids And Cholesterol. *Journal of Clinical Lipidology* 2: S4–S10.
- Kaczmarczyk, M.M., Miller, M.J. and Freund, G.G. (2012). Review : The Health Benefits Of Dietary Fiber: Beyond The Usual Suspects Of Type 2

Diabetes Mellitus, Cardiovascular Disease And Colon Cancer. *Journal Metabolism Clinical and Experimental* 61:1058 – 1066.

Kahlon, T.S. and Smith, G.E. (2007). In Vitro Binding Of Bile Acids By Bananas, Peaches, Pineapple, Grapes, Pears, Apricots And Nectarines. *Journal of Food Chemistry*

Kay, R.M.P. (1982). Dietary Fiber. *Journal of Lipid Research* 23: 221-242.

Katzung, B.G., Masters, S.B., dan Trevor, A.J. (2012). *Basic and clinical pharmacology*. 12<sup>th</sup> edition. McGrawHill Medical. NewYork.

Kementerian Pertanian. (2017). Petunjuk Teknis Pengelolaan Aneka Kacang dan Umbi.

Kementerian Kesehatan Republik Indonesia. (2020). Hasil Utama Riskesdas 2018. Diakses dari <https://www.kemkes.go.id/resources/download/info-terkini/hasil-risikesdas-2018.pdf>

Kirk, E.A, Sutherland, P., Wang, S.A., Chait, A., and LeBoeuf, R.C. (1998). Dietary Isoflavones Reduce Plasma Cholesterol and Atherosclerosis in C57BL/6

Kim HY, Woo KS, Hwang IG, Lee YR, Jeon HS. (2008). Effect of heat treatments on the antioxidant activities of fruits and vegetables. *Korean J Food Sci Technol* 40: 166-70

Kim, D.K., Lee, K.W., Lee, H.J. dan Lee, C.Y. (2002). Vitamin C Equivalent Antioxidant Capacity (VCEAC) of Phenolic Phytochemicals. *J. Agric Food.Chem* 50: 3713-3717.

Kolovou, G.D., Anagnostopoulou, K.K., and Cokkinos, D.V. (2005). Review: Pathophysiology of dyslipidaemia in the metabolic syndrome. *Postgraduate Medical Journal* (81): 358-366

Kramlich, W. (1971). *Meat and Meat Products*. 2<sup>nd</sup>. J.F Price and B. Schwegert, Eds. W.H. Freeman and co, San Francisco

Kreutler, P.A. (1980). *Nutrition In Perspective*. Prentice-Hall. Inc. Englewood Cliffs, New Jersey.

Kristensen, Jensen, M.M.G., Aarestrup, J Kristina EN Petersen, K.E., Søndergaard, L Mikkelsen, M.S and Astrup, A. (2012). Flaxseed dietary fibers lower cholesterol and increase fecal fat excretion, but magnitude of effect depend on food type. *Nutrition & Metabolism* 9:8

- Kutos T., Golob T., Kac M., and Plestenjak A. (2003). Dietary Fibre content of Dry and Processed Beans. *Food Chemistry* 80: 231-235
- Klopotek, Y., Otto, K. dan Bohm, V. (2005). Processing Strawberries to Different Products Alters Contents of Vitamin C, Total Phenolics, Total Anthocyanins, and Antioxidant Capacity. *Journal of Agriculture and Food Chemistry* 53: 5640-5646.
- Ladamay, N.A and Yuwono, S.S. (2014). The Use Local Material In The Production Foodbars (Study of Tapioca : Green Bean Flour Ratio and CMC Proportion). *Jurnal Pangan dan Agroindustri* 2 (1): 67-78
- Laker, M.F. and Steward. (1997). Monitoring of Lipid in Diabetes in International Textbook of Diabetes Mellitus. Second edition. John Wiley and Sons Ltd. England.
- Layden, B.T., Angueira, A.R., Brodsky, M., Durai, V. dan Lowe, W.L. (2013). Short Chain Fatty Acids And Their Receptors: New Metabolic Targets. *Journal of Translational Research* 161:131-140.
- Lee YR, Hwang IG, Woo KS, Kim DJ, Hong JT, Jeong HS. (2007). Antioxidative activities of the ethyl acetate fraction from heated onion (*Allium cepa*). *Food Sci Biotechnol*, 16:104.
- Linder, M.C. (1992). Biokimia Nutrisi dan Metabolisme. Universitas Indonesia. Jakarta
- Lu, F., Liu, Y., and Li, B. (2013). Okara dietary fiber and hypoglycemic effect of okara foods. *Bioactive Carbohydrates and Dietary Fibre* 2: 126-132
- Ma, M.M. and Mu, T.H. (2015). Effects Of Extraction Methods And Particle Size Distribution on The Structural , Physicochemical, And Functional Properties Of Dietary Fiber From Deoiled Cumin. *Journal of Food Chemistry* 194:237-246
- Makfoeld, D., Djagal, W. M, Hastuti, P., Anggrahini, S., Raharjo, S., Sastrosuwignyo, S., Suhardi, Harsono, S.M., Hadiwiyoto, S. dan Tranggono. (2002). *Jurnal Pangan dan Nutrisi*. Kanisus. Yogyakarta
- Marounek, M., Voleka, Z., Rivanova, E, S., Taubner, T., Pebriansyah, A., Skova, D, D. (2017). Comparative study of the hypocholesterolemic and hypolipidemic activity of alginate and amidated alginate in rats. *International Journal of Biological Macromolecules, BIOMAC* 7885; 1-5

- Marsono, Y., Illman, R.J., Clarke, J.M., Trimble, R.P. Topping, D.L. (1993). Plasma lipids and large bowel volatile fatty acids in pigs fed on white rice, brown rice and rice bran. *British Journal of Nutrition* 70: 503-513
- Marsono, Y. (1998). Resistant Starch: Formation, metabolism and its nutritional aspects. *AGRITECH* 18: 29-35
- Marsono Y. (1999). Canges of resistant starch (RS) and chemical composition of selected stach foods during processing. *AGRITECH* 19 (3): 124 - 127.
- Marsono, Y. (2001). Resistant Starch : Pembentukan, metabolisme dan aspek gizinya (Review). *AGRITECH* 18 (4): 29 – 35
- Marsono, Y., Wiyono, P. dan Noor, Z. (2003). Penentuan Indeks Glisemik kacang-kacangan, faktor determinan dan uji efek hipoglisemiknya. Laporan penelitian. Penelitian Hibah Bersaing IX perguruan tinggi tahun anggaran 2001-2003. Lembaga Penelitian UGM, Yogyakarta.
- Marsono, Y. (2004). *Serat Pangan Dalam Perspektif Ilmu Gizi*. Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Teknologi Pertanian Universitas Gadjah Mada, Yogyakarta.
- Marsono, Y.,Safitri, R., dan Noor, Z.. (2005). *Antioksidan dalam Kacang-Kacangan: Aktivitas dan Potensi serta Kemampuannya Menginduksi Pertahanan Antioksidan Pada Model Hewan Percobaan*. Fakultas Teknologi Pertanian. Lembaga Penelitian Universitas Gadjah Mada
- Marsono, Y. (2008). Prospek pengembangan makanan fungsional. *Jurnal Teknologi Pangan dan Gizi* 7(1): 19-27
- Maryati, Y., Nuraida, L., Dewanti, R. (2016). A Study In Vitro of Lactic Acid Bacteria (LAB) Isolates on Cholesterol Lowering Ability in The Presence of Oligosaccharides. *Agritech* 36 (2): 26-31
- Maryanto, S and Marsono, Y. (2019). The Effect of Guava on the Improvement of Lipid Profile in Hypercholesterolemic Rats. *IOP Conf. Series: Earth and Environmental Science* 276
- Meskin, M. S., W. R. Bidlack, A. J. Davies, S. T. Omaye. (2002). *Phytochemicals in Nutrition and Health*. CRC Press, London-New York.
- McAuley, D.F., John G. Laffey, J.G., O’Kane, C.M., Perkins, G.D., Mullan, B. (2014). Simvastatin in The Acute Respiratory Distress Syndrome, *N Engl J Med*, 371;18.

- Miyazaki, K., Kumiko, M., Emi, I., Yoriko, D. dan Fumiyasu, I. (2008). Anthocyanins from Purple Sweet Potato *Ipomoea batatas* Cultivar Ayamurasaki Suppress the Development of Atherosclerotic Lesions and Both Enhancements of Oxidative Stress and Soluble Vascular Cell Adhesion Molecule-1 in Apolipoprotein E-Deficient Mice. *J. Agric. Food Chem* 56: 11485-11492.
- Montgomery, R.A., Dryer R.L., Conway T.W., Spector A.A. (1983). Biochemistry : A Case-Oriented Approach Masby Company Iowa. Diterjemahkan Oleh M. Ismadi. Gadjah Mada University Press, Yogyakarta.
- Mohapatra, D., Mishra, S., & Sutar, N. (2010). Banana and its by-product utilisation: an overview. *Scientific and Industrial Research* 69: 323–329
- Momuat, L.I., Suryanto, E., Rantung, O., Korua, A, dan Datu, H. (2015). Perbandingan senyawa fenolik dan aktivitas Antioksidan antara sagu baruk segar dan kering. *Chem. Prog.* 8 (1): 20-29
- Munawar, M., Hartono, B., Rifq,i S. (2013). LDL Cholesterol Goal Attainment in Hypercholesterolemia: CEPHEUS Indonesian Survey. *Acta. Cardiol. Sin.* 29(1): 71-81.
- Mukhopadhyay, M. (2000). *Natural Ekstracts Using Supercritical Carbon Dioxide*.CRC Press, London-New York.
- Nakhaee, A., Bokaeian, M., Saravani, M., Farhangi, A. dan Akbarzadeh, A. (2009). Attenuation of Oxidative Stress in Streptozotocin-Induced Diabetic Rats By Eucalyptus Globulus. *Indian Journal of Clinical Biochemistry* 24 (4): 419- 425.
- Nasution, M.Z., Suryani, A., Susant, I. (2004). Pemisahan dan karakterisasi *emulsifier* dalam minyak cacing tanah (*lumbricus rubellus*). *Tek. Ind. Pert.* 13(3): 108-115
- Nie, Q., Hu, J., Gao, H., Fan, L., Chen, H., and Nie, S. (2017). Polysaccharide from *Plantago asiatica* L. attenuates hyperglycemia, hyperlipidemia and affects colon microbiota in type 2 diabetic rats. *Food Hydrocolloids*: 1-9
- Niroumand, S., Khajedaluee, M., Rezaiyan, M.K., Abrishami,M., Juya, M., Khodae, G., Dadgarmoghaddam, M. (2015). Atherogenic Index of Plasma (AIP): A marker of cardiovascular Disease. *Med J Islam Repub Iran* 29: 240-250
- Ntau, L., Sumual, M.F., Assa,J.R. (2017). The fermentation Effects of *Lactobacillus casei* to Sweet Corn Physical Characteristic. *J. Ilmu dan Teknologi Pangan* 5(2): 11-19



- Nugent, A.P. (2005). *Health properties of resistant starch*. British Nutrition Foundation, London, UK.
- Nurhayati, N, Maryanto,M, Tafrikhah, R. (2016). Pectin Extraction from Banana Peels and Bunch with Various Temperatures and Methods. *AGRITECH* 36 (3): 327-334
- Nurhidajah, N., Astuti, M., Sardjono, S., Murdiati, A.(2017). Blood Antioxidant Profile of Diabetes Rats Feed with Red Rice Enriched with Kappa-Carrageenan and Anthocyanin Extracts. *AGRITECH* 37 (1): 81-87
- Norum, K.R. (1992). Dietary fat and blood lipids. *Nutr. Rev.*50 (4): 30-37
- Padley, F.B. and Podmore, J. (1985). *The Role of Fats in Human Nutrition (Ellis Horwood Series in Food Science and Technology*. Ellis Horwood Ltd., Chichester, England and VCH Verlagsgesellschaft mbH, Weinheim, Federal Republic of Germany.
- Pangesthi, L.T. (2009). Utilization of canna starch (*canna edulis*) on making fresh noodles as an attempt diversification of non-rice food. *Media Education, Nutrition and Culinary* I: 1-6.
- Parwiyanti, Pratama, F., Wijaya, A., Malahayati, N. (2016). Profil *pasting* pati ganyong termodifikasi dengan *heat moisture treatment* dan gum xanthan untuk produk roti. *J. Teknologi dan Industri Pangan* 27 (2): 185 -192
- Patmaningrum, R.T. dan Utomo, M.P. (2009). Perubahan warna dan kadar  $\beta$ -karoten dalam Ubi jalar (IPOMEA BATATAS, L) akibat pemutihan. Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA, Fakultas MIPA, Universitas Negeri Yogyakarta
- Placer, Z.A., Cushman, L.L., and Johnson, B.C. (1966). Estimation of product of lipid peroxidation (Malonyl Dialdehyde) in biochemical systems. *Analytical Biochemistht* 16: 359-364
- Plummer, D.T. (1978). *An introduction to practical biochemistry*. Second edition. Bombay.: Rules of The McGraw-Hill Companies Publication Co. Ltd
- Pradita, T.R. (2015). Pengembangan Food Bar Berserat Tinggi Berbahan Dasar Tepung Juwawut (*Setaria Italia*) dan Tepung Garut (*Maranta Arundinacea* L.): Studi Formulasi Bahan, Uji Sifat Fisik, Sifat Kimia, Daya Terima dan Penentuan Indeks Glikemik. Skripsi. FTP UGM Yogyakarta.
- Pramitasari, G. (2015). Pengaruh Substitusi Tepung Ganyong Dengan Tepung Agar Terhadap Sifat Kimia, Fisik, dan Sensoris *Canna Bar*. Skripsi FTP UGM Yogyakarta.

- Pujimulyani, D., Raharjo, S , Marsono, Y dan Santoso, U. (2010). The Antioxidant Activity and Phenolic Content of Fresh and Blanched White Saffron (*Curcuma mangga* Val.). *AGRITECH* 30 (2): 68-74
- Qin, Y., Xia, M., Ma, J., Hao, Y., Liu, J., Mou, H., Cao, L., & Ling, W. (2009). Anthocyanin supplementation improves serum LDL and HDL-cholesterol concentrations associated with the inhibition of cholesteryl ester transfer protein in dyslipidemic subjects. *American Journal of Clinical Nutrition*, 90(3): 485–492.
- Rabecca. (2014). Potensi Prebiotik Spaghetтини Komposit Semolina Durum dan Pati Ganyong. Skripsi. Fakultas Teknologi Pertanian. Universitas Gajah Mada.
- Rachmawanti, A.D. (2006). Kemampuan Antioksidatif Ekstrak Etanol Kacang Panjang (*Vigna sinensis*) dan Kacang Merah (*Phaseolus vulgaris*) Pada Tikus Diabetes-Hiperkolesterolemia. Thesis. Program Studi Ilmu dan Teknologi Pangan. Universitas Gadjah Mada, Yogyakarta.
- Rachmayani, N., Rahayu, W.P., Faridah, D.N., Syamsir, E. (2017). High fiber snack bar using okara and sweet potato flour. *Jurnal Teknologi dan Industri Pangan* 28 (2): 139-149
- Raharjo, S., Suparno., Supartono, W. and Utama, Z. (2002). Inhibition of discoloration in restructured tropical fruits using anti browning additives. *AGRITECH* 22 (3): 87-94
- Ranganna, S. (1977). *Manual of Analysis of Fruit and Vegetable Products*. New Delhi: Tata McGraw Hill Publishing Company Limited.
- Ratnaningsih, N., Nugraheni, M., Handayani, T.H.W., Chayati, I. (2010). Quality improvement and product diversification of canna tubers to increase resilience of food. Department of Food and Fashion Technology Education Faculty of Technology, Yogyakarta State University
- Ratnaningsih, N. (2016). Sifat fisik dan kimia *resistant starch* Tipe 3 pati kacang tunggak (*vigna unguiculata*) dengan perlakuan *autoclaving-cooling* Serta potensinya untuk pencegahan *colitis-Associated adenocarcinoma* pada Tikus *sprague-dawley*. Disertasi. Universitas Gadjah Mada, Yogyakarta
- Reeves, P.G., Neilson F.H and Fahey G.C. (1993). AIN-93. Purified Diets for laboratory Rodents: Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76 A Rodent Diet. *J.Nutr.* 123 (1): 939-1951

- Reische, D.W. Lilard, D.A., and Eitenmiller, D. (2004). Antioxidant. Dalam: Casimir C. Akoh and David B. Min. Food Lipids: Chemistry, Nutrition, and Biotechnology. Marcel Dekker, Inc. New York.
- Rehinan Z.A. Rashid M., and Shah W. (2004). Insoluble Dietary Fibre of Foof Legumes as Affected by Soalking and Cooking Processes. *Food Chemistry* 85:245-249
- Reiner Z, Catapano AL, Backer GD, Graham I, Taskinen M-R, Wiklund O, et al., (2011). ESC/EAS Guidelines for the management of dyslipidaemias. The Task Force for the management of dyslipidaemias of the European Society of Cardiology (ESC) and the European Atherosclerosis Society (EAS). *European Heart Journal*.
- Robin, F., Schuchmann, H.P., and Palzer, S. (2012). Dietary fiber in extruded cereals: Limitations and opportunities. *Trends in Food Science and Technology* 28(1): 23-32.
- Robinson, J.C. and Sauco, V. G. (2010). *Bananas and Plantains*. 2nd edition. CABI. UK. USA.
- Rahmawati, A., Murdiati, A., Y. Marsono, and Anggrahini, S. (2018). Changes of complex carbohydrates on white jack bean (*Canavalia Ensiformis*) during autoclaving-cooling cycles. *Curr. Res. Nutr Food Sci Jour*. 6: 470-480
- Raharjo, S., Suparmo, Supartono, and Utama, Z. (2002). Inhibition of Discoloration in Restructured Trofical Fruits Using Anti Browning Additives. *AGRITECH* 22 (3): 87-94
- Rachmayani, N., Rahayu, W.P., Faridah, D.N., dan Syamsir, E. (2017). Snack bar tinggi serat berbasis tepung ampas tahu (okara) dan tepung ubi ungu. *Jurnal Teknologi dan Industri Pangan* 28 (2): 139-149
- Rabie'ah, Carlos, F. Johanna Griselda S, J., Sari, W.P. (2014). Tatalaksana Terkini Dislipidemia. *J. Kedokt Meditek* 20 (54): 28-33
- Rahman, H. (2006). *Pembuatan Pulp dari Batang Pisang Uter (Musa paradisiaca Linn. var uter) Pascapanen dengan Proses Soda*. Tesis, Fakultas Kehutanan. Yogyakarta : Universitas Gadjah Mada.
- Ridha, M.F. (2009). Pengaruh Konsumsi Kacang Merah (*Phaseolus vulgaris* L.) Pratanak Terhadap Status Antioksidan dan Profil Lipida Darah Tikus Sprague Dawley. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta. 984

- Richana, N dan Sunarti, C. (2004). Karakterisasi sifat fisikokimia tepung umbi dan tepung pati dari umbi ganyong, suweg, ubikelapa dan gembili. *J. Pascapanen* 1: 29-37.
- Rodriguez-Ambriz, S. L., Islas-Hernandez, J. J., Agama-Acevedo, E., Tovar, J., & Bello-Perez, L. A. (2008). Characterization of a fibre-rich powder prepared by liquefaction of unripe banana flour. *Food Chemistry* 107: 1515–1521
- Robertson G.I, Monredon F.D, Dysseler P, Guillon F, Amado R, Thibault J.F, (2000). Hydration properties of dietary fiber and resistant starch: An European collaborative study. *LWT – Food Sci Tech.* (33): 72 – 79.
- Rubenfire, M., Colletti, A.T., and Mosca, L. (1998). Treatment strategies for management of serum lipids: lessons learned from lipid metabolism, recent clinical trials, and experience with the HMG CoA reductase inhibitors. *Prog Cardiovasc Dis.* 41: 95-116
- Santala, O., Kiran, A., Sozer, N., Poutanen, K., and Nordlund, E. (2014). Enzymatic modification and particle size reduction of wheat bran improves the mechanical properties and structure of bran-enriched expanded extrudates. *Journal of Cereal Science* 60 (2): 448-456.
- Saravanan K and Aradhya SM, (2011). Polyphenols of pseudostem of different banana cultivars and their antioxidant activities. *J Agric Food Chem.* 59: 3613
- Sayago-ayerdi, Mateos, R., Ortiz-Basurto, R.I., Largo, C., Serrano, J., Granado-Serrano, A.B., Sarria, B., Bravo, L., Tabernero, M. (2014). Effects of Consuming Diets Containing Agave Tequilana Dietary Fibre and Jamaica *Food Chemistry* 148: 54-59
- Scheeman, B.O. (1985). *Problems and Methods in Applying Nutrient Composition Data to Current Health Issues : Dietary Fiber*. The online catalog of the National Agricultural Library (NAL), United States Departement of Agricultural
- Sembor, S.M., Marsono, Y., Noor, Z. 1999. Effects of soy pulp and fermented soy pulp fiber on Short Chain Fatty Acid profile in The digesta of wistar Rats. *AGRITECH* 9 (4): 160-164
- Senter, S.D., Robertson, J.A., and Meredith, F.I. (2006). Phenolic compounds of the Mesocarp of cresthaven peaches during storage and ripening. *Journal of Food Science* 54(5): 1259-1268

- Serougne, C., Felgines, C., Ferezou, J., Hajri, T., Bertin, C., dan Mazur, A. (1995). Hypercholesterolemia Induced by Cholesterol- or Cystine-Enriched Diets is Charaterized by Different Plasma Lipoprotein and Apolipoprotein Concentrations in Rats. *J. Nut* 125: 35-41
- Setyaji, D.Y. (2011). *Pengaruh Pemberian Nata De Coco Terhadap Kadar Kolesterol LDL dan HDL Pada Tikus Hiperkolesterolemia*. Program Studi Ilmu Gizi Fakultas Kedokteran. Universita Diponegoro, Semarang.
- Sewester, C.S., Dombeck, C., Olin, B.R., Kastrup, E.K., Hebel, S.K.(2004). *Drugs facts and comparisons*. Lippincott Co. St. Louis.
- Shahidi, F. and P. K. J. Wanasundara. (1992). Phenolik Antioxidants. in: Bidlack, W. R., W. Wang. 2000. *Designing Functional Foods to Enhance Health*. Technomic Publishing Co., Inc, Lancaster, Basel.
- Shahzadi, N., M.S. Butt, Saleem-ur-Rehman and K. Sharif. (2005). Chemical characteristics of various composite flours. *Inter. J. Agric. Biol.*,7: 105-115
- Silistijani, D,A. (1999). Sehat Dengan Menu Berserat. Trubus Agriwidya: Jakarta
- Sianipar, R.A. (2007). Pengaruh Pemberian Vitamin C Terhadap Kadar Kolesterol dan Trigliserid Darah Marmot (*Cavia porcellus*). *Jurnal Fakultas Farmasi Univesitas Sumatra Utara*.
- Sousa Fernandes, S.D., Silva Ribeiro, C.A., Jesus Raposo, M.F., Morais, R.M.S.C., Morais, A.M.M.B. (2011). Polyphenol Oxidase Activity and Colour Changes of ‘Starking’ Apple Cubes Coated with Alginate and Dehydrated with Air. *Food and Nutrition Sciences* 2: 451-457
- Sriwahyuni B. (1986). Mempelajari Pengaruh Penggunaan Natrium Bisulfit dan Sendawa terhadap Mutu Dendeng Sapi Selama Penyimpanan. Skripsi. Fakultas Teknologi Pertanian Institut
- Sunarti., Maudisa, R., Asdie, RH., Hakimi, M. (2008). Effect of homocysteine and antioxidants on peroxidation lipid of essential hypertension in Central Java Indonesia. *Berkala Ilmu Kedokteran* 40
- Sutrisno, D dan Djuwendah, E. (2011). *Prospek agribisnis ganyong sebagai bahan pangan alternatif*. Majalah Trubus 495 – Februari 2011/XLII.
- Soral-Smietana, M., Wronkowska, M. dan Amarowicz, R. (2000). Health Promoting Function of Wheat or Potato Resistant Starch Preparations Obtained by Physico-Biochemical Process, dalam Barsby, T.L., Donald,

- A.M., dan Frazier, P.J. 2000. Starch: Advances in Structure and Function, Roy. Soc.Chem. Cambridge, UK: 116-127
- Soewoto H *et al.* (2001). *Biokimia Eksperimen Laboratorium*. Biokimia FKUI.
- Stover, R.H., Simmonds, N.W. (1987). *Bananas (Tropical Agriculture Series)*. Third Edition.Longman Publishers. Singapore.
- Stoll, L.L., McCormick, M.L., Denning, G.M.,Weintraub, N.L. (2004). Antioxidant Effects of Statins. *Drugs Today (Barc)*, 40:975–90.
- Stanisavljevic, N., Samardzic, J., Jancovic, T., Savikin, K., Mojsin, M., Topalovic, V. and Stevanovic, M. (2015). Antioxidant and antiproliferative activity of chokeberry juice phenolics during in vitro simulated digestion in the presence of food matrix. *Food Chemistry* 175: 516-522
- Surampudi, P., Enkhmaa, B., Anuurad, E., and Berglund L.(2016). Lipid lowering with soluble dietary fiber. *Curr Atheroscler Rep.* 18:75
- Sajilata, M.G., R.S. Singhal and P.R. Kulkarni (2006). Resistant starch: A review. *Compreh. Rev. Food Sci. Food Saf.* 5: 1-17
- Sudarmadji, Slamet., Bambang Haryono, Suhardi. (1989). *Analisa bahan Makanan dan Pertanian*. Liberty, Yogyakarta
- Suryaningtyas, SM. (2014). Asetilasi Pati Ganyong (*Canna Edulis* Kerr.) Dan Aplikasinya Untuk Substitusi Gelatin dalam Pembuatan Permen *Jelly*. Skripsi. Fakultas Teknologi Pertanian. Universitas Gajah Mada.
- Sung, J. H., Choi, S. J., Lee, S. W., Park, K. H., & Moon, T. W. (2004). Isoflavones found in Korean soybean paste as 3-hydroxy-3-methylglutaryl Coenzyme A reductase inhibitors. *Bioscience, Biotechnology and Biochemistry* 68(5): 1051–1058.
- Sukasih, E and Setyadjit, S. (2016). Effect of ascorbic acid soaking and sodium bisulphite on two varieties of shallot (*Allium ascalonicum* L.) on physical and organoleptical character of shallot powder. *AGRITECH* 36(3): 270-278
- Tang, X., Master, Q.W., Le, G. and Shi, Y. (2012). Effects of heat treatment on structural modification and in vivo antioxidant capacity of soy protein. *Nutrition* 28: 1180–1185



- Taghipoor M, Barlesa, G., Georgelina, C., Licoisa, J.R. dan Lescoat, P. (2014). Digesti on modeling in the small intestine :Impact of dietary fiber. *Mathematical Biosciences* 258:101–112.
- Tenorio, MD., Espinosa-Martos, I., Prestamoo, G. Dan Ruperez, P. (2010). “Soybean Whey Enhance Mineral Balance and Cecal Fermentation in Rats”, *Eur. J. Nutr.* 49 (3): 155-163.
- Tensiska. (2008). Serat Makanan. Makalah Pustaka Universitas Padjajaran, Fakultas Teknologi Industri Pertanian, Bandung.
- Thewissen, E. dan Mensink, R.P. (2008). Water-soluble dietary fibers and cardiovascular disease. *Physiology & Behavior* 94:285–292.
- Thitipraphunkul, K., Uttapap, D., Piyachomkwanc, K., Takeda, Y. (2003). A comparative study of edible canna (*Canna edulis*) starch from different cultivars. Part I. Chemical composition and hysicochemical properties. *Carbohydrate Polymers* 53: 317–324
- Topping, D.I, Illman, R.J, Clarke, J.M., Trimble, R.P., Jackson, K.A., and Yustinus Marsono, Y. (1993). Dietary Fat and Fiber Alter Large Bowel and Portal Venous Volatile Fatty Acids and Plasma Cholesterol but Not Biliary Steroids in Pigs
- Topping, D.L. dan Clifton, P.M. (2001). Short-Chain Fatty Acids and Human Colonic Function: Roles of Resistant Starch and Nonstarch Polysaccharides. *Journal of Physiologica Reviews* 81 (3)
- Trinidad TP, Mallillin AC, Valdez DH, Loyola AS, Askali-Mercado FC, Castillo JC, Encabo RR, Masa DB, Maglaya AS, Chua MT (2006) Dietary fiber from coconut flour: a functional food. *Innov Food Sci Emerg Technol* 7 (4): 309–317
- Trowell, H. (1972). Ischemic Heart Disease and Dietary Fiber. *The American Jorunal of Clinical Nutrition* 25 : 926-932.
- Turkmen, N., Sari, F. dan Velioglu, Y. S, (2005). The effect of cooking methods on total phenolics and antioxidant activity of selected green vegetables. *Food Chemistry.*, 93: 713-718.
- USDA National Nutrient Database for standard reference. (2019). *Full Report (All Nutrients) 19105, granola bar*. Diakses dari <http://ndb.nal.usda.gov> pada 17 Maret 2019
- Utami, T., Anggrahini, S., Harmayani, E., Rahajo, S., and Iramani, R. (2000).

Penetrasi natrium bisulfit dan kalium sorbat ke dalam nanas selama perendaman dan pengaruhnya terhadap produksi nanas. *AGRITECH* 16 (3): 1-6

Van der Wulp, M.Y.M., Verkade, H.J., Groen, A.K. (2013). Regulation of cholesterol homeostasis. *Mol. Cell. Endocrinol., Nuclear Receptors, Bile Acids and Cholesterol Homeostasis* 368 :1-16

Wardhana, RA. (2014). Investation of *bacillus substilis* and *streptomyces angustmyceticus* at planting medium of cavendish banana (*musa acuminata*, aaa) to control fusarium wilt.

Wettasinghe, M and S.Shahidi. (2000). Scavenging of Reactive-Oxygen species and DPPH free radicals by extract of Borage and evening primerose meals. *Food Chemistry* 70 : 17-26

Wiwaha, DA. (2007). Analisis Pengendalian Pasokan Pisang Cavendish Berdasarkan Hasil Ramalan Penjualan *Time Series* Terbaik Untuk Wilayah Pemasaran Jabotabek Pada PT. Sewu Segar Nusantara. Tesis. Fakultas Pertanian Institut Pertanian Bogor

Weisburger, J.H. (2005). *Chemopreventive Effects of Cocoa Polyphenols on Chronic Disease*. <http://www.ebmonline.org/cgi/content/short/226/10/891>, diakses tanggal 5 Juni 2016. Thesis. Universitas Lampung

Winarsi, H., Wijayanti, S.P.M. dan Puwanto, A. (2012). Aktivitas Enzim Superoksida Dismutase, Katalase, dan Glutation Peroksidase Wanita Penderita Sindrom Metabolik. *MKB* 44 (1).

Wijaya, A. (1998). *Radikal Bebas dan Parameter Status Antioksidan*. Forum Diagnosticum. Laboratorium Klinik Prodia. Bandung.

Wijanarka, A., T. Sudargo, E. Harmayani and Y. Marsono, 2016. Changes in resistant starch content and glycemic index of pre-gelatinized gayam(*Inocarfus fagifer* Forst.) flour. *Pak. J. Nutr.*, 15: 649-654.

Wijanarka, A. (2017). Tepung gayam (*inocarfus fagifer* forst.): indeks glikemik, sifat fungsional, modifikasi siklus autoclaving-cooling serta sifat gizi in vitro dan in vivo. Disertasi. FTP UGM, Yogyakarta.

Winarno, F. G. (2000). Potensi dan Peran Tepung–tepungan bagi Industri Pangan dan Program Perbaikan Gizi. Penganeka Ragaman Makanan untuk Memantapkan Ketersediaan Pangan

Wong, J.M., de Souza, R., R., Kendall, C.W., Emam, A. dan Jenkins, D.J. (2006), Colonic health: Fermentation and short chain fatty acids. *J. Clin. Gastro.*

40:235-243

World Health Organization. (2018). The top 10 causes of death. Diakses dari <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death>

Xia, X., Ling, W., Ma, J., Xia, M., Hou, M., Wang, Q., H Zhu, H., and Tang, Z.(2006). An Anthocyanin-Rich Extract from Black Rice Enhances Atherosclerotic Plaque Stabilization in Apolipoprotein E–Deficient Mice. *J. Nutr.* 136: 2220–2225

Yan, Xiaoguang, Ran Ye, Chen, Ye. (2015). Blasting extrusion processing: The increase of soluble dietary fiber content and extraction of soluble-fiber polysaccharides from wheat bran. *Food chemistry* 180: 106-115

Yang SJ, Woo KS, Yoo JS, Kang TS, Noh YH, Lee JS, Jeong HS. (2006). Change of Korean ginseng components with high temperature and pressure treatment. *Korean J Food Sci Technol* 38:521.

Yen, G.C and Chen, H.Y. (1995).Antioxidant activity of various tea extracts in Relation to Their Antimutagenicity. *J. Agric. Food Chem.* 43: 27-32

Yi, L., Chun-ye, C., Xin, J., Man-tian, M., Bin, Y., Hui, C., Wen-hua, L. dan Ting, Z. (2010). Structural Requirements of Anthocyanins in Relation To Inhibition Of Endothelial Injury Induced By Oxidized Low-Density Lipoprotein and Correlation With Radical Scavenging Activity. *FEBS Letter* 584: 583-590.

Yoruk, R and Marshall, M.R. (2003). Physicochemical properties and function of plant polyphenol oxidase: a review. *Journal of Food Biochemistry* 27 : 361-422.

Zhang H and Jin Z. (2011) Preparation of resistant starch by hydrolysis of maize starch with pullulanase. *Carbohydr Polym* 83(2): 865–867

Zern, T. L., & Fernandez, M. L. (2005). Cardioprotective Effects of Dietary Polyphenols. *Journal Nutrition* 135: 2291–2294.

Zhao,J., Bai, Y., Tao, S., Zhang, G., Wang, J., Liu, L., Zhang, S. (2019). Fiber-rich foods affected gut bacterial community and short-chain fatty acids production in pig model. *Journal of Functional Foods* 57: 266–274

Zitouni K. (2005). Race specific differences in antioxidant enzyme activity in patients with type 2 diabetes. *Diabetes Care* 28:17