

DAFTAR PUSTAKA

Abel, E. D., Shea, K. M. O. and Ramasamy, R. (2012) 'Insulin Resistance : Metabolic Mechanisms and Consequences in the Heart', *Arterioscler Thromb Vasc Biol*, 32, pp. 2068–2076. doi: 10.1161/ATVBAHA.111.241984.

Adetuyi, F. O. and Ibrahim, T. A. (2014) 'Effect of Fermentation Time on the Phenolic , Flavonoid and Vitamin C Contents and Antioxidant Activities of Okra (*Abelmoschus esculentus*) Seeds', *Nigerian Food Journal*. Elsevier, 32(2), pp. 128–137. doi: 10.1016/S0189-7241(15)30128-4.

Almuaigel, M. F. *et al.* (2017) 'Hypoglycemic and hypolipidemic effects of aqueous extract of phaseolus vulgaris pods in streptozotocin-diabetic rats', *Biomedicine and Pharmacotherapy*. Elsevier Masson SAS, 94, pp. 742–746. doi: 10.1016/j.biopha.2017.07.135.

Alvarez-suarez, J. M. *et al.* (2014) 'ScienceDirect cardiovascular risk , oxidative stress markers and platelet activation in humans ☆', *The Journal of Nutritional Biochemistry*. Elsevier Inc., 25(3), pp. 289–294. doi: 10.1016/j.jnutbio.2013.11.002.

Álvarez, L. C. *et al.* (2017) 'Effect of fermentation time on phenolic content and antioxidant potential in Cupuassu (*Theobroma grandiflorum* (Willd . ex Spreng .) K . Schum .) beans', 66, pp. 473–479.

Audu, S. and Aremu, M. (2011) 'Effect of Processing on Chemical Composition of Red Kidney Bean (*Phaseolus vulgaris* L.) Flour', *Pakistan Journal of Nutrition*, 10(11), pp. 1069–1075.

Bahadoran, Z., Mirmiran, P. and Azizi, F. (2013) 'Dietary polyphenols as potential nutraceuticals in management of diabetes : a review', *Journal of Diabetes & Metabolic Disorder*, 12(43), pp. 1–9.

Betoret, E. *et al.* (2011) 'Functional foods development: Trends and technologies', *Trends in Food Science & Technology*. Elsevier Ltd, 22, pp. 498–508. doi: 10.1016/j.tifs.2011.05.004.

Bhowmik, B. *et al.* (2018) 'Serum Lipid Profile and Its Association with Diabetes and Prediabetes in a Rural Bangladeshi Population', *Int. J. Environ. Res. Public Health*, 15(1944), pp. 1–12. doi: 10.3390/ijerph15091944.

Bolton, J. L. and Dunlap, T. (2017) 'Formation and Biological Targets of

Quinones: Cytotoxic versus Cytoprotective Effects', (Figure 1). doi: 10.1021/acs.chemrestox.6b00256.

Cani, P. D. *et al.* (2006) 'Oligofructose promotes satiety in healthy human : a pilot study', *European Journal of Clinical Nutrition*, 60, pp. 567–572. doi: 10.1038/sj.ejcn.1602350.

Care, D. and Suppl, S. S. (2018) 'Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes', *Diabetes Care*, 41(Supplement 1), p. S13 LP-S27. doi: 10.2337/dc18-S002.

Causey, J. L. *et al.* (2000) 'Effect of Dietary Inulin on Serum Lipids, Blood Glucose, and The Gastrointestinal Environment in Hypercholesterolemic Men', *Nutrition Research*, 20(2), pp. 191–201.

Chavez-Santoscoy, R. *et al.* (2014) 'Conjugated and free sterols from black bean (*Phaseolus vulgaris* L .) seed coats as cholesterol micelle disruptors and their effect on lipid metabolism and cholesterol transport in rat primary hepatocytes', *Genes Nutr*, 9(367), pp. 1–9. doi: 10.1007/s12263-013-0367-1.

Chen, L. *et al.* (2015) 'Mechanisms Linking Inflammation to Insulin Resistance', *International Journal of Endocrinology*, 2015, pp. 1–9.

Chou, S., Chao, W. and Chung, Y. (2008) 'Original article Effect of fermentation on the antioxidant activity of red beans (*Phaseolus radiatus* L . var . Aurea) ethanolic extract', pp. 1371–1378. doi: 10.1111/j.1365-2621.2007.01626.x.

Dajanta, K., Janpum, P. and Leksing, W. (2013) 'Antioxidant capacities , total phenolics and flavonoids in black and yellow soybeans fermented by *Bacillus subtilis*: A comparative study of Thai fermented soybeans (*thua nao*)', *International Food Research Journal*, 20(6), pp. 3125–3132.

Dehghan, P., Gargari, B. P. and Asgharijafarabadi, M. (2013) 'Effects of High Performance Inulin Supplementation on Glycemic Status and Lipid Profile in Women with Type 2 Diabetes ', *Health Promotion Perspectives*, 3(1), pp. 55–63. doi: 10.5681/hpp.2013.007.

Desfitri, E. *et al.* (2015) 'Optimasi ekstraksi inulin dari umbi dahlia dengan menggunakan pelarut etanol', *Ejurnal Bung Hatta*, 5(4), pp. 1–10.

Dey, T. B. *et al.* (2016) 'Trends in Food Science & Technology Antioxidant phenolics and their microbial production by submerged and solid state fermentation process : A review', *Trends in Food Science & Technology*. Elsevier Ltd, 53, pp. 60–74. doi: 10.1016/j.tifs.2016.04.007.

Ermawati, D., Rachmawati, B. and W, N. S. (2014) 'Efek suplementasi β - carotene terhadap kolesterol total , trigliserida dan malondialdehid pada tikus sprague dawley yang diabet', 2(2), pp. 47–52.

Forbes, J. M. and Cooper, M. E. (2013) 'Mechanisms of Diabetic Complications', *Physiological Reviews*, 93(1), pp. 137–188. doi: 10.1152/physrev.00045.2011.

Gao, T. *et al.* (2019) 'Protective Effects of Konjac and Inulin Extracts on Type 1 and Type 2 Diabetes', 2019. doi: 10.1155/2019/3872182.

García-Lafuente, A. *et al.* (2014) 'In vitro anti-inflammatory activity of phenolic rich extracts from white and red common beans', *Food Chemistry*, 161, pp. 216–223. doi: 10.1016/j.foodchem.2014.04.004.

Ghoneim, M. A. M. *et al.* (2016) 'Effect of polysaccharide from *Bacillus subtilis* sp . on cardiovascular diseases and atherogenic indices in diabetic rats', *BMC Complementary and Alternative Medicine*. BMC Complementary and Alternative Medicine, pp. 1–12. doi: 10.1186/s12906-016-1093-1.

Goldberg, I, J. (2018) 'CLINICAL REVIEW 124 Diabetic Dyslipidemia : Causes and Consequences', *Journal of Clinical Endocrinology and Metabolism*, 86(3), pp. 965–971. Available at: https://watermark.silverchair.com/jcem0965.pdf?token=AQECAHi208BE49Oan9kkhW_Ercy7Dm3ZL_9Cf3qfKAc485ysgAAAaUwggGhBgkqhkiG9w0BBwagggGS MIIBjgIBADCCAYcGCSqGSib3DQEHATAeBglghkgBZQMEAS4wEQQMWW_CZ Vx43pL5OOHBAgEQglIBWN_jMfx85yRDRCzh25xiCXg9eFPq12G7C4pQsGminl -tpZ.

Gueux, E., Demigne, C. and Rock, E. (2006) 'Inulin attenuates atherosclerosis in apolipoprotein E-deficient mice', *British Journal of Nutrition*, 96, pp. 840–844. doi: 10.1017/BJN20061913.

Haile, M. (2019) 'Antioxidant Activity , Total Polyphenol , Flavonoid and Tannin Contents of Fermented Green Coffee Beans with Selected Yeasts'. doi: 10.3390/fermentation5010029.

Hasim *et al.* (2015) 'Bacillus subtilis natto fermentation to improve aglycone isoflavones content of black soybean varieties detam 2', *International Food Research Journal*, 22(6), pp. 2558–2564.

Henninger, J. *et al.* (2017) 'Metabolic characteristics of individuals at a high risk of type 2 diabetes - a comparative cross-sectional study', *BMC Endocrine*

Disorders. BMC Endocrine Disorders, 17(1), pp. 1–9. doi: 10.1186/s12902-017-0191-5.

Herminiati, A. (2012) 'Umbi Dahlia: Potensi, Peranan, dan Prospek Pengembangannya', *PANGAN*, 21(4), pp. 397–405.

Hirano, T. (2018) 'Pathophysiology of Diabetic Dyslipidemia', *J Atheroscler Thromb*, 25, pp. 771–782.

Hume, M. P., Nicolucci, A. C. and Reimer, R. A. (2017) 'Prebiotic supplementation improves appetite control in children with overweight and obesity : a randomized controlled trial 1 – 3', *The American Journal of Clinical Nutrition*, 105(4), pp. 790–799. doi: 10.3945/ajcn.116.140947. INTRODUCTION.

Hur, S. J. *et al.* (2014) 'Effect of fermentation on the antioxidant activity in plant-based foods', *FOOD CHEMISTRY*. Elsevier Ltd, 160, pp. 346–356. doi: 10.1016/j.foodchem.2014.03.112.

Hussain, A. and Hydrie, M. Z. I. (2010) 'Review Article : Type 2 Diabetes and obesity : A review strongly implicated in the development of insulin', (June), pp. 1–7.

Jhan, J. K. *et al.* (2015) 'Production of fermented red beans with multiple bioactivities using co-cultures of *Bacillus subtilis* and *Lactobacillus delbrueckii* subsp. *bulgaricus*', *LWT - Food Science and Technology*. Elsevier Ltd, 63(2), pp. 1281–1287. doi: 10.1016/j.lwt.2015.03.107.

Juan, M. and Chou, C. (2010) 'Enhancement of antioxidant activity , total phenolic and flavonoid content of black soybeans by solid state fermentation with *Bacillus subtilis* BCRC 14715', *Food Microbiology*. Elsevier Ltd, 27(5), pp. 586–591. doi: 10.1016/j.fm.2009.11.002.

Kan, L. *et al.* (2017) 'Nutrients , phytochemicals and antioxidant activities of 26 kidney bean cultivars', *Food and Chemical Toxicology*. Elsevier Ltd, 108, pp. 467–477. doi: 10.1016/j.fct.2016.09.007.

Kang, K.-D. *et al.* (2012) ' Anti-hyperlipidemic effect of soybean extract fermented by *Bacillus subtilis* MORI in db/db mice ', *Laboratory Animal Research*, 28(2), p. 123. doi: 10.5625/lar.2012.28.2.123.

Kasim, S. *et al.* (2012) 'Hubungan Obesitas dan Hipertrigliseridemia dengan Risiko Perlemakan Hati pada Pasien di Makassar Relationship between Obesity and Hypertriglyceridemia on Fatty Liver in Patients at Makassar', *Jurnal Farmasi Klinik Indonesia*, 1(4), pp. 136–146.

Kaur, N. and Gupta, A. K. (2002) 'Review Applications of inulin and oligofructose in health and nutrition', *Journal of Biosciences*, 27(7), pp. 703–714.

Khuenpet, K. *et al.* (2017) 'Spray drying of inulin component extracted from Jerusalem artichoke tuber powder using conventional and ohmic-ultrasonic heating for extraction process', *Journal of Food Engineering*. Elsevier Ltd, 194, pp. 67–78. doi: 10.1016/j.jfoodeng.2016.09.009.

Kosasih, W. *et al.* (2015) 'Preparation of Inulin from Dahlia Tubers', *Procedia Chemistry*, 16, pp. 190–194. doi: 10.1016/j.proche.2015.12.035.

Kusumayanti, H., Triaji, R. and Bagus, S. (2016) 'Pangan Fungsional Dari Tanaman Lokal Indonesia', *METANA*, 12(1), pp. 26–30.

Kyznetsova, M. Y. *et al.* (2015) 'Effect of aqueous extract from *Phaseolus vulgaris* pods on lipid peroxidation and antioxidant enzymes activity in the liver and kidney of diabetic rats', *Journal of Applied Pharmaceutical Science*, 5(5), pp. 1–6. doi: 10.7324/JAPS.2015.50501.

Lee, H. *et al.* (2018) 'High hydrostatic pressure treatment for manufacturing of red bean powder : A comparison with the thermal treatment', 238(June), pp. 141–147. doi: 10.1016/j.jfoodeng.2018.06.016.

Limón, R. I. *et al.* (2015) 'Fermentation enhances the content of bioactive compounds in kidney bean extracts', *Food Chemistry*. Elsevier Ltd, 172, pp. 343–352. doi: 10.1016/j.foodchem.2014.09.084.

Lin, A. *et al.* (2019) 'Remnant cholesterol and coronary atherosclerotic plaque burden assessed by computed tomography coronary angiography', *Atherosclerosis*. Elsevier, 284(March), pp. 24–30. doi: 10.1016/j.atherosclerosis.2019.02.019.

Liu, F. *et al.* (2017) 'Effect of inulin-type fructans on blood lipid profile and glucose level : a systematic review and meta-analysis of randomized controlled trials', (July 2016), pp. 9–20. doi: 10.1038/ejcn.2016.156.

Lupattelli, G., Vuono, S. De and Mannarino, E. (2011) 'Patterns of cholesterol metabolism : Pathophysiological and therapeutic implications for dyslipidemias and the metabolic syndrome', *Nutrition, Metabolism and Cardiovascular Diseases*. Elsevier Ltd, 21(9), pp. 620–627. doi: 10.1016/j.numecd.2011.04.010.

Lütjohann, D. *et al.* (2019) 'Pharmacology & Therapeutics The emerging concept of " individualized cholesterol-lowering therapy " : A change in paradigm', *Pharmacology & Therapeutics*, 199, pp. 111–116. doi:

10.1016/j.pharmthera.2019.03.004.

Melanie, H. (2015) 'Available online at www.sciencedirect.com', *Procedia Chemistry*, 16, pp. 78–84. doi: 10.1016/j.proche.2015.12.027.

Mendoza-sánchez, M. *et al.* (2019) 'Chemically induced common bean (*Phaseolus vulgaris* L .) sprouts ameliorate dyslipidemia by lipid intestinal absorption inhibition'. Elsevier, 52(July 2018), pp. 54–62. doi: 10.1016/j.jff.2018.10.032.

Mi, Y. *et al.* (2018) 'Repressive effects of red bean , *Phaseolus angularis* , extracts on obesity of mouse induced with high-fat diet via downregulation of adipocyte differentiation and modulating lipid metabolism', *Food Science and Biotechnology*. Springer Singapore, 27(6), pp. 1811–1821. doi: 10.1007/s10068-018-0421-2.

Millar, C. L., Duclos, Q. and Blesso, C. N. (2017) 'Effects of Dietary Flavonoids on Reverse Cholesterol Transport , HDL Metabolism ', *American Society for Nutrition*, 8(22), p. 14. doi: 10.3945/an.116.014050.226.

Mirmiran, P., Bahadoran, Z. and Azizi, F. (2014) 'Functional foods-based diet as a novel dietary approach for management of type 2 diabetes and its complications : A review', *World Journal of Diabetes*, 5(3), pp. 267–281. doi: 10.4239/wjd.v5.i3.267.

Nair, A. and Jacob, S. (2016) 'A simple practice guide for dose conversion between animals and human', *Journal of Basic and Clinical Pharmacy*, 7(2), pp. 27–31. doi: 10.4103/0976-0105.177703.

Neyrinck, A. M. *et al.* (2016) 'Intestinal Sucrase as a Novel Target Contributing to the Regulation of Glycemia by Prebiotics', *PLoS ONE*, 11(8), pp. 1–13. doi: 10.1371/journal.pone.0160488.

Nisa, K., Retnaningtyas, Y. and Kristiningrum, N. (2015) 'Penetapan Kadar Inulin dalam Ekstrak Umbi Dahlia variabilis dan Dahlia pinnata dengan Metode KLT Densitometri (Determination of Inulin Content in Dahlia variabilis and Dahlia pinnata Tuber Extract by TLC Densitometry Method)', *Jurnal Pustaka Kesehatan*, 3(2), pp. 284–288.

Nsabimana, C. *et al.* (2011) 'The chemical composition of some garden Dahlia tubers', *British Food Journal*, 113(9), pp. 1081–1093. doi: 10.1108/00070701111174541.

Oboh, G. *et al.* (2009) 'Food Science and Technology International'. doi:

10.1177/1082013208101022.

Ombra, M. N. *et al.* (2018) 'Alpha-amylase , α -glucosidase and lipase inhibiting activities of polyphenol-rich extracts from six common bean cultivars of Southern Italy , before and after cooking', *International Journal of Food Sciences and Nutrition*. Informa UK Ltd., 69(7), pp. 824–834. doi: 10.1080/09637486.2017.1418845.

Ooi, E. M. M. *et al.* (2009) 'and Clinical Practice Plasma markers of cholesterol homeostasis in metabolic syndrome subjects with or without type-2 diabetes', *Diabetes Research and Clinical Practice*, 85, pp. 310–316. doi: 10.1016/j.diabres.2009.06.003.

Oyenihi, A. B. *et al.* (no date) 'Antioxidant -Rich Natural Products and Diabetes Mellitus'.

Park, Y. S. *et al.* (2013) 'Anti-diabetic effect of the soybean extract fermented by *Bacillus subtilis* MORI in db/db mice', *Food Science and Biotechnology*, 21(6), pp. 1669–1676. doi: 10.1007/s10068-012-0222-y.

Parnell, J. A. and Reimer, R. A. (2013) 'Effect of prebiotic fibre supplementation on hepatic gene expression and serum lipids : a dose – response study in JCR: LA- cp rats', *Br J Nutr*, 103(11), pp. 1577–1584. doi: 10.1017/S0007114509993539.Effect.

Perego, C. *et al.* (2019) 'Cholesterol Metabolism, Pancreatic Beta Cell Function and Diabetes', *BBA - Molecular Basis of Disease*. Elsevier B.V, <https://doi.org/10.1016/j.bbadis.2019.04.012>.

Punthakee, Z., Goldenberg, R. and Katz, P. (2018) 'Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome', *Can J Diabetes*, 42, pp. 10–15. doi: 10.1016/j.jcjd.2017.10.003.

Purnamasari, D. *et al.* (2019) 'Hypercholesterolemia as the first manifestation of metabolic abnormalities in normoglycemic young adult male with family history of type 2 diabetes mellitus', *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*. Diabetes India. doi: 10.1016/j.dsx.2018.12.019.

Qinna, N. and Badwan, A. (2015) 'Impact of streptozotocin on altering normal glucose homeostasis during insulin testing in diabetic rats compared to normoglycemic rats', *Drug Design, Development, and Therapy*, 9, pp. 2515–2525.

Ramirez-Jimenez, A. *et al.* (2015) 'Potential role of bioactive compounds of *Phaseolus vulgaris* L. on lipids-lowering mechanisms', *Food Research*

International. Elsevier B.V. doi: 10.1016/j.foodres.2015.01.002.

Ranilla, L., Genovese, M. and Lajolo, F. (2009) 'Effect of Different Cooking Conditions on Phenolic Compounds and Antioxidant Capacity of Some Selected Brazilian Bean (*Phaseolus vulgaris* L .) Cultivars', *Journal of Agricultural and Food Chemistry*, 57(13), pp. 5734–5742. doi: 10.1021/jf900527v.

Reyes-Bastidas, M. *et al.* (2008) 'Physicochemical , Nutritional and Antioxidant Properties of Tempeh Flour from Common Bean (*Phaseolus vulgaris* L .)', *Food Science Tech Int*, 16(5), pp. 427–434. doi: 10.1177/1082013210367559.

Riskesdas (2018) 'Hasil Utama Riskesdas Tentang Prevalensi Diabetes Mellitus di Indonesia 2018'. 1 Desember 2013.

Schaafsma, Gertjan & Slavin, Joanne. (2015) 'Significance of Inulin Fructans in the Human Diet', *Comprehensive Reviews in Food Science and Food Safety*. 14. 10.1111/1541-4337.12119.

Schofield, J. D. *et al.* (2016) 'Diabetes Dyslipidemia', *Diabetes Therapy*. Springer Healthcare, 7(2), pp. 203–219. doi: 10.1007/s13300-016-0167-x.

Sen, S., Chakraborty, R. and De, B. (2016) 'Oxidative Stress and Diabetes Mellitus', in *Diabetes Mellitus in 21st Century*, pp. 55–67. doi: 10.1007/978-981-10-1542-7.

Shao, T. *et al.* (2020) 'Inulin from Jerusalem artichoke tubers alleviates hyperglycaemia in high-fat- diet-induced diabetes mice through the intestinal microflora improvement', pp. 308–318. doi: 10.1017/S0007114519002332.

Shehzad, A. *et al.* (2015) 'Nutritional , functional and health promoting attributes of red kidney beans ; A review', *Pakistan Journal of Food Sciences*, 25(4), pp. 235–246.

Shin, H. *et al.* (2019) 'Solid-state fermentation of black rice bran with *Aspergillus awamori* and *Aspergillus oryzae*: Effects on phenolic acid composition and antioxidant activity of bran extracts'. Elsevier, 272(May 2018), pp. 235–241. doi: 10.1016/j.foodchem.2018.07.174.

Shoaib, Muhammad & Shehzad, A. & Mukama, Omar & Rakha, Allah & Raza, Husnain & Sharif, Hafiz & Shakeel, Azam & Ansari, Anum & Niazi, Sobia. (2016) 'Inulin: Properties, health benefits and food applications', *Carbohydrate Polymers*. 147. 10.1016/j.carbpol.2016.04.020.

Simic, A., Manojlovic, D., Segan D., & Todorovic, M. (2007). 'Electrochemical

Behavior and Antioxidant Activity of Natural Phenolics'. *Molecules*, 12(10), 2327-2340. doi:10.3390/12102327.

Simons, K. and Ikonen, E. (2000) 'How Cells Handle Cholesterol', *SCIENCE*, 290(December).

Soccol, C. R. *et al.* (2017) 'Recent developments and innovations in solid state fermentation', *Biotechnology Research and Innovation*. Sociedade Brasileira de Biotecnologia, 1(1), pp. 52–71. doi: 10.1016/j.biori.2017.01.002.

Stevens, M. and Shakher, J. (2011) 'Update on the management of diabetic polyneuropathies', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, (November), p. 289. doi: 10.2147/dms.o.s11324.

Sugiharto, S. *et al.* (2018) 'Effect of two-step fermentation by *Chrysonilia crassa* and *Bacillus subtilis* on nutritional values and antioxidative properties of agro-industrial by-products as poultry feed ingredients', 7710(December), pp. 472–480.

Sutedja, A. M. *et al.* (2020) 'Antidiabetic components from the hexane extract of red kidney beans (*Phaseolus vulgaris* L .): isolation and structure determination', *Bioscience, Biotechnology, and Biochemistry*. Taylor & Francis, 84(3), pp. 598–605. doi: 10.1080/09168451.2019.1691911.

Tanaka, M. *et al.* (2019) 'Comparison of the Effects of Roasted and Boiled Red Kidney Beans (*Phaseolus vulgaris* L .) on Glucose / Lipid Metabolism and Intestinal Immunity in a High-Fat Diet-Induced Murine Obesity Model', *Journal of Food Science*, 84(5), pp. 1180–1187. doi: 10.1111/1750-3841.14583.

Taskinen, M. (2003) 'Diabetic dyslipidaemia : from basic research to clinical practice *', *Diabetologia*, 46, pp. 733–749. doi: 10.1007/s00125-003-1111-y.

Toneli, J. T. C. L. *et al.* (2008) 'RHEOLOGICAL CHARACTERIZATION OF CHICORY ROOT (*CICHORIUM INTYBUS* L .) INULIN SOLUTION', 25(03), pp. 461–471.

Valenlia, K. B. *et al.* (2018) 'Beneficial impacts of *Lactobacillus plantarum* and inulin on hypothalamic levels of insulin, leptin, and oxidative markers in diabetic rats', *Journal of Functional Foods*, 46(May), pp. 529–537. doi: 10.1016/j.jff.2018.04.069.

Venkateswaran, S. and Pari, L. (2002) 'Antioxidant effect of *Phaseolus vulgaris* in streptozotocin-induced diabetic rats', *Asia Pacific Journal of Clinical Nutrition*, 11(3), pp. 206–209. doi: 10.1046/j.1440-6047.2002.00292.x.

Virally, M. *et al.* (2007) 'Type 2 diabetes mellitus: epidemiology, pathophysiology, unmet needs and therapeutical perspectives', *Diabetes and Metabolism*, 33(4), pp. 231–244. doi: 10.1016/j.diabet.2007.07.001.

Wang, Z. *et al.* (2016) 'Fermentation of purple Jerusalem artichoke extract to improve the α -glucosidase inhibitory effect in vitro and ameliorate blood glucose in db / db mice', 10(3), pp. 282–287. doi: 10.4162/nrp.2016.10.3.282.

Wei, Q., Wolf-Hall, C. and Chang, K. (2001) 'Natto Characteristics as Affected by Steaming Time, Bacillus Strain, and Fermentation Time', *Food Microbiology and Safety*, 66(1), pp. 167–173.

Wiesner, P. and Watson, K. E. (2017) 'Triglycerides: A reappraisal', *Trend in Cardiovascular Medicine*, 27(6), pp. 428–432. doi: 10.1016/j.tcm.2017.03.004.

Yang, H. *et al.* (2011) 'Oxidative stress and diabetes mellitus', *Clin Chem Lab Med*, 49(11), pp. 1773–1782. doi: 10.1515/CCLM.2011.250.

Yang, H. J. *et al.* (2012) 'Jerusalem artichoke and chungkookjang additively improve insulin secretion and sensitivity in diabetic rats', *Nutrition & Metabolism*. *Nutrition & Metabolism*, 9(1), p. 1. doi: 10.1186/1743-7075-9-112.

Yoon, H. J. *et al.* (2014) 'Original article Effect of fermentation by *Bacillus subtilis* on antioxidant and cytotoxic activities of black rice bran', pp. 1–7. doi: 10.1111/ijfs.12693.

Yu, X. *et al.* (2019) 'Progress in Lipid Research Cholesterol transport system: An integrated cholesterol transport model involved in atherosclerosis', *Progress in Lipid Research*. Elsevier, 73(April 2018), pp. 65–91. doi: 10.1016/j.plipres.2018.12.002.

Zern, T. L. and Fernandez, M. L. (2005) 'Recent Advances in Nutritional Sciences Cardioprotective Effects of Dietary', pp. 2291–2294.

Zubaidah, E. and Akhadiana, W. (2013) 'Comparative Study of Inulin Extracts from Dahlia, Yam, and Gembili Tubers as Prebiotic', *Food and Nutrition Sciences*, 2013(November), pp. 8–12.