

DAFTAR PUSTAKA

- Afolayan, J. A., State, B., Donald, B., Onasoga, O., A, A. B., & A, A. J. (2013). *Relationship between anxiety and academic performance of nursing students* ., 4(5), 25–33.
- Almeida, C., Vieira Borba, V., & Santos, L. (2018). Orthorexia nervosa in a sample of Portuguese fitness participants. *Eating and Weight Disorders*, 23(4), 443–451. <https://doi.org/10.1007/s40519-018-0517-y>
- Badan Pusat Statistik. (2015). Statistik Sosial Budaya: Survei Sosial Ekonomi Nasional. Retrieved from <http://www.bpd.go.id>
- Bağcı Bosi, A. T., Çamur, D., & Güler, Ç. (2007). Prevalence of orthorexia nervosa in resident medical doctors in the faculty of medicine (Ankara, Turkey). *Appetite*, 49(3), 661–666. <https://doi.org/10.1016/j.appet.2007.04.007>
- Barnes, M. A., & Caltabiano, M. L. (2017). The interrelationship between orthorexia nervosa, perfectionism, body image and attachment style. *Eating and Weight Disorders*, 22(1), 177–184. <https://doi.org/10.1007/s40519-016-0280-x>
- Barthels, F. (2017). Orthorexic eating behaviour as a coping strategy in patients with anorexia nervosa. *Eating and Weight Disorders - Studies on Anorexia, Bulimia and Obesity*, 22(2), 269–276. <https://doi.org/10.1007/s40519-016-0329-x>
- Barthels, F., Meyer, F., & Pietrowsky, R. (2018). Orthorexic and restrained eating behaviour in vegans, vegetarians, and individuals on a diet. *Eating and Weight Disorders*, 23(2), 159–166. <https://doi.org/10.1007/s40519-018-0479-0>
- Bartrina, J. A., Medicina, D. De, Pública, S., & Navarra, U. De. (2007). *Ortorexia o la obsesión por la dieta saludable*. 57, 313–315.
- Bratman, S. (2017). Orthorexia vs. theories of healthy eating. *Eating and Weight Disorders*, 22(3), 381–385. <https://doi.org/10.1007/s40519-017-0417-6>
- Brytek-Matera, A. (2012). Orthorexia nervosa - An eating disorder, obsessive-compulsivedisorder or disturbed eating habit? *Archives of Psychiatry and Psychotherapy*, 14(1), 55–60.
- Brytek-Matera, A., Rogoza, R., Gramaglia, C., & Zeppegno, P. (2015). Predictors of orthorexic behaviours in patients with eating disorders: A preliminary study. *BMC Psychiatry*, 15(1), 1–9. <https://doi.org/10.1186/s12888-015-0628-1>
- Bundros, J., Clifford, D., Silliman, K., & Neyman Morris, M. (2016). Prevalence of Orthorexia nervosa among college students based on Bratman's test and associated tendencies. *Appetite*, 101, 86–94. <https://doi.org/10.1016/j.appet.2016.02.144>
- Costa, C. B., Hardan-Khalil, K., & Gibbs, K. (2017). Orthorexia Nervosa: A Review of the Literature. *Issues in Mental Health Nursing*, 38(12), 980–988. <https://doi.org/10.1080/01612840.2017.1371816>

- De Assumpção, D., Domene, S. M. Á., Fisberg, R. M., Canesqui, A. M., & Barros, M. B. D. A. (2017). Differences between men and women in the quality of their diet: A study conducted on a population in campinas, São Paulo, Brazil. *Ciencia e Saude Coletiva*, 22(2), 347–358. <https://doi.org/10.1590/1413-81232017222.16962015>
- Depa, J., Schweizer, J., Bekers, S. K., Hilzendegen, C., & Stroebele-Benschop, N. (2017). Prevalence and predictors of orthorexia nervosa among German students using the 21-item-DOS. *Eating and Weight Disorders*, 22(1), 193–199. <https://doi.org/10.1007/s40519-016-0334-0>
- Donini, L. M., Marsili, D., Graziani, M. P., Imbriale, M., & Cannella, C. (2005). Orthorexia nervosa : Validation of a diagnosis questionnaire. *Eating Weight Disord*, 10(June), 28–32.
- Dunn, T. M., & Bratman, S. (2016). On orthorexia nervosa: A review of the literature and proposed diagnostic criteria. *Eating Behaviors*, 21, 11–17. <https://doi.org/10.1016/j.eatbeh.2015.12.006>
- Dunn, T. M., Gibbs, J., Whitney, N., & Starosta, A. (2017). Prevalence of orthorexia nervosa is less than 1 %: data from a US sample. *Eating and Weight Disorders*, 22(1), 185–192. <https://doi.org/10.1007/s40519-016-0258-8>
- Fakultas Kedokteran, Kesehatan Masyarakat dan Keperawatan UGM. (2017, April 25). Program Studi Pendidikan Dokter. Retrieved May 3, 2019, from <http://fk.ugm.ac.id/program-studi-s1-pendidikan-dokter-2/>
- Farchakh, Y., Hallit, S., & Soufia, M. (2019). Association between orthorexia nervosa, eating attitudes and anxiety among medical students in Lebanese universities: results of a cross-sectional study. *Eating and Weight Disorders*, 24(4), 683–691. <https://doi.org/10.1007/s40519-019-00724-6>
- Fidan, T., Ertekin, V., Işıkay, S., & Kirpinar, I. (2010). Prevalence of orthorexia among medical students in Erzurum, Turkey. *Comprehensive Psychiatry*, 51(1), 49–54. <https://doi.org/10.1016/j.comppsy.2009.03.001>
- Gramaglia, C., Brytek-Matera, A., Rogoza, R., & Zeppegno, P. (2017). Orthorexia and anorexia nervosa: Two distinct phenomena? A cross-cultural comparison of orthorexic behaviours in clinical and non-clinical samples. *BMC Psychiatry*, 17(1), 1–6. <https://doi.org/10.1186/s12888-017-1241-2>
- Gubiec, E., Stetkiewicz-Lewandowicz, A., Rasmus, P., & Sobów, T. (2015). Orthorexia in a group of dietetics students. *Medycyna Ogólna i Nauki o Zdrowiu*, 21(1), 95–100. <https://doi.org/10.5604/20834543.1142367>
- Herranz Valera, J., Acuña Ruiz, P., Romero Valdespino, B., & Visioli, F. (2014). Prevalence of orthorexia nervosa among ashtanga yoga practitioners: a pilot study. *Eating and Weight Disorders*, 19(4), 469–472. <https://doi.org/10.1007/s40519-014-0131-6>
- Hyrnik, J., Stochel, M., Jelonek, I., & Siwiec, A. (2016). Prevalence of orthorexia nervosa among polish adolescents – Assessment made by the ORTO-15 The effect of atypical antipsychotic medications in anorexia nervosa Anorexia nervosa and dissociative disorders in males : A case report. *European Psychiatry*, 33, S430. <https://doi.org/10.1016/j.eurpsy.2016.01.1555>
- Karakus, B., Hidiroglu, S., Keskin, N., & Karavus, M. (2017). *Orthorexia nervosa*

- tendency among students of the department of nutrition and dietetics at a university in Istanbul.* 4(2), 117–123. <https://doi.org/10.14744/nci.2017.20082>
- Kemntrian Kesehatan Republik Indonesia. (2017). *Pedoman dan Standar Etik Penelitian dan Pengembangan Kesehatan Nasional*. Jakarta, Komisi Etik Penelitian dan Pengembangan Kesehatan Nasional Kementerian Kesehatan Republik Indonesia. Retrieved from <https://ners.unair.ac.id/site/images/KEPK/08.%20Pedoman%20KEPPKN-20017.doc>
- Koven, N. S., & Abry, A. W. (2015). *Neuropsychiatric Disease and Treatment Dovepress The clinical basis of orthorexia nervosa: emerging perspectives.* 385–394. <https://doi.org/10.2147/NDT.S61665>
- Liechty, J. M., & Lee, M.-J. (2013). Longitudinal predictors of dieting and disordered eating among young adults in the U.S. *International Journal of Eating Disorders*, 46(8), 790–800. <https://doi.org/doi:10.1002/eat.22174>
- Lopes, R., Melo, R., & Dias, B. (2018). Orthorexia nervosa and comorbid depression successfully treated with mirtazapine : a case report. *Eating and Weight Disorders - Studies on Anorexia, Bulimia and Obesity*, 0(0), 0. <https://doi.org/10.1007/s40519-018-0539-5>
- Luck-Sikorski, C., Jung, F., Schlosser, K., & Riedel-Heller, S. G. (2019). Is orthorexic behavior common in the general public? A large representative study in Germany. *Eating and Weight Disorders*, 24(2), 267–273. <https://doi.org/10.1007/s40519-018-0502-5>
- McComb, S. E., & Mills, J. S. (2019). Orthorexia nervosa: A review of psychosocial risk factors. *Appetite*, 140(October 2018), 50–75. <https://doi.org/10.1016/j.appet.2019.05.005>
- Mihailescu, A., Diaconescu, L., Ciobanu, A. M., & Donisan, T. (2016). *ORIGINAL PAPERS THE INFLUENCE OF EMOTIONAL DISTRESS ON THE ACADEMIC PERFORMANCE.* February 2018. <https://doi.org/10.1016/j.eurpsy.2016.01.761>
- Missbach, B., Hinterbuchinger, B., Dreiseitl, V., Zellhofer, S., Kurz, C., & König, J. (2015). When eating right, is measured wrong! A validation and critical examination of the ORTO-15 questionnaire in German. *PLoS ONE*, 10(8), 1–15. <https://doi.org/10.1371/journal.pone.0135772>
- Moroze, R. M., Dunn, T. M., Craig Holland, J., Yager, J., & Weintraub, P. (2015). Microthinking About Micronutrients: A Case of Transition From Obsessions About Healthy Eating to Near-Fatal “Orthorexia Nervosa” and Proposed Diagnostic Criteria. *Psychosomatics*, 56(4), 397–403. <https://doi.org/10.1016/j.psych.2014.03.003>
- Oberle, C. D., Samaghabadi, R. O., & Hughes, E. M. (2017). Orthorexia nervosa: Assessment and correlates with gender, BMI, and personality. *Appetite*, 108, 303–310. <https://doi.org/10.1016/j.appet.2016.10.021>
- Park, S. W., Kim, J. Y., Go, G. J., Jeon, E. S., Pyo, H. J., & Kwon, Y. J. (2011). Orthorexia nervosa with hyponatremia, subcutaneous emphysema, pneumomediastinum, pneumothorax, and pancytopenia. *Electrolyte and Blood Pressure*, 9(1), 32–37. <https://doi.org/10.5049/EBP.2011.9.1.32>
- Plichta, M., & Jezewska-Zychowicz, M. (2019). Eating behaviors, attitudes toward

- health and eating, and symptoms of orthorexia nervosa among students. *Appetite*, 137(September 2018), 114–123. <https://doi.org/10.1016/j.appet.2019.02.022>
- Ramacciotti, C. E., Perrone, P., Coli, E., Burgalassi, A., & Conversano, C. (2011). *Orthorexia nervosa in the general population : A preliminary screening using a self-administered questionnaire (ORTO-15)*. 16(June), 127–130.
- Reynolds, R. (2018). Is the prevalence of orthorexia nervosa in an Australian university population 6.5%? *Eating and Weight Disorders*, 23(4), 453–458. <https://doi.org/10.1007/s40519-018-0535-9>
- Saddichha, S., Babu, G. N., & Chandra, P. (2012). Orthorexia nervosa presenting as prodrome of schizophrenia. *Schizophrenia Research*, 134(1), 110. <https://doi.org/10.1016/j.schres.2011.10.017>
- Stran, K. A., & Knol, L. L. (2013). Determinants of Food Label Use Differ by Sex. *Journal of the Academy of Nutrition and Dietetics*, 113(5), 673–679. <https://doi.org/10.1016/j.jand.2012.12.014>
- Tremelling, K., Sandon, L., Vega, G. L., & McAdams, C. J. (2017). Orthorexia Nervosa and Eating Disorder Symptoms in Registered Dietitian Nutritionists in the United States. *Journal of the Academy of Nutrition and Dietetics*, 117(10), 1612–1617. <https://doi.org/10.1016/j.jand.2017.05.001>
- Turner, P. G., & Lefevre, C. E. (2017). Instagram use is linked to increased symptoms of orthorexia nervosa. *Eating and Weight Disorders*, 22(2), 277–284. <https://doi.org/10.1007/s40519-017-0364-2>
- Undang-Undang Republik Indonesia Nomor 12 Tahun 2012. *Pendidikan Tinggi*. 17 Mei 2018. Lembaran Negara Republik Indonesia Tahun 2012 Nomor 158. Jakarta.
- Undang-Undang Republik Indonesia Nomor 20 Tahun 2013. *Pendidikan Kedokteran*. 17 Mei 2018. Lembaran Negara Republik Indonesia Tahun 2013 Nomor 132. Jakarta.
- Varga, M., Thege, B. K., Dukay-Szabó, S., Túry, F., & van Furth, E. F. (2014). When eating healthy is not healthy: Orthorexia nervosa and its measurement with the ORTO-15 in Hungary. *BMC Psychiatry*, 14(1), 1–11. <https://doi.org/10.1186/1471-244X-14-59>
- World Health Organization. (2018). Adolescent Mental Health. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/adolescent-mental-health>