

## DAFTAR PUSTAKA

- Amano, N., & Nakamura, T., 2017. Clinical nutrition ESPEN accuracy of the visual estimation method as a predictor of food intake in Alzheimer's patients provided with different types of food. *Clin. Nutr. ESPEN* 30: 1–7.
- Amarantos, E., Martinez, A., & Dwyer, J., 2001. Nutrition and quality of life in older adults. *Journals Gerontol.* 56: 54–64.
- Andrews, M., & Castellanos, V., 2003. Development of a method for estimation of food and fluid intakes by nursing assistants in long-term care facilities: A pilot study. *J. Am. Diet. Assoc.* 103: 873–877.
- Beck, A., Balknas, U., Furst, P., Hasunen, K., Jones, L., Keller, U., et al., 2001. Food and nutritional care in hospitals : how to prevent undernutrition-report and guidelines from the Council of Europe. *Clin. Nutr.* 20: 455–460.
- Budiningsari, D., Shahar, S., Manaf, A., & Susetyowati, S., 2017. Needs assessment for patients food intake monitoring among Indonesian healthcare professionals 1–10.
- Budiningsari, D., Shahar, S., Manaf, Z., Nordin, N.A., & Susetyowati, S., 2018. Evaluation of pictorial dietary assessment tool for hospitalized patients with diabetes: Cost, accuracy, and user satisfaction analysis. *Nutrients* 10: 1–15.
- Castellanos, V., & Andrews, M., 2003. Inherent flaws in a method of estimating meal intake commonly used in long-term-care-facilities. *J. ADA* 102: 826–830.
- Comber, R., Weeden, J., Hoare, J., Lindsay, S., Teal, G., Macdonald, A., et al., 2012. Supporting Visual Assessment of Food and Nutrient Intake in a Clinical Care Setting 919–922.
- Harith, S., Shahar, S., Aini, N., Yusoff, M., & Bahyah, S., 2010. The magnitude of malnutrition among hospitalized elderly patients in University Malaya Medical Centre. *Heal. Environ. J.* 1: 64–72.
- Kagansky, N., Berner, Y., Koren-morag, N., Perelman, L., Knobler, H., & Levy, S., 2005. Poor nutritional habits are predictors of poor outcome in very old. *Clin. Nutr.* 82: 784–791.
- Kawasaki, Y., Sakai, M., Nishimura, K., Fujiwara, K., & Fujisaki, K., 2016. Criterion validity of the visual estimation method for determining patients' meal intake in a community hospital. *Clin. Nutr.* 30: 1–7.
- Kemenkes, 2012. Pedoman pelayanan gizi.
- Kemenkes, R., 2013. Pedoman PGRS pelayanan gizi rumah sakit.
- Koo, T.K., & Li, M.Y., 2016. A guideline of selecting and reporting Intraclass Correlation Coefficients for reliability research. *J. Chiropr. Med.* 15: 155–163.
- Kusumayanti, Hadi, H., Susetyowati, & Kusumayanti, I.G., 2004. Faktor-faktor yang memengaruhi kejadian malnutrisi pasien dewasa di ruang rawat inap rumah sakit. *J. Gizi Klin. Indones.* 1: 9–17.

- Lugito, N., Soejono, C., Wahyudi, E., & Dewiasty, E., 2015. Pengaruh status nutrisi terhadap kesintasan 30 hari pasien geriatri yang dirawat di rumah sakit 2: 8–17.
- Mchugh, M.L., 2012. Lessons in biostatistics Interrater reliability: the kappa statistic. *Biochem. Medicaedica* 276–282.
- Monacelli, F., Sartini, M., Bassoli, V., Becchetti, D., Biagini, A.L., Nencioni, A., et al., 2017. Validation of the photography method for nutritional intake assessment in hospitalized elderly subjects. *J Nutr Heal. Aging* 21: 614–621.
- NHS, 2005. Managing food waste in Wales.
- Norman, K., Pichard, C., Lochs, H., & Pirlich, M., 2008. Prognostic impact of disease-related malnutrition. *Clin. Nutr.* 27: 5–15.
- Parent, M., Niezgod, H., Keller, H.H., Chambers, L.W., & Daly, S., 2012. Comparison of visual estimation methods for regular and modified textures: real-time vs digital maging. *J. Acad. Nutr. Diet.* 112: 1636–1641.
- Pouyet, V., Cuvelier, G., Benattar, L., & Giboreau, A., 2014. A photographic method to measure food item intake . Validation in. *Appetite* 84: 11–19.
- Samaras, D., Samaras, N., Coti, P., & Forster, A., 2011. Comparison of the interobserver variability of 2 different methods of dietary assessment in a geriatric ward : A pilot study. *J. Am. Med. Dir. Assoc.* 13: 309.e9-309.e13. doi:10.1016/j.jamda.2011.06.006
- Scognamiglio, U., Salvia, A., Paolucci, S., Garbagnati, F., Caltagirone, C., & Musicco, M., 2012. Validity of a questionnaire for the semi-quantitative evaluation of dietary intake of hospitalised patients compared to weighed records. *J. Hum. Nutr. Diet.* 25: 526–533.
- Setiati, S., 2013. Geriatric medicine, sarkopenia, frailty dan kualitas hidup pasien usia lanjut : Tantangan masa depan pendidikan, penelitian dan pelayanan kedokteran di indonesia. *Geriatr. Med. Sarkopenia, Frailty* 3: 234–242.
- Simmons, S., & Reuben, D., 2000. Nutritional intake monitoring for nursing home residents: A comparison of staff documentation, direct observation, and photography methods. *J. Am. Geriatr. Soc.* 49: 209–213.
- Susyani, Prawirohartono, E., Sudargo, T., & Susyani, 2005. Akurasi petugas dalam menentukan sisa makanan pasien rawat inap menggunakan metode taksiran visual skala comstock 6 Poin. *J. Gizi Klin. Indones.* 2: 37–42.
- Weta, I., & Wirasamadi, P., 2009. Kecukupan zat gizi dan perubahan status gizi pasien selama dirawat di rumah sakit umum pusat sanglah denpasar. *Gizi Indones.* 32: 139–149.
- Willson, R.L., Allen, R., Martin, P., Alfonso, A., Gerald, B., & Hunt, A., 2003. Comparison of digital photography to weighed and visual estimation of portion sizes. *J. Am. Diet. Assoc.* 1139–1145.
- Winzer, E., 2018. Using digital photography in a clinical setting : a valid, accurate, and applicable method to assess food intake.



**PERBANDINGAN PENGGUNAAN METODE OBSERVASI LANGSUNG DAN FOTO DIGITAL TERHADAP  
PEMANTAUAN ASUPAN MAKAN  
PASIEN GERIATRI DI RSUP Dr. SARDJITO YOGYAKARTA**  
ROSITA ELISABETH, R. Dwi Budiningsari, SP., M. Kes., Ph.D ; Fasty Arum Utami, S.Gz., M.Sc.  
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>