

## REFERENCES

- Abbas M., Saeed F., Anjum F. M., Afzaal M., Tufail T., Bashir M. S., Ishtiaq A., Hussain S., Suleria H. A. R. (2017). Natural polyphenols: An overview. *International Journal of Food Properties*, 20(8):1689-99.
- Abdollahzadeh, E., Rezaei, M., Hosseini, H. (2014). Antibacterial activity of plant essential oils and extracts: The role of thyme essential oil, nisin, and their combination to control *Listeria monocytogenes* inoculated in minced fish meat. *Food Control*, 35(1), 177-183.
- Ahmed S. I., Hayat M. Q., Tahir M., Mansoor Q., Ismail M., Keck K., Bates R. B. (2016). Pharmacologically active flavonoids from the anticancer, antioxidant and antimicrobial extracts of *Cassia angustifolia* Vahl. *BMC Complement Altern Med*, 16(1):460-.
- Ajaiyeoba, E. O., Onocha, P. A., Nwozo, S. O., Sama, W. (2003). Antimicrobial and cytotoxicity evaluation of *Buchholzia coriacea* stem bark. *Fitoterapia*, 74(7-8):706-9.
- Akbary P. (2014). In vitro inhibitory activity of the leaf methanol extract of green tea (*Camellia sinensis*) against *Lactococcus garvieae* and *Aeromonas hydrophila* isolated of rainbow trout (*Oncorhynchus mykiss*). *Advances in Microbiology*, 4(12):829.
- Aligiannis N., Kalpoutzakis E., Mitaku S., Chinou I. B. (2001). Composition and antimicrobial activity of the essential oils of two *Origanum* species. *Journal of agricultural and food chemistry*, 49(9):4168-70.
- Altissimi S., Mercuri M. L., Framboas M., Tommasino M., Pelli S., Benedetti F., Bella S. D., Haouet N. (2018). Indicators of protein spoilage in fresh and defrosted crustaceans and cephalopods stored in domestic condition. *Ital J Food Saf*, 6(4):6921-.
- AOAC. (2002). *Official methods of analysis*, 17th ed. Gaithersberg: Association of Official Analytical Chemists.
- Arfat Y. A., Benjakul S., Vongkamjan K., Sumpavapol P., Yarnpakdee S. (2015). Shelf-life extension of refrigerated sea bass slices wrapped with fish protein isolate/fish skin gelatin-ZnO nanocomposite film incorporated with basil leaf essential oil. *Journal of Food Science and Technology*, 52(10):6182-93.
- Aryee, A. N. A., Simpson, B. K. & Villalonga, R. (2007). Lipase fraction from the viscera of grey mullet (*Mugil cephalus*): Isolation, partial purification and some biochemical characteristics. *Enzyme and Microbial Technology*, 40, 394-402.
- Aubourg S. P., Losada V., Prado M., Miranda J. M., Barros-Velázquez J. (2007). Improvement of the commercial quality of chilled Norway lobster (*Nephrops*

- norvegicus*) stored in slurry ice: Effects of a preliminary treatment with an antimelanotic agent on enzymatic browning. *Food Chemistry*, 103(3):741-8.
- Azwanida, N. N. (2015). A review on the extraction methods use in medicinal plants, principle, strength and limitation. *Medicinal and Aromatic Plants*, 4(3), 1-6.
- Babizhayev, M. A. (2016). Generation of reactive oxygen species in the anterior eye segment. Synergistic codrugs of N-acetylcarnosine lubricant eye drops and mitochondria-targeted antioxidant act as a powerful therapeutic platform for the treatment of cataracts and primary open-angle glaucoma. *BBA Clinical*, 6, 49–68.
- Bajpai, V. K., Shukla, S., & Kang, S. C. (2008). Chemical composition and antifungal activity of essential oil and various extract of *Silene armeria L.* *Bioresource Technology*, 99, 8903–8908.
- Benavente-Garcia, O., & Castillo, J. (2008). Update on uses and properties of citrus flavonoids: New findings in anticancer, cardiovascular, and anti-inflammatory activity. *Journal of Agricultural and Food Chemistry*, 56(15), 6185–6205.
- Benjakul, S., Kittiphattanabawon, P., Sumpavapol, P., & Maqsood, S. (2014). Antioxidant activities of lead (*Leucaena leucocephala*) seed as affected by extraction solvent, prior dechlorophyllisation and drying methods. *Journal of Food Science and Technology*, 51(11), 3026–3037.
- Benjakul, S., Visessanguan, W., & Tanaka, M. (2005). Properties of phenoloxidase isolated from the cephalothorex of Kuruma prawn (*Penaeus japonicus*). *Journal of Food Biochemistry*, 29(5), 470–485.
- Berton-Carabin, C. C., Ropers, M. H. & Genot, C. (2014). Lipid oxidation in oil in water emulsions: Involvement of the interfacial layer. *Comprehensive Reviews in Food Science and Food Safety*, 13, 945-977.
- Biswas, B., Rogers, K., Mclaughlin, F., Daniels, D., & Yadav, A. (2013). Antimicrobial activities of leaf extracts of guava (*Psidium guajava L.*) on two gram-negative and gram-positive bacteria. *International Journal of Microbiology*, 2013, 1–7.
- Bohn T., Walczyk T., Leisibach S., Hurrell R. (2004). Chlorophyll-bound magnesium in commonly consumed vegetables and fruits: Relevance to magnesium nutrition. *Journal of food science*, 69(9):S347-S50.
- Brown E. J., Khodr H., Hider C. R., Rice-Evans C. A. (1998). Structural dependence of flavonoid interactions with Cu<sup>2+</sup> ions: implications for their antioxidant properties. *Biochemical Journal*, 330(3):1173-8.

- Castro-López C., Bautista-Hernández I., González-Hernández M. D., Martínez-Ávila G. C. G., Rojas R., Gutiérrez-Díez A., Medina-Herrera N., Aguirre-Arzola V. E. (2019). Polyphenolic Profile and Antioxidant Activity of Leaf Purified Hydroalcoholic Extracts from Seven Mexican *Persea americana* Cultivars. *Molecules*, 24(1):173.
- CEC. (1995). Commission of the European Community. Decision 95/149/EC of 8 March 1995 fixing the total volatile basic nitrogen (TVB-N) limit values for certain categories of fishery products and specifying the analysis methods to be used. CEC, Brussels.
- Chang L.-Y., Chuang M.-Y., Zan H.-W., Meng H.-F., Lu C.-J., Yeh P.-H., Chen J.-N. (2017). One-minute fish freshness evaluation by testing the volatile amine gas with an ultrasensitive porous-electrode-capped organic gas sensor system. *ACS Sens*, 2(4):531-9.
- Choe, E. & Min, D. B. (2009). Mechanisms of antioxidants in the oxidation of foods. *Comprehensive Reviews in Food Science and Food Safety*, 8, 345-358.
- Cheremisinoff N. P., Rosenfeld P. E. (2009). *Handbook of pollution prevention and cleaner production vol. 2: best practices in the wood and paper industries*: William Andrew.
- Chotphruethipong, L., Benjakul, S. & Kijroongrojana, K. (2017). Optimization of extraction of antioxidative phenolic compounds from cashew (*Anacardium occidentale L.*) leaves using response surface methodology. *Journal of Food Biochemistry*, 41(4), e12379.
- Croguennec, T. (2016). Enzymatic browning. In R. Jeantet, T. Croguennec, P. Schuck, & G. Brulé (Eds.). *Handbook of food science and technology 1* (pp. 159–182). Hoboken, New Jersey: John Wiley & Sons, Inc.
- Cvetanović A., Švarc-Gajić J., Mašković P., Savić S., Nikolić L. (2015). Antioxidant and biological activity of chamomile extracts obtained by different techniques: perspective of using superheated water for isolation of biologically active compounds. *Industrial Crops and Products*, 65:582-91.
- Dabadé D. S., den Besten H. M., Azokpota P., Nout M. R., Hounhouigan D. J., Zwietering M. H. (2015). Spoilage evaluation, shelf-life prediction, and potential spoilage organisms of tropical brackish water shrimp (*Penaeus notialis*) at different storage temperatures. *Food microbiology*, 48:8-16.
- Del Rio, D., Costa, L. G., Lean, M., & Crozier, A. (2010). Polyphenols and health: What compounds are involved? *Nutrition, Metabolism, and Cardiovascular Diseases*, 20(1), 1–6.

- El Sohafy, S., Metwalli, A., Harraz, F. & Omar, A. (2009). Quantification of flavonoids of *Psidium guajava L.* preparations by Planar Chromatography (HPTLC). *Pharmacognosy Magazine*, 5, 61-69.
- Encarnacion, A. B., Fagutao, F., Hirono, I., Ushio, H., and Oshima, T. (2010). Effects of ergothioneine from mushrooms (*Flammulina velutipes*) on melanosis and lipid oxidation of kuruma shrimp (*Marsupenaeus japonicas*). *Journal of Agriculture and Food Chemistry*. 58(4), 2577-2585.
- Engyang, K., & Nielsen, H. (2001). Proteolysis in fresh and cold-smoked salmon during cold storage: Effects of storage time and smoking process. *Journal of Food Biochemistry*, 25, 379–395.
- Ercolini D., Russo F., Torrieri E., Masi P., Villani F. (2006). Changes in the spoilage-related microbiota of beef during refrigerated storage under different packaging conditions. *Appl. Environ. Microbiol.*, 72(7):4663-71.
- Fallah F., Ebrahimnezhad Y., Maheri-Sis N., Ghasemi-Sadabadi M. (2016). The effect of different levels of diet total volatile nitrogen on performance, carcass characteristics and meat total volatile nitrogen in broiler chickens. *Arch Anim Breed*, 59:191-9.
- Fan W., Chi Y., Zhang S. (2008). The use of a tea polyphenol dip to extend the shelf life of silver carp (*Hypophthalmichthys molitrix*) during storage in ice. *Food chemistry*, 108(1):148-53.
- FAO. (2005). *Post-harvest changes in fish*. FAO-Fisheries and Aquaculture Department, Food and Agriculture Organization. Rome, Italy.
- Fernandes, P. (2016). Enzymes in fish and seafood processing. *Frontiers in Bioengineering and Biotechnology*, 4, 59.
- Ferrer O. J., Koburger J. A., Otwell W. S., Gleeson R. A., Simpson B. K., Marshall M. R. (1989). Phenoloxidase from the cuticle of Florida spiny lobster (*Panulirus argus*): Mode of activation and characterization. *Journal of Food Science*, 54(1):63-7.
- Ghaly, A. E., Dave, D., Budge, S. & Brooks, M. (2010). Fish spoilage mechanisms and preservation techniques. *American Journal of Applied Sciences*, 7, 859.
- Gilbert R., Donovan T., Little C., Nye K., Ribeiro C., Richards J., Roberts D., Bolton F. (2000). Guidelines for the microbiological quality of some ready-to-eat foods sampled at the point of sale. PHLIS Advisory Committee for Food and Dairy Products. *Communicable disease and public health*, 3(3):163-7.
- Gimenez, B., Martinez-Alvarez, O., Montero, P., and Gomez-Guillen, M. C. (2010). Characterization of phenoloxidase activity of carapace and viscera from cephalothorax of

- Norway lobster (*Nephrops norvegicus*), *LWT-Food Science and Technology*. 43(8), 1240-1245.
- Gokoglu, N., & Yerlikaya, P. (2008). Inhibition effects of grape seed extracts on melanosis formation in shrimp (*Parapenaeus longirostris*). *International Journal of Food Science and Technology*, 43(6), 1004–1008.
- Gonçalves A. A., de Oliveira A. R. M. (2016). Melanosis in crustaceans: A review. *LWT-Food Science and Technology*, 65:791-9.
- Górniak I., Bartoszewski R., Króliczewski J. (2019). Comprehensive review of antimicrobial activities of plant flavonoids. *Phytochemistry Reviews*, 18(1):241-72.
- Gracia-Molina, F., Munoz, J. L., Gracia-Ruiz, P. A., Rodriguez-Lopez, J. N., Gracia-Canovas, F., and Tudela, J. (2007). A further step in the kinetic characterization of the tyrosinase enzymatic system. *Journal of Mathematic and Chemistry*. 41(4), 393-406.
- Gracia-Molina, F., Penalver, M. J., Rodriguez-Lopez, J. N., Gracia-Canovas, F., and Tudela, J. (2005). Enzymatic method with polyphenol oxidase for the determination of cysteine and N-acetylcysteine. *Journal of Agriculture and Food Chemistry*. 53:6183-6189.
- Gram, L., & Dalgaard, P. (2002). Fish spoilage bacteria – problems and solutions. *Current Opinion in Biotechnology*, 13, 262–266.
- Grodowska, K., & Parczewski, A. (2010). Organic solvents in the pharmaceutical industry. *Acta Poloniae Pharmaceutica*, 67, 3–12.
- Gutiérrez, R. M. P., Mitchell, S., & Solis, R. V. (2008). *Psidium guajava*: A review of its traditional uses, phytochemistry and pharmacology. *Journal of Ethnopharmacology*, 117(1), 1–27.
- Handa, S., Khanuja, S., Longo, G., & Rakesh, D. (2008). Extraction technologies for medicinal and aromatic plants. *Trieste, Italy: UNIDO International Centre for Science and High Technology*.
- Jaisinghani R. N. (2017). Antibacterial properties of quercetin. *Microbiology Research*, 8(1).
- Jang M. S., Sanada A., Ushio H., Tanaka M., Ohshima T. (2003). Inhibitory effect of enokitake extract on melanosis of shrimp. *Fisheries science*, 69(2):379-84.
- Jeong C. H., Bae Y. I., Park S. J., Lee S. K., Hur S. J. (2012). Antioxidant activities of aqueous extracts from three cultivars of guava leaf. *Food Science and Biotechnology*, 21(6):1557-63.
- Jescovitch L. N., Ullman C., Rhodes M., Davis D. A. (2018). Effects of different feed management treatments on water quality for Pacific white shrimp *Litopenaeus vannamei*. *Aquaculture Research*, 49(1):526-31.

- Jose, M., Cryiac, M. B., Vidya, P., Varghese, I., Shantaram, M. (2014). Antimicrobial properties of *Cocos nucifera* (coconut) husk: An extrapolation to oral health. *Natural Science, Biology and Medecine*, 5(2), 359-364.
- Jovanović A., Petrović P., Đorđević V., Zdunić G., Šavikin K., Bugarski B. (2017). Polyphenols extraction from plant sources. *Lekovite sirovine*, (37):45-9.
- Kaneniwa, M., Yokoyama, M., Murata, Y. & Kuwahara, R. (2004). *Enzymatic hydrolysis of lipids in muscle of fish and shellfish during cold storage*. In: Shahidi, F., Spanier, A. M., Ho, C. & Braggins, T. (Eds.) *Quality of fresh and processed foods*. Boston, MA: Springer.
- Karnjanapratum, S., & Benjakul, S. (2015). Antioxidative gelatin hydrolysate from unicorn leather jacket skin as affected by prior autolysis. *International Aquatic Research*, 7, 101–14.
- Kim, J., Marshall, M. R. and Wei, C. (2000). Polyphenoloxidase. *In Seafood enzyme utilization and influence on post harvest seafood quality*. (Haard, N. F., Simpson, B. K., eds) P. 271-315. Marcel Dekker. New York.
- Kostaki M., Giatrakou V., Savvaidis I. N., Kontominas M. G. (2009). Combined effect of MAP and thyme essential oil on the microbiological, chemical and sensory attributes of organically aquacultured sea bass (*Dicentrarchus labrax*) fillets. *Food microbiology*, 26(5):475-82.
- Kronberg M. T. (2008). Sulfite intolerance: A cause of tinnitus? *Bioscience Hypotheses*, 1(4):185-8.
- Kubo, I., & Kinst-Hori, I. (1998). Tyrosinase inhibitors from cummin. *Journal of Agricultural and Food Chemistry*, 46(12), 5338–5341.
- Kuley, E., Durmus, M., Balikci, E., Ucar, Y., Regenstein, J. M. & Özoğul, F. (2017). Fish spoilage bacterial growth and their biogenic amine accumulation: Inhibitory effects of olive by-products. *International Journal of Food Properties*, 20, 1029-1043.
- Laily, N., Kusumaningtyas, R. W., Sukarti, I. & Rini, M. R. D. K. (2015). The potency of guava *Psidium guajava* (L.) leaves as a Functional immunostimulatory ingredient. *Procedia Chemistry*, 14, 301-307.
- Lanfer-Marquez, U. M., Barros, R. M. C., & Sinnecker, P. (2005). Antioxidant activity of chlorophylls and their derivatives. *Food Research International*, 38(8-9), 885–891.
- Likhitwitayawuid, K. (2008). Stilbenes with tyrosinase inhibitory activity. *Current Science*. 94:44-52..

- Lougovois V., Kyrana V. (2005). Freshness quality and spoilage of chill-stored fish. *Food policy, control and research*, 1:35-86.
- Lyhs U., Lahtinen J., Schelvis-Smit R. (2007). Microbiological quality of maatjes herring stored in air and under modified atmosphere at 4 and 10 C. *Food microbiology*, 24(5):508-16.
- Manheem K., Benjakul S., Kijroongrojana K., Visessanguan W. (2012). The effect of heating conditions on polyphenol oxidase, proteases and melanosis in pre-cooked Pacific white shrimp during refrigerated storage. *Food Chemistry*, 131(4):1370-5.
- Maqsood, S. & Benjakul, S. (2010). Comparative studies of four different phenolic compounds on in vitro antioxidative activity and the preventive effect on lipid oxidation of fish oil emulsion and fish mince. *Food Chemistry*, 119, 123-132.
- Maqsood, S., Benjakul, S., Abushelaibi, A., & Alam, A. (2014). Phenolic compounds and plant phenolic extracts as natural antioxidants in prevention of lipid oxidation in seafood: A detailed review. *Comprehensive Reviews in Food Science and Food Safety*, 13, 1125–1140.
- Mariutti, L. R. B., & Bragagnolo, N. (2017). Influence of salt on lipid oxidation in meat and seafood products: A review. *Food Research International*, 94, 90–100.
- Martinez, M. V. and Whitaker J. R. (1995). The biochemistry and control of enzymatic control. *Trends Food Science and Technology*. 6:195-200.
- Masniyom, P. (2011). Deterioration and shelf-life extension of fish and fishery products by modified atmosphere packaging. *Songklanakarin Journal of Science and Technology*, 33, 181-192.
- Meilgaard, M. C., Civille, G. V., & Carr, B. T. (2007). *Sensory evaluation techniques*. Boca Raton, FL: CRC Press.
- Montero, P., Lopez-Caballero, M. E., & Perez-Mateos, M. (2001). The effect of inhibitors and high pressure treatment to prevent melanosis and microbial growth on chilled prawns (*Penaeus japonicus*). *Journal of Food Science*, 66(8), 1201–1206.
- Namal Senanayake S. P. J. (2013). Green tea extract: Chemistry, antioxidant properties and food applications – A review. *Journal of Functional Foods*, 5(4):1529-41.
- Nawar WF. 1996. Lipids. In: O Fennema, editor. *Food chemistry*. 3rd ed. New York : Marcel Dekker, Inc. p 225– 320.
- Nimse, S. B. & Pal, D. (2015). Free radicals, natural antioxidants, and their reaction mechanisms. *RSC Advances*, 5, 27986-28006.

- Nirmal, N. P. (2011). *Inhibition of polyphenoloxidase and melanosis in Pacific white shrimp (Litopenaeus vannamei) by phenolic compound*. Ph. D. Thesis, Prince of Songkla University.
- Nirmal, NP and Benjakul, S (2011) Inhibitory effect of mimosine on polyphenoloxidase from cephalothoraxes of Pacific white shrimp (*Litopenaeus vannamei*). *J Agric Food Chem* 59:10256–10260.
- Nirmal N. P., Benjakul S. (2009a). Effect of ferulic acid on inhibition of polyphenoloxidase and quality changes of Pacific white shrimp (*Litopenaeus vannamei*) during iced storage. *Food chemistry*, 116(1):323-31.
- Nirmal N. P., Benjakul S. (2009b). Melanosis and quality changes of Pacific white shrimp (*Litopenaeus vannamei*) treated with catechin during iced storage. *Journal of Agricultural and Food Chemistry*, 57(9):3578-86.
- Nirmal N. P., Benjakul S. (2012). Effect of green tea extract in combination with ascorbic acid on the retardation of melanosis and quality changes of Pacific white shrimp during iced storage. *Food and Bioprocess Technology*, 5(8):2941-51.
- Odedeyi, D. & Fagbenro, O. (2010). Feeding habits and digestive enzymes in the gut of *Mormyrus rume* (Valenciennes 1846) (*Osteichthyes Mormyridae*). *Tropical Zoology*, 23, 75-89.
- Odedina, G. F., Vongkamjan, K., & Voravuthikunchai, S. P. (2015). Potential bio-control agent from *Rhodomyrtus tomentosa* against *Listeria monocytogenes*. *Nutrients*, 7(9), 7451–7468.
- Olatunde O. O., Benjakul S. (2020). Antioxidants from Crustaceans: A Panacea for Lipid Oxidation in Marine-Based Foods. *Food Reviews International*:1-31.
- Olatunde, O. O., & Benjakul, S. (2018). Natural preservatives for extending the shelf-life of seafood: A Revisit. *Comprehensive Reviews in Food Science and Food Safety*, 17(6), 1595-1612.
- Olatunde, O. O., Benjakul, S. & Kitiya, V. (2018). Antioxidant and antibacterial properties of guava leaf extracts as affected by solvents used for prior dechlorophyllisation *Journal of Food Biochemistry*.
- Olatunde, O. O., Benjakul, S. & Vongkamjan, K. (2019a). Coconut husk extract: antibacterial properties and its application for shelf-life extension of Asian sea bass slices. *International Journal of Food Science and Technology*, 54, 810-822.

- Olatunde O. O., Benjakul S., Vongkamjan K. (2019b). Combined effect of ethanolic coconut husk extract and modified atmospheric packaging (MAP) in extending the shelf life of Asian sea bass slices. *Journal of Aquatic Food Product Technology*, 28(6):689-702.
- Olatunde O. O., Benjakul S., Vongkamjan K. (2019c). Comparative study on nitrogen and argon-based modified atmosphere packaging on microbiological, chemical, and sensory attributes as well as on microbial diversity of Asian sea bass. *Food Packaging and Shelf Life*, 22:100404.
- Özdemir H., Turhan A. B., Arıkoğlu H. (2012). Potasyum sorbat, sodyum benzoat ve sodium nitrit'in Genotoksik Etkilerinin Araştırılması. *European Journal of Basic Medical Sciences*, 2(2):34-40.
- Palazzolo, E., Laudicina, V., & Germana, M. (2013). Current and potential use of citrus essential oils. *Current Organic Chemistry*, 17, 3042–3049.
- Parekh J., Chanda S. (2007). Antibacterial and phytochemical studies on twelve species of Indian medicinal plants. *African Journal of Biomedical Research*, 10(2).
- Parr, A. J., & Bolwell, G. P. (2000). Phenols in the plant and in man. The potential for possible nutritional enhancement of the diet by modifying the phenols content or profile. *Journal of the Science of Food and Agriculture*, 80, 985–1012.
- Pezeshk S., Ojagh S. M., Alishahi A. (2015). Effect of plant antioxidant and antimicrobial compounds on the shelf-life of seafood-a review. *Czech Journal of Food Sciences*, 33(3):195-203.
- Roca M., Chen K., Perez-Galvez A. (2016). *Handbook on Natural Pigments in Food and Beverage*. Instituto de la Grasa-Spain.
- Sae-Leaw, T., & Benjakul, S. (2019a). Prevention of quality loss and melanosis of Pacific white shrimp by cashew leaf extracts. *Food Control*, 95, 257-266.
- Sae-Leaw, T., & Benjakul, S. (2019b). Prevention of melanosis in crustaceans by plant polyphenols: A review. *Trends in Food Science and Technology*. 85, 1-9.
- Scalbert, A., & Williamson, G. (2000). Dietary intake and bioavailability of polyphenols. *The Journal of Nutrition*, 130, 2073S–2085S.
- Scalbert, A., Manach C., Morand C., Rémésy C., & Jiménez L. (2005). Dietary polyphenols and the prevention of diseases, *Critical Review in Food Science and Nutrition* 45, 287–306.
- Schuler, P. (1990). *Natural antioxidants exploited commercially*. Food antioxidants. Springer.

- Serra, D., Almeida, L. M., & Dinis, T. C. P. (2018). Dietary polyphenols: A novel strategy to modulate microbiota-gut-brain axis. *Trends in Food Science and Technology*, 78, 224–233.
- Sharifian, S., Shabanpour, B., Taheri, A., & Kordjazi, M. (2019). Effect of phlorotannins on melanosis and quality changes of pacific white shrimp (*Litopenaeus vannamei*) during iced storage. *Food Chemistry*, 298, 1-9.
- Shiekh, K. A., Benjakul, S., & Sae-leaw, T. (2019). Effect of Chamuang (*Garcinia cowa* Roxb.) leaf extract on inhibition of melanosis and quality changes of Pacific white shrimp during refrigerated storage. *Food Chemistry*, 270, 554-561.
- Sikkema, J., de Bont, J. A. M., Poolman, B. (1994). Interactions of cyclic hydrocarbons with biological membranes. *Journal of Biological Chemistry*, 269(11), 8022-8028.
- Simoës, M., Bennett, R. N., & Rosa, E. A. (2009). Understanding antimicrobial activities of phytochemicals against multidrug resistant bacteria and biofilms. *Natural Product Reports*, 26, 746–757.
- Siomos, A. S., Gerasopoulos, D., Tsouvaltzis, P., & Koukounaras, A. (2010). Effects of heat treatment on atmospheric composition and color of peeled white asparagus in modified atmosphere packaging. *Innovative Food Science & Emerging Technologies*, 11(1), 118–122.
- Souza, H. A. & Bragagnolo, N. (2014). New method for the extraction of volatile lipid oxidation products from shrimp by headspace–solid-phase microextraction–gas chromatography–mass spectrometry and evaluation of the effect of salting and drying. *Journal of Agricultural and Food Chemistry*, 62(3), 590-599.
- Stagos D. (2020). Antioxidant Activity of Polyphenolic Plant Extracts. *Antioxidants*, 9(19):1-7.
- Tachakittirungrod, S., Okonogi, S., & Chowwanapoonpohn, S. (2007). Study on antioxidant activity of certain plants in Thailand: Mechanism of antioxidant action of guava leaf extract. *Food Chemistry*, 103(2), 381–388.
- Takao, L., Imatomi, M., & Gualtieri, S. (2015). Antioxidant activity and phenolic content of leaf infusions of Myrtaceae species from Cerrado (Brazilian savanna). *Brazilian Journal of Biology*, 75(4), 948–952.
- Terwilliger, N. B. and Ryan, M. C. (2006). Functional and phylogenetic analyses of phenoloxidase from brachyuran (*Cancer magister*) and brachiopod (*Artemia franciscana*, *Triops longicaudatus*) crustaceans. *Biological Bulletin*. 210(1), 38-50.

- Tongnuanchan, P., & Benjakul, S. (2014). Essential oils: Extraction, bioactivities, and their uses for food preservation. *Journal of Food Science*, 79(7), 1231-1249.
- Tzima K., Brunton N. P., Rai D. K. (2020). Evaluation of the impact of chlorophyll removal techniques on polyphenols in rosemary and thyme by-products. *Journal of Food Biochemistry*, 44(3):e13148.
- Varlet, V. & Fernandez, X. (2010). Sulfur-containing volatile compounds in seafood: occurrence, odorant properties and mechanisms of formation. *Food Science and Technology International*, 16, 463-503.
- Venugopal, V., & Gopakumar, K. (2017). Shellfish: Nutritive value, health benefits, and consumer safety. *Comprehensive Reviews in Food Science and Food Safety*, 16(4), 1219–1242.
- Visciano, P., Schirone, M., Tofalo, R. & Suzzi, G. (2012). Biogenic amines in raw and processed seafood. *Frontiers in Microbiology*, 3(3), 188.
- Xu, R., Huang, X., Hopkins T. L., and Kramer, K. J. (1997). Catecholamine and histidyl protein cross linked structures in sclerotized insect cuticle. *Insect Biochemistry and Molecular Biology*. 27(2), 101-108.
- Zeng Q. Z., Thorarinsdottir K. A., Olafsdottir G. (2005). Quality changes of shrimp (*Pandalus borealis*) stored under different cooling conditions. *Journal of food science*, 70(7):s459-s66.
- Zhang Z.-S., Li D., Wang L.-J., Ozkan N., Chen X. D., Mao Z.-H., Yang H.-Z. (2007). Optimization of ethanol–water extraction of lignans from flaxseed. *Separation and Purification Technology*, 57(1):17-24.