



## DAFTAR PUSTAKA

- [1] F. Wang and C. Chan, "Optimal Tuning of Cascade PID Control Systems," no. 5, pp. 825–828, 1993.
- [2] C. C. Hang, A. P. Loh, and V. U. Vasnani, "Relay Feedback Auto-Tuning of Cascade Controllers," *IEEE Trans. Control Syst. Technol.*, vol. 2, no. 9215713, pp. 2–5, 1994, doi: 10.1109/87.273109.
- [3] Y. Lee, S. Park, and M. Lee, "PID Controller Tuning to Obtain Desired Closed Loop Responses for Cascade Control Systems," *Ind. Eng. Chem. Res.*, vol. 37, no. 5, pp. 1859–1865, 1998, doi: 10.1021/ie970769t.
- [4] H.-P. Huang, I.-L. Chien, Y.-C. Lee, and G.-B. Wang, "A Simple Method for Tuning Cascade Control Systems," *Amsterdam B. V. under Gordon Breach Sci.*, vol. 165, no. 1998, pp. 89–121, 1998, doi: 10.1017/CBO9781107415966.006.
- [5] V. S. Saraf and B. W. Bequette, "Auto-tuning of Cascade Controlled Open-loop Unstable Reactors," *Proceeding Am. Control Conf.*, vol. 3, no. Engineerings, pp. 2021–2026, 2001, doi: 10.1109/ACC.2001.946039.
- [6] S. Song, W. Cai, and Y. G. Wang, "Auto-tuning of Cascade Control Systems," *ISA Trans.*, vol. 42, no. 1, pp. 63–72, 2003, doi: 10.1016/s0019-0578(07)60114-1.
- [7] I. Kaya, "Improving Performance Using Cascade Control and A Smith Predictor," *ISA Trans.* 40, vol. 40, pp. 223–234, 2001, doi: 10.1016/S0019-0578(00)00054-9.
- [8] I. Kaya, N. Tan, and D. P. Atherton, "Improved Cascade Control Structure for Enhanced Performance," *J. Process Control*, vol. 17, no. 1, pp. 3–16, 2007, doi: 10.1016/j.jprocont.2006.08.008.
- [9] Y. Lee, M. Skliar, and M. Lee, "Analytical Method of PID Controller Design for Parallel Cascade Control," *J. Process Control*, vol. 16, no. 8, pp. 809–818, 2006, doi: 10.1016/j.jprocont.2006.03.002.
- [10] T. Liu, D. Gu, and W. Zhang, "Decoupling Two-Degree-of-Freedom Control



- Strategy for Cascade Control Systems," *J. Process Control*, vol. 15, no. 2, pp. 159–167, 2005, doi: 10.1016/j.jprocont.2004.06.001.
- [11] R. Vilanova and O. Arrieta, "PID Tuning for Cascade Control System Design," *Can. Conf. Electr. Comput. Eng.*, no. 1, pp. 1775–1778, 2008, doi: 10.1109/CCECE.2008.4564850.
- [12] C. Yin, J. Gao, and L. Zhang, "Multiple Degrees of Freedom Control for Cascade Processes with Time Delay," *Procedia Eng.*, vol. 15, pp. 3–7, 2011, doi: 10.1016/j.proeng.2011.08.002.
- [13] S. Formentin, A. Cogni, D. Belloli, F. Previdi, and S. M. Savaresi, "Fast Tuning of Cascade Control Systems," *IFAC Proc. Vol.*, vol. 44, no. 1 PART 1, pp. 10243–10248, 2011, doi: 10.3182/20110828-6-IT-1002.02761.
- [14] D. G. Padhan and S. Majhi, "Synthesis of PID tuning for a new parallel cascade control structure," *IFAC Proc. Vol.*, vol. 2, no. PART 1, pp. 566–571, 2012, doi: 10.3182/20120328-3-it-3014.00096.
- [15] D. G. Padhan and S. Majhi, "An Improved Parallel Cascade Control Structure for Processes with Time Delay," *J. Process Control*, vol. 22, no. 5, pp. 884–898, 2012, doi: 10.1016/j.jprocont.2012.03.003.
- [16] D. G. Padhan and S. Majhi, "Enhanced Cascade Control for a Class of Integrating Processes with Time Delay," *ISA Trans.*, vol. 52, no. 1, pp. 45–55, 2013, doi: 10.1016/j.isatra.2012.08.004.
- [17] Y. V. P. Kumar, A. Rajesh, S. Yugandhar, and V. Srikanth, "Cascaded PID Controller Design for Heating Furnace Temperature Control," *IOSR J. Electron. Commun. Eng.*, vol. 5, no. 3, pp. 76–83, 2013, doi: 10.9790/2834-0537683.
- [18] A. Saleem, B. Taha, T. Tutunji, and A. Al-Qaisia, "Identification and Cascade Control of Servo-pneumatic System using Particle Swarm Optimization," *Simul. Model. Pract. Theory*, vol. 52, pp. 164–179, 2015, doi: 10.1016/j.simpat.2015.01.007.
- [19] T. R. Biyanto, M. S. Alfarisi, N. Afdanny, H. Setiawan, and A. Hasan, "Simultaneous Optimization of Tuning PID Cascade Control System Using Duelist Algorithms," *Proceeding - 2016 Int. Semin. Intell. Technol. Its Appl.*



- ISITIA 2016 Recent Trends Intell. Comput. Technol. Sustain. Energy*, pp. 601–606, 2016, doi: 10.1109/ISITIA.2016.7828728.
- [20] G. L. Raja and A. Ali, “Modified Parallel Cascade Control Strategy for Stable, Unstable, and Integrating Processes,” *ISA Trans.*, vol. 65, pp. 394–406, 2016, doi: 10.1016/j.isatra.2016.07.008.
- [21] P. R. Dasari, L. Alladi, A. Seshagiri Rao, and C. K. Yoo, “Enhanced Design of Cascade Control Systems for Unstable Processes with Time Delay,” *J. Process Control*, vol. 45, pp. 43–54, 2016, doi: 10.1016/j.jprocont.2016.06.008.
- [22] S. Santosh and M. Chidambaram, “A Simple Method of Tuning Parallel Cascade Controllers for Unstable FOPTD Systems,” *ISA Trans.*, vol. 65, pp. 475–486, 2016, doi: 10.1016/j.isatra.2016.08.007.
- [23] X. F. Li, D. J. Ding, Y. G. Wang, and Z. Huang, “Cascade IMC-PID Control of Superheated Steam Temperature based on Closed-loop Identification in the Frequency Domain,” *IFAC-PapersOnLine*, vol. 49, no. 18, pp. 91–97, 2016, doi: 10.1016/j.ifacol.2016.10.145.
- [24] X. Zhang, W. Lin, and Y. Lin, “Dynamic Partial State Feedback Control of Cascade Systems with Time-Delay,” *Automatica*, vol. 77, pp. 370–379, 2017, doi: 10.1016/j.automatica.2016.09.037.
- [25] N. A. Patil, “Design of PID Controller for Cascade Control Process using Genetic Algorithm,” *Int. Conf. Intell. Comput. Control Syst.*, pp. 1089–1095, 2017, doi: 10.1109/ICCONS.2017.8250634.
- [26] A. L. Sangeetha, N. Bharathi, A. B. Ganesh, and T. K. Radhakrishnan, “Particle Swarm Optimization Tuned Cascade Control System in An Internet of Things (IoT) Environment,” *Meas. J. Int. Meas. Confed.*, vol. 117, no. March 2017, pp. 80–89, 2018, doi: 10.1016/j.measurement.2017.12.014.
- [27] P. Vaishnavi and G. Balasubramanian, “Tuning of PID Controller for Cascade Unstable systems Using Genetic Algorithm,” *Int. J. Pure Appl. Math.*, vol. 118, no. 18, pp. 2011–2019, 2018.
- [28] S. Pashaei and P. Bagheri, “Parallel Cascade Control of Dead Time Processes via Fractional Order Controllers based On Smith Predictor,” *ISA*



*Trans.*, 2019, doi: 10.1016/j.isatra.2019.08.047.

- [29] E. Castellanos-Sahagun, “Dual Cascade Control Design for Binary Distillation Columns,” *Proc. 2006 Am. Control Conf.*, pp. 5538–5543, 2006, doi: 10.1109/ACC.2006.1657605.
- [30] A. Bedelbayev, T. Greer, and B. Lie, “Model based Control of Absorption Tower for CO<sub>2</sub> Capturing.” 2008, doi: 10.1.1.643.5175.
- [31] A. Arce, N. Mac Dowell, N. Shah, and L. F. Vega, “Flexible Operation of Solvent Regeneration Systems for CO<sub>2</sub> Capture Processes Using Advanced Control Techniques,” *Int. J. Greenh. Gas Control*, vol. 11, pp. 236–250, 2012, doi: 10.1016/j.ijggc.2012.09.004.
- [32] E. Castellanos-Sahagun and J. Alvarez, “Temperature-Temperature Cascade Control of Binary Batch Distillation Columns,” *2013 Eur. Control Conf. ECC 2013*, pp. 3396–3401, 2013, doi: 10.23919/ecc.2013.6669659.
- [33] X. Qian *et al.*, “Composition Temperature Cascade Control for a Kaibel Dividing-Wall Distillation Column by Combining PI Controllers,” *Comput. Chem. Eng.*, vol. 126, pp. 292–303, 2019, doi: 10.1016/j.compchemeng.2019.04.020.
- [34] K. M. S. Salvinder *et al.*, “An Overview on Control Strategies for CO<sub>2</sub> Capture Using Absorption,” *Chem. Eng. Res. Des.*, vol. 147, pp. 319–337, 2019, doi: 10.1016/j.cherd.2019.04.034.
- [35] P. A. Buckingham, “Fluor Solvent Process Plants: How They are Working. Hydrocarbon Processing and Petroleum Refiner,” vol. 43, no. April, pp. 113–116, 1964.
- [36] S. Ma’mun and H. F. Svendsen, “Selection and Characterization of New Absorbents for Carbon Dioxide Capture (Doctoral Thesis),” *Fac. Nat. Sci. Technol. Dep. Chem. Eng. Nor. Univ. Sci. Technol.*, vol. Ph.D., pp. 16–21, 2005.
- [37] Ö. Yildirim, A. A. Kiss, N. Hüser, K. Leßmann, and E. Y. Kenig, “Reactive Absorption in Chemical Process Industry: A Review on Current Activities,” *Chem. Eng. J.*, vol. 213, pp. 371–391, 2012, doi: 10.1016/j.cej.2012.09.121.
- [38] Donsius and A. Fuadi, “Studi Absorpsi CO<sub>2</sub> dalam Larutan MDEA-TEA



dengan Katalis PZ,” *Dep. Tek. Kim. Inst. Teknol. Sepuluh November, Surabaya*, pp. 11–18, 2017.

- [39] F. Closmann, T. Nguyen, and G. T. Rochelle, “MDEA/Piperazine as A Solvent for CO<sub>2</sub> Capture,” *Energy Procedia*, vol. 1, no. 1, pp. 1351–1357, 2009, doi: 10.1016/j.egypro.2009.01.177.
- [40] D. E. Seborg, T. F. Edgar, D. A. Mellichamp, and F. J. Doyle, “Process Dynamics and Control,” *John Wiley Sons, Inc.*, vol. 3rd, 2010.
- [41] E. O. Doeblin, “Measurement Systems Application and Design.” McGraw-Hill, Ohio State University, p. 678, 1990.
- [42] A. Bhatia, “Control Valve Basics - Sizing & Selection : Quick Book,” *Creat. Indep.*, 2014.
- [43] K. J. Åström and T. Hägglund, “Automatic Tuning of Simple Regulators with Specifications on Phase and Amplitude Margins,” *Automatica*, vol. 20, no. 5, pp. 645–651, 1984, doi: 10.1016/0005-1098(84)90014-1.
- [44] N. S. Nise, “Control Systems Engineering,” *Calif. State Polytech. Univ. Pomona*, vol. 6th, pp. 251–253, 2012, doi: 10.1016/0005-1098(86)90018-X.
- [45] E. H. Bristol, “On A New Measure of Interaction for Multivariable Process Control,” *IEEE Trans. Automat. Contr.*, vol. 11, no. 1, pp. 133–134, 1966, doi: 10.1109/TAC.1966.1098266.