

## DAFTAR PUSTAKA

- Abdurrahman, Z. H., dan Yanti, Y. 2018. Gambaran Umum Pengaruh Probiotik dan Prebiotik pada Kualitas Daging Ayam. *Jurnal Ternak Tropika Vol 19, No. 2:95-104*
- Aditya B.S. 2016. Pengaruh Penggunaan Feed Additive Tepung Bunga Cengkeh (*Syzygium Aromaticum* L.) dalam Pakan terhadap Persentase Karkas dan Organ Dalam Ayam Pedaging. Fakultas Peternakan Universitas Brawijaya.
- Afroz, S., M. Alamgir, M.T.H. Khan, S. Jabbar, N. Nahar, & M.S.K. Choudhuri. (2006). Antidiarrhoeal Activity of The Ethanol Extract of *Paederia foetida* Linn. (Rubiaceae). *Journal of Ethnopharmacology 105: 125-130*.
- Allama, H., O. Sofyan, E. Widodo dan H. S. Prayogi. 2012. Pengaruh penggunaan tepung ulat kandang (*Alphitobius diaperinus*) dalam pakan terhadap penampilan produksi ayam pedaging. *J. Ilmu – Ilmu Peternakan 22 (3): 1-8*.
- Amrullah, I. K. 2004. *Nutrisi Ayam Broiler* Cetakan ke-2. Bogor : Lembaga Satu Gunungbudi. Halaman 37-39.
- Anggorodi, H, R. 1985. *Kemajuan Mutakhir Ilmu Makanan Ternak Unggas*. Cetakan Pertama. Jakarta : Universitas Indonesia Press Halaman 37-38
- Anthony T. 1997. *Food Poisoning*. New York : CRC Press. Halaman 48-53.
- Azizah, E. M., Sjojfan, O., dan Widodo, E. 2010. Pengaruh Penggunaan Tepung Serai Wangi (*Cymbopogon nardus*) dalam Pakan terhadap Penampilan Produksi Ayam Pedaging. Peternakan. Fakultas Peternakan. Universitas Brawijaya.
- Badan Standar Nasional Indonesia (SNI) 2006a. *Pakan Ayam Ras Pedaging (Broiler Starter)*. (Online). (<http://ditjennak.go.id.pdf>). Diakses 2 Desember 2019
- Badan Standar Nasional Indonesia (SNI) 2006b. *Pakan Ayam Ras Pedaging (Broiler Finisher)*. (Online). (<http://ditjennak.go.id.pdf>). Diakses 2 Desember 2019
- Bahri S, Masbulan E, Kusumaningsih A. 2005. Proses Praproduksi sebagai Faktor Penting dalam Menghasilkan Produk Ternak yang Aman untuk Manusia. *Jurnal Litbang Pertanian 24 (1)*.
- Balchin ML. 2006. *Aromatherapy Science*. 1st Ed. London: Pharmaceutical Press, Halaman 78-81.
- Cao, BH., Karasawa, Y., Gou YM., 2005. Effect of green tea polyphenols and fructo-oligosaccharides in semi-furified diets on broiler' performance and caecal microflora and their metabolites. *Asian Australasian J of Anim Sci 18: 85-89*.
- Castanon, J.I.R. 2007. History of the Use of Antibiotics as Growth Promoters in Europe Poultry Feeds. *Poultry Science Assosiation 99(1) : 2466-247*.
- Cooper, M.A. and Washburn, K.W., 1998. The relationships of body temperature to weight gain, feed consumption, and feed utilization in broilers under heat stress. *Poult. Sci. 77:237-242*.

- Costa, M. C., Bessegatto, J.A., Alfieri, A.A. Weese, J.S., Filho, J.A.B., dan Oba, A. 2017. Different Antibiotic Growth Promoters Induce Specific changes in the Cecal Microbiota Membership of Broiler Chicken. *PLOS ONE* 12(2):1-13.
- Diaz, D. 2008. Safety and efficacy of Ecobiol as feed additive for chickens for fattening. *The EFSA Journal* 773 : 2-13.
- El-Moaty, H.I.A. (2010). Essential Oil and Iridoide Glycosides of *Nepeta septemcrenata* Erenb. *Journal of Natural Products* 3: 103-111.
- Etikaningrum dan Iwantoro, I. 2017. Kajian Residu Antibiotik pada produk Ternak Unggas di Indonesia. *Jurnal Ilmu Produksi dan Teknologi-hasil Peternakan Vol. 05 No. 1* : 29-33.
- Food and Agriculture Organization and World Health Organization Expert Consultation. *Evaluation of health and nutritional properties of powder milk and live lactic acid bacteria*. Córdoba, Argentina: Food and Agriculture Organization of the United Nations and World Health Organization.
- Fuller, R. 1992. *History and development of probiotics : In probiotics the scientific Basis* (R. Fuller, ed). London : Chapman and Hall. Halaman 231-235.
- Gadde, U.D, Sungtaek, O, Hyun, S. L. Lilehoj, H.S., dan Lilehoj, E.R. 2018. Antibiotic Growth Promoters Virginiamycin and Bacitracin Methylene Disalicylate Alter the Chicken Intestinal Metabolome. *Scientific Reports* (2018) 8:3592.
- Giannenas I, Papadopoulos E, Tsalie E, Triantafillou E, Henikl S, Teichmann K, et al. Assessment of dietary supplementation with probiotics on performance, intestinal morphology and microflora of chickens infected with *Eimeria tenella*. *Vet Parasitol* 188 (1-2): :31-40.
- Gibson GR, Roberfroid MB. 1995. Dietary modulation of the human colonic microbiota: Introduction the concept of prebiotics. *J. Nutr.* 125 (6): 1401-1412.
- Giorgi A, Madeo M, Baumgartner J, Lozzia GC. 2011. The relationships between phenolic content, pollen diversity, physicochemical information and radical scavenging activity in honey. *J Molecules.* 16:336-347.
- Gordon, S. H. & D.R. Charles. 2002. *Niche and Organic Chicken Products : Their Technology and Scientific Principles*. Nottingham University Press : UK.
- Gunawan dan M.M.S. Sundari. 2013. Pengaruh Penggunaan Probiotik Dalam Ransum Terhadap Produktivitas Ayam. *WARTAZOA* 13(3): 231-240.
- Handajani NS, dan Purwoko T. 2008. Aktivitas ekstrak rimpang lengkuas (*Alpinia galangal*) terhadap pertumbuhan jamur *Aspergillus* spp. Penghasil aflatoksin dan *Fusarium moniliforme*. *Biodiversitas* 9(3): 161-164.
- Hariyati LP., 2010. Aktivitas Antibakteri Berbagai Jenis Madu Terhadap Mikroba Pembusuk (*Pseudomonas fluorescens* FNCC 0071 dan *Pseudomonas putida* FNCC 0070). *Skripsi, UNS*:8.
- Javanmardi, J., C. Stushnoff, E. Locke, and J.M. Vivanco. 2003. Antioxidant activity and total phenolic content of Iranian *Ocimum* accessions. *FoodChemistry* 83:547-550.

- Juntachote T, dan Berghofer E. 2005. Antioxidative properties and stability of ethanolic extract of holy basil and galangal. *Food Chemistry* 92(1): 193-202.
- Kartasapoetra. 2004. *Budidaya Tanaman Obat Berkhasiat*. Jakarta (ID): Rineka Cipta. Halaman 76-78.
- Kim KJ, Myoung-Su L, Keunae J, Jae-Kwan H. 2011. Piperidine alkaloids from *Piper retrofractum Vahl* protect against high-fat diet-induced obesity by regulating lipid metabolism and activating AMP-activated protein kinase. *Biochemical and Biophysical Research* 411:219–225.
- Komala, O., B. L. Sari dan N. Sakinah, 2012. Uji efektifitas ekstrak etanol 19 Pengaruh Penggunaan Rumput Laut dan Pare dalam Ransum Terhadap Jumlah Leukosit dan Persentase Bobot Bursa Fabricius Ayam Broiler buah pare (*Momordica charantia*) sebagai antibakteri (*Salmonella typhi*). *Fitofarmaka*. 2 (1): 36-41.
- Komariyah,S., Rahmahani, J., dan Agustono, 2018. Pengaruh Ekstrak Buah Pare (*Momordica charantia*) Terhadap Titer Antibodi Ayam Broiler yang Divaksin *Newcastle Disease* *Jurnal Medil Veteriner* 1(3): 128-133.
- Kumar, V. and M.H. Gupta. 2003. Effect of *Centella asiatica* on cognition and oxidative stress in intracerebroventricular streptozotocin model of Alzheimer's disease in rats. *Pharmacol. Biochem Behav* 74(3): 579–85.
- Kusnadi, E. 2007. Pengaruh Pemberian Antanan (*Centella asiatica*) sebagai Penangkal Cekaman Panas dalam Ransum Broiler yang Mengandung Hidrolisat Bulu Ayam (The Efect of Antanan (*Centella asiatica*) Administration as Anti Heat-Stres Agens in Broilers Diet Containing Hydrolized Feather Meal). *Jurnal Ilmu Ternak* 7(1):58-63.
- LaVorgna, M., Schaeffer, J.L., Bade, D., Dickson, J., Cookson, K. and Davis, S.W. (2013). Performance of broilers fed a broader spectrum antibiotic (virginiamycin) or a narrower spectrum antibiotic (bacitracin methylene disalicylate) over 3 consecutive grow-out cycles. *J Appl Poult Res* 22, 574–582.
- Macfarlane, G., Steed, H., & Macfarlane, S. (2007). Bacterial metabolism and health-related effects of galacto-oligosaccharides and other prebiotics. *Journal of Applied Microbiology*, 104(2): 305–344.
- Mark, D.R. 2005. Probiotics. *Can Fam Physician* 10(51) : 1455-1457.
- Mazhari, M., Esmaeilipour, O. Mirmahmoudi, R., dan Badakhshan, Y. 2016. Comparison of Antibiotic, Probiotic and Great Plantain (*Plantago major* L.) on Growth Performance, Serum Metabolites, Immune Response and Ileal Microbial Population of Broilers. *Poultry Science Journal* 2016 4(2):97-105.
- Mehdi Y, L tourneau-Montminy M, Gaucher M, Chorfi Y, Gayatri S, Rouissi T, Brar S, C te C, Ram rez A, Godbout S. Use of antibiotics in broiler production: global impacts and alternatives. *Anim Nutrition* 4 :170-178.
- Miles, T.D., McLaughlin, W., dan Brown, P.D. 2006. Antimicrobial Resistance of *Escherichia coli* isolates from Broiler Chicken and Humans. *BMC Vet Res* 2:7.

- Mookiah, S., CC. Sieo, K. Ramasamy, N. Abdullah, and Y.W. Ho. 2014. Effect of dietary prebiotic, probiotic and synbiotics on performance, caecal bacterial populations and caecal fermentation concentrations of broiler chicken. *J. Sci. Food Agric.* 94(2):341-348.
- Murtidjo, B. A. 1987. *Pedoman Beternak Ayam Broiler*. Yogyakarta : Penerbit Kanisius. Halaman 111-115.
- Murtidjo. A. 1987. Turunkan Cholesterol Ayam Kampung dengan Lisin. *Poultry Indonesia* :68-69.
- National Research Council. 1994. *National Requirement of Poultry*. National Academy Press. Halaman 32-35.
- Natsir, M.H., Widodo, E., Muharlieni. 2016. Penggunaan Kombinasi Tepung Kunyit (*Curcuma Domestica*) dan Jahe (*Zingiber Officinale*) Bentuk Enkapsulasi dan Tanpa Enkapsulasi terhadap Karakteristik Usus dan Mikroflora Usus Ayam Pedaging. *Buletin Peternakan* 40 (1):1-10.
- Nisa LC. 2014. Aktivitas antibakteri kulit kayu manis (*Cinnamomum burmannii*) dengan cara ekstraksi yang berbeda terhadap *Escheria coli* dan *Staphylpoccus aureus* [skripsi]. Surakarta (ID): Universitas Muhammadiyah Surakarta.
- North, M. O. & D. D. Bell. 1990. *Commercial Chicken Production Manual* 4<sup>th</sup> Ed. New York : Van Nostrand Reinhold. Halaman 1165-178.
- Nugraha, Y.A., Nissa, K., Nurbaeti, N., Amrullah, F.M., dan Harjanti, D.W. 2017. Pertambahan Bobot Badan dan *Feed Conversion Rate* Ayam Broiler yang Dipelihara Menggunakan Desinfektan Herbal. *Jurnal Ilmu-Ilmu Peternakan* 27(2): 19-24.
- Osman, H., A.A. Rahim, N.M. Isa, and N.M. Bakhir. (2009). Antioxidant Activity and Phenolic Content of *Paederia foetida* and *Syzygium aqueum*. *Molecules* 14: 970-978.
- O’Sullivan, L., Murphy, B., McLoughlin, P., Duggan, P., Lawlor, P. G., Hughes, H., & Gardiner, G. E. (2010). Prebiotics from Marine Macroalgae for Human and Animal Health Applications. *Marine Drugs*, 8(7), 2038–2064.
- Phillips, I., M. Casewall, T. Cox, B. Groot, C. Friis, R. Jones. 2004. Does the use antibiotics in food animals pose a risk to human health?. *Journal of Antimicrobial Chemotherapy*.53;28-52 <https://academic.oup.com/journals/>. diakses 2 Desember 2019).
- Pond, W. G., D.C. Church & K. R. Pond. 1995. *Basic Animal Nutrition and Feeding*. 4<sup>th</sup> Edition. New York : John Wiley and Sons. Halaman 156-187.
- Pratikno, H. 2010. Pengaruh Ekstrak Kunyit (*Curcuma domestica* Vahl) terhadap Bobot Badan Ayam Broiler (*Gallus sp*). *Buletin Anatomi dan Fisiologis* 18(2) :39-41.
- Rasyaf, M. 2008. *Panduan Beternak Ayam Pedaging*. Jakarta : Penebar Swadaya.
- Revington, B. 2002. *Feeding Poultry in The PostAntibiotic Era*. Multi-State Poultry Meeting May 14 -16, 2002.
- Roberfroid, M.B. 2007. Prebiotics: The Concept Revisited. *J. Nutr.* 137: 830S.
- Rose, S.P. 2001. *Principles of Poultry Science*. UK :CAB International. Halaman 68-79.
- Rukmana, R. 1994. *Kunyit*. Penerbit Kanisius: Yogyakarta. Halaman 46-57.

- Scanes, C. G., G. Brant & M. E. Ensminger. 2004. *Poultry Science* 4th Ed. New Jersey : Pearson/Prentice Hall. Halaman 111-137.
- Scott, M. L., M. C. Nesheim & R. J. Young. 1982. *Nutrition of the Chicken*. 3rd Ed. ML. Ithaca : Scott and ASS. Halaman 231-245.
- Setiawan, I dan E. Sujana. 2009. Bobot akhir, persentase karkas dan lemak abdominal ayam broiler yang dipanen pada umur yang berbeda. seminar nasional fakultas peternakan unpad “Pengembangan Sistem Produksi dan Pemanfaatan Sumberdaya Lokal untuk Kemandirian Pangan Asal Ternak”. Bandung. ISBN : 978 – 602 – 95808 – 0 – 8.
- Shoba G, Joy D, Joseph T, Majeed M, Rajendran R, Srinivas PS. 1998. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med* 64(4): 353–356.
- Simbala, H.E.I. 2007. Keanekaragaman floristik dan pemanfaatan sebagai tumbuhan obat di kawasan konservasi II Taman Nasional Bogani Nani Wartabone (Kabupaten Bolaang Mongondow, Sulawesi Utara) [disertasi]. Bogor (ID): Institut Pertanian Bogor.
- Siregar, A. P. 1980. *Teknik Berternak Ayam Pedaging di Indonesia*. Jakarta: Merdie Group. Halaman 57-78.
- Suprijatna. E. Umiyati. A dan Ruhyat. K. 2005. *Ilmu Dasar Ternak Unggas* Cetakan 1. Jakarta : Penebar Swadaya. Halaman 46-57.
- Suwarno, Sajidan, Oetomo, D., dan Dwiastuti. 2015. Pengaruh Probiotik terhadap Pertumbuhan Ayam Broiler. *Seminar Nasional XII Pendidikan Biologi FKIP UNS*.
- Suwarta, 2013. *Feed Conversion Ratio (FCR) Usaha Ternak Ayam Broiler di Kabupaten Sleman. Jurnal Ilmu Ilmu Pertanian “Agrika”* 8(2):131-148.
- Thomas J dan Duethi PP. 2001. *Cinnamon Handbook of Herbs and Spices*. 1st Ed. Peter KV, editor. Cambridge (GB): CRC Press. Halaman 224-228.
- Utami P, Puspaningtyas DS. 2013. *The Miracle of Herbs*. Jakarta (ID): AgroMedia Pustaka. Halaman 36-40.
- Wahyu, Y. 2004. *Ilmu Nutrisi Unggas*. Yogyakarta: Gadjah Mada University Press. Halaman 57-62.
- Wahyono, F. 2002. The influence of probiotic on feed consumption, body weight and blood cholesterol level in broiler fed on high saturated or unsaturated fat ration. *J. Trop. Anim. Dev* 27 : 36-44.
- Widodo, E. Natsir, M. H. Sjojfan, O. 2018. *Aditif Pakan Unggas Pengganti Antibiotik (Respons terhadap Larangan Antibiotik Pemerintah Indonesia)*. Malang : UB Press. Halaman 45-53.
- Wiranata, G. A.; I.G. A. M. K., Dewi; Indrawati, R. R. 2013. Pengaruh Energi Metabolisme dan Protein Terhadap Presentase Karkas dan Organ Dalam Ayam Kampung (*Gallus domesticus*) Betina Umur 30 Minggu. *J. Trop. Anim. Sci* 1(2):87-100.
- Yani. 2006. Penggunaan EM4 (Effective Microorganism) untuk Meningkatkan Performans Ternak Kelinci. *Jurnal Protein*, 13 (1) : 35-43.
- Zaeoung SA, Plubrukarn dan Keawpradub N. 2005. Cytotoxic and free radical scavenging activities of *Zingiberaceous rhizomes*. *J Sci Technol* 27(4): 799-812.