

REFERENCE

- Aewsiri, T., Benjakul, S., Visessanguan, W., Wierenga, P. A., & Gruppen, H. (2011). International Journal of Biological Macromolecules Surface activity and molecular characteristics of cuttlefish skin gelatin modified by oxidized linoleic acid. *International Journal of Biological Macromolecules*, 48(4), 650–660. <https://doi.org/10.1016/j.ijbiomac.2011.02.006>
- Baldwin, E. A., Hagenmaier, R. D., & Bai, J. (2011). *Edible coatings and films to improve food quality, second edition. Edible Coatings and Films to Improve Food Quality, Second Edition.*
- Basha, R. K., Konno, K., Kani, H., & Kimura, T. (2011). Water vapor transmission rate of biomass based film materials. *Engineering in Agriculture, Environment and Food*, 4(2), 37–42. [https://doi.org/10.1016/S1881-8366\(11\)80018-2](https://doi.org/10.1016/S1881-8366(11)80018-2)
- Belitz, H. D. and Grosch, W. (1999). Meat. In *Food Chemistry* (Beliz, H. D. and Grosch, W. eds.). p. 540-547. Springer Berlin / Heidelberg Publisher. New York.
- Becker, B. R., Ph, D., & Fricke, B. a. (2014). Transpiration and Respiration of Fruits and Vegetables. *Universidad of Missouri*, 18. Retrieved from http://b.web.umkc.edu/beckerb/publications/chapters/trans_resp.pdf
- Ben-Yehoshua S. (1969) Gas exchange, transportation, and the commercial deterioration in storage of orange fruit. *J Am Soc Hortic Sci*, 94 524–8.
- Benjakul, S., Mad-Ali, S., Senphan, T., & Sookchoo, P. (2017). Biocalcium powder from precooked skipjack tuna bone: Production and its characteristics. *Journal of Food Biochemistry*, 41(6), 1–8. <https://doi.org/10.1111/jfbc.12412>
- Bohner, M. (2000). Calcium orthophosphates in medicine: From ceramics to calcium phosphate cements. *Injury*. 31:D37-D47.
- Bottcher, C., Harvey K. E., Boss P. K., Davies C. 2013. Ripening of grape berries can be advanced or delayed by reagents that either reduce or increase ethylene levels. *Functional Plant Biology* 40, 566 – 581.
- Bremner, H. A. (1992). Fish Glesh Structure and The Role of Collagen-Its Postmortem Aspects and Implications for Fish Processing. In *Quality Assurance in the Fish Industry*. (Hass, H. H., Jacobsen, M. and Liston, J. eds.) p. 39–62, Elsevier Amsterdam.
- Chukwu O. (2010). Moisture-Sorption Study of Dried Date Fruits. *AU Journal of Technology*, 13(3), 175–180. Retrieved from <http://www.journal.au.edu/au techno/2010/jan2010/index.html>

- Cuq, B., Gontard, N., Aymard, C., & Guilbert, S. (1997). Relative humidity and temperature effects on mechanical and water vapor barrier properties of myofibrillar protein-based films. *Polymer Gels and Networks*, 5(1), 1–15. [https://doi.org/https://doi.org/10.1016/S0966-7822\(96\)00026-3](https://doi.org/https://doi.org/10.1016/S0966-7822(96)00026-3)
- Deng, L., Li, Y., Zhang, A., & Zhang, H. (2020). Characterization and physical properties of electrospun gelatin nanofibrous films by incorporation of nano-hydroxyapatite. *Food Hydrocolloids*, 103(December 2019), 105640. <https://doi.org/10.1016/j.foodhyd.2019.105640>
- Duconseille, A., Astruc, T., Quintana, N., Meersman, F., & Sante-Lhoutellier, V. (2015). Gelatin structure and composition linked to hard capsule dissolution: A review. *Food Hydrocolloids*, 43, 360–376. <https://doi.org/10.1016/j.foodhyd.2014.06.006>
- Erbil, H. Y. & Muftugil, N. (1986). Lengthening the postharvest life of peaches by coating with hydrophobic emulsions. *J Food Proc Pres*, 10 269–79.
- Fakhouri, F. M., Martelli, S. M., Caon, T., Velasco, J. I., & Mei, L. H. I. (2015). Edible films and coatings based on starch/gelatin: Film properties and effect of coatings on quality of refrigerated Red Crimson grapes. *Postharvest Biology and Technology*, 109, 57–64. <https://doi.org/10.1016/j.postharvbio.2015.05.015>
- Fang, D., Liu, Y., Jiang, S., Nie, J., & Ma, G. (2011). Effect of intermolecular interaction on electrospinning of sodium alginate. *Carbohydrate Polymers*, 85(1), 276–279. <https://doi.org/10.1016/j.carbpol.2011.01.054>
- Foegeding, E. A. and Lanier, T. C. (1996). Characteristics of edible muscle tissues. *In Food Chemistry* (Fennema, O. R. ed.). p. 879–942. Marcel Dekker. New York.
- Gaffney, J.J., C.D. Baird, and K.V. Chau. (1985). Influence of Airflow Rate, Respiration, Evaporative Cooling, and Other Factors Affecting Weight Loss Calculations for Fruits and Vegetables. *ASHRAE Transactions* 91(1B): 690-707.
- Galdeano, M. C., Wilhelm, A. E., Mali, S., & Grossmann, M. V. E. (2013). Influence of thickness on properties of plasticized oat starch films. *Brazilian Archives of Biology and Technology*, 56(4), 637–644. <https://doi.org/10.1590/S1516-89132013000400014>
- Gennadios, A.; McHugh, T. H.; Weller, C. L. & Krochta, J. M. (1994). Edible coating and films based on protein. In: *Edible Coatings and Films to Improve Food Quality*, Krochta, J. M., Balwin, E. A. & Niperos Carriedo, M. O., pp. 201-277, Technomic Publishing, ISBN: 978-1-4200-3198-0 , Basel.

- Gennadios, A., Weller, C. L., Hanna, M. A., & Froning, G. W. (1996). Mechanical and Barrier Properties of Egg Albumen Films. *Journal of Food Science*, 61(3), 585–589. <https://doi.org/10.1111/j.1365-2621.1996.tb13164.x>
- Griffiths, P. C., Cheung, A. Y. F., Jenkins, R. L., Howe, A. M., Pitt, A. R. and Heenan, R. K. (2000). The interaction between a partially fluorinated alkyl sulphate and gelatin in aqueous solutions. *Langmuir*. 20: 1161–1167.
- Guilbert, S. (1986). Technology and application of edible protective films. In: Food packaging and preservation, Theory and Practice, Matholouthi, M., pp. 371-394. Elsevier Applied Science Publishing, ISBN: 0853343772.
- Halim, A. L. A., Kamari, A., & Phillip, E. (2018). Chitosan, gelatin and methylcellulose films incorporated with tannic acid for food packaging. *International Journal of Biological Macromolecules*, 120, 1119–1126. <https://doi.org/10.1016/j.ijbiomac.2018.08.169>
- Hanani, Z. A. N., Yee, F. C., & Nor-Khaizura, M. A. R. (2019). Effect of pomegranate (*Punica granatum* L.) peel powder on the antioxidant and antimicrobial properties of fish gelatin films as active packaging. *Food Hydrocolloids*, 89(June 2018), 253–259. <https://doi.org/10.1016/j.foodhyd.2018.10.007>
- Hardenburg, R. E. (1967). Wax and Related Coatings for Horticultural Products. A bibliography, Agricultural Research Service Bulletin 51–55. United States Department of Agriculture, Washington D. C.
- Jongen, W. (2000). Fruit and vegetable processing Improving quality. Woodhead Publishing in Food Science and Technology. 331–345.
- Jouki, M., Tabatabaei Yazdi, F., Mortazavi, S. A., & Koocheki, A. (2013). Physical, barrier and antioxidant properties of a novel plasticized edible film from quince seed mucilage. *International Journal of Biological Macromolecules*, 62, 500–507. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2013.09.031>
- Kingwascharapong, P., Arisa, K., Karnjanapratum, S., Tanaka, F., & Tanaka, F. (2020). Effect of gelatin-based coating containing frog skin oil on the quality of persimmon and its characteristics. *Scientia Horticulturae*, 260(April 2019), 108864. <https://doi.org/10.1016/j.scienta.2019.108864>
- Laycock, Bronwyn & Halley, Peter. (2014). Starch applications: State of market and new trends. *Starch Polymers*, Starch Polymers. 381-419.
- Limpisophon, K., Tanaka, M., & Osako, K. (2010). Characterisation of gelatin-fatty acid emulsion films based on blue shark (*Prionace glauca*) skin gelatin. *Food Chemistry*, 122(4), 1095–1101. <https://doi.org/10.1016/j.foodchem.2010.03.090>

- Ma, G. (2019). Three common preparation methods of hydroxyapatite. *Materials Science and Engineering*. <https://doi.org/10.1088/1757-899X/688/3/033057>
- Mallakpour, S., & Sadaty, M. A. (2016). Thiamine hydrochloride (vitamin B1) as modifier agent for TiO₂ nanoparticles and the optical, mechanical, and thermal properties of poly(vinyl chloride) composite films. *RSC Advances*, 6(95), 92596–92604. <https://doi.org/10.1039/C6RA18597E>
- Maryam Adilah, Z. A., & Nur Hanani, Z. A. (2016). Active packaging of fish gelatin films with *Morinda citrifolia* oil. *Food Bioscience*, 16(October), 66–71. <https://doi.org/10.1016/j.fbio.2016.10.002>
- McHugh, T. H. (2000). Protein-lipid interactions in edible films and coatings. *Food / Nahrung*, 44(3), 148–151. [https://doi.org/doi:10.1002/1521-3803\(20000501\)44:3<148::AID-FOOD148>3.0.CO;2-P](https://doi.org/doi:10.1002/1521-3803(20000501)44:3<148::AID-FOOD148>3.0.CO;2-P)
- Mellinas, C., Valdés, A., Ramos, M., Burgos, N., Del Carmen Garrigós, M., Jiménez, A. (2015). Active edible films: Current state and future trends. *J. Appl. Polym. Sci.* 2016, 133, 42631.
- Nilsuwan, K., Benjakul, S., & Prodpran, T. (2016). Influence of palm oil and glycerol on properties of fish skin gelatin-based films. *Journal of Food Science and Technology*, 53(6), 2715–2724. <https://doi.org/10.1007/s13197-016-2243-7>
- Nisperos-Carriedo, M. O., Shaw, P. E. and Baldwin, E. A. (1990). Changes in volatile flavor components of pineapple orange juice as influenced by the application of lipid and composite films. *J Agric Food Chem*, 38 (6) 1382.
- Nor Amalini, A., Norziah, M. H., Khan, I., & Haafiz, M. K. M. (2018). Exploring the properties of modified fish gelatin films incorporated with different fatty acid sucrose esters. *Food Packaging and Shelf Life*, 15(December 2017), 105–112. <https://doi.org/10.1016/j.fpsl.2017.12.003>
- Pan, Y., Xiong, D., & Chen, X. (2007). Mechanical properties of nanohydroxyapatite reinforced poly (vinyl alcohol) gel composites as biomaterial. *Journal of Materials Science*, 42(13), 5129-5134.
- Park, H. J., Chinnan, M. S. and Shewfelt, R. L. (1994a). Edible coating effects on storage life and quality of tomatoes. *J Food Science*, 59 (3) 568–70.
- Park, H. J., Chinnan, M. S., and Shewfelt, R. L. (1994b). Edible corn-zein film coatings to extend storage lif of tomatoes, *J Food Science*, 18 317–31.
- Patricia Miranda, S., Garnica, Omar, Lara-Sagahon, Virginia, & Cárdenas, Galo. (2004). WATER VAPOR PERMEABILITY AND MECHANICAL PROPERTIES OF CHITOSAN COMPOSITE FILMS. *Journal of the Chilean*

Chemical Society, 49(2), 173-178. <https://dx.doi.org/10.4067/S0717-97072004000200013>

Raita, M. S., Iconaru, S. L., Groza, A., Cimpeanu, C., Predoi, G., Ghegoiu, L., ... Predoi, D. (2020). Multifunctional Hydroxyapatite Coated with *Artemisia absinthium* Composites. *Molecules*, 25(2), 1–18. <https://doi.org/10.3390/molecules25020413>

Rizza, M. A., Wijayanti, W., Hamidi, N., & Wardana, I. N. G. (2018). Role of Intermolecular Forces on the Contact Angle of Vegetable Oil Droplets during the Cooling Process. *Scientific World Journal*, 2018. <https://doi.org/10.1155/2018/5283753>

Ross-Murphy, S. B. (1992). Structure and rheology of gelatin gels-Recent progress. *Polymer*, Vol. 33, No. 12. (September 1991), pp. 2622–2627. ISSN: 0032–3861.

Sadat-Shojai, M., Khorasani, M. T., Dinpanah-Khoshdargi, E., & Jamshidi, A. (2013). Synthesis methods for nanosized hydroxyapatite with diverse structures. *Acta Biomaterialia*, 9(8), 7591–7621. <https://doi.org/10.1016/j.actbio.2013.04.012>

Sastry, S.K., C.D. Baird, and D.E. Buffington. (1978). Transpiration Rates of Certain Fruits and Vegetables. *ASHRAE Transactions* 84(1): 237-254.

Siguel, E. N. (1994). *Essential fatty acids in health and disease*. Nutrec Press, United States of Amerika.

Smith, S., Geeson, J., and Stow, J. R. 1987 Production of modified atmospheres in deciduous fruits by the use of films and coatings. *Hort Science*, 22 (5) 772–6.

Smock, R. M. (1940). Some additional effects of waxing apples. *Am Soc Hortic Science*, 37 448–52.

Soazo, M., Rubiolo, A. C., & Verdini, R. A. (2011). Effect of drying temperature and beeswax content on physical properties of whey protein emulsion films. *Food Hydrocolloids*, 25(5), 1251–1255. <https://doi.org/10.1016/j.foodhyd.2010.11.022>

Sobral, P. J. do A. (1999). Propriedades funcionais de biofilmes de gelatina em função da espessura. *Ciência & Engenharia*, 8(1), 60-67.

Stadtman, E. R., Arai, H., & Berlett, B. S. (2005). Protein oxidation by the cytochrome P450 mixed-function oxidation system. 338, 432–436. <https://doi.org/10.1016/j.bbrc.2005.07.203>

Steel, R. G., Torrie, J. H., & Dickey, D. A. (1980). *Principles and procedures of statistics: A biometrical approach*. New York: McGraw-Hill.

- Sorrentino, A., Gorrasi, G., & Vittoria, V. (2007). Potential perspectives of bio-nanocomposites for food packaging applications. *Trends in Food Science and Technology*, 18(2), 84–95. <https://doi.org/10.1016/j.tifs.2006.09.004>
- Šupová, M. (2014). Isolation and preparation of nanoscale bioapatites from natural sources: A review. *Journal of Nanoscience and Nanotechnology*, 14(1), 546–563. <https://doi.org/10.1166/jnn.2014.8895>
- Theerawitayaart, W., Prodpran, T., Benjakul, S., & Sookchoo, P. (2019). Properties of films from fish gelatin prepared by molecular modification and direct addition of oxidized linoleic acid. *Food Hydrocolloids*, 88(July 2018), 291–300. <https://doi.org/10.1016/j.foodhyd.2018.10.022>
- Toledano, O., & Magdassi, S. (1997). Formation of Surface Active Gelatin by Covalent Attachment of Hydrophobic Chains. *Journal of Colloid and Interface Science*, 193(2), 172–177. <https://doi.org/https://doi.org/10.1006/jcis.1997.5030>
- Tongnuanchan, P., Benjakul, S., & Prodpran, T. (2012). Properties and antioxidant activity of fish skin gelatin film incorporated with citrus essential oils. *Food Chemistry*, 134(3), 1571–1579. <https://doi.org/10.1016/j.foodchem.2012.03.094>
- Tongnuanchan, P., Benjakul, S., & Prodpran, T. (2014). Structural, morphological and thermal behavior characterisations of fish gelatin film incorporated with basil and citronella essential oils as affected by surfactants. *Food Hydrocolloids*, 41, 33–43.
- Uchida, K., Kato, Y., & Kawakishi, S. (1992). A novel mechanism for oxidative cleavage of prolyl peptides induced by the hydroxyl radical. *J Biol. Chem.* 267, 23646–23651. [https://doi.org.ezproxy.ugm.ac.id/10.1016/0006-291X\(90\)91463-3](https://doi.org.ezproxy.ugm.ac.id/10.1016/0006-291X(90)91463-3)
- Vidyarathi, U., Zhdan, P., Gravanis, C., & Lekakou, C. (2008). Gelatine-hydroxyapatite nano-composites for orthopaedic applications. *AIP Conference Proceedings*, 1045, 81–90. <https://doi.org/10.1063/1.2991353>
- Wang, W., Xiao, J., Chen, X., Luo, M., Liu, H., & Shao, P. (2018). Fabrication and characterization of multilayered kafirin/gelatin film with one-way water barrier property. *Food Hydrocolloids*, 81, 159–168. <https://doi.org/10.1016/j.foodhyd.2018.02.044>
- Whelan, J., & Fritsche, K. (2017). *Linoleic Acid*. (May 2013), 3–5. <https://doi.org/10.3945/an.113.003772>
- Wittaya, T. (2009). Microcomposites of rice starch film reinforced with microcrystalline cellulose from palm pressed fiber. *International Food Research Journal*, 16(4), 493–500.

- Wittaya, T. (2012). Protein-Based Edible Films: Characteristics and Improvement of Properties. *Structure and Function of Food Engineering*. <https://doi.org/10.5772/48167>
- Xing, Y., Lin, H., Cao, D., Xu, Q., Han, W., Wang, R., ... Li, X. (2015). Effect of Chitosan Coating with Cinnamon Oil on the Quality and Physiological Attributes of China Jujube Fruits. *BioMed Research International*, 2015. <https://doi.org/10.1155/2015/835151>
- Yıldırım-Yalçın, M., Şeker, M., & Sadıkoğlu, H. (2019). Development and characterization of edible films based on modified corn starch and grape juice. *Food Chemistry*, 292(November 2018), 6–13. <https://doi.org/10.1016/j.foodchem.2019.04.006>
- Yuliani, S., Wardana, A. A., Meindrawan, B., Suyatma, N. E., & Muchtadi, T. R. (2018). Nanocomposite edible coating from cassava starch, stearic acid and zno nanoparticles to maintain quality of fresh-cut mango cv. arumanis. *Annals of the University Dunarea de Jos of Galati, Fascicle VI: Food Technology*, 42(2), 49–58.